




MANUAL TOOLS COMPANY

Manufacturer of Coke Oven Machinery

PRODUCT BROCHURE



HAULAGE MACHINE

10 HP / 10 Ton - Coke Oven Extraction Series

10 Tons

PULLING CAPACITY

10 HP

MOTOR

440 V

3-PHASE SUPPLY



Ravindra Kr. Agarwal, Proprietor

Dhanbad, Jharkhand, India | +91 9430707348


www.manualtoolsco.com

Haulage Machine

10 HP / 10 Ton - Coke Oven Extraction Series

AT A GLANCE

A heavy-duty haulage machine for coke ovens and mines. A 10 HP motor drives a high-torque worm reducer gearbox for steady, controlled pulling of up to 10 tons.



KEY SPECIFICATIONS



PULLING CAPACITY
10 Tons



MOTOR POWER
10 HP (Elec.)



GEARBOX TYPE
Worm Reducer



APPLICATION
Coke / Mining

SPECIFICATIONS

Pulling Capacity	10 Tons (Horizontal)
Motor	10 H.P. (3-Phase, 440V)
Gearbox	Heavy Duty Worm Reducer
Base Frame	Fabricated C-Channel Steel
Gears	Cast Steel, Machine Cut
Application	Coke Oven / Mining

DESIGN & DURABILITY

- ✓ Cast steel gears, machine cut
- ✓ Fabricated C-channel steel base frame
- ✓ Manual or electro-hydraulic thruster brake (optional)
- ✓ Non-reversible worm drive resists back-slip

BUYING INFORMATION

Lead time	Made to order. Ask us for the current lead time.
Warranty	1 year, as on all our machinery.
Installation	Installation supervision and commissioning available.
Custom builds	Capacity, motor power and dimensions matched to your plant and drawings.

REQUEST A QUOTATION

+91 9430707348

Custom sizes and capacities built to order.
www.manualtoolsco.com | Dhanbad, Jharkhand, India

HOW IT WORKS

01 Electrical Input

The 10 HP motor starts; a flexible coupling transmits power to the gearbox input shaft and absorbs start-up shock.

02 Speed Reduction

The worm reducer lowers the RPM and multiplies torque. The non-reversible gear action helps prevent load back-slip.

03 Drum Traction

The output shaft turns the rope drum, coiling the steel wire rope and applying a steady 10-ton pull on the connected load.

APPLICATIONS

Coke Ovens	Extracting heavy coke cakes and operating heavy door mechanisms.
Rail Shunting	Moving wagons or material trolleys where locomotives cannot reach.
Underground Mines	Pulling tubs of coal or minerals up inclined planes.

COMMON QUESTIONS

What is the maximum pulling capacity?

This model is rated for 10 Tons of horizontal pulling force.

Can it be used for lifting?

No. It is designed for horizontal pulling or inclined dragging, not as a vertical lifting hoist.

What oil does the gearbox need?

Heavy-duty gear oil such as Servo Mesh SP 320 or SAE 140, depending on ambient temperature.




Does it come with wire rope?

The machine is supplied with the drum. Wire rope length and diameter are customised to your requirement.

Is the motor included?

Yes, the standard unit comes with a 10 HP electric motor pre-mounted and aligned.

PRODUCT GALLERY



ALSO FROM MANUAL TOOLS COMPANY

Coal Crusher (5 No.)

Single Disc - Fine Coal Disintegrator

Coal Crusher (5 No.)

Double Disc - High Capacity Disintegrator

Coke Cutter Machine

Double Drive, Drum Type - Industrial Series

Ring Type Coke Cutter

Double Drive - Segmented Manganese Steel Rings

Door Lifting Power Winch

Coke Oven Gate Lifting Equipment

Vibrator Screen Machine

Multi-Deck Series - Industrial Grading & Sorting

Pusher Machine

With Roller Stamping Arrangement

Coal Charging Car

Top Feed - Coke Oven Machinery Series

Conveyor Components

Idlers, Rollers & Pulleys - Industrial Handling Systems

REQUEST A QUOTATION

+91 9430707348

Custom sizes and capacities built to order.

www.manualtoolsco.com | Dhanbad, Jharkhand, India