



MANUAL TOOLS COMPANY

Manufacturer of Coke Oven Machinery



30+ YEARS OF
EXCELLENCE

Ravindra Kr. Agarwal, Prop.

Dhanbad, Jharkhand | manualtoolsco.com



RING TYPE COKE CUTTER

DOUBLE DRIVE - SEGMENTED MANGANESE STEEL RINGS



KEY CAPABILITY:

A double drive coke cutter whose shafts carry separate toothed rings of high manganese steel instead of one lined drum. Two 25 HP motors, 20 TPH, adjustable 45 - 60 mm output.




PERFORMANCE

- ✓ Capacity: 20 Tons / Hour
- ✓ Motor: 25 HP + 25 HP (Total 50 HP)
- ✓ Input Feed Size: below 200 mm
- ✓ Output Size: 45 - 60 mm (Adjustable)

DURABILITY & DESIGN

- ✓ Segmented Toothed Rings
- ✓ High Manganese Steel (Work-Hardening)
- ✓ Individually Replaceable Rings
- ✓ Double Drive: Equal Torque, Less Jamming

PRODUCT GALLERY



REQUEST A QUOTATION: +91 9430707348



HOW IT WORKS

1. Feed Intake

Large coke lumps fall into the cutting chamber. The robust housing is designed to withstand impact from heavy material.

2. Ring Shearing

As the shafts rotate, the toothed rings engage the coke. The segmented design concentrates force for cleaner cuts with less dust.

3. Sized Output

Sized coke (45 - 60 mm) passes through the gap. Oversized pieces remain until cut, for consistent furnace-grade coke.

APPLICATIONS

Steel Plants	Metallurgical coke for blast furnaces, where air flow permeability is key.
Cupola Furnaces	Consistent coke sizes for foundries: stable temperatures and melting rates.
Ferro Alloys	Specific carbon sizing for reduction processes.

COMMON QUESTIONS

Q. What is the benefit of the Ring Type design?

A. Rings are keyed to the shaft individually, so a damaged section is replaced on its own instead of relining the whole drum. The cutting is also very aggressive on hard coke.

Q. Why are there two motors (Double Drive)?

A. Equal torque on both ends of the cutting shaft prevents jamming on large or hard lumps and extends gear life.

Q. Can I adjust the output size?

A. Yes. The gap between the ring shafts is adjustable from 45 mm to 60 mm.

Q. How durable are the rings?

A. They are cast from High Manganese Steel, which work-hardens in use and withstands abrasive metallurgical coke.

Q. What capacity does this machine handle?

A. This model is designed for 20 Tons Per Hour (TPH).

REQUEST A QUOTATION: +91 9430707348