




MANUAL TOOLS COMPANY
Manufacturer of Coke Oven Machinery



PRODUCT BROCHURE

VIBRATOR SCREEN MACHINE

Multi-Deck Series – Industrial Grading & Sorting

1 – 4

SCREENING DECKS

7.5 – 15 HP

MOTOR RANGE

5' x 16'

MAX SCREEN SIZE

VIBRATOR SCREEN MACHINE

A heavy-duty vibrating screen for coke and coal.
An eccentric shaft gives strong vibration and high
screening efficiency, in 1 to 4 deck configurations.



1 – 4 Decks
CONFIGURATION



7.5 – 15 HP
MOTOR POWER



Up to 5' x 16'
SCREEN SIZE



High Carbon Steel
MESH TYPE

SPECIFICATIONS

Decks	1, 2, 3 or 4 (Customisable)
Screen Sizes	4' x 12', 4' x 16', 5' x 16'
Motor	7.5 – 15 H.P. (Based on Load)
Mesh	High Carbon Steel
Vibration	Eccentric Shaft Mechanism
Suspension	Heavy Coil Spring

DESIGN & DURABILITY

- Eccentric shaft vibration mechanism
- Heavy coil spring suspension
- Interchangeable mesh decks
- Adjustable amplitude via counterweights

BUYING INFORMATION

Lead time: Built to your deck and screen-size configuration. Ask us for the current lead time.

Warranty: 1 year, as on all our machinery.

Installation: Installation supervision and commissioning available.

Custom builds: Capacity, motor power and dimensions can be matched to your plant and drawings.

Brochure: Download PDF

HOW IT WORKS

01 Material Feed

Mixed material is fed onto the top deck and spread across the full width of the screen cloth.

02 Stratification

Fines pass through the mesh to lower decks while oversize lumps ride over the top to the discharge chute.

03 Multi-Output

Each deck discharges its own size grade (e.g. +40mm, 20-40mm, -20mm) to separate hoppers or conveyors.

APPLICATIONS

Coke Oven Plants	Separating coke breeze from usable blast furnace coke lumps.
Coal Washeries	Sizing raw coal before washing and dewatering clean coal.
Stone Crushing	Grading aggregates, gravel and sand.

COMMON QUESTIONS

What materials can it handle?

Mainly coke, coal and iron ore; also stone aggregates and other minerals.

Can I change the output size?

Yes. The wire mesh screens are interchangeable with different aperture sizes.

How many sizes can I get at once?

A 3-deck machine gives 4 output sizes (oversize + 3 grades).



What motor does it use?

Typically a 1440 RPM, 3-phase induction motor from 7.5 HP to 15 HP.

Is the vibration adjustable?

Yes, by changing the counterweights on the flywheels / eccentric shaft.

PRODUCT GALLERY



ALSO FROM MANUAL TOOLS COMPANY

Coal Crusher (5 No.)

Single Disc – Coal Disintegrator

Coke Cutter Machine

Double Drive, Drum Type – Industrial Series

Haulage Machine

10 HP / 10 Ton – Coke Oven Extraction Series

Pusher Machine

With Roller Stamping Arrangement

Conveyor Components

Idlers, Rollers & Pulleys – Industrial Handling Systems

Coal Crusher (5 No.)

Double Disc – High Capacity Disintegrator

Ring Type Coke Cutter

Double Drive – Segmented Manganese Steel Rings

Door Lifting Power Winch

Coke Oven Gate Lifting Equipment

Coal Charging Car

Top Feed – Coke Oven Machinery Series

REQUEST A QUOTATION

+91 9430707348

Custom sizes and capacities built to order.

manualtoolsco.dhn@gmail.com

www.manualtoolsco.com | Dhanbad, Jharkhand, India