
	Lab Peogram-4
2-1-24	Develop a Java Program to create as abstract class
	named shape.
	import java, util. Scorner;
	class input Scanned & Harman M. A. A. Market and M.
	protected Scarrer s;
	1 Ad a deal was a contract of
	public input Scarrer (Streton in) in all the
	s=new Scannes (System.in)
	3 color ones putting it
	11: it art I and (String melsage)
	The last of the property and the second of t
-	System out pritte (nessage)
	return s.nextInt();
	3 mat i Dhongana de la
) and the same of
	abstrait class Shape extends input scanner
	{
	protected int a, b;
	protected int a, b; public Shape ()
	900
	3 super ()
	abstract public roid printArea ();
	clos Rectargle extends Shape
	protected int a h.
	protected int a, b; public Rectargle ()



1,7,00			Page
	public vold prist no	ual	
	Ş	Name and the state of the state	
	a= get Input	("Enter the eadies:	'^);
auch Marweit (Mahama) and and Carlo in the Indiana and Garage Agent Material (An Anna Anna ann an Anna an Anna	1 11	3.14 Xa*a'	,
	System and prix	Un ("Aroa of the circ	le: "tage
	3 Marie 18 mines	Thomas I have	
3	A relliance all get	1) Logorthy and	
		August that	
nulli:	lass maintrea	the range line material	
7			
2	ublic static roid mai	n (String algs [])	
\$	Charles a Block		
	Rectarale & = neu	Rectargle ():	st and
	Triangle t = new	Friagle ();	
	Ciecle c = new C	rele (1): til hat the	in .
		(Inly nist with	19
1	t print Acea ();		7
	C. pent A Real);	suport is	;
3	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Cathan C	1
}		ImoAtion home wilde	la.
	V AND DESCRIPTION		· P
Output:	to the establish	Fra W. Lugarther = Die	3,
Enter the	Kergth: 3 his all is	dart attach	
Exter the	breadth; 4	= arm alling	1
Area of th	e Restargle: 12	Moren tun meters 20	1/24
	1 side 1 : 5	07	1
Foter the s	-		Y
11	Triargle: 15.0		
Exter the r		sund shalve alici	service.
	ircle: 50.24	a transfer de la companya del companya de la companya del companya de la companya	
		intition latetan	
5.4		1 1 1 1 1 1 1 1 1 1	