C S 488/508 Introduction to Data Mining Homework 8: Anomaly detection

Objective

In this **individual** homework, you will do exercises to write program to utilize anomaly detection algorithms.

Requirements

This assignment uses a data set called Breast Cancer Wisconsin Data Set from the UCI machine learning repository. Its csv file can be downloaded from Canvas (breast-cancer-wisconsin.csv). For this dataset, we want to detect anomaly class (i.e., maglinant). Refer to the data set description at https://archive.ics.uci.edu/ml/datasets/Breast+Cancer+Wisconsin+(Original) for more details about its attribute information and instances.

- Q1. (40 points) (**Local Outlier Factor**) Remove rows with missing values. Perform unsupervised outlier detection using Local Outlier Factor (LOF) with number of neighbors = 10 and metric = Euclidean distance. Use default values for other parameters. Plot the ROC curve. Report the processing time and AUC. (Reference: https://scikit-learn.org/stable/modules/generated/sklearn.neighbors.LocalOutlierFactor.html)
- Q2. (40 points) (**Density-based Approach**) Remove rows with missing values. Perform unsupervised outlier detection using DBSCAN. Consider noisy samples with cluster -1 as outliers. Properly choose values for parameters *eps* and *min_samples*. Use default values for other parameters. Plot the ROC curve. Report the processing time and AUC. (Reference: https://scikit-learn.org/stable/modules/generated/sklearn.cluster.DBSCAN.html)
- Q3. (20 points) (Comparison) Which method is more accurate and faster?

Submission instructions

A zipped file hw-lastname.zip consisting of all the source code and the PDF files containing discussions and figures.

Grading criteria

- (1) The score allocation has been put beside the questions.
- (2) Please make sure that you test your code **thoroughly**.
- (3) FIVE points will be deducted if files are not submitted in the required format.