



# STEPS TO INSTALL

1. Download the Wamp Server in Windows OS.
2. Install the Wamp Server in your PC.
3. Download all the files of the project.
4. Now after installation of Wamp, go in the “c” drive and find a folder having name “wamp64”.
5. Now in wamp64 there will be a folder naming “www”, open it and copy “appda2” in it.
6. Now open the wamp server. A icon will be displayed in notification bar, wait till the icon is “green”.
7. Now open your browser and type “localhost” in address bar, it will look like this.




8. Now open phpmyadmin.
9. Username is “root”, leave the password field empty.

10. Now click on new ,view of screen is given and in create database put name as “busoccupancy2” and click on create.



11. This will open



12. Now click on import.

**File to import:**

File may be compressed (gzip, bzip2, zip) or uncompressed.  
A compressed file's name must end in `.{format}.{compression}`. Example: `.sql.zip`

Browse your computer:  No file chosen (Max: 128MiB)

You may also drag and drop a file on any page.

Character set of the file:

**Partial import:**

☒ Allow the interruption of an import in case the script detects it is close to the PHP timeout limit. *(This might be a good way to import large files, however it can break transactions.)*

Skip this number of queries (for SQL) starting from the first one:

**Other options:**

☒ Enable foreign key checks

**Format:**

13. Now click on choose file and import the “busoccupancy2.sql”.

14. After this your data base has been added the localhost.

15. Now type in browser <http://localhost/appda2/busoc.php>;

16. Project is opened.

17. Now to choose bus open sql file in phpmyadmin naming “busnew”.

phpMyAdmin

Current server: MySQL

Recent | Favorites

- 7050
- 7060
- 8010
- 8020
- 8030
- 8040
- 8050
- 8060
- booking
- busnew
- cityno
- cityno1
- conductor
- feedback
- old5010
- route
- routenew
- routeno
- sample
- seats
- system\_user
- information\_schema
- mysql
- performance\_schema
- sys

Server: MySQL 3306 Database: busoccupancy2 Table: busnew

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Showing rows 0 - 23 (24 total, Query took 0.0004 seconds.)

SELECT \* FROM `busnew`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Ref]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

+ Options

	busno	sourcecity	sourceno	destinationcity	destinationno	date	start_time	routeno	bustype
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	5010	NEW DELHI	1	AMRITSAR	7	2018-03-22	05:00:00	101	2
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	5020	KARNAL	3	JAMMU	8	2018-03-23	06:00:00	102	2
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	5030	AMBALA	4	AMRITSAR	7	2018-03-23	07:00:00	103	2
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	5040	SONIPAT	2	JAMMU	8	2018-03-23	08:00:00	104	2
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	5050	NEW DELHI	1	LUDHIANA	5	2018-03-23	10:00:00	105	2
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	5060	JALANDHAR	6	JAMMU	8	2018-03-23	11:00:00	106	2
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6010	NEW DELHI	1	AMRITSAR	7	2018-03-25	22:00:00	101	1
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6020	KARNAL	3	JAMMU	8	2018-03-26	09:00:00	102	1
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6030	SONIPAT	4	AMRITSAR	7	2018-03-27	12:00:00	103	1
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6040	SONIPAT	2	JAMMU	8	2018-03-26	05:00:00	104	1
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6050	NEW DELHI	1	LUDHIANA	5	2018-03-27	13:00:00	105	1
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6060	JALANDHAR	6	JAMMU	8	2018-03-28	16:00:00	106	1
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	7010	JAMMU	1	LUDHIANA	4	2018-03-28	17:00:00	201	2
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	7020	AMRITSAR	2	NEW DELHI	8	2018-03-29	16:00:00	202	2

18. Conductor password can be accessed through sql file “conductor”.

phpMyAdmin

Current server: MySQL

Recent | Favorites

- 7050
- 7060
- 8010
- 8020
- 8030
- 8040
- 8050
- 8060
- booking
- busnew
- cityno
- cityno1
- conductor
- feedback
- old5010
- route
- routenew
- routeno
- sample
- seats
- system\_user
- information\_schema
- mysql
- performance\_schema
- sys

Server: MySQL 3306 Database: busoccupancy2 Table: conductor

Browse Structure SQL Search Insert Export Import Privileges Operations Triggers

Current selection does not contain a unique column. Grid edit, checkbox, Edit, Copy and Delete features are not available.

Showing rows 0 - 24 (25 total, Query took 0.0008 seconds.)

SELECT \* FROM `conductor`

Profiling [Edit inline] [Edit] [Explain SQL] [Create F

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

+ Options

conductorname	conductorno	assignbusno	password
RAVI	CON0003	5010	123456
SAM	CON0045	5020	abcdef
NEVIL	CON0034	5030	987654
RAMAN	CON0724	5040	123987
SUNIL	CON8976	5050	456ABC
AJAY	CON0406	5060	098766
RAHUL	CON3060	6010	rahulk
KISHAN	CON0018	6020	kishan
SHUBHAM	CON4070	6030	shubh1
RAJA	CON9078	6040	raja12
SATPAL	CON0976	6050	satpal
RAMPAL	CON7865	6060	rampal
DILIP	CON8976	7010	dilip
AKBAR	CON6543	7020	makbar
RAKESH	CON8971	7030	rakesh
RAJESH	CON4567	7040	rajesh
SURAJ	CON1432	7050	surajg
SUBAH	CON1243	7060	subaht
SUDAKR	CON7650	8010	sudakr
MANOJ	CON3452	8020	manoj