

ELYSIAN

COLLECTION



**SAMARO**  
FLOORING



**ASHFORD**

SAM0528



**MAPLEWOOD**

SAM0505



**SOL BUTTER**

SAM0524



**OAKFIELD**

SAM0523



**TULIP TREE**

SAM0503



**GREY SAGE**

SAM0028



**PEBBLE**

SAM0029



**CASPER GREY**

SAM0501



# DETAILS

SPECIFICATION	
Plank Size	Customizable
Wear Layer	6mil to 28mil
Thickness	4 to 8mm
Attached underlayment	Additional underlay to be added
Edge proof	Micro bevel edge

DESCRIPTION	STANDARD TEST
Ligh stability for color fastness	ASTM F1515
Dimensional stability	ASTM F2199
Curling	180 23999
Short term indentation	ASTM F1914
Product thickness	ASTM F386
Wear layer thickness	ASTM F410
Size and squareness	ASTM F2055
Smoke density flaming	ASTM E662
Static of coefficient friction	C1028
Resistance to impact	ASTM F1265
Stain cleanability	NALFA 34
Abrasion resistance	ASTM D4060
Critical radiant flux	ASTM E648



**intertek**  
Total Quality. Assured.

Proudly  
Made in INDIA

**SAMARO**  
FLOORING

**Address:** 5th Floor, Vilco Centre,  
Subhash Road, Opp. Garware,  
Vile Parle East, Mumbai-400057



**✉ info@samaro.in**

**📞 +91 22 69310 600/606**



\*Disclaimer: Our installation services may come with a warranty, details of which will be provided separately. This warranty covers defects in workmanship but does not extend to damages caused by misuse, negligence, or external factors beyond our control.

# Conditions Apply