Test Run Report

Test Run Overview

Started	13 Jun 2017, 17:04:02
Ended	13 Jun 2017, 17:08:14
Duration (mm:ss)	04:12.712

Test Results Summary

Passed	1
Failed	0
Skipped	0

Test Case Summary

📂 POC_GITANT	✅ successful
📂 CaseSubCase	✅ successful
📋 CreateCloneCase.testcase	✅ successful

CreateCloneCase.testcase

Summary

Started	13 Jun 2017, 17:04:02
Ended	13 Jun 2017, 17:08:11
Duration (mm:ss)	04:09.255
Outcome	✅ successful

Output

✅ **Salesforce Connect: ServiceUser (Test)**

ⓘ Opening Salesforce connection Connection name: ServiceUser

ⓘ Connection details. Connection name: ServiceUser, urlString:
sf:user=raman.kalia@kronos.com.qa;environment=SANDBOX;logonAsConnection=RahulQA, environment: <default>, userName:
raman.kalia@kronos.com.qa, password: [empty], securityToken: [empty]

ⓘ Created Object ID log file. Path: C:\Users\RAHULR~1.SIN\AppData\Local\Temp
\ProvarTestArtifacts439465493295240976825706252156524\ServiceUser-objectids.log

Salesforce connection opened successfully. Connection name: ServiceUser, ResultName: ServiceUser, resultScope: Test

ⓘ Encoding Username: raman.kalia@kronos.com.qa

ⓘ Successfully opened Chrome WebDriver to https://test.salesforce.com/.

ⓘ Opening page. URL: https://test.salesforce.com/?un=rahul.r.singh@kronos.com.qa&pw=Test%402017&startURL=%2Fservlet%2Fservlet.su%3Foid
%3D00Dn000000093YuEAI%26suorgadminid%3D00561000001abIhAAI%26targetURL%3D%252Fconsole%253Ftsid%253D02u61000000NqH5

ⓘ Start of waitForPageToLoad. Timeout(ms): 90000

ⓘ End of waitForPageToLoad. Duration(ms): 5214

ⓘ Start of waitForPageToLoad. Timeout(ms): 90000

ⓘ End of waitForPageToLoad. Duration(ms): 531

ⓘ Injecting script to close tabs

ⓘ Got sid cookie: sid=00Dn000000093Yu!
ASAAQFpZ5DOZsjIbCncL8SQZ42ct5d1AiUg3jaZKrdmcaNl6qeNGwMaovCABtevXo3gFSv9P90RTKZoLtzmf0leqvohxlsbH; path=/; domain=kronos--
qa.cs30.my.salesforce.com;secure;

ⓘ Starting Page Object change watcher. Page Object bin folder: C:\Users\rahul.r.singh\Provar\SFTestsWorkspace\SFServicesTests\bin\pageobjects

✅ **Call SearchAccountContactCase**

✅ **SearchAccountContactCase.testcase**

✅ **Set Values: Var.SearchItemType**

ⓘ Setting value Var.SearchItem, value: 00805753

ⓘ Setting value Var.SearchItemType, value: Cases

✅ **Salesforce Connect: ServiceUserReused (Test)**

ⓘ Opening Salesforce connection Connection name: ServiceUser

ⓘ Re-using existing connection. Connection: ServiceUser, Result Name: ServiceUserReused

✅ **Set entity to be searched in service cloud**

ⓘ Start of With Screen. Connection Name: ServiceUserReused, target: ui:pageobject:target?pageId=pageobjects.ServiceHome

ⓘ Browser window has been opened. Name: main

ⓘ Opening Page context. Name: screen, data: null, frame: null

✅ **Set the Search Salesforce to {Var.SearchItem}**

ⓘ Start of Interact. Connection: ServiceUserReused, Locator: ui:pageobject:field?
field=searchSalesforce&pageId=pageobjects.ServiceHome, wait: null

ⓘ Locator: ui:pageobject:field?field=searchSalesforce&pageId=pageobjects.ServiceHome

ⓘ Interaction: ui:interaction?name=set

ⓘ Switched focus to main window. URL: https://kronos--qa.cs30.my.salesforce.com/console?tsid=02u61000000NqH5

ⓘ Got webElement. tagName: INPUT, id: phSearchInput, type: text, selector: null

ⓘ Typing value. tagName: INPUT, type: text, value: 00805753, blur: true, selector: null

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null

ⓘ Main window reselected. Window: main

✅ Click the Searched entity

ⓘ Start of With Screen. Connection Name: ServiceUserReused, target: ui:pageobject:target?pageId=pageobjects.SearchResults

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Switched focus to main window. URL: https://kronos--qa.cs30.my.salesforce.com/console?tsid=02u61000000NqH5

ⓘ Found the active Primary tab. Id: scc-pt-0

ⓘ Active secondary container: [[[[ChromeDriver: chrome on XP (232d511e6030c07f34bb043dfd36f5aa)] -> css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets)]

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/_ui/search/ui/UnifiedSearchResults?searchType=2&sen=001&sen=003&sen=01t&sen=500&sen=02i&str=00805753&isdtp=vw&isWsVw=true&nonce=1e902e928d51ca045e7dda35d666459b689070%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

✅ Switch: {Var.SearchItemType}

⚠️ Case: Accounts

ⓘ Skipping because the values don't match. Switch Value: Cases, Value: Accounts

⚠️ Case: Contacts

ⓘ Skipping because the values don't match. Switch Value: Cases, Value: Contacts

ⓘ Not closing Salesforce Connection because it is still being used. Name: ServiceUserReused

✅ Case: Cases

ⓘ Processing because the values match. Switch Value: Cases, Value: Cases

✅ With Cases row

ⓘ Start of With Row. Connection Name: ServiceUserReused, target: ui:pageobject:row?field=Cases&pageId=pageobjects.SearchResults

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/_ui/search/ui/UnifiedSearchResults?searchType=2&sen=001&sen=003&sen=01t&sen=500&sen=02i&str=00805753&isdtp=vw&isWsVw=true&nonce=1e902e928d51ca045e7dda35d6%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

ⓘ Applying row locator to rows. Row Count: 1, Row Locator: 1

ⓘ Matched row number 1

✅ Click the Case Number

ⓘ Pausing for Breakpoint

ⓘ Start of Interact. Connection: ServiceUserReused, Locator: ui:pageobject:field?field=CaseNumber&pageId=pageobjects.SearchResults, wait: null

ⓘ Locator: ui:pageobject:field?field=CaseNumber&pageId=pageobjects.SearchResults

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/_ui/search/ui/UnifiedSearchResults?searchType=2&sen=001&sen=003&sen=01t&sen=500&sen=02i&str=00805753&isdtp=vw&isWsVw=true&nonce=1e902e928d51ca045e7dda3%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

ⓘ Clicking WebElement. WebElement [tag: a, text: 00805753, href: javascript:srcUp(%27%2F500n0000008RZTr%3FsrPos%3D0%26srKp%3D500%26isdtp%3Dvw%27);]

ⓘ All Sub-Test Steps were successful.

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null

ⓘ Main window reselected. Window: main

✅ On SF Case (Case) View screen

ⓘ Start of With Screen. Connection Name: ServiceUser, target: sf:ui:target?object=Case&action=View&recordType=Case

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Switched focus to main window. URL: https://kronos--qa.cs30.my.salesforce.com/console?tsid=02u61000000NqH5

ⓘ Found the active Primary tab. Id: scc-pt-1

ⓘ Active secondary container: [[[[ChromeDriver: chrome on XP (232d511e6030c07f34bb043dfd36f5aa)] -> css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets)]

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008RZTr?srPos=0&srKp=500&isdtp=vw&isWsVw=true&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

ⓘ Clicking WebElement. WebElement [tag: li, text: 0]

ⓘ Clicking WebElement. WebElement [tag: a, href: javascript:void(0)]

✅ Click the Clone button

   ⓘ Start of Interact. Connection: ServiceUser, Locator: ui:locator?name=Clone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DClone, wait: null

   ⓘ Locator: ui:locator?name=Clone&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3DClone

   ⓘ Interaction: ui:interaction?name=action

   ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008RZTr?srPos=0&srKp=500&isdtp=vw&isWsVw=true&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

   ⓘ Clicking WebElement. WebElement [tag: input, text: Clone]

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null

ⓘ Main window reselected. Window: main

✅ On SF Case (Case) Clone screen

   ⓘ Start of With Screen. Connection Name: ServiceUser, target: sf:ui:target?object=Case&action=Clone&recordType=Case

   ⓘ Opening Page context. Name: screen, data: null, frame: null

   ⓘ Switched focus to main window. URL: https://kronos--qa.cs30.my.salesforce.com/console?tsid=02u61000000NqH5

   ⓘ Found the active Primary tab. Id: scc-pt-1

   ⓘ Active secondary container: [[[[ChromeDriver: chrome on XP (232d511e6030c07f34bb043dfd36f5aa)] -> css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets)]

   ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008RZTr/e?clone=1&_CONFIRMATIONTOKEN=VmpFPSxNakF4Tnkwd05pMHhObFF4TVRvek5EbzBOaTQxT1RoYSw3Q3RtSktzU01MS1A5U2lMRGdGOXgtLFlqZGpNVEpt&comr%2F500n0000008RZTr%2Fe&isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

   ✅ Set the Internal Comments field to Test Internal Comments on Clone Case

      ⓘ Start of Interact. Connection: ServiceUser, Locator: ui:locator?name=Comments&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DComments, wait: null

      ⓘ Locator: ui:locator?name=Comments&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26field%3DComments

      ⓘ Interaction: ui:interaction?name=set

      ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008RZTr/e?clone=1&_CONFIRMATIONTOKEN=VmpFPSxNakF4Tnkwd05pMHhObFF4TVRvek5EbzBOaTQxT1RoYSw3Q3RtSktzU01MS1A5U2lMRGdGOXgtLFlqZGpNVEpt&%2F500n0000008RZTr%2Fe&isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

      ⓘ Getting webElement: By.xpath: (//div[@id='InlineEditDialog' and .//h2[@id='InlineEditDialogTitle' and .//text() = 'Internal Comments']]//div[@id='InlineEditDialogContent'] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]//div[contains(@class,'pbSubheader') and h3/text()[not(parent::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Internal Comments')]/following-sibling::td[1])

      ⓘ Got webElement. tagName: TD, id: null, type: null, selector: (//div[@id='InlineEditDialog' and .//h2[@id='InlineEditDialogTitle' and .//text() = 'Internal Comments']]//div[@id='InlineEditDialogContent'] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]//div[contains(@class,'pbSubheader') and h3/text()[not(parent::span)] = 'Additional Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Internal Comments')]/following-sibling::td[1])

ⓘ All Sub-Test Steps were successful.

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isCaseCreation=1&id=500n0000008apS0&isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

ⓘ Start of waitForPageToLoad. Timeout(ms): 90000

ⓘ End of waitForPageToLoad. Duration(ms): 540

▤ Storing created Salesforce Object ID. Result Name: caseId, created ID: null, location: https://kronos--qa.cs30.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome

ⓘ Closing Page context. Name: screen, data: null

ⓘ Main window reselected. Window: main

✅ Click the Save button

ⓘ Start of Interact. Connection: ServiceUser, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave, wait: null

ⓘ Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DCase%26action%3Dsave

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008RZTr/e?clone=1&_CONFIRMATIONTOKEN=VmpFPSxNakF4Tnkwd05pMHhObFF4TVRvek5EbzzBOaTQxT1RoYSw3Q3RtSktzU01MS1A5U2lMRGdGOXgtLFlqZGpNVEept&%2F500n0000008RZTr%2Fe&isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

ⓘ Clicking WebElement. WebElement [tag: input, text: Save]

✅ On Knowledge Article page

ⓘ Start of With Screen. Connection Name: ServiceUser, target: ui:pageobject:target?pageId=pageobjects.KnowledgeArticle

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Switched focus to main window. URL: https://kronos--qa.cs30.my.salesforce.com/console?tsid=02u61000000NqH5

ⓘ Found the active Primary tab. Id: scc-pt-1

ⓘ Active secondary container: [[[[ChromeDriver: chrome on XP (232d511e6030c07f34bb043dfd36f5aa)] -> css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets)]

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isCaseCreation=1&id=500n0000008apS0&isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

✅ Click the Back To Case Link

ⓘ Start of Interact. Connection: ServiceUser, Locator: ui:pageobject:field?field=backToCaseLink&pageId=pageobjects.KnowledgeArticle, wait: null

ⓘ Locator: ui:pageobject:field?field=backToCaseLink&pageId=pageobjects.KnowledgeArticle

ⓘ Interaction: ui:interaction?name=action

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/_ui/knowledge/ui/KnowledgeHome?isCaseCreation=1&id=500n0000008apS0&isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

ⓘ Clicking WebElement. WebElement [tag: a, text: < Back to case 00807918, href: javascript:srcUp('%2F500n0000008apS0%3Fisdtp%3Dvw');]

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null

ⓘ Main window reselected. Window: main

✅ On SF Case (Case) View screen

ⓘ Start of With Screen. Connection Name: ServiceUser, target: sf:ui:target?object=Case&action=View&recordType=Case

ⓘ Opening Page context. Name: screen, data: null, frame: null

ⓘ Switched focus to main window. URL: https://kronos--qa.cs30.my.salesforce.com/console?tsid=02u61000000NqH5

ⓘ Found the active Primary tab. Id: scc-pt-1

ⓘ Active secondary container: [[[[ChromeDriver: chrome on XP (232d511e6030c07f34bb043dfd36f5aa)] -> css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets)]]

ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008apS0?isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

ⓘ Clicking WebElement. WebElement [tag: li, text: 0]

ⓘ Clicking WebElement. WebElement [tag: a, href: javascript:void(0)]

✅ UI Assert

    ⓘ Start of UiAssert. Connection: ServiceUser

    ⓘ Resolving field CaseNumber

    ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008apS0?isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

    ⓘ Getting webElement: By.xpath: (//div[@id='InlineEditDialogContent']//div[contains(@class, 'inlineEditDiv') or contains(@class, 'inlineEditCompoundDiv')]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Case Number')]/following-sibling::td[1] | //div[contains(@class,'pbBody') and not(//div[@id='InlineEditDialog' and contains(@style, 'visible')])]//div[contains(@class,'pbSubheader') and h3/text()[not(parent::span)] = 'Case Information']/following-sibling::div[contains(@class,'pbSubsection')][1]/table//tr/td[contains(@class,'labelCol') and (.//text() = 'Case Number')]/following-sibling::td[1])

    ⓘ Switched focus to frame. Window: main, Selector: css selector: div.sd_nav_tabpanel_body > div:not(.x-hide-display):not(.x-hide-offsets)]] -> css selector: div.sd_secondary_container:not(.x-hide-display):not(.x-hide-offsets) iframe, URL: https://kronos--qa.cs30.my.salesforce.com/500n0000008apS0?isdtp=vw&nonce=1e902e928d51ca045e7dda35d666459b6890706740086b9e89fa80f70980ac9c&sfdcIFrameOrigin=https%3A%2F%2Fkronos--qa.cs30.my.salesforce.com

    ⓘ Asserting field attributes: CaseNumber

    ⓘ Reading Attribute: value

    ⓘ Object read successfully. Result Name: NewlyCreatedCaseNum

    ⓘ Pausing at end of Test Case

ⓘ All Sub-Test Steps were successful.

ⓘ Closing Page context. Name: screen, data: null

ⓘ Main window reselected. Window: main

ⓘ Pausing for Step (after executing last child)

ⓘ Closing Salesforce Connection. Name: ServiceUser

ⓘ Closing Salesforce Connection because it is no longer being used. Name: ServiceUser

ⓘ Closing Web Connection.

ⓘ Closing Selenium driver

ⓘ Stopping Page Object change watcher.

ⓘ Shutting down Soap Connections. logFilePath: ServiceUser-objectids.log

Salesforce Connection closed successfully. Name: ServiceUser