```sql
SELECT * from Baseball_data;

-- Who are the Top 5 players having height more than average?
 select name,height from Baseball_data WHERE (height > (SELECT
AVG(height) as avg_height from Baseball_data)) order by height limit 5;

-- Name 2 players having least weight and must be left handed?
 SELECT name, handedness, weight from Baseball_data where handedness =
"L" order by weight limit 2 ;
```

```
1 -- SELECT * from Baseball_data;
2 -- Who are the Top 5 players having height more than average?
3 --select name,height from Baseball_data WHERE (height > (SELECT AVG(height) as avg_height from Baseball_data
4 -- Name 2 players having least weight and must be left handed?
5 SELECT name, handedness, weight FROM Baseball_data WHERE handedness = "L" ORDER BY weight LIMIT 2 ;
```

name	handedness	weight
Vic Davalillo	L	150
Sonny Jackson	L	150

```sql
1 -- SELECT * from Baseball_data;
2 -- Who are the Top 5 players having height more than average?
3 SELECT name,height FROM Baseball_data WHERE (height > (SELECT AVG(height) AS avg_height FROM Baseball_data)
4 -- Name 2 players having least weight and must be left handed?
5 --SELECT name, handedness, weight from Baseball_data where handedness = "L" order by weight limit 2 ;
```

name	height
Mike Smithson	80
J.R. Richard	80
Steve Ellsworth	80
Stefan Wever	80
Walt Bond	79