

Complete Website Build SOP

CUET & IPMAT — Developer + SEO Copy-Paste Playbook

Verticals: **CUET, IPMAT** | Audience: **Developer & SEO / Content Writer**

Prepared: **15 June 2026** | Status: **Build-ready**

CONTENTS

LPT DELHI-NCR — COMPLETE WEBSITE BUILD SOP (CUET + IPMAT)

0. GLOBAL TOKENS (set once, reuse everywhere)

PART A — DEVELOPER SOP

- A1. Hard requirements (non-negotiable)
- A2. URL & template rules
- A3. Root files — copy-paste
- A4. Global components — copy-paste HTML skeletons
- A5. Schema library — copy-paste JSON-LD (apply per page type)
- A6. The three shared datasets (build once, power everything)
- A7. Performance & rendering checklist (per page)
- A8. Developer Definition-of-Done (every page)

PART B — SEO / CONTENT WRITER SOP

- B1. The page-writing workflow (run this for every page)
- B2. Keyword → cluster → page map + coverage matrix
- B3. Title / meta / slug formulas (copy-paste patterns)
- B4. Universal page content template (copy-paste — fill every page)
- B5. Direct-answer rules (AEO — wins snippets, voice, AI Overviews)
- B6. FAQ system authoring (tiered — total coverage, no penalty)
- B7. Internal-linking rules (the conversion wiring)
- B8. Per-page-type quick briefs (combine with the Part C examples)
- B9. Content-writer Definition-of-Done (every page)

PART C — WORKED EXAMPLE PAGES (copy-paste, full standard)

- C1. CUET EXAMPLE — Cutoff page
- C2. IPMAT EXAMPLE — Exam pattern & marking page
- C3. COMMERCIAL EXAMPLE — Course/batch page

PART D — WORKFLOW, ROLES & PUBLISHING GATE

- D1. Who does what
- D2. Build order (phased — match the live exam calendar)
- D3. Publishing gate (combined — page goes live only if ALL pass)
- D4. Maintenance cadence

APPENDIX E — CENTRES & LOCAL SEO (4 physical locations)

- E1. Canonical NAP (copy these EXACTLY — same string everywhere)

- E2. Centre URLs + page template
- E3. Per-centre LocalBusiness JSON-LD (copy-paste — 4 blocks)
- E4. Local SEO checklist (per centre)

APPENDIX F — LOCATION TAXONOMY & LOCAL LANDING PAGES

- F1. Where Local sits in the taxonomy
- F2. Local landing matrix (area × exam)
- F3. Local landing page template (copy-paste — one per area × exam)
- F4. Local internal-linking & sitemap

APPENDIX G — DATA-BLOCK & TABLE LIBRARY

APPENDIX H — MASTER PAGE INVENTORY (complete)

- H1. Global / brand
- H2. Commercial / courses
- H3. Local pillar (Appendix E + F)
- H4. CUET vertical (P1–P10)
- H5. IPMAT vertical (I1–I10)
- H6. Shared datasets & FAQ hubs
- H7. Programmatic scale (generate only with real distinct data)
- H8. Sitemap segmentation
- H9. Build-priority map (which pages first)

LPT DELHI-NCR — COMPLETE WEBSITE BUILD SOP (CUET + IPMAT)

Brand: Law Prep Tutorial Delhi-NCR · **Domain:** <https://lptdelhincr.com> · **Verticals:** CUET, IPMAT **Audience for this SOP:** the **Developer** (Part A) and the **SEO / Content Writer** (Part B). Part C gives fully-written example pages to clone. Part D is the workflow + QA gate.

This SOP executes the Master Architecture Prompt. Everything here is copy-paste. Fill the `{{TOKENS}}` with real, verified data. **Never invent numbers, reviews, results, or credentials.** Re-verify perishable figures (dates, pattern, cutoffs, fees, eligibility) against official sources before publishing: CUET → cuet.nta.nic.in; IPMAT → iimdr.ac.in, iimrohtak.ac.in, official JIPMAT portal.

0. GLOBAL TOKENS (set once, reuse everywhere)

Define these in a config file the dev injects and the writer references:

```
{{BRAND}}           = Law Prep Tutorial Delhi-NCR
{{BRAND_SHORT}}      = LPT Delhi-NCR
{{DOMAIN}}           = https://lptdelhincr.com
{{PHONE}}            = +91-XXXXXXXXXX          ← real, NAP-consistent everywhere
{{WHATSAPP}}         = https://wa.me/91XXXXXXXXXX
{{EMAIL}}            = info@lptdelhincr.com
{{HEAD_OFFICE}}      = {{full registered address}}
{{GST}}              = {{GST / registration no.}}
{{FOUNDED_YEAR}}     = {{year}}
{{CENTRES}}          = 4 centres – Noida (Sec 62), Hauz Khas, GTB Nagar, Gurugram (Sec 14)
                     → full NAP + per-centre schema in APPENDIX E
{{REAL_RESULTS}}     = [verified selections/IIM calls only – no inflation]
{{SOCIAL}}           = [YouTube, Instagram, LinkedIn, X URLs]
```

NAP rule: the exact same business name, phone, and address string must appear identically on the site, every centre page, footer, Google Business Profile, and every social bio. Inconsistency is a top-3 local-SEO killer.

PART A — DEVELOPER SOP

A1. Hard requirements (non-negotiable)

1. **Server-side render (SSR/SSG) all critical content** — H1, intro answer, tables, predictor results, FAQ answers, steps must exist in the raw HTML before any JS runs. Test with JS disabled: if the answer disappears, it's broken. (This is the #1 indexing fix.)

2. **Deterministic canonical:** pick ONE host (<https://lptdelhincr.com> , non-www recommended), 301 the other permanently. One `<link rel="canonical">` per page, self-referencing, absolute URL, never flipping between www/non-www.
3. **Core Web Vitals budget:** LCP < 2.5s, INP < 200ms, CLS < 0.1 on mobile. Lazy-load below-fold, paginate FAQ hubs > ~40 Q&As.
4. **Mobile-first**, HTTPS, no redirect chains, no indexable URL parameters.
5. **Do not block AI crawlers** (see A3 robots.txt).

A2. URL & template rules

- Lowercase, hyphenated, no year in evergreen slugs. Year-specific content is dated **in-body**, not in the URL.
- Each URL = one canonical page = one breadcrumb path.
- Separate **evergreen templates** (concepts, syllabus) from **perishable data blocks** (dates, cutoffs, fees) — perishable values are injected from the shared datasets (A6) so one update propagates sitewide. Never hardcode a cutoff into prose in many places.

A3. Root files — copy-paste

`/robots.txt`

```
User-agent: *
Allow: /

# AI crawlers – explicitly allowed for GEO
User-agent: GPTBot
Allow: /
User-agent: ClaudeBot
Allow: /
User-agent: anthropic-ai
Allow: /
User-agent: PerplexityBot
Allow: /
User-agent: Google-Extended
Allow: /
User-agent: CCBot
Allow: /

Sitemap: https://lptdelhincr.com/sitemap.xml
```

`/llms.txt` (root — points LLMs to your best, most citable assets)

```
# Law Prep Tutorial Delhi-NCR (lptdelhincr.com)
> CUET & IPMAT coaching and the most comprehensive, sourced CUET + IPMAT knowledge base in India.

## Datasets (citable, sourced, dated)
- CUET Cutoff Dataset: https://lptdelhincr.com/cuet/cutoff/dataset/
- Institution Dataset: https://lptdelhincr.com/resources/institution-dataset/
```

- Syllabus Dataset: <https://lptdelhincr.com/resources/syllabus-dataset/>

Key hubs

- CUET hub: <https://lptdelhincr.com/cuet/>
- IPMAT hub: <https://lptdelhincr.com/ipmat/>
- CUET College Predictor: <https://lptdelhincr.com/cuet/results/college-predictor/>
- IPMAT Marking & Strategy: <https://lptdelhincr.com/ipmat/marking-scheme/>
- Master FAQ: <https://lptdelhincr.com/faq/>

/sitemap.xml — segment by section (**sitemap-cuet.xml** , **sitemap-ipmat.xml** , **sitemap-courses.xml** , **sitemap-news.xml**) in a sitemap index. Auto-generate; include **lastmod** . News sitemap for **/blog/** and **/news/** .

A4. Global components — copy-paste HTML skeletons

Build these once as reusable components. Every page is assembled from them.

A4.1 Breadcrumb (every page; matches URL)

```
<nav aria-label="Breadcrumb" class="breadcrumb">
  <ol>
    <li><a href="/">Home</a></li>
    <li><a href="/cu et/">CUET</a></li>
    <li><a href="/cu et/cutoff/">Cutoffs</a></li>
    <li aria-current="page">DU Cutoffs</li>
  </ol>
</nav>
```

A4.2 Anchor Table of Contents (every long page — this is what earns "Jump to" sitelinks)

```
<nav class="toc" aria-label="On this page">
  <h2 class="toc_title">On this page</h2>
  <ul>
    <li><a href="#what-is">What it is</a></li>
    <li><a href="#cutoffs-2026">2026 cutoffs by college</a></li>
    <li><a href="#how-calculated">How cutoffs are decided</a></li>
    <li><a href="#faq">FAQs</a></li>
  </ul>
</nav>
```

Rule: every **<h2>** / **<h3>** gets a **stable, descriptive id** matching its text (**id="cutoffs-2026"** , never **id="section-3"**). One **<h1>** per page; logical H2→H3 nesting.

A4.3 Direct-answer block (place immediately after each H2 question — the AEO/snippet/LLM target)

```
<h2 id="how-percentile">How is the CUET percentile calculated?</h2>
<p class="answer-lead"><strong>Direct answer (40–60 words):</strong>
```

```

    {{40–60-word self-contained answer that fully answers the heading}}</p>
<!-- deeper explanation follows -->

```

A4.4 Comparison table (extractability — LLMs lift these wholesale)

```

<div class="table-wrap">
<table>
  <caption>{{descriptive caption}} – updated {{date}}, source: {{official source}}</caption>
  <thead><tr><th>{{col}}</th><th>{{col}}</th></tr></thead>
  <tbody>
    <tr><td>{{val}}</td><td>{{val}}</td></tr>
  </tbody>
</table>
</div>

```

A4.5 FAQ block (server-rendered; answers in HTML, not JS-injected)

```

<section id="faq" class="faq">
  <h2>Frequently asked questions</h2>
  <div class="faq__item">
    <h3 class="faq__q">{{question phrased exactly as users search}}</h3>
    <div class="faq__a"><p>{{40–60-word direct answer}} {{optional extra sentence}}</p></div>
  </div>
  <!-- repeat 8–20 items on leaf pages; 50–200 on FAQ hub pages -->
</section>

```

FAQPage rich results are deprecated (≈May 7 2026). These FAQs win featured snippets, PAA, voice, and LLM citations — **not** FAQ rich snippets. Optional minimal **FAQPage** JSON-LD only where it has on-page value; **never** on Article/blog pages.

A4.6 Conversion block — WhatsApp-first (Indian edu leads convert on WhatsApp, not email forms)

```

<aside class="cta">
  <h2>Talk to {{BRAND_SHORT}} about {{CUET/IPMAT}} coaching</h2>
  <a class="btn btn--whatsapp"
    href="https://wa.me/91XXXXXXXXXX?text=Hi%20{{BRAND_SHORT}},%20I%20want%20{{course}}%20batch%20details"
    rel="nofollow">Chat on WhatsApp</a>
  <a class="btn btn--call" href="tel:+91XXXXXXXXXX">Call {{PHONE}}</a>
  <!-- optional ≤5-field form -->
  <ul class="trust">
    <li>Since {{FOUNDED_YEAR}}</li>
    <li>{{REAL_RESULTS}}</li>
    <li>{{CENTRES count}} Delhi-NCR centres</li>
    <li>GST {{GST}}</li>
  </ul>

```

```
</ul>
</aside>
```

Trust list uses **real, verified** values only. If a value isn't verified, omit it.

A4.7 Author byline (E-E-A-T + GEO)

```
<div class="byline">
  By <a href="/faculty/{{slug}}/">{{Faculty Name}}</a>, {{role/credential}} ·
  <time datetime="{{YYYY-MM-DD}}">Last updated {{D MMM YYYY}}</time>
</div>
```

A5. Schema library — copy-paste JSON-LD (apply per page type)

Honor: no fake **AggregateRating**; **AggregateRating** / **Review** only on real **Course** / **Organization** with genuine reviews; no **FAQPage** / **AggregateRating** on **Article** pages. Validate every block in Google's Rich Results Test.

A5.1 Global (every page, in **<head>** or a global block) — Organization

```
{
  "@context": "https://schema.org",
  "@type": "EducationalOrganization",
  "name": "Law Prep Tutorial Delhi-NCR",
  "url": "https://lptdelhincn.com",
  "logo": "https://lptdelhincn.com/logo.png",
  "telephone": "{{PHONE}}",
  "email": "{{EMAIL}}",
  "foundingDate": "{{FOUNDED_YEAR}}",
  "address": {"@type": "PostalAddress", "streetAddress": "{{...}}", "addressLocality": "{{city}}",
  "addressRegion": "Delhi-NCR", "postalCode": "{{...}}", "addressCountry": "IN"},
  "sameAs": [ "{{YouTube}}", "{{Instagram}}", "{{LinkedIn}}" ]
}
```

A5.2 Breadcrumb (every page)

```
{
  "@context": "https://schema.org",
  "@type": "BreadcrumbList",
  "itemListElement": [
    {"@type": "ListItem", "position": 1, "name": "Home", "item": "https://lptdelhincn.com/"},
    {"@type": "ListItem", "position": 2, "name": "CUET", "item": "https://lptdelhincn.com/cuet/"},
    {"@type": "ListItem", "position": 3, "name": "Cutoffs", "item": "https://lptdelhincn.com/cuet/cutoff/" }
  ]
}
```

```
]
}
```

A5.3 Course / batch page

```
{
  "@context": "https://schema.org",
  "@type": "Course",
  "name": "{{Batch name}} – CUET Coaching",
  "description": "{{1-2 sentence real description}}",
  "provider": {"@type": "EducationalOrganization", "name": "Law Prep Tutorial Delhi-NCR", "url": "https://lptdelhincr.com"},
  "hasCourseInstance": {
    "@type": "CourseInstance",
    "courseMode": "{{Offline|Online|Blended}}",
    "location": {"@type": "Place", "name": "{{centre}}", "address": "{{address}}"},
    "startDate": "{{YYYY-MM-DD}}",
    "endDate": "{{YYYY-MM-DD}}"
  },
  "offers": {"@type": "Offer", "price": "{{real fee}}", "priceCurrency": "INR", "url": "{{page url}}", "availability": "https://schema.org/InStock"}
}
```

Add **aggregateRating** **only** with genuine, collectible review data: `json "aggregateRating": {"@type": "AggregateRating", "ratingValue": "{{real}}", "reviewCount": "{{real}}"} No real reviews yet → omit entirely.`

A5.4 Cutoff / dataset page — Dataset (the GEO crown jewel)

```
{
  "@context": "https://schema.org",
  "@type": "Dataset",
  "name": "CUET Cutoff Dataset (college × course × category × round)",
  "description": "Multi-year CUET cutoffs sourced from official university CSAS releases.",
  "creator": {"@type": "Organization", "name": "Law Prep Tutorial Delhi-NCR"},
  "license": "https://lptdelhincr.com/terms/",
  "temporalCoverage": "2022/{{current year}}",
  "distribution": [{"@type": "DataDownload", "encodingFormat": "text/csv", "contentUrl": "https://lptdelhincr.com/cuet/cutoff/dataset.csv"}],
  "dateModified": "{{YYYY-MM-DD}}"
}
```

A5.5 How-to (CSAS / application processes)

```
{
  "@context": "https://schema.org", "@type": "HowTo",
  "name": "How to fill CUET CSAS preferences",
}
```



```

"step": [
  {"@type": "HowToStep", "name": "{{step}}", "text": "{{instruction}}" }
]
}

```

A5.6 Guide / pillar page — Article (no FAQPage/AggregateRating here)

```

{
  "@context": "https://schema.org", "@type": "Article",
  "headline": "{{title}}",
  "author": {"@type": "Person", "name": "{{Faculty}}", "url": "https://lptdelhincr.com/faculty/{{slug}}/"},
  "publisher": {"@type": "Organization", "name": "Law Prep Tutorial Delhi-NCR", "logo": {"@type": "ImageObject", "url": "https://lptdelhincr.com/logo.png"}},
  "datePublished": "{{YYYY-MM-DD}}", "dateModified": "{{YYYY-MM-DD}}"
}

```

A5.7 Faculty bio — Person

```

{
  "@context": "https://schema.org", "@type": "Person",
  "name": "{{Faculty Name}}", "jobTitle": "{{role}}",
  "worksFor": {"@type": "EducationalOrganization", "name": "Law Prep Tutorial Delhi-NCR"},
  "alumniOf": "{{real}}", "knowsAbout": ["CUET", "IPMAT", "{{subject}}"],
  "url": "https://lptdelhincr.com/faculty/{{slug}}/"
}

```

A5.8 Centre page — LocalBusiness

```

{
  "@context": "https://schema.org", "@type": "EducationalOrganization",
  "name": "Law Prep Tutorial Delhi-NCR – {{Area}}",
  "telephone": "{{PHONE}}",
  "address": {"@type": "PostalAddress", "streetAddress": "{{...}}", "addressLocality": "{{area}}", "addressRegion": "{{state}}", "postalCode": "{{...}}"},
  "geo": {"@type": "GeoCoordinates", "latitude": "{{lat}}", "longitude": "{{lng}}"},
  "openingHours": "{{Mo-Su 09:00-19:00}}"
}

```

A6. The three shared datasets (build once, power everything)

Store as structured data (DB tables or versioned JSON/CSV); pages read from them so figures stay consistent and update once.

1. **CUET Cutoff dataset** — columns: `year`, `university`, `college`, `course`, `category`, `round`, `cutoff`, `source_url`, `verified_date`. Rendered as HTML table + downloadable CSV + `Dataset` schema. Powers every cutoff page and the predictor.

2. **Institution dataset** — one row per university/college/IIM: `name`, `type`, `NIRF`, `courses`, `seats`, `fees`, `required_subjects`, `source_url`. Powers college profiles, predictor options, comparison pages. `Educational-Organization` schema.
3. **Syllabus dataset** — `vertical`, `subject/section`, `unit`, `topic`, `pyq_weightage_tag`. Powers all syllabus pages + Learning Units for both verticals. `Course/ItemList` schema.

A7. Performance & rendering checklist (per page)

- [] Renders fully with JS disabled (SSR/SSG verified).
- [] Self-referencing absolute canonical; correct host; no chains.
- [] LCP/INP/CLS within budget on throttled mobile.
- [] Images: descriptive `alt`, `width/height` set (no CLS), original photos get `ImageObject`.
- [] In sitemap with `lastmod`; breadcrumb + schema validate.

A8. Developer Definition-of-Done (every page)

Page ships only when: SSR verified · canonical correct · all required schema present + validates · breadcrumb + anchor-TOC present with stable IDs · FAQ answers in raw HTML · WhatsApp/call CTA wired · CWV in budget · in segmented sitemap · perishable values pulled from datasets (not hardcoded).

PART B — SEO / CONTENT WRITER SOP

B1. The page-writing workflow (run this for every page)

1. **Identify the page's primary query + intent** (informational vs commercial — never blur them).
2. **Pull the cluster** from the taxonomy (CUET §3 / IPMAT §4 of the architecture prompt) so you know its siblings and conversion target.
3. **SERP + PAA recon**: note the top-ranking format, the PAA questions, autosuggest variants. These become your H2s and FAQ set.
4. **Ground the facts** from `CUET_Master_Super_Module` / `IPMAT_Complete_Module`; **verify perishable figures** against the official source; label estimates as estimates.
5. **Write to the universal template (B4)**. Direct answers first, then depth.
6. **Build the intent-matched FAQ set (B6)** from the page's PAA cluster — deduplicated.
7. **Wire internal links (B7)**.
8. **Fill title/meta/slug (B3)**.
9. **Log the page in the coverage matrix (B2)**.
10. **Run the writer DoD (B9)**.

B2. Keyword → cluster → page map + coverage matrix

Maintain one spreadsheet. One row per cluster/sub-topic from the CUET 10 pillars and IPMAT 10 pillars. Columns:

vertical | pillar | cluster | sub-topic | target query | intent | page URL | status | direct-answer? | FAQ set count | master-KB Q&As | internal links done? | conversion target | last verified

A cluster is **"covered"** only when it has: a live page + a direct-answer block + an intent-matched FAQ set + master-KB entries + wired internal links. No empty rows ship. This matrix is the definition of "every topic/keyword cluster covered."

B3. Title / meta / slug formulas (copy-paste patterns)

Page type	Title pattern	Example
Cutoff	{{Entity}} CUET Cutoff {{Year}}: {{College/Course}} Cutoffs	DU CUET Cutoff 2026: College & Course Cutoffs
Predictor	CUET College Predictor {{Year}} – Predict by Marks/Percentile	—
Syllabus	CUET {{Subject}} Syllabus {{Year}}: Topics, Weightage & PYQs	—
Comparison	{{A}} vs {{B}}: Which to Choose ({{Year}})	IPM vs BBA: Which to Choose
Exam/mark- ing	IPMAT {{Institute}} Exam Pattern & Marking {{Year}}	IPMAT Indore Exam Pattern & Marking 2026
Course	{{Exam}} Coaching in Delhi-NCR – {{Batch}} {{BRAND_SHORT}}	—
FAQ hub	{{Topic}} FAQs: {{N}} Questions Answered	—

Rules: front-load the primary keyword; ≤60 chars where possible; add year only when the query is year-sensitive. **Meta description:** ≤155 chars = primary keyword + concrete value + soft CTA (e.g. [See exact 2026 cutoffs by college, category & round →](#)). No duplicate titles/metaseo sitewide. **Slug:** lowercase-hyphenated, no year, matches breadcrumb.

B4. Universal page content template (copy-paste — fill every page)

```
# {{H1 – primary keyword, intent-matched}}

By [{{Faculty}}] (/faculty/{{slug}}/) · Last updated {{D MMM YYYY}}

**{{40–60-word answer-shaped intro that fully answers the page's core query.}}**

## On this page
- [{{H2 a}}] (#a) · [{{H2 b}}] (#b) · [{{H2 c}}] (#c) · [FAQs] (#faq)

## {{H2 question a}} <!-- id="a" -->
**{{40–60-word direct answer}}**
{{depth: lists, table, definition, example}}

## {{H2 question b}} <!-- id="b" -->
**{{direct answer}}**
```

```

{{include ONE of: comparison table / original stat / first-hand marker – for GEO}}

## {{H2 question c}} <!-- id="c" -->
...

## Frequently asked questions <!-- id="faq" -->
**{{Q1}}** – {{40–60-word answer}}
**{{Q2}}** – {{...}}
<!-- 8–20 deduplicated, intent-matched questions -->

> **Talk to {{BRAND_SHORT}}** about {{CUET/IPMAT}} coaching → WhatsApp / Call CTA
> Trust: since {{FOUNDED_YEAR}} · {{REAL_RESULTS}} · {{centres}} centres

```

B5. Direct-answer rules (AEO — wins snippets, voice, AI Overviews)

- First 40–60 words after the H1, and after every H2 question, must be a **self-contained answer** a person (or LLM) can lift without reading further.
- Lead with the answer, then the reasoning ("Yes — IPMAT Indore has negative marking in QA-MCQ and Verbal (–1 each); QA-SA has none.>").
- Bold the key term/definition near the top.
- Use the user's exact phrasing in the heading ("Does IPMAT have negative marking?").

B6. FAQ system authoring (tiered — total coverage, no penalty)

Three tiers: 1. **Master FAQ KB** (</faq/> , </faq/cuet/> , </faq/ipmat/>): the full deduplicated corpus — target **1,000+ Q&As** across both verticals, every one tied to a cluster. Single source of truth; on-page search/filter. 2. **FAQ hub pages** (per major cluster, e.g. </faq/cuet/cutoffs/>): **50–200 Q&As** — legitimate because the page's whole job is reference. Heavy anchor TOC. 3. **Leaf-page FAQ sets: 8–20 Q&As** — the page's actual PAA cluster only.

Rules (all tiers): - Every answer = 40–60-word direct answer first, optional depth after. - Question phrased exactly as searched/asked. - **De-duplicate ruthlessly:** one canonical answer per question on its best-fit page; other pages link to it, never re-paste it verbatim (duplicate-content risk). - Source questions from: live PAA boxes, autosuggest, the IPMAT module's **aspirant question-set**, and the CUET pillar clusters. - Date perishable answers; pull figures from datasets. - No padding with near-identical question variants. Cover real distinct intents.

Where the "200" lives: in the master KB (1,000+) and the hub pages (50–200) — **not** stamped on every leaf page.

B7. Internal-linking rules (the conversion wiring)

- **CUET in-season chain:** every cutoff page → predictor → counselling/course; predictor result → relevant cutoff + admission pages; college/university hub → its cutoff + predictor. (cutoff ↔ predictor ↔ colleges = closed triangle.)
- **IPMAT chain:** syllabus/section → section-strategy → prep-plan → course; cutoff/composite → "safe score" → course; PI/WAT → mock-PI course CTA.
- **TOFU handoff:** "how to prepare"/syllabus → study-plan → (in-season) predictor/course.
- **Cross-vertical bridges:** every comparison conclusion → that vertical's syllabus + course.

- **Authority cascade:** mechanics/FAQ/news → the relevant demand pillar.
- **Anchors:** descriptive, varied, intent-matched ("predict your DU college", "IIM Indore sectional cutoffs"); never "click here"; no identical anchor sitewide.
- Every page links **down** (to clusters), **across** (to siblings), and **forward** (to a conversion page).

B8. Per-page-type quick briefs (combine with the Part C examples)

Page type	Primary intent	Must contain	Conversion target	Schema
CUET Cutoff	Commercial-info	Dataset table (college×course×category×round), "how cutoffs decided", trend note, disambiguation (NTA ≠ cutoff release)	Predictor → counselling	Dataset + Bread-crumbs
CUET Predictor	Transactional	Ungated tool, marks ↔ percentile explainer, result → cutoff/colleges, estimate disclaimer	Counselling/course	(tool) + Bread-crumbs
CUET Syllabus (subject)	Informational	Topic list + weightage from syllabus dataset, PYQ link, how-to-prepare link	Study-plan → course	Course/ItemList
CUET CSAS / Admission	Info → revenue	HowTo steps, freeze-vs-upgrade, mistakes, per-university	Paid counselling	HowTo + Bread-crumbs
CUET Comparison (vs X)	Commercial	Comparison table, "who should choose which", route conclusion → vertical	CUET or IP-MAT course	Article + Bread-crumbs
IPMAT Exam/Marking	Info (citation)	Three-exam table, marking math (no-neg SA / -1 rest / sectional lock), strategy	Course/mock	Article + Bread-crumbs
IPMAT Cutoff/Selection	Commercial-info	Sectional cutoffs (cleared independently), composite weights (65/35; 55/15/30), safe-score	Course	Article/Dataset
IPMAT Comparison	Commercial	IPM vs BBA / Indore vs Rohtak / worth-₹35–40L tables	Course	Article
IPMAT PI & WAT	Info → revenue	What panels probe, profile-building, WAT, mock-PI	Mock-PI course	Article
Course/Batch	Transactional	Real fee, mode, dates, faculty, syllabus, real reviews	Enroll/WhatsApp	Course + Offer (+real AggregateRating)
College/Institute	Info	Institution-dataset profile (seats/fees/NIRF/subjects), placements, comparisons	Predictor/course	EducationalOrganization
News/Update	Freshness	Fast-publish, dated, sourced	Relevant demand pillar	NewsArticle
FAQ hub	Info (AEO/GEO)	50–200 Q&As, anchor TOC, direct answers	Relevant course	(optional minimal FAQPage)

B9. Content-writer Definition-of-Done (every page)

- [] Intent correct; H1 + 40–60-word intro answer the core query.
- [] Every H2 has a direct-answer block; ≥1 table/list/definition.
- [] ≥1 GEO asset (original stat / comparison table / first-hand marker).
- [] Intent-matched, deduplicated FAQ set; logged in coverage matrix.
- [] Internal links: down + across + forward; descriptive anchors.
- [] Title ≤60 (keyword + hook), unique meta ≤155, clean slug.
- [] Perishable figures verified vs official source + dated; estimates labelled.
- [] Byline → real faculty; "Last updated" present.
- [] No fabricated data/reviews/results; no CAT references.

PART C — WORKED EXAMPLE PAGES (copy-paste, full standard)

Clone these patterns across the site. Replace `{{TOKENS}}` and `[ILLUSTRATIVE]` rows with **verified** data. Numbers shown are from the 2026-cycle modules and must be re-verified before publishing.

C1. CUET EXAMPLE — Cutoff page

URL (slug): `/cuet/cutoff/du/`
Title: `DU CUET Cutoff 2026: College & Course Cutoffs (All Categories)`
Meta: `See DU CUET 2026 cutoffs by college, course, category & round – sourced from official CSAS data. Predict your college →`

DU CUET Cutoff 2026 – College & Course Cutoffs

By `[{{Faculty}}] (/faculty/{{slug}}/)` · Last updated `{{D MMM YYYY}}`

****DU CUET cutoffs are released by Delhi University through CSAS (not by NTA), as category-wise CUET scores for each college–course combination, falling across multiple allotment rounds. Below are the `{{year}}` cutoffs by college, course, category and round, sourced from official CSAS releases.****

On this page

- `[How DU cutoffs work] (#how)` · `[2026 cutoffs by college] (#cutoffs)` · `[Category-wise] (#category)` · `[Predict your college] (#predict)` · `[FAQs] (#faq)`

How DU CUET cutoffs work `<!-- id="how" -->`

****DU CUET cutoffs are the minimum CUET scores at which a college–course closed in a given CSAS round, set separately for each category. They are not fixed in advance – they emerge from demand,**

seats, and applicant scores, and typically drop across later rounds and spot rounds.**
Key disambiguation: NTA conducts CUET and releases scores; **universities (here, DU via CSAS) release the cutoffs.** Clearing CUET ≠ admission – you must complete CSAS allotment and seat acceptance.

2026 cutoffs by college <!-- id="cutoffs" -->

{{Table injected from CUET Cutoff dataset – college × course × category × round.}}

College	Course	Category	Round 1	Round 2	Source
---	---	---	---	---	---
[ILLUSTRATIVE – replace with verified dataset rows] B.A. (H) Eco General – – CSAS					

[Download the full CUET cutoff dataset (CSV) →](/cuet/cutoff/dataset/)

Category-wise cutoffs <!-- id="category" -->

Cutoffs differ by category (General / OBC-NCL / SC / ST / EWS / PwBD); reserved-category cutoffs are usually lower than General for the same college–course. {{depth}}

Predict your DU college <!-- id="predict" -->

Not sure which college your score secures? [Use the free CUET College Predictor →](/cuet/results/college-predictor/du/) – enter your marks/percentile to see realistic DU options, then plan your CSAS preference order.

Frequently asked questions <!-- id="faq" -->

Does NTA release CUET cutoffs? – No. NTA conducts CUET and releases scores; cutoffs are released by each university. For DU, cutoffs come through CSAS across allotment rounds. {{...}}

Do DU cutoffs drop in later rounds? – Usually yes. As higher-scoring applicants accept seats, later CSAS rounds and spot rounds often close at lower scores, though popular college–course combinations stay competitive. {{...}}

Is a high CUET score enough for DU admission? – No. You must also register for CSAS, fill preferences, receive an allotment, and accept the seat. A high score with no CSAS action gets no admission. {{...}}

<!-- add 8–20 deduplicated DU-cutoff-cluster questions -->

> **Plan your DU admission with {{BRAND_SHORT}}.** [Chat on WhatsApp →]({{WHATSAPP}}) · Call {{PHONE}}

> Since {{FOUNDED_YEAR}} · {{REAL_RESULTS}} · {{CENTRES}}

INTERNAL LINKS (wire these): → College Predictor (/cuet/results/college-predictor/du/) · → CSAS process (/cuet/admission/du/) · → DU colleges hub (/cuet/colleges/du/) · → Marks vs percentile (/cuet/results/marks-vs-percentile/)

SCHEMA: Dataset (A5.4) + Breadcrumb (A5.2)

C2. IPMAT EXAMPLE — Exam pattern & marking page

URL (slug): /ipmat/marketing-scheme/
Title: IPMAT Marking Scheme & Negative Marking 2026 (Indore, Rohtak)
Meta: How IPMAT marking works – QA-SA has no negative marking, –1 elsewhere, 40-min sectional lock at Indore. The strategy that makes ranks →

IPMAT Marking Scheme & Negative Marking – Indore vs Rohtak

By [{{Faculty}}](/faculty/{{slug}}/) · Last updated {{D MMM YYYY}} · *Verify against iimdr.ac.in / iimrohtak.ac.in for the current cycle*

IPMAT uses different marking across its sections. At IIM Indore, the Quant Short-Answer section (15 type-in questions) has no negative marking, while QA-MCQ (30Q) and Verbal (45Q) deduct –1 per wrong answer. Indore also runs a 40-minute sectional lock. IIM Rohtak applies –1 across all sections with no lock and adds Logical Reasoning.

On this page

- [The three exams](#exams) · [Indore marking](#indore) · [Rohtak marking](#rohtak) · [The marking math](#math) · [FAQs](#faq)

The three IPMAT exams at a glance <!-- id="exams" -->

| Exam | Questions | Sections | Sectional lock | Negative marking |

| ---|---|---|---|---|

| IIM Indore | 90 / 360 marks / 120 min | QA-SA (15) · QA-MCQ (30) · VA (45) | 40 min/section | SA: none · MCQ & VA: –1 |

| IIM Rohtak | 120 / 480 marks / 120 min | QA · VA · LR (40 each) | None | All –1 |

| JIPMAT (Jammu, Bodh Gaya) | QA + VA | – | – | per official bulletin |

2026-cycle figures from the IPMAT module – re-verify before publishing.

Indore marking – where ranks are made <!-- id="indore" -->

QA-SA (15 questions, type-in) has no negative marking – leaving any blank is a guaranteed loss versus a reasoned attempt, so attempt all 15. QA-MCQ and Verbal deduct –1, so guess only after eliminating at least one option. The 40-minute sectional lock means you cannot bank time between sections – pace per section, not overall.

Rohtak marking <!-- id="rohtak" -->

Rohtak deducts –1 everywhere and has no sectional lock, so you control your own time across QA, VA and LR – which means the risk is over-investing in one section. Sequence strength-first to bank a cushion.

The marking math (strategy core) <!-- id="math" -->

A blind 4-option guess under –1 has an expected value of $(0.25 \times 4) + (0.75 \times -1) = +0.25$ – barely positive and high-variance. Eliminating even one option shifts the odds decisively in your favour; that is the entire guessing strategy. {{first-hand marker: "In our {{year}} IPMAT batch, candidates who drilled elimination-then-guess on QA-MCQ..." – real data only}}


```

## Frequently asked questions <!-- id="faq" -->
**Does IPMAT have negative marking?** – Yes, mostly. IIM Indore deducts –1 in QA-MCQ and Verbal but not in QA Short-Answer; IIM Rohtak deducts –1 in all sections. Always attempt the no-negative SA section fully. {{...}}
**Should I attempt all questions in IPMAT QA-SA?** – Yes. The Indore Short-Answer section has no negative marking, so every blank is a guaranteed loss. Attempt all 15 with reasoned approximations. {{...}}
**What is the IPMAT Indore sectional time lock?** – Indore locks each of its three sections to 40 minutes; you cannot carry unused time forward. Prepare per-section pacing rather than overall pacing. {{...}}
<!-- 8–20 deduplicated marking-cluster questions -->

> **Crack IPMAT marking strategy with {{BRAND_SHORT}}.** [Chat on WhatsApp →]({{WHATSAPP}}) · Call {{PHONE}}
> {{REAL_RESULTS}} · since {{FOUNDED_YEAR}}

INTERNAL LINKS: → Section strategy (/ipmat/section-strategy/) · → Cutoffs & composite score (/ipmat/cutoff/indore/) · → Prep master plan (/ipmat/preparation/) · → IPMAT course (/courses/ipmat/)
SCHEMA: Article (A5.6) + Breadcrumb (A5.2) – NOTE: no AggregateRating/FAQPage on this Article page.

```

C3. COMMERCIAL EXAMPLE — Course/batch page

```

URL (slug): /courses/ipmat/foundation-2-year/
Title:      IPMAT Coaching in Delhi-NCR – 2-Year Foundation | LPT Delhi-NCR
Meta:      IPMAT 2-year foundation batch at LPT Delhi-NCR – IIM Indore & Rohtak focused, real faculty, offline + online. See fees & dates →

```

```
# IPMAT 2-Year Foundation Batch – Delhi-NCR
```

```
By {{BRAND}} · Last updated {{D MMM YYYY}}
```

```

**The {{BRAND_SHORT}} IPMAT 2-Year Foundation batch prepares Class 11 students for IIM Indore, Rohtak and JIPMAT through QA, Verbal and Logical Reasoning, with sectional strategy, full mocks, and PI/WAT prep. Mode: {{offline/online/hybrid}}. Fee: from ₹{{real fee}}. Next batch starts {{date}}.**

```

```
## On this page
```

```

- [Who it's for]({#who}) · [What's covered]({#syllabus}) · [Fees & dates]({#fees}) · [Faculty]({#faculty})
- [Results]({#results}) · [FAQs]({#faq})

```

```
## Who this batch is for <!-- id="who" -->
```

```
{{honest fit description – Class 11 starters targeting IPM}}
```

```
## What's covered <!-- id="syllabus" -->
```

```
{{pull from syllabus dataset – QA tiers, Verbal, LR (Rohtak), mocks, PI/WAT}}. Linked deep dives:
[IPMAT syllabus](/ipmat/syllabus/) · [marking strategy](/ipmat/marking-scheme/).
```

```
## Fees & dates <!-- id="fees" -->
```

```
| Batch | Mode | Duration | Start | Fee |
```

```
| ---|---|---|---|---|
```

```
| 2-Year Foundation | {{mode}} | {{months}} | {{date}} | from ₹{{real fee}} |
```

```
*Transparent fee shown – no "enquire for price."*
```

```
## Faculty <!-- id="faculty" -->
```

```
{{Named real faculty}} → [bios](/faculty/).
```

```
## Results <!-- id="results" -->
```

```
{{REAL_RESULTS – verified selections/IIM calls only, with year. No inflation.}}
```

```
## Frequently asked questions <!-- id="faq" -->
```

```
**What is the fee for the IPMAT 2-year batch?** – The {{BRAND_SHORT}} IPMAT 2-Year Foundation batch
starts from ₹{{real fee}}, payable {{terms}}. {{...}}
```

```
**Does this batch cover both IIM Indore and Rohtak patterns?** – Yes. It covers QA-SA and QA-MCQ
for Indore plus Logical Reasoning for Rohtak, with section-specific strategy for each pattern.
{{...}}
```

```
<!-- 8–15 batch-specific questions -->
```

```
> **Book a free demo / counselling.** [Chat on WhatsApp →]({{WHATSAPP}}) · Call {{PHONE}}
```

```
> Since {{FOUNDED_YEAR}} · {{CENTRES}} · GST {{GST}}
```

```
INTERNAL LINKS: → IPMAT hub (/ipmat/) · → marking strategy · → cutoffs · → results
```

```
SCHEMA: Course + Offer (A5.3). Add AggregateRating ONLY if real reviews exist.
```

PART D — WORKFLOW, ROLES & PUBLISHING GATE

D1. Who does what

- **SEO/Content writer:** B1 workflow → writes page to B4 template → builds FAQ set → wires internal links → fills title/meta/slug → logs coverage matrix → passes B9 DoD.
- **Developer:** implements A4 components + A5 schema → injects perishable values from A6 datasets → SSR + canonical + CWV → adds to sitemap → passes A8 DoD.
- **Reviewer (you / lead):** runs the combined publishing gate (D3) before anything goes live.

D2. Build order (phased — match the live exam calendar)

1. **Phase 0 (Wk 1–2):** root files (robots/lms/sitemap), global schema, three datasets scaffolded, brand hub + course/faculty/centre pages live with real data, WhatsApp CTA, measurement (GSC, Bing, GBP, rank tracker, baseline LLM-citation check).

2. **Phase 1 (Wk 3–8):** CUET P1–P3 (predictor, cutoffs, CSAS) + IPMAT I1–I4 (exam/marking, cutoffs/selection, eligibility, admission) — P0/seasonal. FAQ hubs for these. Comparison bridges.
3. **Phase 2 (Wk 9–16):** CUET P4–P7 + IPMAT I5–I8 (colleges, syllabus/Learning Units, mechanics, PI/WAT). Programmatic rollout from datasets (real distinct data only). Master FAQ KB → 1,000+.
4. **Phase 3 (ongoing):** P8–P10 / I9–I10 (cities, history/policy, experience/wellbeing); news cadence; link-building/digital PR around the cutoff dataset; monthly LLM-citation testing + gap-closing.

D3. Publishing gate (combined — page goes live only if ALL pass)

- [] **Intent + answer:** correct intent; H1 + 40–60-word intro answer the core query.
- [] **AEO:** direct-answer block under every H2; ≥1 list/table/definition.
- [] **GEO:** ≥1 original stat / comparison table / first-hand marker; dated; sourced.
- [] **FAQ:** intent-matched, deduplicated set; in coverage matrix; answers in raw HTML.
- [] **Jump-links:** anchor TOC + stable descriptive H2 IDs.
- [] **Internal links:** down + across + forward; descriptive anchors.
- [] **Title/meta/slug:** keyword-front-loaded title ≤60, unique meta ≤155, clean slug.
- [] **Schema:** correct for page type; validates; no fake AggregateRating; no FAQPage/AggregateRating on Article pages.
- [] **Tech:** SSR verified (JS-off test), correct canonical, CWV in budget, in sitemap.
- [] **Trust + conversion:** WhatsApp/call CTA; real trust signals; transparent fee on commercial pages.
- [] **Honesty:** every perishable figure verified vs official source + dated; estimates labelled; no fabricated data/reviews/results; no CAT references.

D4. Maintenance cadence

- **Each cycle / mid-season:** refresh perishable data (dates, pattern, cutoffs, fees, eligibility) — update the dataset once; it propagates.
- **Weekly in-season:** news cadence (NewsArticle) for Discover/freshness; GBP posts.
- **Monthly:** LLM-citation test on top BOFU questions; close gaps with datasets + direct answers. Content-refresh underperformers (often beats new content for ROI).
- **Always:** keep evergreen concept pages stable; only perishable blocks change.

APPENDIX E — CENTRES & LOCAL SEO (4 physical locations)

Four real, verified Delhi-NCR centres. These are a major ranking + trust asset: they unlock "[exam] coaching near me", "[exam] coaching in [area]", Google Business Profile (map pack), and **LocalBusiness** schema — and they are genuine E-E-A-T proof for both SEO and LLM citation. Build one dedicated, indexable centre page per location and one Google Business Profile per location.

E1. Canonical NAP (copy these EXACTLY — same string everywhere)

NAP must be byte-identical across: each centre page, the footer, contact page, every Google Business Profile, JustDial/Sulekha/IndiaMART listings, and all social bios. Any variation in name/address/phone splits local authority. Add a **centre-specific phone** per location where available (best for GBP); otherwise use the main `{{PHONE}}` consistently.

Centre	Full address	Pin-code	Landmark (use in local content)
LPT Noida	Ground Floor, Sandesh Tower, C-56/31, C Block, Phase 2, Sector 62, Noida, Uttar Pradesh	201309	Sector 62; Sandesh Tower
LPT Hauz Khas	Second Floor, 14, Kaushalya Park, Block R, Kharera, Hauz Khas, New Delhi, Delhi	110016	Near Vadilal Hangout; Hauz Khas
LPT GTB Nagar	73-75, Ring Road, Mall Road, GTB Nagar, New Delhi, Delhi	110033	Metro Gate No. 1, above Bank of Baroda
LPT Gurugram	Second Floor, M-35, Block M, Old DLF Colony, Sector 14, Gurugram, Haryana	122007	Above HDFC Bank; Sector 14

E2. Centre URLs + page template

Slugs (evergreen, lowercase): `/centres/noida/` · `/centres/hauz-khas/` · `/centres/gtb-nagar/` · `/centres/gurugram/` plus a parent index `/centres/`.

Centre page template (copy-paste — one per location):

```
# {{Exam(s)}} Coaching in {{Area}} – {{BRAND_SHORT}} {{Centre}}

Last updated {{D MMM YYYY}}

**{{BRAND_SHORT}}'s {{Area}} centre offers CUET and IPMAT coaching at {{full address}}. {{Landmark sentence – e.g. "Right above Bank of Baroda at GTB Nagar Metro Gate No. 1."}} Offline, online and hybrid batches; book a free demo on WhatsApp.**

## On this page
- [Address & directions](#address) · [Batches here](#batches) · [Why this centre](#why) · [FAQs](#faq)

## Address & directions <!-- id="address" -->
**Address:** {{full NAP}} – {{pincode}}.
**Nearest landmark / metro:** {{landmark}}.
{{Embedded Google Map for THIS centre}}
[Get directions →]({{google maps link}}) · [Chat on WhatsApp →]({{WHATSAPP}}) · Call {{centre phone}}

## CUET & IPMAT batches at {{Area}} <!-- id="batches" -->
{{batch table for this centre – link to /courses/cuet/ and /courses/ipmat/}}
```

```

## Why students choose the {{Area}} centre <!-- id="why" -->
{{real differentiators: faculty, results, accessibility from {{nearby areas}}}}

## Frequently asked questions <!-- id="faq" -->
**Where is {{BRAND_SHORT}}'s {{Area}} centre located?** – {{full address}}, near {{landmark}}.
{{...}}
**Which exams are coached at the {{Area}} centre?** – CUET and IPMAT, in offline, online and hybrid
modes. {{...}}
**Does the {{Area}} centre offer a free demo class?** – {{yes/terms}}. Book on WhatsApp at {{WHATS-
APP}}. {{...}}
<!-- 6–12 location-specific questions, including "near me" phrasings -->

INTERNAL LINKS: → /centres/ (all centres) · → /courses/cuet/ · → /courses/ipmat/ · → other 3
centres
SCHEMA: LocalBusiness/EducationalOrganization (E3) + Breadcrumb

```

E3. Per-centre **LocalBusiness** JSON-LD (copy-paste — 4 blocks)

Replace approximate **latitude/longitude** with the **exact pin from each centre's Google Business Profile** before publishing (approximate values are flagged below). Add **telephone** per centre and real **openingHours**.

Noida — **/centres/noida/**

```

{
  "@context":"https://schema.org","@type":"EducationalOrganization",
  "name":"Law Prep Tutorial Delhi-NCR – Noida",
  "url":"https://lptdelhincr.com/centres/noida/",
  "telephone":"{{centre phone}}",
  "parentOrganization":{"@type":"EducationalOrganization","name":"Law Prep Tutorial Delhi-
NCR","url":"https://lptdelhincr.com"},
  "address":{"@type":"PostalAddress","streetAddress":"Ground Floor, Sandesh Tower, C-56/31, C
Block, Phase 2, Sector 62","addressLocality":"Noida","addressRegion":"Uttar Pra-
desh","postalCode":"201309","addressCountry":"IN"},
  "geo":{"@type":"GeoCoordinates","latitude":"28.6276","longitude":"77.3649"},
  "areaServed":["Noida","Greater Noida","Sector 62","Indirapuram","Ghaziabad"],
  "openingHours":"{{Mo-Su 09:00-19:00}}"
}

```

(geo approximate — Sector 62; set exact pin from GBP.)

Hauz Khas — **/centres/hauz-khas/**

```

{
  "@context":"https://schema.org","@type":"EducationalOrganization",
  "name":"Law Prep Tutorial Delhi-NCR – Hauz Khas",
  "url":"https://lptdelhincr.com/centres/hauz-khas/",
  "telephone":"{{centre phone}}",

```

```

    "parentOrganization":{"@type":"EducationalOrganization","name":"Law Prep Tutorial Delhi-
NCR","url":"https://lptdelhincn.com"},
    "address":{"@type":"PostalAddress","streetAddress":"Second Floor, 14, Kaushalya Park, Block R,
Kharera, Hauz Khas (near Vadilal Hangout)","addressLocality":"New Del-
hi","addressRegion":"Delhi","postalCode":"110016","addressCountry":"IN"},
    "geo":{"@type":"GeoCoordinates","latitude":"28.5478","longitude":"77.2030"},
    "areaServed":["Hauz Khas","South Delhi","Green Park","Malviya Nagar","SDA"],
    "openingHours":"{{Mo-Su 09:00-19:00}}"
}

```

(geo approximate — Hauz Khas/Kharera; set exact pin from GBP.)

GTB Nagar — /centres/gtb-nagar/

```

{
  "@context":"https://schema.org","@type":"EducationalOrganization",
  "name":"Law Prep Tutorial Delhi-NCR – GTB Nagar",
  "url":"https://lptdelhincn.com/centres/gtb-nagar/",
  "telephone":"{{centre phone}}",
  "parentOrganization":{"@type":"EducationalOrganization","name":"Law Prep Tutorial Delhi-
NCR","url":"https://lptdelhincn.com"},
  "address":{"@type":"PostalAddress","streetAddress":"73-75, Ring Road, Mall Road, GTB Nagar (Metro
Gate No. 1, above Bank of Baroda)","addressLocality":"New Del-
hi","addressRegion":"Delhi","postalCode":"110033","addressCountry":"IN"},
  "geo":{"@type":"GeoCoordinates","latitude":"28.6989","longitude":"77.2070"},
  "areaServed":["GTB Nagar","North Campus","Kingsway Camp","Model Town","Mukherjee Nagar"],
  "openingHours":"{{Mo-Su 09:00-19:00}}"
}

```

(geo approximate — GTB Nagar Metro/Ring Road; set exact pin from GBP.)

Gurugram — /centres/gurugram/

```

{
  "@context":"https://schema.org","@type":"EducationalOrganization",
  "name":"Law Prep Tutorial Delhi-NCR – Gurugram",
  "url":"https://lptdelhincn.com/centres/gurugram/",
  "telephone":"{{centre phone}}",
  "parentOrganization":{"@type":"EducationalOrganization","name":"Law Prep Tutorial Delhi-
NCR","url":"https://lptdelhincn.com"},
  "address":{"@type":"PostalAddress","streetAddress":"Second Floor, M-35, Block M, Old DLF Colony,
Sector 14 (above HDFC Bank)","addressLocal-
ity":"Gurugram","addressRegion":"Haryana","postalCode":"122007","addressCountry":"IN"},
  "geo":{"@type":"GeoCoordinates","latitude":"28.4669","longitude":"77.0387"},
  "areaServed":["Gurugram","Sector 14","Old DLF Colony","DLF Phase 1-3","Sushant Lok"],
  "openingHours":"{{Mo-Su 09:00-19:00}}"
}

```

(geo approximate — Sector 14 Old DLF Colony; set exact pin from GBP.)

E4. Local SEO checklist (per centre)

- [] **Google Business Profile** claimed + fully completed for each of the 4 centres: correct primary category (e.g. "Coaching center"/"Education center"), exact NAP, hours, 20+ photos, weekly posts, Q&A populated, 100% review responses within 24h. Use the centre's exact map pin to fill **geo** in E3.
- [] **Dedicated centre page** live and indexed (E2 template), interlinked from **/centres/**, footer, and both course pages.
- [] **NAP-consistent citations**: JustDial, Sulekha, IndiaMART, Justdial, local directories — identical name/address/phone to E1.
- [] **"Near me" / area pages**: target "CUET coaching in {{area}}", "IPMAT coaching near {{landmark}}", "best CUET coaching in Noida/Hauz Khas/GTB Nagar/Gurugram" — answered on the centre page with landmark + metro references.
- [] **Local content using the landmarks**: each address has a strong landmark (Sector 62/Sandesh Tower, Hauz Khas/Vadilal Hangout, GTB Nagar Metro Gate 1/Bank of Baroda, Sector 14/HDFC) — use them in copy, alt text, and GBP for local relevance.
- [] **Embedded Google Map** (this centre only) + "Get directions" link on each page.
- [] **Reviews engine**: collect genuine Google reviews per centre post-demo/enrolment (no fabrication). Real **AggregateRating** may surface only on legitimate entities with real reviews.
- [] **Internal linking**: course/batch pages link to the nearest centre(s); centre pages link to relevant CUET/IPMAT course pages and to the other 3 centres.
- [] **/centres/ index page**: lists all 4 with map, NAP, and links — **ItemList** of the 4 **EducationalOrganization** entities.
- [] **Footer**: show all 4 centres with NAP sitewide (consistent string).

APPENDIX F — LOCATION TAXONOMY & LOCAL LANDING PAGES

The 4 centres are now a formal **Local pillar (L)** in the site taxonomy, sitting beside the CUET and IPMAT verticals and feeding the same enrolment funnel. Two distinct page families — keep them separate (different query, different job):

- **Physical centre pages** **/centres/[area]/** — the *location/contact/directions* page (NAP, map, GBP parity, all exams at this centre). Defined in Appendix E.
- **Local commercial landing pages** **/[exam]/coaching-in-[area]/** — the *"[exam] coaching in [area]"* search-intent page (batches, fees, faculty, results, local FAQ). New here.

F1. Where Local sits in the taxonomy

/	Brand hub
└ /cuet/	CUET vertical (P1–P10)
└ /ipmat/	IPMAT vertical (I1–I10)

```

└─ /courses/           Commercial (batches)
└─ /centres/           ← LOCAL PILLAR (physical) – Appendix E
  └─ /noida/  /hauz-khas/  /gtb-nagar/  /gurugram/
└─ /[exam]/coaching-in-[area]/ ← LOCAL LANDINGS (commercial intent)

```

F2. Local landing matrix (area × exam)

Four real centre areas + one NCR overview, per exam. **Honesty guardrail:** build a local landing ONLY where there is genuinely distinct content (a real centre, real local batches, real local results). Do **not** spawn thin near-duplicate pages for every micro-locality — that is doorway-page behaviour and gets demoted. Secondary localities (from **areaServed**) are mentioned *within* the nearest centre's landing, not given their own thin pages.

Area	Centre page	CUET landing	IPMAT landing	Primary query
Noida (Sec 62)	/centres/noida/	/cuets/coaching-in-noida/	/ipmat/coaching-in-noida/	"[exam] coaching in Noida"
Hauz Khas	/centres/hauz-khas/	/cuets/coaching-in-hauz-khas/	/ipmat/coaching-in-hauz-khas/	"[exam] coaching in Hauz Khas / South Delhi"
GTB Nagar	/centres/gtb-nagar/	/cuets/coaching-in-gtb-nagar/	/ipmat/coaching-in-gtb-nagar/	"[exam] coaching in GTB Nagar / North Campus"
Gurugram (Sec 14)	/centres/gurugram/	/cuets/coaching-in-gurugram/	/ipmat/coaching-in-gurugram/	"[exam] coaching in Gurgaon"
Delhi-NCR (overview)	/centres/	/cuets/coaching-in-delhi-ncr/	/ipmat/coaching-in-delhi-ncr/	"best [exam] coaching in Delhi NCR"

Totals added by Local pillar: 1 centres index + 4 centre pages + 10 local landings = **15 location pages**.

F3. Local landing page template (copy-paste — one per area × exam)

```

# {{Exam}} Coaching in {{Area}} – {{BRAND_SHORT}}

By {{BRAND}} · Last updated {{D MMM YYYY}}

**{{BRAND_SHORT}} offers {{Exam}} coaching in {{Area}} at {{centre address}}, {{landmark}}. Off-
line, online and hybrid batches with {{real faculty/result marker}}. Book a free demo on Whats-
App.**

## On this page
- [Batches & fees](#batches) · [Why {{BRAND_SHORT}} {{Area}}](#why) · [Centre & directions]
(#centre) · [Results](#results) · [FAQs](#faq)

## {{Exam}} batches & fees in {{Area}} <!-- id="batches" -->
[T-LOCAL-BATCH] table → links to /courses/{{exam}}/

## Why {{BRAND_SHORT}} {{Area}} <!-- id="why" -->
{{real differentiators; areas served nearby: {{secondary localities}}}}

```



```

## Centre & directions <!-- id="centre" -->
{{NAP + embedded map}} → full details: [/centres/{{area}}/](/centres/{{area}}/)

## Results <!-- id="results" -->
{{REAL local/overall results – no fabrication}}

## Frequently asked questions <!-- id="faq" -->
**Where is {{BRAND_SHORT}}'s {{Exam}} coaching in {{Area}}?** – {{address}}, {{landmark}}. {{...}}
**What is the fee for {{Exam}} coaching in {{Area}}?** – From ₹{{real fee}}; see batches above.
{{...}}
**Do you offer online {{Exam}} classes for {{Area}} students?** – {{yes/terms}}. {{...}}
<!-- 6–12 location + exam specific questions, incl. "near me" phrasings -->

> Book a free demo → WhatsApp {{WHATSAPP}} · Call {{centre phone}}

INTERNAL LINKS: → /centres/{{area}}/ · → /courses/{{exam}}/ · → /{{exam}}/ hub · → other area land-
ings
SCHEMA: Course + Offer (real) + LocalBusiness reference + Breadcrumb. NO fake AggregateRating.
CANONICAL NOTE: self-canonical. This page targets "[exam] coaching in [area]" (commercial); the /
centres/[area]/ page targets location/contact. Cross-link, never duplicate body copy.

```

F4. Local internal-linking & sitemap

- Every **course/batch page** links to the nearest centre(s) + matching local landing.
- Every **local landing** links to: its centre page, the exam course page, the exam hub, and sibling area landings.
- Footer shows all 4 centres (NAP) sitewide.
- Add `/sitemap-local.xml` (centres + local landings) to the sitemap index.

APPENDIX G — DATA-BLOCK & TABLE LIBRARY

Define each reusable table once (columns below); reference by code in the inventory (Appendix H). All tables: server-rendered HTML, "Last updated + source" caption, perishable values pulled from the shared datasets (A6).

Code	Table	Columns
T-CUTOFF-CUET	CUET cutoffs	College · Course · Category · Round 1 · Round 2 · ... · Source
T-MARKS-PCTILE	Marks ↔ percentile	Subject · Raw-marks band · Percentile band · Note (estimate)
T-PREDICT	Predictor I/O	<i>Inputs:</i> marks/percentile, category, subjects → <i>Output:</i> college–course list with likelihood band + cutoff ref
T-COLLEGE-CUET	College profile	College · Courses via CUET · Required CUET subjects · Last Gen cutoff · Seats · NIRF

Code	Table	Columns
T-INSTITUTION	Institution dataset row	Name · Type · NIRF · Courses · Seats · Fees · Required subjects · Source
T-EXAM-IPMAT	IPMAT exam compare	Exam · Qs/Marks/Time · Sections · Sectional lock · Negative marking
T-IPMAT-CUTOFF	IPMAT sectional cutoffs	Institute · Section · Gen · EWS · OBC-NC · SC · ST · PwD · Year
T-COMPOSITE	Composite scoring	Institute · Test % · PI % · Academics % · Notes
T-FEES	Programme fees	Institute · Duration · Total fee · International fee · Source
T-PLACEMENT	Placements	Institute · Batch · Placement % · Recruiters · (official CTC only)
T-SYLLABUS	Syllabus / weightage	Section/Subject · Topic · Tier/Weightage · PYQ frequency
T-COMPARE	Decision compare	Dimension · Option A · Option B
T-IMPORTANT-DATES	Timeline	Event · Date/Window · Source
T-BATCH	Course batches	Batch · Mode · Duration · Start date · Fee
T-LOCAL-BATCH	Local batches	Batch · Mode · Timing · Fee · Book (WhatsApp)
T-CENTRE	Centre NAP	Centre · Address · Pincode · Landmark · Phone · Hours · Map

Standard data blocks (non-table, from Part A): direct-answer (40–60w) · disambiguation block · estimate-disclaimer · "Last updated [date]" · author byline · WhatsApp-first CTA · trust block. Every page composes from these + the relevant table(s).

APPENDIX H — MASTER PAGE INVENTORY (complete)

Every page family with slug, type/intent, on-page data blocks & tables, schema, and FAQ tier. **Fixed** = one page. **Programmatic** = one pattern × N (generated from datasets; one real distinct page per row — no thin spawns). FAQ tiers: **Leaf** 8–20 Q&As · **Hub** 50–200 · **KB** master corpus.

H1. Global / brand

Page	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
Home	/	Brand hub · nav	Hero, vertical cards, results strip (real), centres strip [T-CENTRE], CTA	EducationalOrganization, WebSite	—
About	/about/	Trust	Story, founding year, faculty/centre links	Organization	Leaf

Page	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
Contact	/contact/	NAP/con-vert	All 4 centres [T-CENTRE], map, form, WhatsApp	Organization + LocalBusiness×4	Leaf
Faculty index	/faculty/	E-E-A-T	Faculty grid	ItemList	—
Faculty bio	/faculty/[name]/	E-E-A-T · <i>prog.</i>	Bio, credentials, subjects, byline links	Person	—
Results	/results/	Proof	Real selections/toppers (verified)	—	Leaf
Resources hub	/resources/	Tools/lead-magnet	Links to predictor, datasets, downloads	ItemList	—
Master FAQ	/faq/	AEO/GEO	Filterable KB; links to vertical FAQ hubs	(optional FAQPage)	KB
Blog index	/blog/	Freshness	Article list	Blog	—
Blog post	/blog/[slug]	Info · <i>prog.</i>	Article body, byline, TOC	Article	—
Legal	/privacy/ , /terms/	Trust	—	—	—
Root files	/robots.txt / llms.txt / sitemap.xml	Tech	—	—	—

H2. Commercial / courses

Page	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
Courses hub	/courses/	Commercial	Both verticals, batch links	ItemList	Leaf
CUET courses	/courses/cuet/	Commercial	[T-BATCH], faculty, results, fee	Course	Leaf
CUET batch	/courses/cuet/[batch]	Transactional · <i>prog.</i>	[T-BATCH], syllabus, faculty, real reviews	Course + Offer (+real AggregateRating)	Leaf
IPMAT courses	/courses/ipmat/	Commercial	[T-BATCH] (foundation/crash/test-series/PI-WAT/online)	Course	Leaf
IPMAT batch	/courses/ipmat/[batch]	Transactional · <i>prog.</i>	[T-BATCH], syllabus, faculty, reviews	Course + Offer	Leaf
Test series	/courses/[exam]/test-series/	Transactional	Mock count, pattern, pricing	Course + Offer	Leaf
Free demo	/free-demo/	Convert	Booking form, WhatsApp	—	—

H3. Local pillar (Appendix E + F)

Page	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
Centres index	<code>/centres/</code>	Local hub	All 4 [T-CENTRE], map	ItemList + Local-Business×4	Leaf
Centre page ×4	<code>/centres/{noida,hauz-khas,gtb-nagar,gurugram}/</code>	Local/contact	[T-CENTRE], directions, map, local batches	EducationalOrganization/LocalBusiness	Leaf
CUET local landing ×5	<code>/cuet/coaching-in-[area]/</code>	Local commercial	[T-LOCAL-BATCH], why-us, results, centre ref	Course + Offer + LocalBusiness ref	Leaf
IPMAT local landing ×5	<code>/ipmat/coaching-in-[area]/</code>	Local commercial	[T-LOCAL-BATCH], why-us, results, centre ref	Course + Offer + LocalBusiness ref	Leaf

(areas: noida, hauz-khas, gtb-nagar, gurugram, delhi-ncr)

H4. CUET vertical (P1–P10)

Page family	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
CUET hub	<code>/cuet/</code>	Vertical hub	Pillar nav, key facts, CTA	Educational-Organization	Hub
P1 Results hub	<code>/cuet/results/</code>	Info/lead	Links, predictor CTA	—	Hub
P1 Marks ↔ percentile	<code>/cuet/results/marks-vs-percentile/[subject] prog.</code>	Info	[T-MARKS-PCTILE] (estimate-labelled)	Article	Leaf
P1 Normalization	<code>/cuet/results/normalization/</code>	Info/citation	Direct answer, worked example	Article	Leaf
P1 Scorecard	<code>/cuet/results/score-card/</code>	Info	HowTo steps	HowTo	Leaf
P1 Score calculator	<code>/cuet/results/score-calculator/</code>	Tool	Calculator (server-rendered result)	—	Leaf
P1 College predictor	<code>/cuet/results/college-predictor/[university]/[course] prog.</code>	Lead magnet	[T-PREDICT] + estimate disclaimer	—	Leaf
P2 Cutoff hub	<code>/cuet/cutoff/</code>	Commercial-info	[T-CUTOFF-CUET] sample, how-it-works	Dataset	Hub

Page family	Slug	Type - Intent	Data blocks & tables	Schema	FAQ
P2 Cutoff by college	<code>/cu^{et}/cutoff/[university]/[college]/[course] prog.</code>	Commercial-info	[T-CUTOFF-CUET]	Dataset	Leaf
P2 Cutoff by category	<code>/cu^{et}/cutoff/[university]/[college]/[category] prog.</code>	Info	[T-CUTOFF-CUET]	Dataset	Leaf
P2 Colleges-for-score	<code>/cu^{et}/cutoff/colleges-for/[score-band] prog.</code>	Commercial	[T-COLLEGE-CUET]	Dataset	Leaf
P2 Cutoff dataset	<code>/cu^{et}/cutoff/dataset/</code>	GEO	Full [T-CUTOFF-CUET] + CSV	Dataset	—
P2 How cutoffs work	<code>/cu^{et}/cutoff/how-cutoffs-work/</code>	Info/citation	Direct answer, disambiguation	Article	Leaf
P3 Admission hub	<code>/cu^{et}/admission/</code>	Revenue	CSAS [T-IMPORTANT-DATES], steps	HowTo	Hub
P3 Per-university	<code>/cu^{et}/admission/[university]/[phase] prog.</code>	Revenue	HowTo, mistakes	HowTo	Leaf
P3 Preference strategy	<code>/cu^{et}/admission/preference-strategy/[score-band] prog.</code>	Revenue	Strategy block, predictor link	Article	Leaf
P3 Freeze-vs-upgrade	<code>/cu^{et}/admission/freeze-vs-upgrade/</code>	Revenue	Decision block	Article	Leaf
P3 Spot round	<code>/cu^{et}/admission/spot-round/</code>	Revenue	HowTo	HowTo	Leaf
P4 Colleges hub	<code>/cu^{et}/colleges/</code>	Authority	Participating-univ list [T-INSTITUTION]	ItemList	Hub
P4 University/college	<code>/cu^{et}/colleges/[university]/[college] prog.</code>	Info	[T-COLLEGE-CUET], placements	Educational-Organization	Leaf
P4 Best-for-course	<code>/cu^{et}/colleges/best-for/[course] prog.</code>	Commercial	Ranked [T-COLLEGE-CUET]	ItemList	Leaf
P4 College vs college	<code>/cu^{et}/colleges/[a]-vs-[b] prog.</code>	Commercial	[T-COMPARE]	Article	Leaf
P5 Compare hub	<code>/cu^{et}/compare/</code>	Commercial	Route map, quiz CTA	—	Hub
P5 CUET vs exam	<code>/cu^{et}/compare/cuet-vs-[exam] prog.</code>	Commercial	[T-COMPARE] + difficulty	Article	Leaf

Page family	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
P5 Exam-selector quiz	<code>/cu^{et}/compare/quiz/</code>	Tool	Quiz → vertical handoff	—	—
P6 Syllabus hub	<code>/cu^{et}/syllabus/</code>	Ever-green	Subject grid [T-SYLLABUS]	Course	Hub
P6 Subject pages	<code>/cu^{et}/[subject]/[syllabus,pyq,important-topics,how-to-prepare,books,weightage] prog.</code>	Info/ product	[T-SYLLABUS], [T-WEIGHTAGE], PYQ list	Course/ ItemList	Leaf
P6 Learning Unit	<code>/cu^{et}/[subject]/[chapter] prog.</code>	Product	7-part unit (teach→MCQ→traps→practice→recall→self-check)	LearningResource	Leaf
P6 Study plan	<code>/cu^{et}/study-plan/[duration]/ prog.</code>	Info	Phased plan	Article	Leaf
P7 Exam mechanics	<code>/cu^{et}/[exam-pattern,marking,eligibility,subject-rules,languages]/</code>	Citation	Direct answers, tables	Article	Leaf
P8 Exam centres (NTA)	<code>/cu^{et}/exam-centers/[city]/ prog.</code>	Seasonal	City info, slip/admit-card links	Article	Leaf
P8 Slip/admit/exam-day	<code>/cu^{et}/[city-slip,admit-card,exam-day]/</code>	Seasonal	HowTo, checklist	HowTo	Leaf
P9 History/policy/news	<code>/cu^{et}/[history,policy,changes]/ , /ity/cuet/news/[slug] prog.</code>	Author-ity/ fresh	Explainers; news feed	Article/ News-Article	Leaf
P10 Experience/FAQ	<code>/cu^{et}/faq/ , /cu^{et}/[is-cuet-hard,without-coaching,toppers,parents-guide]/</code>	Trust	FAQ hub + guides; disambiguation	Article	Hub/ Leaf

Naming caution: CUET **P8 exam-centres** = NTA *exam* cities (`/cuet/exam-centers/[city]/`). LPT *coaching* centres = `/centres/[area]/` (Local pillar). Keep slugs and copy distinct.

H5. IPMAT vertical (I1–I10)

Page family	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
IPMAT hub	<code>/ipmat/</code>	Vertical hub	Pillar nav, fact sheet, CTA	Educational-Organization	Hub

Page family	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
I1 Exam hub	<code>/ipmat/exam/</code>	Info	[T-EXAM-IPMAT] (3 exams)	Article	Hub
I1 Per-institute pattern	<code>/ipmat/{indore,rohtak,jipmat}/pattern</code>	Info/citation	[T-EXAM-IPMAT] row detail	Article	Leaf
I1 Marking scheme	<code>/ipmat/marking-scheme/</code>	Citation (flagship)	Marking math, EV block, [T-EXAM-IPMAT]	Article	Leaf
I1 Sectional lock	<code>/ipmat/sectional-lock/</code>	Info	Direct answer, timing	Article	Leaf
I2 Cutoff hub	<code>/ipmat/cutoff/</code>	Commercial-info	[T-IPMAT-CUTOFF], [T-COMPOSITE]	Article	Hub
I2 Per-institute cutoff	<code>/ipmat/cutoff/[institute]/[category] prog.</code>	Info	[T-IPMAT-CUTOFF]	Article	Leaf
I2 Composite score	<code>/ipmat/composite-score/[institute] prog.</code>	Info	[T-COMPOSITE]	Article	Leaf
I2 Safe score	<code>/ipmat/safe-score/</code>	Commercial	Buffer bands (estimate)	Article	Leaf
I3 Eligibility	<code>/ipmat/eligibility/</code> , <code>/ipmat/eligibility/droppers/</code> , <code>/[category]/ prog.</code>	Info	Criteria block, age/edge-cases	Article	Leaf
I4 Admission	<code>/ipmat/admission/[institute]/</code> , <code>/ipmat/important-dates/</code> , <code>/application-process/</code>	Seasonal	[T-IMPORTANT-DATES], HowTo	HowTo	Leaf
I5 Colleges hub	<code>/ipmat/colleges/</code>	Authority	[T-INSTITUTION] (Indore/Rohtak/Jammu/Bodh Gaya/newer)	ItemList	Hub
I5 Per-institute	<code>/ipmat/colleges/[institute]/ prog.</code>	Info	[T-INSTITUTION], [T-PLACEMENT]	Educational-Organization	Leaf
I5 Programme structure	<code>/ipmat/programme/structure/</code>	Info/citation	3+2, AMBA, exit-option block	Article	Leaf
I5 Fees	<code>/ipmat/programme/[institute]/fees prog.</code>	Commercial-info	[T-FEES]	Article	Leaf
I5 Placements	<code>/ipmat/placements/[institute]/ prog.</code>	Info	[T-PLACEMENT] (official only)	Article	Leaf
I5 ROI	<code>/ipmat/roi/</code>	Commercial	[T-FEES] + ROI framing	Article	Leaf
I6 Syllabus hub	<code>/ipmat/syllabus/</code>	Evergreen	[T-SYLLABUS] (QA/VA/LR tiers)	Course	Hub

Page family	Slug	Type · Intent	Data blocks & tables	Schema	FAQ
I6 Section pages	<code>/ipmat/syllabus/[section]/ prog.</code>	Info	[T-SYLLABUS]/[T-WEIGHTAGE]	Course	Leaf
I6 Topic Learning Unit	<code>/ipmat/[section]/[topic] prog.</code>	Product	7-part unit	LearningResource	Leaf
I6 Prep plan	<code>/ipmat/preparation/[duration]-plan prog.</code>	Info	Phased plan, daily cadence	Article	Leaf
I6 Section strategy	<code>/ipmat/section-strategy/[section] prog.</code>	Info	Test-day execution block	Article	Leaf
I6 Books & mocks	<code>/ipmat/books-mocks/</code>	Info	Resource list	ItemList	Leaf
I7 Comparisons	<code>/ipmat/compare/{ipm-vs-bba, indore-vs-rohtak, ipm-vs-cat-route}/ , /ipmat/worth-it/</code>	Commercial	[T-COMPARE], ROI	Article	Leaf
I8 PI & WAT	<code>/ipmat/interview/[institute]/ , /ipmat/wat/ , /ipmat/profile-building/</code>	Revenue	Panel topics, profile block, mock-PI CTA	Article	Leaf
I9 City/campus	<code>/ipmat/city/{indore,rohtak}/ , /ipmat/campus-life/</code>	Info	City block, hostel reality	Article	Leaf
I10 FAQ/wellbeing	<code>/ipmat/faq/ , /ipmat/self-study-vs-coaching/ , /ipmat/parents-guide/ , /ipmat/wellbeing/</code>	Trust	Aspirant question-set hub	Article	Hub/Leaf

H6. Shared datasets & FAQ hubs

Page	Slug	Type	Data	Schema
CUET cutoff dataset	<code>/cuet/cutoff/dataset/</code>	Dataset	[T-CUTOFF-CUET] + CSV	Dataset
Institution dataset	<code>/resources/institution-dataset/</code>	Dataset	[T-INSTITUTION] + CSV	Dataset
Syllabus dataset	<code>/resources/syllabus-dataset/</code>	Dataset	[T-SYLLABUS] + CSV	Dataset
Vertical FAQ hubs	<code>/faq/cuet/ , /faq/ipmat/</code>	Hub	50–200 Q&As each	(opt) FAQPage
Cluster FAQ hubs	<code>/faq/cuet/cutoffs/ , /faq/ipmat/preparation/ , ...</code>	Hub	50–200 Q&As	(opt) FAQPage

H7. Programmatic scale (generate only with real distinct data)

Cluster	Pattern	Source	Est. URLs*
CUET cutoffs	<code>/cuet/cutoff/[univ]/[college]/[course]</code>	Cutoff dataset	high (100s–1000s)
CUET predictor	<code>/cuet/results/college-predictor/[univ]/[course]</code>	Institution + cutoff	medium
CUET colleges	<code>/cuet/colleges/[univ]/[college]</code>	Institution dataset	100s
CUET subjects	<code>/cuet/[subject]/{6 page types}</code>	Syllabus dataset	subjects × 6
CUET Learning Units	<code>/cuet/[subject]/[chapter]</code>	Syllabus dataset	high
CUET comparisons	<code>/cuet/compare/cuet-vs-[exam]/</code>	curated	~10–20
IPMAT cutoffs/fees/placements	<code>/ipmat/...[institute]</code>	Institution dataset	dozens
IPMAT Learning Units	<code>/ipmat/[section]/[topic]</code>	Syllabus dataset	dozens
Local landings	<code>/[exam]/coaching-in-[area]/</code>	centres	10
Faculty / Blog / News	<code>/faculty/[x] , /blog/[x] , /[exam]/news/[x]</code>	CMS	ongoing

*Estimates — every programmatic URL must carry real, distinct data or it is not built (no thin spawns).

H8. Sitemap segmentation

`/sitemap.xml` (index) → `sitemap-core.xml` (global+commercial) · `sitemap-cuet.xml` · `sitemap-ipmat.xml` · `sitemap-local.xml` (centres + local landings) · `sitemap-news.xml` (blog/news, with `lastmod`).

H9. Build-priority map (which pages first)

- **P0 (Phase 0–1):** Home, courses hubs+batches, 4 centre pages, 10 local landings, CUET P1–P3 hubs+core, IPMAT I1–I4 hubs+core, faculty, results, contact, root files, 3 datasets scaffolded.
- **P1 (Phase 2):** CUET P4–P7, IPMAT I5–I8, FAQ hubs, programmatic cutoff/college/syllabus rollout, comparisons.
- **P2 (Phase 3):** CUET P8–P10, IPMAT I9–I10, Learning Units, city/history/wellbeing, news cadence, link-building.