

Total No. of Questions : 5]

SEAT No. :

P6978

[5865] - 101

[Total No. of Pages : 4

First Year M.C.A. (Management)
IT11-JAVA PROGRAMMING
(2020 Pattern) (Semester - I)

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) All Questions are compulsory.*
- 2) Figures to right indicate full marks.*

Q1) Attempt the following multiple choice questions. Each questions carries half mark. **[10]**

- i) Java Source code is compiled into_____.
 - a) Obj
 - b) Source Code
 - c) Byte Code
 - d) Exe
- ii) Full Form of J2EE
 - a) Java 2 Enterprise Edition
 - b) Java 2 Express Edition
 - c) Java 2 Expert Edition
 - d) Java 2 Enterprise Environment
- iii) _____ is used to Find and Fix bugs in the java programs.
 - a) JVM
 - b) JRE
 - c) JDK
 - d) JDB
- iv) Which of these access specifiers can be used for a class so that its members can be accessed by a different class in the different package?
 - a) Protected
 - b) Public
 - c) Private
 - d) No modifier
- v) Which of the following is the correct way of importing an entire package 'Pkg'?
 - a) Import pkg
 - b) Import Pkg.
 - c) Import Pkg.*
 - d) Import Pkg.*.*

P.T.O.

- vi) Which of the following is an incorrect statement about packages?
 - a) Package defines a namespace in which classes are stored.
 - b) A package can contain other package within it.
 - c) Java uses file system directories to store packages.
 - d) A package can be renamed without renaming the directory in which the classes are stored.
- vii) Exception is a class/interface/abstract class/other.
 - a) class
 - b) interface
 - c) abstract class
 - d) other
- viii) In which of the following package Exception class exist?
 - a) Java.io
 - b) Java.lang
 - c) Java.util
 - d) Java.exception
- ix) Which keyword is used to explicitly throw an exception?
 - a) try
 - b) catch
 - c) throw
 - d) throws
- x) Which of the following handles the exception when a catch is not used?
 - a) finally
 - b) throw handler
 - c) default handler
 - d) java runtime system
- xi) Which of these keywords must be used to monitor for exceptions?
 - a) try
 - b) catch
 - c) throw
 - d) Finally
- xii) What exception thrown by parse Int() method?
 - a) Null Pointer Exception
 - b) Arithmetic Exception
 - c) ClassNotFoundException
 - d) Number format Exception
- xiii) Which of these method of string class is used to obtain character at specified index?
 - a) char()
 - b) Charat()
 - c) charat()
 - d) charAt()
- xiv) At time of array initialization which is necessary to specify?
 - a) Row
 - b) Column
 - c) Row and Column
 - d) None
- xv) String class implements_____.
 - a) Serializable
 - b) Comparable
 - c) Char Sequence
 - d) All of the above

- xvi) Intern() method of string class used for
- Returns the canonical representation for the string object.
 - Removes whitespace from both ends of string
 - Returns a formatted string using the specified format string
 - Splits a string into an array of substrings.
- xvii) Which is not a layout manager?
- Flow Layout
 - Border Layout
 - Card Layout
 - Gridbox Layout
- xviii) Which of these events generated when the size of an control is changed?
- Component Event
 - Container Event
 - Focus Event
 - Size Event
- xix) Which of the following are the components of the JDBC model.
- Java application
 - JDBC Driver
 - Database
- (1) and (2) only
 - (2) and (3) only
 - (1) and (3) only
 - All (1), (2) and (3)
- xx) A Servlet maintain session in
- Servlet container
 - Servlet context
 - Servlet request
 - Servlet response

Q2) a) Your Collage is conducting a blood donation camp, so organiser wants to know how many students are interested in blood donation, therefore design a form to get details of the students like name, age, blood group, last donation data and whether they are ready to donate or not.

Design user inteface using awt componants and handle respective events. [6]

b) Explain adapter class and give example. [4]

OR

a) Design a traffic signal using AWT componants handle events. [6]

b) Explain list collection with example. [4]

- Q3)** a) Your College is organizing cultural events, create a simple application using servlet to collect information like nam, class, gender in which activity he is interested to participate and store this data in database. [8]
b) Explain prepared statement. [4]

OR

- a) Design UI to read roll number of students using AWT/SWING and display his/her all information like name, class marks, age and gender by fetching it from data base.
(use servlet and jdbc) [8]
b) Explain servlet life cycle. [4]

- Q4)** a) Differentiate arraylist and vector. [5]
b) Explain runtime polymorphism. [3]

OR

- a) Explain TreeSet with example. [5]
b) Explain super keyword. [3]

- Q5)** a) Explain different types of access control available in Java. [4]
b) Explain different types of constructor available in Thread class. [3]
c) Differentiate character stream and ByteStream. [3]

OR

- a) Explain nested classes. [4]
b) Explain synchronized keyword. [3]
c) Explain scanner. [3]



Total No. of Questions : 5]

SEAT No. :

P6979

[Total No. of Pages : 4

[5865]-102

First Year M.C.A. (Management)

IT 12 : DATA STRUCTURE AND ALGORITHMS

(2020 Pattern) (Semester - I)

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) *All questions are compulsory.*
- 2) *From Q2 to Q5 having internal choices.*
- 3) *Figure to right indicate full marks.*

Q1) Multiple choice questions.

[20×½=10]

- a) In a linked list, insertion can be done as_____.
 - i) begining
 - ii) end
 - iii) middle
 - iv) all
- b) Generally collection of nodes is called as_____.
 - i) Queue
 - ii) Graph
 - iii) Linked list
 - iv) Stack
- c) In a stack , if a user tries to insert an element in full stack, it is called_____.
 - i) Overflow
 - ii) Underflow
 - iii) Empty collection
 - iv) Garbage collection
- d) Which method is used for retrieving the top element of the stack without deleting it
 - i) POP()
 - ii) Dequeue()
 - iii) Push()
 - iv) Peek()
- e) Binary Tree is a special type of tree data structure in which every node can have a maximum_____children.
 - i) 4
 - ii) 2
 - iii) 1
 - iv) 0
- f) Which of the following satisfies the property of the Red Black tree.
 - i) A tree which is a Binary search tree but not strictly Balanced tree
 - ii) A node must be either Red or Black in color and root node must be black
 - iii) A tree with maximum three children
 - iv) A tree which is binary search tree but not strictly balanced tree and A node must be either Red or Black in color and root node must be black

PTO.


- g) Time complexity of DFS is (V-number of vertex, E-number of edges).
- i) $O(V+E)$
 - ii) $O(V)$
 - iii) $O(E)$
 - iv) None
- h) For the adjacency matrix of a directed graph the row sum is _____ degree and column sum is the _____ degree.
- i) in, out
 - ii) out, in
 - iii) in, total
 - iv) total, out
- i) Heap can be used as _____.
- i) Priority queue
 - ii) Stack
 - iii) A decreasing order array
 - iv) Normal array
- j) What is the best case for linear search?
- i) $O(n \log n)$
 - ii) $O(\log n)$
 - iii) $O(n)$
 - iv) $O(1)$
- k) In linear search with array, how many comparisons are needed in best case.
- i) 0
 - ii) 1
 - iii) n
 - iv) $n/2$
- l) In what manner is a state space tree for a backtracking algorithm constructed?
- i) Depth-first search
 - ii) Breadth first search
 - iii) Twice around the tree
 - iv) Hearest neighbour first
- m) Back tracking algorithm is implemented by constructing a tree of choices called as
- i) State space tree
 - ii) State chart tree
 - iii) Node tree
 - iv) Backtracking tree
- n) What is the other name of dijkstra algorithm?
- i) Single source shortest path
 - ii) Multiple source shortest path
 - iii) Multiple destination
 - iv) Single destination shortest path problem
- o) The output of kruskal and prims algorithm is _____.
- i) Maximum spanning tree
 - ii) Spanning tree
 - iii) Minimum spanning tree
 - iv) None
- p) What is the worst case complexity of quicksort?
- i) $O(n \log n)$
 - ii) $O(\log n)$
 - iii) $O(n)$
 - iv) $O(n^2)$
- q) The optional data structure used to solve Tower of Hanoi is _____.
- i) Tree
 - ii) Heap
 - iii) Queue
 - iv) Stack

- r) In dynamic programming the output to stage n become the input to
- Stage n-1
 - Stage n it self
 - Stage n+1
 - Stage n-2
- s) We use dynamic programming approach when
- We need on optimal solution
 - The solution has optional sub structure
 - The given problem can be reduced to 3 - SAT problem
 - It's faster than Greedy
- t) The relationship between stages of a dynamic programming problem is called_____.
- State
 - Random Variable
 - Node
 - Transformation

- Q2)** a) Apply the algorithm to draw Binary search tree for the following data. 10, 08, 15, 12, 13, 07, 09, 17, 20, 18, 04, 05 [5]
- b) Compare BFS and DFS. [3]
- c) Explain Min Heap. [2]

OR

- a) Apply DFS algorithm on the following graph and show the steps. [3]




- b) Construct Binary Tree for following data 10, 25, 2, 4, 7, 13, 11, 22 and determine inorder, postorder & preorder? [5]
- c) Define Hash function 2 collision. [2]

- Q3)** a) Apply Rain Terrace algorithm to the following problem. Input:- Height = [4, 2, 0, 3, 2, 5]. Draw the figure and find solution. [4]
- b) Explain power set with example. [3]
- c) Discuss use of priority queue. [3]

OR

- a) What is Hamiltonian cycle? [3]
- b) Find the Hamiltonian cycle from following graph. [4]




- c) Write an algorithm to count number of nodes in singly linked list. [3]

- Q4)** a) What is Jump Game algorithm? [4]
 b) Sort the following data using merge sort algorithm [38, 27, 43, 3, 9, 82, 10]. [4]
 c) Explain need of circular queue. [2]

OR

- a) Illustrate the stages, in finding the minimum cost spanning tree for given graph using Prim's algorithm. [4]



- b) Explain Rules for Tower of Hanoi with an suitable example. [4]
 c) What is the purpose of linked list? [2]

- Q5)** a) Consider the instance of 0/1 knapsack problem $n = 3$, $m = 20$, $p = (25, 24, 15)$, $w = (18, 15, 10)$ using dynamic programming. Determine the optimal profit and the solution vector. [7]
 b) Write an algorithm to reverse the nodes of a linked list. [3]

OR

- a) Find the longest common subsequence for following string using dynamic programming. [7]
 $X = \{A, B, C, D, B, A, C, D, F\}$
 $Y = \{C, B, A, F\}$
 b) Write an algorithm delete element from linked list whose sum is equal to zero. [3]



Total No. of Questions : 5]

SEAT No. :

P6980

[5865] - 103

[Total No. of Pages : 4

First Year M.C.A. (Management)
IT13-OBJECT ORIENTED SOFTWARE ENGINEERING
(2020 Pattern) (Semester - I)

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) *All questions are compulsory.*
- 2) *For MCQ select appropriate choice from options.*
- 3) *Draw neat diagrams wherever necessary.*
- 4) *Figures to right indicate full marks.*

Q1) MCQ

[10]

- i) The_____ usually involves building a small version of the intended system prior to building the proposed system.
 - a) Waterfall model
 - b) Spiral model
 - c) Prototyping model
 - d) Incremental model
- ii) _____ model is best suited if requirements are easily understandable and defined.
 - a) Waterfall model
 - b) RAD model
 - c) Spiral model
 - d) None of the mentioned
- iii) Which phase of RUP is used to established business case for the system?
 - a) Transition
 - b) Inception
 - c) Construction
 - d) Elaboration
- iv) Which model is not suitable for accomodating any changes.
 - a) Spiral
 - b) RAD
 - c) Waterfall
 - d) Prototype
- v) Which of the following model follow a purely sequential approach?
 - a) RAD
 - b) Spiral
 - c) Prototype
 - d) Waterfall

P.T.O.

- vi) In software maintenance removing errors spotted by users is known as _____.
 - a) Corrective
 - b) Adaptive
 - c) Preventive
 - d) Perfective
- vii) The incremental model is _____.
 - a) a reasonable approach when well-defined requirements
 - b) good approach when a working case product quickly
 - c) not used for commercial projects
 - d) approach to use projects with large development teams
- viii) RAD model has _____ phases.
 - a) 2
 - b) 3
 - c) 5
 - d) 6
- ix) Which one of the following is not a phase of prototyping?
 - a) Quick design
 - b) Engineering
 - c) Coding
 - d) Refinement
- x) Which two models doesn't allow defining all requirements early in the cycle?
 - a) Prototype & RAD
 - b) Spiral & Prototype
 - c) Waterfall & RAD
 - d) Waterfall & Spiral
- xi) The user system requirements are the part of _____.
 - a) SRS
 - b) Design document
 - c) FOD
 - d) Feasibility Report
- xii) Which of the following is a functional requirement?
 - a) Maintainability
 - b) Portability
 - c) Robustness
 - d) None of the mentioned
- xiii) What characteristic of SRS is being depicted in "The product should have a good human interface".
 - a) Consistent
 - b) Correct
 - c) Non-verifiable
 - d) Ambiguous
- xiv) Which of the following is/are included in SRS?
 - a) External Interface
 - b) Performance
 - c) Functionality
 - d) All of the mentioned

- xv) Providing keyboard shortcuts mostly addresses ____.
- a) Efficiency b) Learnability
c) Attitude d) Utility
- xvi) Informative feedback should be ____.
- a) Relevant
b) Meaningful
c) Clear
d) All of the mentioned
- xvii) What is role of quality review?
- a) Find mistake and reduce work
b) Risk Management
c) Cost calculation
d) None of the mentioned
- xviii) Which is not an Agile methodology?
- a) Scrum b) Extreme programming
c) PMBOK3 d) Crystal
- xix) Agility refers to ____.
- a) Allotment b) Analysis
c) Activeness d) Advancement
- xx) In Agile model SDLC is carried out in the form of ____.
- a) Sprints b) Documents
c) Modules d) Phases

Q2) Prepare SRS in IEEE format for the following system. [8]

A 'Swami Sweets' has decided to automate billing system. Shop has several serving counters. Following functionalities will be considered.

- RFID card will be used for entering details of purchasing at respective counter.
- Bill is prepared at cash counter after reading RFID card entries.
- Bill amount is accepted using cash, card or gpay mode.

OR

Write SRS in IEEF format for event management system. The overall functioning is as follows.

- Booking of venue
- Assigning vendors
- Registration of vendors
- Generating quotations

Q3) Draw the use case and class diagram for a placement agency site which provides the facility for the candidate to register with their academic details, personal details & skill sets. Organizations can also register with their requirements. Searching facility is provided for searching job as well as candidate. **[20]**

OR

- a) Draw state transition diagram for vending machine placed at super market. **[10]**
- b) Draw Activity diagram for ordering grocery using mobile App. **[10]**

Q4) Attempt any two. **[8]**

- a) Explain extreme Programming (XP)
- b) What are 12 manifesto of Agile development?
- c) Write a difference between Agile and scrum.
- d) Write a short note on Feature Drive Development (FDD).

Q5) Design a user Interface for feedback of one day CET orientation program conducted by a reputed Institute. **[4]**

OR

Design UI for external examination form for SPPU. **[4]**



Total No. of Questions : 5]

SEAT No. :

P6981

[5865] - 104

[Total No. of Pages : 4

M.C.A. (Management)

**IT 14 : OPERATING SYSTEM CONCEPTS
(2020 Pattern) (Semester - I)**

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) *All Questions are compulsory.*
- 2) *Draw neat diagrams wherever necessary.*

Q1) Attempt the following Multiple Choice Questions. Select one best option from the choices given. **[20×½=10]**

- i) CPU fetches the instruction from memory according to the value of _____.
 - a) Program status word
 - b) Status register
 - c) Instruction register
 - d) Program counter
- ii) Which one of the following is a synchronization tool?
 - a) Thread
 - b) Pipe
 - c) Semaphore
 - d) Socket
- iii) A single machine instruction can control the simultaneous execution of a number of processes on _____.
 - a) Lockstep Basis
 - b) Openstep Basis
 - c) Early Basis
 - d) Deadlock Basis
- iv) For real time operating systems, interrupt latency should be _____.
 - a) Minimal
 - b) Maximum
 - c) Zero
 - d) Dependent on the schedule.
- v) Which of the following is not an operating system?
 - a) Windows
 - b) Linux
 - c) Oracle
 - d) Dos
- vi) The shell script is _____.
 - a) File containing a series of commands
 - b) File containing special symbols
 - c) Group of commands
 - d) Group of Functions

P.T.O.

- vii) Memory management technique in which system stores and retrieves data from secondary storage for use in main memory is called _____.
 a) Paying
 b) Fragmentation
 c) Mapping
 d) None of the mentioned
- viii) Which of the following cannot be scheduled by the Kernel?
 a) Process
 b) User-level thread
 c) Kernel-level thread
 d) None of the mentioned
- ix) Asymmetric multiprocessing systems of the computer system use _____.
 a) Master relationship
 b) Slave relationship
 c) Master Slave relationship
 d) Serial processing
- x) Which one of the following is a real time operating system?
 a) RT Linux
 b) VxWorks
 c) Windows CE
 d) All of the above
- xi) _____ is a windows utility program that locates and eliminates unnecessary fragments and rearranges files and unused disk space to optimize operations.
 a) Disk defragmenter
 b) Restore
 c) Disk cleanup
 d) Backup
- xii) What will be the output of following command.
`$echo "The process id is" $$$$`
 a) The process id is \$\$
 b) The process id is <pid> <pid>
 c) The process id is \$<pid> \$<pid>
 d) The process id is \$\$\$\$
- xiii) Which of the following algorithm minimizes the process flow time?
 a) First come First Served
 b) Shortest Job First
 c) Earliest Deadline First
 d) Longest Job First
- xiv) Virtual memory in memory hierarchy consists of
 a) RAM and hard disk
 b) Cache and hard disk
 c) Cache and RAM
 d) All of the above

- xv) Software can be removed and installed through.
- a) Installer
 - b) Control panel
 - c) Debugger
 - d) Linker
- xvi) After running this program, if you enter 1010, then what will be the output of the program?
- ```
#1/bin/bash
echo "please enter a number"
read a
if [$a -lt 100]; then
echo "it is less than 100";
elif [$a -lt 1000]; then
echo "it is less than 1000"
else
echo "it is greater than 1000"
fi
exit 0
```
- a) It is greater than 1000
  - b) It is less than 1000
  - c) It is equal to 1000
  - d) None of the above
- xvii) Which option is suitable when a process is executing in its critical section, then no other processes can be executing in their critical section.
- a) asynchronous exclusion
  - b) synchronous exclusion
  - c) mutual exclusion
  - d) critical exclusion
- xviii) In message passing a process receives information by executing the \_\_\_\_.
- a) Send
  - b) Send primitive
  - c) Receive
  - d) Receive primitive
- xix) In Linum OS \_\_\_\_\_ command is used to know which directory you are in
- a) chkdir
  - b) cd
  - c) pwd
  - d) None of the above





Total No. of Questions : 5]

SEAT No. :

**P6982**

[Total No. of Pages : 3

[5865]-105

**F.Y. M.C.A. (Management)**  
**IT : 15 - NETWORK TECHNOLOGIES**  
**(2020 Pattern) (Semester - I)**

*Time : 2½ Hours]*

*[Max. Marks : 50*

*Instructions to the candidates:*

- 1) *All questions are compulsory.*
- 2) *All questions carry equal marks.*
- 3) *Draw neat diagrams wherever necessary.*

**Q1)** Write the correct option.

**[10]**

- a) \_\_\_\_\_ is an example of connection oriented protocol.
  - i) VDP
  - ii) IP
  - iii) TCP
  - iv) SCTP
- b) Transmission data rate is decided by \_\_\_\_\_.
  - i) Network layer
  - ii) Physical layer
  - iii) Data link layer
  - iv) Transport layer
- c) Trailer is added at \_\_\_\_\_ layer.
  - i) Network
  - ii) Transport
  - iii) Datalink
  - iv) Session
- d) In modulo-2 arithmetic, we use the \_\_\_\_\_ operation for both addition and subtraction.
  - i) X-OR
  - ii) OR
  - iii) AND
  - iv) None of the mentioned
- e) We add 'r' redundant bits to each block to make the length 'n' = 'k' + r. The resulting 'n' - bit blocks are called \_\_\_\_\_.
  - i) Data words
  - ii) Block words
  - iii) Code words
  - iv) None of the mentioned
- f) A simple parity-check code can detect \_\_\_\_\_ errors.
  - i) An even number of
  - ii) two
  - iii) No-errors
  - iv) An odd number of
- g) In modulo-11 arithmetic we use only the integers in the range \_\_\_\_\_, inclusive.
  - i) 1-10
  - ii) 1-11
  - iii) 0-10
  - iv) None of the mentioned
- h) The Hamming distance between equal code words is \_\_\_\_\_.
  - i) 1
  - ii) 'n'
  - iii) 0
  - iv) None of the mentioned

**P.T.O.**

- i) Which of the following IP address class 15 multicast.
- i) Class-A
  - ii) Class-B
  - iii) Class-C
  - iv) Class-D
- j) Which of the following is not applicable for IP.
- i) Error reporting
  - ii) Handle addressing conventions
  - iii) Datagram format
  - iv) Packet handling conventions
- k) Which of the following protocol uses both TCP and UDP.
- i) FTP
  - ii) SMTP
  - iii) Telnet
  - iv) DNS
- l) The\_\_\_\_\_Internet addresses are 32 bits in length.
- i) IPv<sub>1</sub>
  - ii) IPv<sub>2</sub>
  - iii) IPv<sub>3</sub>
  - iv) IPv<sub>4</sub>
- m) The IPV<sub>4</sub> addresses are represented using\_\_\_\_\_.
- i) Binary and dotted decimal notation
  - ii) Binary notation
  - iii) Dotted decimal notation
  - iv) Hexa decimal notation
- n) DNS database contains\_\_\_\_\_.
- i) Name server records
  - ii) Hostname-to-address records
  - iii) Host name aliases
  - iv) All of the mentioned
- o) Which of the following protocol is used to retrieve the emails.
- i) SMTP
  - ii) POP<sub>3</sub>
  - iii) SNMP
  - iv) FTP
- p) FTP uses\_\_\_\_\_Paralled TCP connections to transfer a file.
- i) 1
  - ii) 2
  - iii) 3
  - iv) 4
- q) Original Message before transmission is called as\_\_\_\_\_.
- i) Cipher text
  - ii) Plain text
  - iii) Secret-text
  - iv) None of the mentioned
- r) Which method is used to establish a connection between server and client.
- i) accept ()
  - ii) open ()
  - iii) getLocalHost
  - iv) OpenConnection ()
- s) How do you implement reliable transmission in UDP protocol?
- i) by sequencing packages
  - ii) By using middleware
  - iii) (i) & (ii) both
  - iv) None of the mentioned
- t) How to get list of IP address that are assigned to a network interface?
- i) getInetAddresses
  - ii) get InterfaceAddresses
  - iii) (i) & (ii) both
  - iv) None of the mentioned

- Q2)** a) The received Hamming code is 11001010101 with even parity. Find the error in the received code. [5]  
b) Generate CRC code for data word 1010001011 using the divisor 11101. [5]

OR

- a) Encode a binary word 11001 into the even parity hamming code. Given, number of data bits.  $n = 5$ . [5]  
b) The received code word is 1100100101011, check if there is error in the code word if the divisor is 10101. [5]
- Q3)** a) For given class B IP address 172. 168. 14. 1 and subnet mask 253. 255. 140. 124 calculate [5]  
i) Total number of subnet.  
ii) Total no. of host IPs/subnet.  
iii) First and last valid IP for each subnet.  
b) Explain IPv<sub>6</sub> address schemes in details. [5]

OR

- a) What is the default mask for following IP host addresses (solve with proper procedure). [5]  
i) 98. 0. 46. 200  
ii) 205. 35-66. 14  
iii) 172. 14. 16. 08  
b) Compare IPv<sub>4</sub> and IPv<sub>6</sub>. [5]
- Q4)** a) What is HTTP? Explain HTTP transaction in detail. [5]  
b) What is email? Explain different email protocols. [5]

OR

- a) Explain RIP in detail. [5]  
b) What is DHCP? Explain DHCP scope resolution protocol in detail. [5]
- Q5)** a) Define threat and attacks. Explain active attack. [4]  
b) Write a simple socket program to find out IP address of host. [6]

OR

- a) Write a PCP Server-Socket program which accept request from client to capitalize string and sending the response in the form of capitalized sentence block to client. [6]  
b) Describe TCP/IP protocol stack in detail. [4]



Total No. of Questions : 5]

SEAT No. :

**P6983**

**[5865] - 201**

**[Total No. of Pages : 5**

**F.Y.M.C.A. (Management)**  
**IT21-PYTHON PROGRAMMING**  
**(2020 Pattern) (Semester - II)**

*Time : 2½ Hours]*

*[Max. Marks : 50*

*Instructions to the candidates:*

- 1) All Questions are compulsory.*
- 2) Figures to the right indicate full marks.*
- 3) Answer all subquestions at one place.*

**Q1)** Choose the correct option. (½ mark each)

**[10]**

- i) Which type of programming does python support?
  - a) Object-oriented programming
  - b) Structured programming
  - c) Functional programming
  - d) all of the mentioned
- ii) Which keyword is used for function in python language?
  - a) function
  - b) def
  - c) fun
  - d) define
- iii) Which of the following function is used to export graph generated in matplotlib to-png file format?
  - a) savefig
  - b) savefigure
  - c) save
  - d) export
- iv) Which of the following method used for displaying plot?
  - a) display
  - b) show
  - c) execute
  - d) plot
- v) In python, a class is \_\_\_\_\_ for a concrete object.
  - a) a distraction
  - b) an instance
  - c) a nuisance
  - d) a blue print

**P.T.O.**

- vi) You can delete properties of objects by using the \_\_\_\_\_ keyword.
- delete
  - dedl
  - del
  - drop
- vii) The class has a documentation string, which can be accessed via?
- ClassName
  - ClassName\_\_\_\_ doc\_\_\_\_
  - \_doc\_
  - ClassName. – doc —
- viii) Which of the following function can be used to check if a file 'Sample.txt' exists?
- OS. Path. is Exits ('sample.txt')
  - OS. Path. exists ('sample.txt')
  - OS.Path. is file ('sample.txt')
  - OS. is File ('sample.txt')
- ix) Which of following is NOT a correct was of importing math module?
- amport \* from math
  - From math import\*
  - Import math as mt
  - From math import pi,sin
- x) Which of following functions clears the regular expression cache?
- re. sub ( )
  - re. pos( )
  - re.purge ( )
  - re.Subn ( )
- xi) Command to keep thread in sleep mode?
- Thread.sleep
  - Thread\_sleep
  - Threadsleep
  - Thread - sleep
- xii) Which of the following is not an exception hardling keyword is python?
- try
  - except
  - accept
  - finally
- xiii) W.r.t MongoDB, which of the following commands will delete a collection named EMP?
- db.emp. drop ( )
  - db.emp.delete ( )
  - db. emp. deletemany ( )
  - db. emp. deleteall ( )
- xiv) Chose the correct syntax of reshape ( ) function is Numpy array\_\_\_\_\_.
- array. reshape (shape)
  - reshape (Shape, array)
  - reshape (array, shape)
  - reshape (shape)

- xv) If `zoo = ['lion', 'tiger']`, what will be `zoo*2`?
- `['lion', 'lion', 'tiger', 'tiger']`
  - `['lion']`
  - `['tiger']`
  - `['lion', 'tiger', 'lion', 'tiger']`
- xvi) What is correct syntax for creating single valued tuple?
- `(a)`
  - `(,)`
  - `(a,)`
  - `{a}`
- xvii) \_\_\_\_\_ is a string literal denoted by triple quote for providing the specifications of certain program elements.
- `client`
  - `docstrng`
  - `modularity`
  - `interface`
- xviii) The command that is used to install a third-party module in python is
- `pip`
  - `import`
  - `py`
  - `install`
- xix) The character \_\_\_\_\_ and \_\_\_\_\_ matches the start and end of string, respectively.
- `$` and `$`
  - `*` and `&`
  - `^` and `•`
  - `^` and `$`
- xx) The most important object defined in Numpy is an N-dimensional array type called?
- `narry`
  - `Ndarry`
  - `ndrray`
  - `NdArray ( )`

- Q2)** a) Write a program to check the number entered by user is even or odd. Program should accept integer digits only. [3]
- b) Illustrate types of arguments used in python function with example. [3]
- c) Discuss the polymorphism concept in python create suitable python classes. [4]

OR

- a) Write a python program for the following. [3]
  - i) Create list of fruits
  - ii) Add new fruit in list.
  - iii) sort the list.
  - iv) delete last fruit name from list.
- b) Write a python function to check the given number is even or odd. Handle suitable exceptions. [3]
- c) Explain constructor concept in python with example. [4]

- Q3)**
- a) Write a python program to create an employee. txt file and store employee name and address. [2]
  - b) Write a python program to create “employee” collection with fields” (ID, name, address, phone email and dept) in mongoDB. Prform the following operations. [5]
    - i) Display all employees in “Accounts” department
    - ii) Delete employee with ID - 210345
    - iii) Update phone with new phone for employee ID -123
  - c) What is tuple?  
What is the difference between list and tuple? [3]

OR

- a) What is set? Explain with example. [3]
- b) Write a program to retrieve and display employee details from “Employee” collection stored in mangoDB database. [3]
- c) Write a program to update the employee details stored in “Employee” collection stored in Mangodb database. [2]
- d) Write python program to read “employee” .txt” file and display alternate employee record. [2]

- Q4)**
- a) Write a program for extracting email address from a given webpage. [4]
  - b) What is synchronization in threading? Explain with example. [4]
  - c) What is module? Explain with example. [2]

OR

- a) Write a program to validate URL using regular expression. Explain every special character of the regular expression used in this program. [4]
- b) Write a multithreading program, where one thread prints square of a number and another thread prints factorial of a number. Also display the total time taken for the execution. [4]
- c) What is anonymous function in python? Demonstrate with example. [2]

- Q5)** a) Create 5×5 2D numpy array and retrieve top left corner 2×2 array from it. [2]
- b) Write a program to illustrate slicing in numpy array. [2]
- c) Create pandas dataframe using two dimensional list. Perform following operations. [4]
- Count number of rows.
  - Count missing values in first column.
  - Display number of columns in data frame.
- d) Explain the terms w.r.t. oops in python. [2]
- Init--
  - Self

OR

- a) Create 3×3 numpy array and display column wise mean and median.[2]
- b) Create a series from numpy array and find max and mean of unique items of series. [2]
- c) Given data frame as below: [4]
- | ID   | Name   | HRA   | TA   | DA    |
|------|--------|-------|------|-------|
| 1001 | Mohan  | 12000 | 6000 | 10000 |
| 1002 | Sachin | 13000 | 5000 | 9000  |
| 1003 | Virat  | 11000 | 4000 | 8000  |
- Compute sum of each column.
  - Compute mean of each integer column.
  - Compute median of each integer column.
- d) Explain overloading in python with example. [2]





Total No. of Questions : 5]

SEAT No. :

**P6983**

**[5865] - 201**

[Total No. of Pages : 5

**F.Y.M.C.A. (Management)**  
**IT21-PYTHON PROGRAMMING**  
**(2020 Pattern) (Semester - II)**

*Time : 2½ Hours]*

*[Max. Marks : 50*

*Instructions to the candidates:*

- 1) *All Questions are compulsory.*
- 2) *Figures to the right indicate full marks.*
- 3) *Answer all subquestions at one place.*

**Q1)** Choose the correct option. (½ mark each)

**[10]**

- i) Which type of programming does python support?
  - a) Object-oriented programming
  - b) Structured programming
  - c) Functional programming
  - d) all of the mentioned
- ii) Which keyword is used for function in python language?
  - a) function
  - b) def
  - c) fun
  - d) define
- iii) Which of the following function is used to export graph generated in matplotlib to-png file format?
  - a) savefig
  - b) savefigure
  - c) save
  - d) export
- iv) Which of the following method used for displaying plot?
  - a) display
  - b) show
  - c) execute
  - d) plot
- v) In python, a class is \_\_\_\_\_ for a concrete object.
  - a) a distraction
  - b) an instance
  - c) a nuisance
  - d) a blue print

**P.T.O.**

- vi) You can delete properties of objects by using the \_\_\_\_\_ keyword.
- delete
  - dedl
  - del
  - drop
- vii) The class has a documentation string, which can be accessed via?
- ClassName
  - ClassName\_\_\_\_ doc\_\_\_\_
  - \_doc\_
  - ClassName. – doc —
- viii) Which of the following function can be used to check if a file 'Sample.txt' exists?
- OS. Path. is Exits ('sample.txt')
  - OS. Path. exists ('sample.txt')
  - OS.Path. is file ('sample.txt')
  - OS. is File ('sample.txt')
- ix) Which of following is NOT a correct was of importing math module?
- amport \* from math
  - From math import\*
  - Import math as mt
  - From math import pi,sin
- x) Which of following functions clears the regular expression cache?
- re. sub ( )
  - re. pos( )
  - re.purge ( )
  - re.Subn ( )
- xi) Command to keep thread in sleep mode?
- Thread.sleep
  - Thread\_sleep
  - Threadsleep
  - Thread - sleep
- xii) Which of the following is not an exception hardling keyword is python?
- try
  - except
  - accept
  - finally
- xiii) W.r.t MongoDB, which of the following commands will delete a collection named EMP?
- db.emp. drop ( )
  - db.emp.delete ( )
  - db. emp. deletemany ( )
  - db. emp. deleteall ( )
- xiv) Chose the correct syntax of reshape ( ) function is Numpy array\_\_\_\_\_.
- array. reshape (shape)
  - reshape (Shape, array)
  - reshape (array, shape)
  - reshape (shape)

- xv) If `zoo = ['lion', 'tiger']`, what will be `zoo*2`?
- `['lion', 'lion', 'tiger', 'tiger']`
  - `['lion']`
  - `['tiger']`
  - `['lion', 'tiger', 'lion', 'tiger']`
- xvi) What is correct syntax for creating single valued tuple?
- `(a)`
  - `(,)`
  - `(a,)`
  - `{a}`
- xvii) \_\_\_\_\_ is a string literal denoted by triple quote for providing the specifications of certain program elements.
- `client`
  - `docstrng`
  - `modularity`
  - `interface`
- xviii) The command that is used to install a third-party module in python is
- `pip`
  - `import`
  - `py`
  - `install`
- xix) The character \_\_\_\_\_ and \_\_\_\_\_ matches the start and end of string, respectively.
- `$` and `$`
  - `*` and `&`
  - `^` and `•`
  - `^` and `$`
- xx) The most important object defined in Numpy is an N-dimensional array type called?
- `narry`
  - `Ndarry`
  - `ndrray`
  - `NdArray ( )`

- Q2)** a) Write a program to check the number entered by user is even or odd. Program should accept integer digits only. [3]
- b) Illustrate types of arguments used in python function with example. [3]
- c) Discuss the polymorphism concept in python create suitable python classes. [4]

OR

- a) Write a python program for the following. [3]
  - i) Create list of fruits
  - ii) Add new fruit in list.
  - iii) sort the list.
  - iv) delete last fruit name from list.
- b) Write a python function to check the given number is even or odd. Handle suitable exceptions. [3]
- c) Explain constructor concept in python with example. [4]

- Q3)**
- a) Write a python program to create an employee. txt file and store employee name and address. [2]
  - b) Write a python program to create “employee” collection with fields” (ID, name, address, phone email and dept) in mongoDB. Prform the following operations. [5]
    - i) Display all employees in “Accounts” department
    - ii) Delete employee with ID - 210345
    - iii) Update phone with new phone for employee ID -123
  - c) What is tuple?  
What is the difference between list and tuple? [3]

OR

- a) What is set? Explain with example. [3]
- b) Write a program to retrieve and display employee details from “Employee” collection stored in mangoDB database. [3]
- c) Write a program to update the employee details stored in “Employee” collection stored in Mangodb database. [2]
- d) Write python program to read “employee” .txt” file and display alternate employee record. [2]

- Q4)**
- a) Write a program for extracting email address from a given webpage. [4]
  - b) What is synchronization in threading? Explain with example. [4]
  - c) What is module? Explain with example. [2]

OR

- a) Write a program to validate URL using regular expression. Explain every special character of the regular expression used in this program. [4]
- b) Write a multithreading program, where one thread prints square of a number and another thread prints factorial of a number. Also display the total time taken for the execution. [4]
- c) What is anonymous function in python? Demonstrate with example. [2]

- Q5)** a) Create 5×5 2D numpy array and retrieve top left corner 2×2 array from it. [2]
- b) Write a program to illustrate slicing in numpy array. [2]
- c) Create pandas dataframe using two dimensional list. Perform following operations. [4]
- Count number of rows.
  - Count missing values in first column.
  - Display number of columns in data frame.
- d) Explain the terms w.r.t. oops in python. [2]
- Init--
  - Self

OR

- a) Create 3×3 numpy array and display column wise mean and median.[2]
- b) Create a series from numpy array and find max and mean of unique items of series. [2]
- c) Given data frame as below: [4]
- | ID   | Name   | HRA   | TA   | DA    |
|------|--------|-------|------|-------|
| 1001 | Mohan  | 12000 | 6000 | 10000 |
| 1002 | Sachin | 13000 | 5000 | 9000  |
| 1003 | Virat  | 11000 | 4000 | 8000  |
- Compute sum of each column.
  - Compute mean of each integer column.
  - Compute median of each integer column.
- d) Explain overloading in python with example. [2]



Total No. of Questions : 5]

SEAT No. :

**P6984**

[Total No. of Pages : 4

[5865]-202

**F.Y.M.C.A. (Management)**

**IT 22 : SOFTWARE PROJECT MANAGEMENT**

**(2020 Pattern) (Semester - II)**

*Time : 2½ Hours]*

*[Max. Marks : 50*

*Instructions to the candidates:*

- 1) *All questions are compulsory.*
- 2) *Draw neat labeled diagrams wherever necessary.*

**Q1)** Multiple choice questions (MCQ's).

**[20×½=10]**

- a) Which of the following option is used to measure the size of a user story for an agile project?
  - i) Story points
  - ii) Function points
  - iii) Velocity points
  - iv) Work
- b) Which of the following is not an attribute of a project?
  - i) Projects are unique
  - ii) Projects are developed
  - iii) Projects have primary customer
  - iv) Project refinements
- c) If a team can complete 10 story points in an iteration then how long will it take for the team to complete 100 story points?
  - i) 10 waves
  - ii) 10 iterations
  - iii) 20 waves
  - iv) 20 iterations
- d) Following is (are) the responsibility (ies) of the project manager.
  - i) Budgeting and cost control
  - ii) Allocating resources
  - iii) Tracking project expenditure
  - iv) All of the above
- e) What are the fixed-length of development iterations called in DSDM methodology?
  - i) Timeboxes
  - ii) Sprints
  - iii) Units
  - iv) Versions
- f) Function count is developed by\_\_\_\_\_.
  - i) Bary Bohem
  - ii) Alan Albrecht
  - iii) Pressman
  - iv) None of the above

***P.T.O.***

- g) Which command creates an empty git repository in the specified directory?
- i) git init
  - ii) git vog
  - iii) git reset
  - iv) none of the above
- h) Which mode you select for the project size 450 KLOC?
- i) Organic
  - ii) Semi-detached
  - iii) embeded
  - iv) None of them
- i) Which of the following git command that download your repository from github to your computer?
- i) git fork
  - ii) git commit
  - iii) git close
  - iv) git push
- j) COCOMO predicts\_\_\_\_\_.
- i) Effort
  - ii) Effort & schedule
  - iii) Cost & effort
  - iv) Cost & schedule
- k) The working culture of an Agive team is\_\_\_\_\_.
- i) Collective
  - ii) Collaborative
  - iii) Connective
  - iv) Contemplative
- l) \_\_\_\_\_enables team to learn from the mistakes dose in the previous iteration.
- i) Pair grooming
  - ii) Estimation during release planning
  - iii) Estimation during iteration planning
  - iv) Retrospective
- m) You can define agile team as “scrum team” and “technical team”\_\_\_\_\_.
- i) True
  - ii) False
  - iii) Can not determine
  - iv) None of the above
- n) Tracking project issues in an agile project is the primary responsibility of the\_\_\_\_\_.
- i) Tester
  - ii) Project reader
  - iii) Functional manager
  - iv) Developer
- o) What is the main purpose of imposing limits on work in project?
- i) To optimize throughput
  - ii) To minimize resource allocation
  - iii) To visualize lead time
  - iv) To balance workflow

- p) Select the option that suits the manifesto for agile software development.
- i) Working software
  - ii) Individual and Integration
  - iii) Customer collaboration
  - iv) All of the above mentioned
- q) Delphi method is used for\_\_\_\_\_.
- i) Judgemental forecast
  - ii) Time series forecast
  - iii) Associative model
  - iv) All are the correct
- r) Git is a\_\_\_\_\_.
- i) Localised version control system
  - ii) Distributed version control system
  - iii) Centralized version control system
  - iv) None of the above
- s) In scrum, when is sprint over?
- i) When all the sprint backlog items are completed
  - ii) When the product owner suggests
  - iii) When the time box expires
  - iv) When the final testing is completes
- t) Which of the following is not the level of CMM?
- i) Defined
  - ii) Analysis
  - iii) Managed
  - iv) Optimizing

**Q2) a)** A large construction company engaged in real estate construction business decided to develop ERP through Astha softech. The output of system will be cost sheets detailing the relevant information for contracting, budgeting, progress monitoring and bill payment. Astha softech team has no domain knowledge. As a project manager, you have been asked to suggest risk management strategy after identifying the risk. [6]

b) Explain the benefits of Agile project management in brief. [4]

OR

b) Explain sprint retrospective in detail.

**Q3) a)** A project of 200 KLOC is to be developed. Software development team has average experience on similar type of projects. The project schedule is not very right. Calculate the effort, development time, average staff size of the project by using semi-detached mode of cocomo model. [6]

b) Differentiate : Agile project management v/s Traditional project management. [4]

OR

b) Explain Agile project management life cycle.



**Q4) a)** Demonstrate value-driven development with suitable example. **[6]**

OR

Explain the roles of scrum master, product owner and development team.

**b)** Write short note (any one). **[4]**

i) Agile tools.

ii) GitHub.

**Q5) a)** Explain release planning and iteration (Sprint) planning in brief. **[6]**

OR

Explain the process to plan and execute iteration in agile with suitable example.

**b)** Write short note (any one). **[4]**

i) Role of project manager.

ii) Software configuration management.



Total No. of Questions : 5]

SEAT No. :

**P6985**

**[5865] - 203**

[Total No. of Pages : 4

**F.Y.M.C.A - (Management Faculty)**

**IT - 23 : ADVANCED INTERNET TECHNOLOGIES**

**(2020 Pattern) (Semester - II)**

*Time : 2½ Hours]*

*[Max. Marks : 50*

*Instructions to the candidates:*

- 1) *All questions are compulsory.*
- 2) *Draw neat & labeled diagrams wherever necessary.*

**Q1)** Choose the correct option (½ mark each).

**[10]**

- 1) An article element contains \_\_\_\_\_.
  - a) Audio
  - b) Image
  - c) Text or embedded content
  - d) None of the above
- 2) What is the correct syntax of doctype in html 5?
  - a) <: /doctype html>
  - b) <: doctype html>
  - c) <:!doctype html>
  - d) <:!DOCTYPE html>
- 3) \_\_\_\_ selector applies styles to elements that must be addressed before submission.
  - a) : must
  - b) : required
  - c) : must-be
  - d) : addressed
- 4) Which of the following CSS property is used to set the background image of an element?
  - a) background - attachment
  - b) background - image
  - c) background - color
  - d) none of the above
- 5) Choose the module which is used to serve static resources in Node.js?
  - a) http
  - b) node - static
  - c) node - resource
  - d) static
- 6) Which of the following command is used to install the Node.js express module?
  - a) \$npm install express
  - b) \$node install express
  - c) \$install express
  - d) \$npmnode install express

**P.T.O.**

- 7) Node.js is written in \_\_\_\_.
- a) C, C++, Javascript
  - b) C, Python, Javascript
  - c) C, C++, Java
  - d) C, C++, PHP
- 8) The Node.js modules can be exposed using:
- a) expose
  - b) module
  - c) exports
  - d) all of the above
- 9) Which method of fs module is used to open a file?
- a) fs.open (path, flags [,mode], call back)
  - b) fs.openFile (path, flags [,mode], call back)
  - c) fs.openPath (path, flags [,mode], call back)
  - d) none of the above
- 10) Which of the following is the correct syntax for writing AngularJS expressions?
- a) (expression)
  - b) {{expression}}
  - c) {{{expression}}}
  - d) [expression]
- 11) Which of the following syntax is used to create a module in AngularJS?
- a) var myModule = angular.module ( );
  - b) var myModule = new Module ( );
  - c) module ("app", [ ]);
  - d) none of the above
- 12) Using \_\_\_\_ you can share data between controller and view.
- a) \$ Scope
  - b) Services
  - c) Factory
  - d) \$ Rootscope
- 13) \_\_\_\_ directive is used to start an angularJs application.
- a) ng-init
  - b) ng-app
  - c) ng-controller
  - d) ng-model
- 14) \_\_\_\_ is not a validation directive in angularJS.
- a) ng-app
  - b) ng-required
  - c) ng-minlength
  - d) ng-pattern
- 15) Variable name in PHP starts with.
- a) !(Exclamation)
  - b) \$(Dollar)
  - c) &(ampersand)
  - d) #(Hash)

- 16) Which of the following is used to display the output in PHP?
- Echo
  - Write
  - Print
  - Both (a) & (c)
- 17) Which of the following is the correct way to create a function in PHP?
- Create myFunction( )
  - New-function myFunction( )
  - Function myFunction( )
  - Create function myFunction( )
- 18) Which of the following function is used to set cookie in PHP?
- Createcookie ( )
  - Makecookie ( )
  - Setcookie ( )
  - None of the above
- 19) PHP stands for
- Hypertext Preprocessor
  - Pretext Hypertext Preprocessor
  - Personal Home Processor
  - None of the above
- 20) What will be the output of the following program?
- ```
<?php
    $ var 1 = "Hello";
    $ var 2 = "World";
    echo $var1, $var2;
?>
```
- HelloWorld
 - Hello, World
 - Hello World
 - Hello + World

- Q2)** a) Explain Event handling in Node. js with suitable example. [5]
 b) Write a program to display string in uppercase & lowercase using Angular JS filters. [5]

OR

- Explain ng-app, ng-model and ng-bind with suitable example. [5]
- Write a program for multiplication of 2 numbers using event handling in node. js. Call multiplication function as an event call. [5]

- Q3)** a) What is Node.js? Explain its working & features? [5]
b) Create a login form, both username & password fields are mandatory, after entering the values transfer user control to next web page showing message as “You have login successfully”. (Use ng-href & ng-required). [5]

OR

- a) Explain routing in AngularJS with suitable example. [5]
b) Write a program to show current date and time using user defined module in node.js. [5]

- Q4)** a) Explain video & svg tag in HTML 5 with suitable example. [4]
b) Write a PHP script to demonstrate multidimensional arrays. [4]
c) What is cookie & session in PHP [2]

OR

- a) What is HTML5. Explain its features and advantages. [4]
b) Write a PHP script to create a database using MYSQL. [4]
c) What is Define function in PHP. [2]

- Q5)** a) What is pseudo classes in CSS explain with suitable example. [4]
b) Write a PHP script to design a form for exam registration. Insert 5 records in database and display all the inserted records on new page. [6]

OR

- a) What are the objectives of CSS architecture. [4]
b) Write a PHP script to design a form to reschedule the journey dates of flights and display the updated information on new web page. [6]



Total No. of Questions : 5]

SEAT No. :

P6986

[5865] - 204

[Total No. of Pages : 4

F.Y. M.C.A. (Management)
IT - 24 : ADVANCED DBMS
(2020 Pattern) (Semester - II)

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) *All questions are compulsory.*
- 2) *Figures to the right indicates full marks.*

Q1) Write correct option or filling the blanks of following questions (each ½ mark).

[10]

- 1) Full form of OQL is _____.
a) Object Oriented Language b) Object Query Language
c) Object Quantum Language d) Object Query Logic
- 2) A database which is able to handle complex relationship _____.
a) DBMS b) File
c) Information d) OODBMS
- 3) A DBMS uses a transaction _____ to keep track of all transaction that update the database.
a) log b) table
c) block d) statement
- 4) A timestamp ordering scheme ensures _____.
a) Serializability b) Cascading
c) Atomicity d) Consistency
- 5) DBMS running across multiple processors called as _____.
a) Distributed system b) Parallel system
c) Centralized system d) None
- 6) In an E-R Diagram entities are represented by _____.
a) Circle b) Rectangle
c) Diamond d) Ellipse
- 7) Rows of a relation are called _____.
a) tuple b) a relation
c) a data structure d) an entity

P.T.O.

- 8) Which of the constraint can be enforced one per table ____.
- a) Primary key
 - b) Not null
 - c) Foreign key
 - d) Check
- 9) Which of the following cannot be taken as a primary key?
- a) Id
 - b) Register Number
 - c) Dept - Id
 - d) Street
- 10) Which of the following is not NOSQL Database?
- a) Cassandra
 - b) MongoDB
 - c) SQL server
 - d) None of the above
- 11) What are the type of NOSQL Database.
- a) Document database
 - b) Key value store
 - c) Graph of column-oriented database
 - d) All of the above
- 12) The core principle of NOSQL is:
- a) High availability
 - b) Low availability
 - c) Both high & low availability
 - d) None of the above
- 13) Which of the following is not a type of data base?
- a) Hierarchical
 - b) Network
 - c) Distributed
 - d) Decentralized
- 14) The ability to query data as well as insert, delete alter is offered by
- a) TCL (Transaction Control language)
 - b) DCL (Data Control Language)
 - c) DDL (Data Definition Language)
 - d) DML (Data manipulation Language)
- 15) A distributed transaction can be ____ if queries are issued at one or more nodes.
- a) Fully read-write
 - b) Partially read-write
 - c) Partially read-only
 - d) Fully read-only

- 16) Which statement is used to revoke an authorization.
- a) Revoke
 - b) Modify
 - c) Alter
 - d) Commit
- 17) A distributed database has which of the following advantages over a centralized database?
- a) Software complexity
 - b) Slow response
 - c) Modular growth
 - d) Software cost
- 18) In which year NOSQL was released
- a) 1996
 - b) 1997
 - c) 1998
 - d) 1999
- 19) Which of the following is a NOSQL Database?
- a) SQL
 - b) JSON
 - c) Document Database
 - d) All of the above
- 20) A schedule in which each transaction is executed atomically is called a _____.
- a) Non serial schedule
 - b) Serial schedule
 - c) Parallel schedule
 - d) Non parallel schedule

Q2) Draw the E-R Diagram for the following system & explain notation & Relationship XYZ hospital is a multispeciality hospital that includes a names of department, rooms, Doctors, nurses, compounders of other working staff. Patient having different kind of ailments come to the hospital of get checkup done from the concerned doctors. If required they are admitted in the hospital of discharged after treatment. The aim of this case study is to design and develop a database for the hospital to maintain the records of various department, rooms and doctors in the hospital. It also maintains records of the regular patients, patient admitted in the hospital, the checkup of patient done by the doctors, the patients that have been operated and patient discharged from the hospital. [10]

OR

What is meant by lock? Explain two phase locking protocol for concurrency control with example. [10]

- Q3)** a) Describe the data base 3-tier schema architecture? [5]
b) Write short note on mobile database. [5]

OR

- a) What is need of the Database? Write characteristics of DBMS. [5]
b) Write the characteristics of OODDMS. [5]

- Q4)** a) Write the log based recovery techniques with example? [5]
b) Write short note on Grant and revoking privilege with example. [5]

OR

- a) What is Database Backup of types of backup? [5]
b) Write short note on mandatory Access control. [5]

- Q5)** Explain the Inter query of Intraquery parallelizm in details with example. [10]

OR

Explain different between homogeneous and hetrogeneous database with example. [10]



Total No. of Questions : 5]

SEAT No. :

P6987

[5865] - 205

[Total No. of Pages :8

**First Year M.C.A. (Management Faculty)
MT-21 : OPTIMIZATION TECHNIQUES
(2020 Pattern) (Semester - II)**

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) *All questions are compulsory.*
- 2) *Use of statistical table and non programmable calculator is allowed.*
- 3) *Figures to the right indicate full marks.*

Q1) Attempt the following MCQs (0.5 mark each) [10]

- i) A minimization problem can be converted into maximization problem by changing the sign of coefficients in the _____.
 - a) Constraint
 - b) Objective Function
 - c) Both a and b
 - d) None of the Above
- ii) The order in which machines are required for completing job is called as
 - a) Machine order
 - b) Job order
 - c) Processing order
 - d) Working order
- iii) Floats for critical activities will be always
 - a) one
 - b) zero
 - c) highest
 - d) same as duration of the activity
- iv) Problems based on the phenomenon of decision making under risk are referred to as _____.
 - a) Numerical problem
 - b) Complex problem
 - c) Probabilistic problem
 - d) None of above
- v) The saddle point in a payoff matrix is always the _____.
 - a) largest number in the matrix
 - b) smallest number in its column and the smallest number in its row
 - c) smallest number in the matrix
 - d) largest number in its column and the smallest number in its row

P.T.O.

- vi) As simulation is not an analytical model, therefore the result of simulation must be viewed as
- a) Unrealistic
 - b) Exact
 - c) Approximation
 - d) Simplified
- vii) If in a LPP, the solution of a variable can be made infinity large without violating the constraints, the solution is _____.
- a) Infeasible
 - b) Unbounded
 - c) Alternative
 - d) None of the above
- viii) In sequencing if smallest time for a job belongs to machine A then that job has to be placed towards _____ in the sequence.
- a) right
 - b) left
 - c) centre
 - d) none of the Above
- ix) Backward Pass calculation are done to find _____ occurrence times of events.
- a) tentative
 - b) definite
 - c) latest
 - d) earliest
- x) In the Hurwicz approach, coefficient of Pessimism is denoted by
- a) α
 - b) $1 - \alpha$
 - c) $1 / \alpha$
 - d) α^2
- xi) In a mixed strategy, each player should optimize the
- a) maximum payoffs
 - b) lower value of the game
 - c) maximum
 - d) expected gain
- xii) A problem is classified as Markov chain provided
- a) There are finite number of possible states
 - b) States are collectively exhaustive & mutually exclusive
 - c) Long-run probabilities of being in a particular state will be constant over time
 - d) All of the Above

- xiii) In simplex method, if there is tie between a decision variable and a slack (or surplus) variable for entering, _____ should be selected.
- | | |
|----------------------|----------------------|
| a) Slack variable | b) Surplus variable |
| c) Decision variable | d) None of the above |
- xiv) To identify the optimal sequence, a 3 machine (Three machine) problem has to be converted into _____ machine problem.
- | | |
|------|----------------------|
| a) 1 | b) 2 |
| c) m | d) none of the above |
- xv) CPM stands for _____
- | | |
|----------------------------|-----------------------------|
| a) Control Path Method | b) Critical Path Method |
| c) Control Path Management | d) Critical Plan Management |
- xvi) The minimin criterion is used when consequences are given in the form of _____
- | | |
|---------------------|-----------|
| a) Probabilities | b) Table |
| c) Opportunity loss | d) Payoff |
- xvii) Each player should follow the same strategy regardless of the other player's strategy in which of the following games?
- | | |
|----------------------|-----------------------|
| a) Constant strategy | b) Mixed strategy |
| c) Pure strategy | d) Dominance strategy |
- xviii) In Markov analysis, state probabilities must
- | | |
|------------------------|----------------------|
| a) Sum to one | b) Be less than one |
| c) Be greater than one | d) None of the above |
- xix) _____ are the entities whose values are to be determined from the solution of the LPP.
- | | |
|-----------------------|-----------------------|
| a) Objective function | b) Decision variables |
| c) Constraints | d) Opportunity costs |
- xx) The longest path in the network diagram is called path
- | | |
|-----------------|-------------|
| a) best | b) worst |
| c) sub-critical | d) critical |

Q2) a) Solve the following LPP **[6]**

$$\text{Maximize } Z = -2x_1 - x_3$$

Subject to

$$x_1 + x_2 - x_3 \geq 5$$

$$x_1 - 2x_2 + 4x_3 \geq 8$$

$$x_1, x_2, x_3 \geq 0$$

b) Solve the game for the given pay-off matrix **[4]**

-5	3	1	20
5	5	4	6
-4	-2	0	-5

OR

a) Solve the following LPP **[6]**

$$\text{Maximize } Z = 3x_1 + 2x_2$$

Subject to constraints:

$$x_1 + x_2 \leq 4$$

$$x_1 - x_2 \leq 2$$

$$x_1, x_2 \geq 0$$

b) The following is the pay-off matrix of a game being played by A and B. Determine the optimal strategies for player and the value of the game. **[4]**

		B's strategy	
		B ₁	B ₂
A's strategy	A ₁	9	-6
	A ₂	-5	5

Q3) a) The following information regarding a project is given

[6]

Activity	Immediate Predecessor	Time in days		
		Most optimistic	Most likely	Most pessimistic
A	-	4	6	8
B	A	5	7	15
C	A	4	8	12
D	B	15	20	25
E	B	10	18	26
F	C	8	9	16
G	E	4	8	12
H	D,F	1	2	3
I	G,H	6	7	8

- Construct an arrow diagram for this problem.
- Determine the critical path and compute the expected completion time.
- Determine the probability of completing the project in 55 days.

b) Consider the following profit table along with given probabilities of each state. [6]

	States		
	N_1	N_2	N_3
Strategies	Probabilities		
	0.3	0.6	0.1
S_1	20	18	-9
S_2	25	15	10
S_3	40	-10	12

Calculate

- EMV
- EVPI
- VPI

OR

5

- a) For the data given in the table below, draw the network, crash systematically the activities and determine the optimal project duration and cost. [6]

Activity	Time(week)		Cost in Rs. (000)	
	Normal	Crash	Crash	
1-2	2	1	10	15
1-3	8	5	15	21
2-4	4	3	20	24
3-4	1	1	7	7
3-5	2	1	8	15
4-6	5	3	10	16
5-6	6	2	12	36

- Draw the project network.
 - Determine the critical path & the normal duration and associated cost.
 - Crash the activities so that the project completion time reduces to 9 weeks, with minimum additional cost.
- b) A manufacturer of cycle has estimated the following distribution of demand for a particular type of bicycle. [6]

Demand	0	1	2	3	4	5	6
Probability	0.14	0.27	0.27	0.18	0.09	0.04	0.01

Each cycle costs his Rs. 7,000 and he sells them Rs. 10,000 each. Any cycle that are left unsold at the end of the season must be disposed off for Rs. 6,000 each. How many cycles should be in the stock so as to maximize his expected profit?

- Q4) a)** A company has to process five items on three machines A, B and C. Processing times are given in the following table. [6]

Item	Ai	Bi	Ci
1	4	4	6
2	9	5	9
3	8	3	11
4	6	2	8
5	3	6	7

- Find the sequence that minimizes the total elapsed time.
- Find the idle times for all the machines.

- b) The number of units of an item that are withdrawn from the inventory on a day to day basis is a Markov chain process in which the requirements for tomorrow depend on today's requirements. A one-day transition matrix is given below. [4]

		Tomorrow		
		5	10	12
Today	5	0.6	0.4	0.0
	10	0.3	0.3	0.4
	12	0.1	0.3	0.6

- Develop a two day transition matrix.
- Comment how a two - day transition matrix might be helpful to a manager who is responsible for the inventory management.

OR

- a) Seven Jobs are to be processed through 2 machines A and B. Processing times (in hours) are given below: [6]

Jobs	1	2	3	4	5	6	7
Machine A:	10	9	7	15	18	20	14
Machine B:	12	8	7	12	10	6	13

Find the elapsed time and idle times for machines A and B.

- b) The present market shares of three brands of soft drinks are 60%, 30% and 10% respectively. The transition probability matrix is as follows: [4]

$$P = \begin{pmatrix} 0.7 & 0.2 & 0.1 \\ 0.2 & 0.6 & 0.2 \\ 0.1 & 0.1 & 0.8 \end{pmatrix}$$

- Find their expected market shares after two years.
- Find their long-term market shares.

- Q5) a)** Rainfall distribution in monsoon season as follows: **[4]**

Rain in cm	0	1	2	3	4	5
Probability	0.50	0.25	0.15	0.05	0.03	0.02

Simulate the rainfall for 10 days using following random numbers 67, 63, 39, 55, 29, 78, 70, 6, 78, 76. Find the average rainfall.

- b)** Explain the following terms with example. **[4]**
- i) Degeneracy
 - ii) Multiple optimal solution in LPP

OR

- a)** A bakery keeps stock of a popular brand of cake. Previous experience shows the daily demand pattern for the item with associated probabilities, as given below: **[4]**

Daily demand (number)	0	10	20	30	40	50
Probability	0.01	0.20	0.15	0.50	0.12	0.02

Use the following sequence of random numbers to simulate the demand for next 10 days.

Random numbers : 25, 39, 65, 76, 12, 05, 73, 89, 19, 49

Also estimate the daily average demand for the cakes on the basis of the simulated data.

- b)** Explain the following terms with examples: **[4]**
- i) Dummy activity
 - ii) Optimistic time.



Total No. of Questions : 5]

SEAT No. :

P6988

[5865] - 301

[Total No. of Pages : 4

S.Y. M.C.A. (Management)

**IT - 31: MOBILE APPLICATION DEVELOPMENT
(2020 Pattern) (Semester - III)**

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) All questions are compulsory.
- 2) Figures to the right indicate full marks.

Q1) Multiple Choice Questions:

[10]

For each of the following multiple choice questions, choose the correct answer.

- i) Android is based on which kernel.
 - a) Linux
 - b) Windows
 - c) Mac
 - d) Redhat
- ii) What is an Activity?
 - a) A single screen with UI
 - b) A layout
 - c) A Fragment
 - d) None of the above
- iii) In which Directory XML Layout Files are stored?
 - a) /assets
 - b) /src
 - c) /res/values
 - d) /res/layout
- iv) ADB stands for
 - a) Android Driver Bridge
 - b) Android Debug Bridge
 - c) Android Delete Bridge
 - d) Android Destroy Bridge
- v) An Android _____ is an abstract description of an operation to be performed. It can be used to start Activity to launch an activity.
 - a) Filters
 - b) Intent
 - c) Service
 - d) Broadcast Receiver
- vi) SQLite is a?
 - a) No SQL database
 - b) Distributed database
 - c) Relational database
 - d) Operational database

P.T.O.

- vii) Which of the following is not a layer in Android Architecture?
- a) Libraries
 - b) Linux kernel
 - c) Android Runtime
 - d) Application Framework
- viii) The extras can be set and read using the?
- a) setExtras () and getExtras () methods
 - b) putExtras () and getExtras () methods
 - c) setsExtras () and getsExtras () methods
 - d) None of the above
- ix) Which of the following is Application development environments for iOS?
- a) Cocoa
 - b) Cocoa touch
 - c) Cocoa iOS
 - d) Cocoa begin
- x) _____ sets the gravity of a view or layout in its parent.
- a) Android : gravity
 - b) Android : Layout-gravity
 - c) Android : weight
 - d) Android : orientation
- xi) Among the following choose the one which convert Java byte code into Dalvik byte code.
- a) Dex compiler
 - b) Mobile Interpretive compiler
 - c) Dalvik converter
 - d) None of the above
- xii) _____ means it will occupy the complete space available on the display of the device.
- a) Wrap-content
 - b) Match-content
 - c) Match-parent
 - d) Wrap-parent
- xiii) React Native ApI accepts two methods as
- a) alert (), prompt ()
 - b) get (), post ()
 - c) get (), alert ()
 - d) post (), prompt ()
- xiv) What does ES6 stands for?
- a) ECMA Script 6
 - b) ECMA 6
 - c) ECMA Javascript 6
 - d) EJavascript 6

- Q3)** a) What is Activity? Explain Activity Life cycle. [6]
b) Demonstrate Array Adapter using Listview to display list of five subjects. [6]

OR

- a) What is Fragment? Explain Fragment Life cycle. [6]
b) Design android application for login activity. Write an android code to check login credentials with username = “SPPU” and password = “Exam”. Display appropriate message on Toast to the user. [6]

- Q4)** a) Write an android application using SQLite to create employee (eid, ename, edept, esalary) table and insert a record in table and display appropriate message on toast to user. [6]
b) Write a short note on JSON parsing with example. [6]

OR

- a) Explain cursor in android with suitable example. [6]
b) Demonstrate webview to display a webpage in an android application. [6]

- Q5)** a) What is Flutter? Explain Architecture of Flutter. [6]
b) Explain Android Menu. [4]

OR

- a) What is React Native? State the advantages of React Native. [6]
b) What is view? Explain any two views with suitable Example. [4]



Total No. of Questions : 5]

SEAT No. :

P6989

[5865] - 302

[Total No. of Pages : 5

M.C.A. (Management)

IT 32: DATA WAREHOUSING AND DATA MINING

(2020 Pattern) (Semester - III)

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) *All questions are compulsory.*
- 2) *Draw neat & labelled diagram wherever necessary.*

Q1) Answer the following multiple choice questions.

[20×½=10]

- i) Find the wrong statement of the K-means clustering.
 - a) K-means clustering is a method of vector quantization.
 - b) K-means neighbour is same as K-nearest.
 - c) K-means clustering aims to partition 'n' observations into K clusters.
 - d) K-means clustering produces the final estimate of cluster centroids.
- ii) How many tier data warehouse architecture?
 - a) 2
 - b) 1
 - c) 3
 - d) 4
- iii) _____ is an intermediate storage area used for data processing in ETL process of data warehousing.
 - a) Buffer
 - b) Virtual memory
 - c) Staging area
 - d) Inter storage area
- iv) _____ is a good alternative to the star schema.
 - a) Star schema
 - b) Snowflake schema
 - c) Fact constellation
 - d) Star-snowflake schema
- v) In a snowflake schema which of the following types of tables are considered?
 - a) Fact
 - b) Dimension
 - c) Both fact and dimension
 - d) None of the mentioned

P.T.O.

- vi) The role of ETL is to _____.
 a) Find erroneous data
 b) Fix erroneous data
 c) Both finding and fixing erroneous data
 d) Filtering of the data source
- vii) _____ is a data transformation process.
 a) Comparison b) Projection
 c) Selection d) Filtering
- viii) OLTP stands for _____.
 a) Online Transaction Protocol
 b) Online Transaction Processing
 c) Online Terminal Protocol
 d) Online Terminal Processing
- ix) An approach in which the aggregated totals are stored in a multidimensional database while the detailed data is stored in the relational database is a _____.
 a) MOLAP b) ROLAP
 c) HOLAP d) OLAP
- x) Summary of data from an OLAP can be presented in _____.
 a) Normalization b) Primary keys
 c) Pivot Table d) Foreign keys
- xi) Efficiency and scalability of data mining algorithm is related to _____.
 a) Mining methodology b) User interaction
 c) Diverse data types d) None of the mentioned
- xii) Strategic value of data mining is _____.
 a) Cost sensitive b) Work sensitive
 c) Time-sensitive d) Technical-sensitive
- xiii) If the ETL process fetches the data separately from the host server during the automatic load to the data warehouse, one of the challenge involved is _____.
 a) the associated network may be down
 b) it may end up pulling the incomplete /incorrect file.
 c) it may end up connecting to an incorrect host server.
 d) None

- xiv) Webmining helps to improve the power of web search engine by identifying _____
- a) Web pages and classifying the web documents
 - b) XML documents
 - c) Text documents
 - d) Database
- xv) _____ is achieved by splitting the text into white spaces.
- a) Text cleanup
 - b) Tokenization
 - c) Speech tagging
 - d) Text transformation
- xvi) Assigning data to one of the clusters and recompute the centroid are the steps in which algorithm.
- a) Apriori algorithm
 - b) Bayesian classification
 - c) FP tree algorithm
 - d) K-mean
- xvii) A disadvantage of KNN algorithm is, it takes _____
- a) More time for training
 - b) More time for testing
 - c) Equal time for training
 - d) Equal time for testing
- xviii) Which is not a characteristics of Data warehouse?
- a) Volatile
 - b) Subject oriented
 - c) Non volatile
 - d) Time variant
- xix) What is the first stage of Kimball Life Cycle diagram.
- a) Requirement Definition
 - b) Dimensional Modelling
 - c) ETL Design Development
 - d) Maintenance
- xx) A connected region of a multidimensional space with a comparatively high density objects.
- a) Clustering
 - b) Association
 - c) Classification
 - d) Subset

Q2) a) What is a Data warehouse. Explain the need and characteristics of Data warehouse. [5]

b) Explain the schemas of Data warehouse. [5]

OR

a) Explain Kimball Life Cycle diagram in detail. [5]

b) What is a Data warehouse? Explain the properties of Data warehouse architecture. [5]

Q3) a) What is ETL? Explain data preprocessing techniques in detail. [6]

b) What is OLAP? Describe the characteristics of OLAP. [4]

OR

a) Describe ETL. What are the tasks to be performed during data transformation. [6]

b) What are the basic operations of OLAP? [4]

Q4) a) What is Data mining? Explain the architecture of Data mining. [3]

b) Apply FP Tree Algorithm to construct FP Tree and find frequent itemset for the following dataset given below (minimum support = 30%) [7]

Transaction ID	List of Products
1	Apple, Berries, Coconut
2	Berries, Coconut, Dates
3	Coconut, Dates
4	Berries, Dates
5	Apple, Coconut
6	Apple, Coconut, Dates

OR

- a) Explain data mining techniques in brief. [3]
- b) How does the KNN algorithm works? [7]

Apply KNN classification algorithm for the given dataset and predict the class for $X(P_1 = 3, P_2 = 7)$ ($K = 3$)

P_1	P_2	Class
7	7	False
7	4	False
3	4	True
1	4	True

- Q5)** a) What is text mining? Explain the process of text mining. [4]
- b) Explain K-means algorithm. Apply K-means algorithm for group of visitors to a website into two groups using their age as follows:
 15, 16, 19, 20, 21, 28, 35, 40, 42, 44, 60, 65
 (Consider initial centroid 16 and 28 of two groups) [6]

OR

- a) Apply K-means algorithm for the given data set where K is the cluster number $D = \{2, 3, 4, 10, 11, 12, 20, 25, 30\}$, $K = 2$. [6]
- b) What are the different types of web mining? [4]



Total No. of Questions : 7]

SEAT No. :

P6990

[5865] - 303

[Total No. of Pages : 2

S.Y. M.C.A. (Management)

**IT 33 : SOFTWARE TESTING AND QUALITY ASSURANCE
(2020 Pattern) (Semester - III)**

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates: .

- 1) Q.1 & Q.7 are compulsory.***
- 2) Solve any four questions from Q.2 to Q.6.***

Q1) a) Write detail test plan for online registration & examination application. Candidate will register through valid email ID & will book date & time slot from available dates & time slots. Candidate will select subject from list of subjects given. Application will send user ID & password to the candidates email ID. On the date & time, candidate will login with given user ID & Password Application will display multiple choice questions & will accept choice from candidate. At the end of given time, application will display the marks. **[8]**

b) Design suitable test cases for above application. **[4]**

Q2) Define software quality assurance. Also explain SQA activities. **[8]**

Q3) Explain various techniques of software reviews. Also compare them. **[8]**

Q4) Explain various black box testing techniques with reference to entry of MCA sem III marks data entry. **[8]**

Q5) Explain type of testing tools. Also explain their benefits & risks. **[8]**

Q6) Explain non functional testing. Also compare localization & internationalization. **[8]**

P.T.O.

Q7) Write short note on any two.

[6]

- a) Software quality metrics.
- b) 'V' model of testing.
- c) Experience based testing.
- d) Defect life cycle.



Total No. of Questions : 5]

SEAT No. :

P6992

[5865] - 305

[Total No. of Pages : 4

S.Y. M.C.A. (Management Faculty)

IT - 35: CLOUD COMPUTING

(2020 Pattern) (Semester - III)

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) All questions are compulsory.***
- 2) Figures to the right indicate full marks.***

Q1) Write correct option or filling the blanks of following questions.(each ½mark)

[10]

- i) Which one of the following is cloud platform by microsoft?
 - a) Azure
 - b) AWS
 - c) Cloudera
 - d) None of the above
- ii) Which of the following are the features of cloud computing?
 - a) Security
 - b) Availability
 - c) Large Network access
 - d) All of the mentioned
- iii) Which of the following is a type of cloud computing services?
 - a) Service-as-a-Software (SaaS)
 - b) Software-and-a-Server (SaaS)
 - c) Software-as-a-Service (SaaS)
 - d) Software-as-a-Server (SaaS)
- iv) Who is the father of cloud computing?
 - a) Sharon B. Codd
 - b) Edgar Frank Codd
 - c) J.C.R. Licklider
 - d) Charless Bachman

P.T.O.

- v) Which of the following is not a type of cloud server?
- a) public cloud servers b) private cloud servers
 - c) dedicated cloud servers d) merged cloud servers
- vi) Which one of the following cloud concepts is related to sharing and pooling the resources?
- a) Polymorphism b) Virtualization
 - c) Abstraction d) None of the mentioned
- vii) Which of the following is an essential concept related to cloud?
- a) Reliability b) Abstraction
 - c) Productivity d) All of the mentioned
- viii) Which of the following type of virtualization is also characteristic of cloud computing?
- a) Storage b) Application
 - c) CPU d) All of the mentioned
- ix) Which of the following is used to aid for locating services in SOA?
- a) databus b) Catalog service
 - c) Data abstraction services d) All of the mentioned
- x) How many different protocol types are required for message passing in SOA?
- a) 2 b) 4
 - c) 1 d) 3
- xi) Which is the Need of SOA?
- a) Scalability b) Adaptivity
 - c) Robustness d) None of these
- xii) A _____ level Agreement (SLA) is the contract for performance negotiated between you and a service provider.
- a) Application b) Service
 - c) Deployment d) All of the mentioned

- xiii) Combination of cloud computing architecture is _____.
a) service-oriented architecture and grid computing
b) utility computing and event-driven architecture
c) virtualization and event-driven architecture
d) service-oriented architecture and event-driven architecture
- xiv) Broadly divide the cloud architecture into?
a) 2
b) 3
c) 4
d) 5
- xv) The data used by multiple processor is called _____.
a) Shared data
b) Protected data
c) Private data
d) Public data
- xvi) Which of these is Identity in IAM?
a) Users
b) Groups
c) Roles
d) All of these
- xvii) IAM group:
a) Is same as IAM users
b) Can be used to specify permission for a collection of users
c) Is truly an identity
d) All of these
- xviii) Which of the following service provider provides the least amount of built in security?
a) SaaS
b) PaaS
c) IaaS
d) All of the mentioned
- xix) What are the features of docker?
a) Easy modelling
b) Version control
c) Placement
d) All of the above
- xx) Identify the component of the docker?
a) Image
b) Platform image
c) Container
d) All of the above

Q2) What are benefit and challenges of cloud computing? Explain the term of SaaS, PaaS & IaaS. [10]

OR

What is cloud computing? Explain in details cluster computing and Grid computing? [10]

Q3) a) What is the Virtualization & write the type of Virtualization? [5]

b) Define the Service Oriented Architecture and the concept of SOA. [5]

OR

a) What is Virtual Machine (VM)? Write on open source virtualization manager? [5]

b) Write short note on cloud Governances. [5]

Q4) a) Write short note on the Cloud Computing Architecture? [5]

b) Write the data migration in cloud strategies & process? [5]

OR

a) Write the multi-cloud Architecture and its benefit & challenges? [5]

b) What is the concept of cloud Bursting? [5]

Q5) Explain the cloud computing privacy and security challenges in details? [10]

OR

Explain in details the identity management & Access control? [10]



Total No. of Questions : 5]

SEAT No. :

P6993

[5865] - 401

[Total No. of Pages : 5

S.Y. M.C.A. (Management)
COMPUTER MANAGEMENT
421 : IT 41 - DevOps
(2020 Pattern) (Semester - IV)

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) All questions are compulsory.*
- 2) Figures to the right indicate full marks.*

Q1) Multiple Choice Questions.

[10]

- i) What are the key components of DevOps?
 - a) Continuous Integration
 - b) Continuous Testing
 - c) Continuous Delivery & Monitoring
 - d) All of the above
- ii) What are the Business advantages of DevOps?
 - a) Faster delivery of features
 - b) Less stable operating Environments
 - c) More time available to add value.
 - d) a & b correct
- iii) What is the full form of GIT?
 - a) Gastro Intestinal Track
 - b) Gastro International Track
 - c) Global Information Tracker
 - d) None of these

P.T.O.

- iv) Which of the following commands used to show all parameters in git?
- a) `$ git config -- List`
 - b) `$ git config - a`
 - c) `$ git config -- all`
 - d) `$ git config -- parameters-list`
- v) _____ command is to create git branch.
- a) `git checkout <branch Name>`
 - b) `git create-branch (branch Name)`
 - c) `git branch <branch Name>`
 - d) `git - b <branch Name>`
- vi) Which command is used to print file?
- a) `print`
 - b) `ptr`
 - c) `lpr`
 - d) none of the above
- vii) Write the command to display the current date in the form of dd/mm/yyyy.
- a) `date + %d/%m/%y`
 - b) `date + “%d/%m/%y”`
 - c) `date + “%d/%m/20%y”`
 - d) `date + %d/%m/20%y`
- viii) Command to check the created, modified, deleted files in gitbash before commit.
- a) `git show`
 - b) `git log`
 - c) `git status`
 - d) all of the above
- ix) _____ command is used to display the environment variables only.
- a) `set`
 - b) `env`
 - c) `sh`
 - d) `var`
- x) What's a shortcut to staging all the changes you have?
- a) `Git commit add`
 - b) `Git commit`
 - c) `Git add`
 - d) `Git stage - a`

- xi) Which of the following is true about chef server?
- a) The chef server is the central store of your infrastructure configuration data.
 - b) The chef server stores the data necessary to configure your nodes & provides search.
 - c) It's powerful tool that allows you to dynamically drive node configuration based on data.
 - d) All of the above
- xii) How many ways to setup a chef server?
- a) 1
 - b) 2
 - c) 3
 - d) 4
- xiii) A Docker registry is a place to store and distribute docker.
- a) Codes
 - b) Images
 - c) Files
 - d) All of the above
- xiv) Which command is used for running the images as a container?
- a) `$ docker PS`
 - b) `$ sudo docker run container name`
 - c) `$ sudo docker run-i-t alpine/bin/bash`
 - d) All of the above
- xv) _____ is a configuration management tool for dealing with machine setup on physical servers.
- a) Cook books
 - b) Chefs
 - c) Chef infra
 - d) Work station
- xvi) Which of the following command removes the target directory with all the build data before starting build process.
- a) `mvn clean`
 - b) `mvn build`
 - c) `mvn compile`
 - d) `mvn site`
- xvii) Which one of the following command should you run to see all running container in Docker?
- a) `$ docker PS`
 - b) `$ docker SP`
 - c) `$ docker all`
 - d) All of the above

xviii) What are the advantages of using Docker container?

- a) Offers an efficient and easy initial setup.
- b) Documentation provides every bit of information
- c) Allows you to describe your application life cycle in detail
- d) All of the above

xix) Which of the following is not software development life cycle model?

- a) Agile Model
- b) RAD Model
- c) Prototype Model
- d) Autonomous Model

xx) DevOps culture is about _____ between Dev and Ops.

- a) Collaboration
- b) Speed
- c) Stability
- d) Testability

Q2) a) Explain DevOps Life cycle? [5]

b) What is a distributed VCS? [5]

OR

a) What are the fundamental differences between DevOps & Agile. [5]

b) What is the difference between git pull and git fetch? [5]

Q3) a) Explain chef components. [5]

b) What does a Node represent in chef? [5]

OR

a) Explain the use of knife in chef. [5]

b) List types of handlers in chef and explain it. [5]

- Q4)** a) How does Maven works? [5]
b) Explain Maven build life cycle. [5]

OR

- a) What are different types of Maven repositories? [5]
b) What is Maven - release plugin and how does it work? [5]

Q5) How do you configure a GIT Repository to run code sanity checking tools right before making commits, and preventing them if test fails? [10]

OR

Write and explain, different phases of Maven build life cycle. [10]



Total No. of Questions : 5]

SEAT No. :

P6994

[5865] - 402

[Total No. of Pages : 5

**S.Y. M.C.A. (Management)
422: PPM AND OB (BM 41)
(2020 Pattern) (Semester - IV)**

Time : 2½ Hours]

[Max. Marks : 50

Instructions to the candidates:

- 1) All questions are compulsory.
- 2) All questions carry equal marks.

Q1) Select correct choice.

[10]

- i) In Management Process, the most misinterpreted word is,
 - a) Organizing
 - b) Delegating
 - c) Controlling
 - d) Planning
- ii) _____, weakness, threats, opportunities are the long term as SWOT analysis.
 - a) Strength
 - b) Standard
 - c) Strategy
 - d) Structure
- iii) A decision made before the occurrence of an external or internal changes called a decision.
 - a) Reactive
 - b) Proactive
 - c) Intuitive
 - d) Systematic
- iv) In the Tuckman model, groups at the _____ stage develop guidelines and standards as acceptable behavior.
 - a) Storming
 - b) Norming
 - c) Forming
 - d) Adjourning

P.T.O.

- v) What does situational theory of leadership emphasize?
- a) Personality traits
 - b) Events
 - c) Environment
 - d) Political situation
- vi) What are the key characteristics of transactional leaders?
- a) Guiding mentoring and motivating
 - b) Guiding commanding and motivating
 - c) Guiding, demonstrating and motivating
 - d) Guiding mentoring and demonstrating
- vii) Positive motivation makes people willing to do their work in the best way they can and improve their.
- a) Efficiency
 - b) Performance
 - c) Skills
 - d) Worth
- viii) Who propounded X and Y theory of motivation
- a) Maslow
 - b) F. Herzberg
 - c) Alderfer
 - d) Mc Gregor
- ix) Delegation becomes a necessity due to the following reasons.
- a) Structure of authority
 - b) Accountability
 - c) Superiors need to address important issues
 - d) Authority, Accountability and superiors need to address important issues.
- x) _____ is the dynamic organization within the individual that determine his unique adjustment to the environment.
- a) Perception
 - b) Behaviour
 - c) Attitude
 - d) Personality

- xi) Which of the following is a method of measuring attitude?
- a) Opinion survey
 - b) Interview
 - c) Scaling techniques
 - d) Survey, Interview & scaling techniques
- xii) Goal setting theory is Pioneered by
- a) Stacy Adams
 - b) Charms
 - c) Edwin Locke
 - d) F.W. Taylor
- xiii) Whose feelings and difficulties should the manager know for direction to become effective
- a) Subordinates
 - b) Family
 - c) Society
 - d) Management
- xiv) Which of the following is not the characteristics of conflict?
- a) expressed struggle
 - b) Perceived interference for outside parties
 - c) Perceived incompatible goals
 - d) independent parties
- xv) Which of the following is a tactic of avoiding conflict?
- a) Competing
 - b) Stonewalling
 - c) Autonomy
 - d) Compromising
- xvi) Most conflicts have their roots in uncertainty, and negotiation is the way of managing the
- a) Resultant Risk
 - b) Failure
 - c) Uncertainty
 - d) Inputs

- Q3)** a) Discuss automatic and democratic decision making style. [5]
b) A XYZ organization wants to expand their business in the multiple countries. Which organizational structure they have to followed and how? [5]

OR

- a) Explain Herbert Simon Model on Decision Making. [5]
b) Discuss different points to enhance the relationship between organization behaviour and individual. [5]

- Q4)** a) Describe Hygiene theory by Herzberg with example. [5]
b) What is team building? How does it work. [5]

OR

- a) Explain the concept as motivation and leadership. [5]
b) As a team manager if you want to develop your team. Describe the procedure to build effective team. [5]

- Q5)** a) Explain stages of conflict process and how it work in organization. [5]
b) Discuss ego states as a normal person with suitable example. [5]

OR

- a) Describe various sources & types of stress. [5]
b) Explain the Johari window for transactional analysis. [5]



