BRAC
UNIVERSITY

Inspiring Excellence

Functions

Please answer the following.
(Write your G-suit email address below.)

Your email will be recorded when you submit this form

Not **mohammad.raian.ansari@g.bracu.ac.bd**? Switch account

* Required

Official Full Name *

Md. Raian Ansari

Student ID *

21101121

CSE110 Theory section in USIS *

7 ▾

Quiz questions

A function name is student_info(name, age). In which way, we can invoke   1 point
the function? Select all that applies. *

☑ student_info('John', 19)

☑ student_info(19)

☑ student_info('John', 19, 'Bangladesh')

☐ student_info(age=19, name='John')

☐ student_info(name='John', 19)

Which should be used if we want to pass a variable number of arguments   1 point
in a function? *

◉ *args

○ variable_args

○ dictionary

○ list

○ args

What is the output of the following code snippet? *   1 point

```
def fees(quantity, price):
    fee = quantity*price

my_bill = fees(4,10)
print(fee)
```

- ◉ It will give error
- ○ 40
- ○ None
- ○ fee

what is the output of the following code snippet? *   1 point

```
def fees(salary, fine):
    return salary+5, fine-2

print(fees(30, 10))
```

- ○ 35 8
- ◉ (35, 8)
- ○ runtime error
- ○ syntax error

what is the output of the following code snippet? *   1 point

```
def bonus(salary):
    if salary<100:
        salary+=10
    else:
        salary+=20
    return salary


salary = 400
total = bonus(salary)
print(salary)
```

- ○ 420
- ○ error
- ○ None
- ○ 410
- ◉ 400

Click before submitting the quiz *

☑ I declare that I have solved the quiz on my own - without any help from external sources. Also, I understand and accept that submitting a work that isn't my own will result in getting no marks in all of the quizzes and my plagiarism will be notified to the CSE Department, BRAC University.

Submit