

```
[ec2-user@ip-172-31-31-123 ~]$ cd ..
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$ pwd
/home/ec2-user
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$ sudo systemctl status nginx
● nginx.service - The nginx HTTP and reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-06-03 05:47:20 UTC; 4min 21s ago
   Process: 1580 ExecStartPre=/usr/bin/rm -f /run/nginx.pid (code=exited, status=0/SUCCESS)
   Process: 1592 ExecStartPre=/usr/sbin/nginx -t (code=exited, status=0/SUCCESS)
   Process: 1610 ExecStart=/usr/sbin/nginx (code=exited, status=0/SUCCESS)
  Main PID: 1612 (nginx)
    Tasks: 3 (limit: 1014)
   Memory: 7.5M
      CPU: 88ms
   CGroup: /system.slice/nginx.service
           └─1612 "nginx: master process /usr/sbin/nginx"
             └─1613 "nginx: worker process"
               └─1614 "nginx: worker process"

Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$ sudo systemctl status nginx
● nginx.service - The nginx HTTP and reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: disabled)
   Active: active (running) since Wed 2026-06-03 05:47:20 UTC; 4min 39s ago
   Process: 1580 ExecStartPre=/usr/bin/rm -f /run/nginx.pid (code=exited, status=0/SUCCESS)
   Process: 1592 ExecStartPre=/usr/sbin/nginx -t (code=exited, status=0/SUCCESS)
   Process: 1610 ExecStart=/usr/sbin/nginx (code=exited, status=0/SUCCESS)
  Main PID: 1612 (nginx)
    Tasks: 3 (limit: 1014)
   Memory: 7.5M
      CPU: 88ms
   CGroup: /system.slice/nginx.service
           └─1612 "nginx: master process /usr/sbin/nginx"
             └─1613 "nginx: worker process"
               └─1614 "nginx: worker process"

Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$ sudo journalctl -u nginx -n 20 --no-pager
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot 646a8ad37ff44f89621b1ff5727f62e --
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot c6044c782e914ba29afc301aa625593e --
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$ sudo journalctl -u nginx -n 20 --no-pager
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot 646a8ad37ff44f89621b1ff5727f62e --
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot c6044c782e914ba29afc301aa625593e --
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$ sudo journalctl -u nginx --no-pager
May 31 13:30:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
May 31 13:30:19 ip-172-31-31-123.ec2.internal nginx[2699]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
May 31 13:30:19 ip-172-31-31-123.ec2.internal nginx[2699]: nginx: configuration file /etc/nginx/nginx.conf test is successful
May 31 13:30:19 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot 8fb67c37a6e4eb95a38d839b65bc994 --
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal nginx[1578]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal nginx[1578]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot a65ef81b0204af498e7e0ffdfa2b1c99 --
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal nginx[1572]: nginx: [emerg] cannot load certificate "/etc/nginx/ssl/nginx.crt": BIO_new_file() failed (SSL: error:80000002:system library::No such file or directory:calling fopen(/etc/nginx/ssl/nginx.crt, r) error:10000000:BIO routines::no such file)
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal nginx[1572]: nginx: configuration file /etc/nginx/nginx.conf test failed
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Control process exited, code=exited, status=1/FAILURE
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Failed with result 'exit-code'.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal systemd[1]: Failed to start nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal nginx[2659]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal nginx[2659]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot 09f43b819e2b4ad5bd3ba9c8c3c6a6e8 --
```

```
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal nginx[1575]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal nginx[1575]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot 6cf34927476b4a23a0ece7c09b67a7cb --
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal nginx[1571]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal nginx[1571]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot 64a8a6d37ff44f89621bf1f5727f62e --
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
-- Boot c6044c782e914ba29afc301aa625593e --
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$
[ec2-user@ip-172-31-31-123 ~]$ sudo journalctl --no-pager
P PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
May 29 06:05:40 localhost kernel: Command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SM
290n6 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 06:05:40 localhost kernel: KASLR enabled
May 29 06:05:40 localhost kernel: BIOS-provided physical RAM map:
May 29 06:05:40 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x000000000009ffff] usable
May 29 06:05:40 localhost kernel: BIOS-e820: [mem 0x0000000000100000-0x000000000039c000] usable
May 29 06:05:40 localhost kernel: BIOS-e820: [mem 0x000000000039c000-0x0000000000393400] reserved
May 29 06:05:40 localhost kernel: BIOS-e820: [mem 0x0000000000393400-0x0000000000393500] ACPI data
May 29 06:05:40 localhost kernel: BIOS-e820: [mem 0x0000000000393500-0x0000000000393d00] ACPI NVS
May 29 06:05:40 localhost kernel: BIOS-e820: [mem 0x0000000000393d00-0x00000000003d37bfff] usable
May 29 06:05:40 localhost kernel: BIOS-e820: [mem 0x00000000003d37c000-0x00000000003d37ffff] reserved
May 29 06:05:40 localhost kernel: NX (Execute Disable) protection: active
May 29 06:05:40 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 29 06:05:40 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 29 06:05:40 localhost kernel: extended physical RAM map:
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x000000000009ffff] usable
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000100000-0x0000000000372be017] usable
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000372be018-0x0000000000372c6e57] usable
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000372c6e58-0x0000000000393400] reserved
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000393400-0x00000000003934ffff] reserved
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000393400-0x00000000003935ffff] ACPI data
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000393500-0x0000000000393dffff] ACPI NVS
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x0000000000393d00-0x00000000003d37bfff] usable
May 29 06:05:40 localhost kernel: reserve setup_data: [mem 0x00000000003d37c000-0x00000000003d37ffff] reserved
May 29 06:05:40 localhost kernel: ef1: EFI v2.70 by EDK II
May 29 06:05:40 localhost kernel: ef1: SMBIOS=0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x372a2ea98
May 29 06:05:40 localhost kernel: SMBIOS 2.7 present
May 29 06:05:40 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
May 29 06:05:40 localhost kernel: Hypervisor detected: KVM
May 29 06:05:40 localhost kernel: kvm-clock: Using msrc 4b564d01 and 4b564d00
May 29 06:05:40 localhost kernel: kvm-clock: using sched offset of 1671620893 cycles
May 29 06:05:40 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
May 29 06:05:40 localhost kernel: tsc: Detected 2499.9% MHz processor
May 29 06:05:40 localhost kernel: e820: update [mem 0x00000000-0x00000000] usable ==> reserved
May 29 06:05:40 localhost kernel: e820: remove [mem 0x000a0000-0x0000ffff] usable
May 29 06:05:40 localhost kernel: last_pfn = 0x3d37c, max_arch_pfn = 0x400000000
May 29 06:05:40 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WC UC- WT
May 29 06:05:40 localhost kernel: Using GB pages for direct mapping
May 29 06:05:40 localhost kernel: Secure boot disabled
May 29 06:05:40 localhost kernel: RAMDISK: [mem 0x32885000-0x33c61fff]
May 29 06:05:40 localhost kernel: ACPI: Early table checksum verification disabled
May 29 06:05:40 localhost kernel: ACPI: RSDP 0x00000000003935D014 000024 (v02 AMAZON)
May 29 06:05:40 localhost kernel: ACPI: XSDT 0x00000000003935C0E8 00006C (v01 AMAZON AMZNFACP 00000001 01000013)
May 29 06:05:40 localhost kernel: ACPI: FACP 0x00000000003935B000 000114 (v01 AMAZON AMZNFACP 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: DSDT 0x000000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: FACS 0x0000000000393D0000 000040
May 29 06:05:40 localhost kernel: ACPI: WAET 0x00000000003935B000 000028 (v01 AMAZON AMZNWAET 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: SLIT 0x00000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: APIC 0x000000000039359000 000076 (v01 AMAZON AMZNPAPIC 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: SRAT 0x000000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: HPET 0x000000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: SSDT 0x000000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: SSDT 0x000000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 29 06:05:40 localhost kernel: ACPI: BGRT 0x000000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
May 29 06:05:40 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
May 29 06:05:40 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
May 29 06:05:40 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393d0000-0x393d003f]
May 29 06:05:40 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x3935b000-0x3935b027]
May 29 06:05:40 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
May 29 06:05:40 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
May 29 06:05:40 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
May 29 06:05:40 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
May 29 06:05:40 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
May 29 06:05:40 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520d0]
May 29 06:05:40 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
May 29 06:05:40 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
May 29 06:05:40 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
May 29 06:05:40 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffffff]
May 29 06:05:40 localhost kernel: NUMA: Initialized distance table, cnt=1
May 29 06:05:40 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
May 29 06:05:40 localhost kernel: Zone ranges:
May 29 06:05:40 localhost kernel: DMA [mem 0x0000000000001000-0x000000000009ffff]
May 29 06:05:40 localhost kernel: DMA32 [mem 0x0000000000100000-0x00000000003d37bfff]
May 29 06:05:40 localhost kernel: Normal empty
May 29 06:05:40 localhost kernel: Device empty
May 29 06:05:40 localhost kernel: Movable zone start for each node
May 29 06:05:40 localhost kernel: Early memory node ranges
May 29 06:05:40 localhost kernel: node 0: [mem 0x0000000000001000-0x000000000009ffff]
May 29 06:05:40 localhost kernel: node 0: [mem 0x0000000000100000-0x000000000039c000]
May 29 06:05:40 localhost kernel: node 0: [mem 0x0000000000393d00-0x00000000003d37bfff]
May 29 06:05:40 localhost kernel: Initmem setup node 0 [mem 0x0000000000001000-0x00000000003d37bfff]
May 29 06:05:40 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
May 29 06:05:40 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
May 29 06:05:40 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
May 29 06:05:40 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
May 29 06:05:40 localhost kernel: ACPI: PM-Timer IO Port: 0x0000
May 29 06:05:40 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] dfl dfl lint[0x1])
May 29 06:05:40 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
May 29 06:05:40 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
May 29 06:05:40 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
May 29 06:05:40 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
May 29 06:05:40 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
May 29 06:05:40 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
May 29 06:05:40 localhost kernel: ACPI: HPET id: 0x00000000 base: 0xfed00000
May 29 06:05:40 localhost kernel: TSC deadline timer available
May 29 06:05:40 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
May 29 06:05:40 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000000]
May 29 06:05:40 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x0000ffff]
May 29 06:05:40 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393dffff]
```

```
May 29 06:05:40 localhost kernel: [mem 0x3d400000-0xffffffff] available for PCI devices
May 29 06:05:40 localhost kernel: Booting paravirtualized kernel on KVM
May 29 06:05:40 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260462750000 ns
May 29 06:05:40 localhost kernel: setup_percpu: NR_CPUS=8192 nr_cpumask_bits=2 nr_cpu_ids=2 nr_node_ids=1
May 29 06:05:40 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1048576
May 29 06:05:40 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1048576 alloc=1*2097152
May 29 06:05:40 localhost kernel: pcpu-alloc: [0] 0 1
May 29 06:05:40 localhost kernel: kvm-guest: PV spinlocks enabled
May 29 06:05:40 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
May 29 06:05:40 localhost kernel: Fallback order for Node 0: 0
May 29 06:05:40 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
May 29 06:05:40 localhost kernel: Policy zone: DMA32
May 29 06:05:40 localhost kernel: Kernel commandline: BOOT_IMAGE=(hdd,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b6080de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 06:05:40 localhost kernel: random: crng init done
May 29 06:05:40 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
May 29 06:05:40 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
May 29 06:05:40 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
May 29 06:05:40 localhost kernel: Memory: 260860K/999468K available (14347K kernel code, 9305K rwdata, 8964K rodata, 2456K init, 6356K bss, 133432K reserved, 0K cma-reserved)
May 29 06:05:40 localhost kernel: SLUB: Hwalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
May 29 06:05:40 localhost kernel: Kernel/User page tables isolation: enabled
May 29 06:05:40 localhost kernel: ftrace: allocating 42099 entries in 165 pages
May 29 06:05:40 localhost kernel: ftrace: allocated 165 pages with 4 groups
May 29 06:05:40 localhost kernel: Dynamic Preempt: none
May 29 06:05:40 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
May 29 06:05:40 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
May 29 06:05:40 localhost kernel: Trampoline variant of Tasks RCU enabled.
May 29 06:05:40 localhost kernel: Rude variant of Tasks RCU enabled.
May 29 06:05:40 localhost kernel: Tracing variant of Tasks RCU enabled.
May 29 06:05:40 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
May 29 06:05:40 localhost kernel: rcu: Adjusting geometry for rcu.fanout_leaf=16, nr_cpu_ids=2
May 29 06:05:40 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
May 29 06:05:40 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
May 29 06:05:40 localhost kernel: Console: colour dummy device 80x25
May 29 06:05:40 localhost kernel: printk: console [tty0] enabled
May 29 06:05:40 localhost kernel: printk: console [ttyS0] enabled
May 29 06:05:40 localhost kernel: ACPI: Core revision 20220931
May 29 06:05:40 localhost kernel: clocksource: clkt: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30508167144 ns
May 29 06:05:40 localhost kernel: APIC: Switch to symmetric I/O mode setup
May 29 06:05:40 localhost kernel: x2apic enabled
May 29 06:05:40 localhost kernel: Switched APIC routing to physical x2apic.
May 29 06:05:40 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
May 29 06:05:40 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999960)
May 29 06:05:40 localhost kernel: Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
May 29 06:05:40 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
May 29 06:05:40 localhost kernel: Spectre v1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
May 29 06:05:40 localhost kernel: Spectre v2 : Mitigation: Retpolines
May 29 06:05:40 localhost kernel: Spectre v2 / Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
May 29 06:05:40 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
May 29 06:05:40 localhost kernel: RETbleed: Vulnerable
May 29 06:05:40 localhost kernel: Speculative Store Bypass: Vulnerable
May 29 06:05:40 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 06:05:40 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 06:05:40 localhost kernel: GDS: Unknown: Dependent on hypervisor status
May 29 06:05:40 localhost kernel: active return thunk: its_return_thunk
May 29 06:05:40 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
May 29 06:05:40 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
May 29 06:05:40 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
May 29 06:05:40 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
May 29 06:05:40 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
May 29 06:05:40 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
May 29 06:05:40 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
May 29 06:05:40 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
May 29 06:05:40 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
May 29 06:05:40 localhost kernel: x86/fpu: Enabled xstate features 0x2ff, context size is 2560 bytes, using 'compacted' format.
May 29 06:05:40 localhost kernel: Freeing SMP alternatives memory: 36K
May 29 06:05:40 localhost kernel: pid_max: default: 32768 minimum: 301
May 29 06:05:40 localhost kernel: LSM: Security Framework initializing
May 29 06:05:40 localhost kernel: landlock: Up and running.
May 29 06:05:40 localhost kernel: Yama: becoming mindful.
May 29 06:05:40 localhost kernel: SELinux: Initializing.
May 29 06:05:40 localhost kernel: LSM support for eBPF active
May 29 06:05:40 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 06:05:40 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 06:05:40 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
May 29 06:05:40 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 06:05:40 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 06:05:40 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 06:05:40 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 06:05:40 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 06:05:40 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 06:05:40 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
May 29 06:05:40 localhost kernel: signal: max sigframe size: 3632
May 29 06:05:40 localhost kernel: rcu: Hierarchical SRCU implementation.
May 29 06:05:40 localhost kernel: rcu: Max phase no-delay instances is 1000.
May 29 06:05:40 localhost kernel: smp: Bringing up secondary CPUs ...
May 29 06:05:40 localhost kernel: x86: Booting SMP configuration:
May 29 06:05:40 localhost kernel: ... node #0, CPUs:
May 29 06:05:40 localhost kernel: #1
May 29 06:05:40 localhost kernel: #0 CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
May 29 06:05:40 localhost kernel: #1 CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
May 29 06:05:40 localhost kernel: smp: Brought up 1 node, 2 CPUs
May 29 06:05:40 localhost kernel: smpboot: Max logical packages: 1
May 29 06:05:40 localhost kernel: smpboot: Total of 2 processors activated (9999.98 BogoMIPS)
May 29 06:05:40 localhost kernel: node 0 deferred pages initialised in 0ms
May 29 06:05:40 localhost kernel: devtmpfs: initialized
May 29 06:05:40 localhost kernel: x86/mm: Memory block size: 128MB
May 29 06:05:40 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393d0fff] (524288 bytes)
May 29 06:05:40 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
May 29 06:05:40 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
May 29 06:05:40 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
May 29 06:05:40 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
May 29 06:05:40 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA pool for atomic allocations
May 29 06:05:40 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA32 pool for atomic allocations
May 29 06:05:40 localhost kernel: audit: initializing netlink subsys (disabled)
May 29 06:05:40 localhost kernel: audit: type=2000 audit(1780034741.312:1): state=initialized audit_enabled=0 res=1
May 29 06:05:40 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
May 29 06:05:40 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
May 29 06:05:40 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
May 29 06:05:40 localhost kernel: cpuidle: using governor ladder
May 29 06:05:40 localhost kernel: cpuidle: using governor menu
May 29 06:05:40 localhost kernel: efi: Freeing EFI boot services memory: 44584K
May 29 06:05:40 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
May 29 06:05:40 localhost kernel: PCI: Using configuration type 1 for base access
May 29 06:05:40 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
May 29 06:05:40 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
May 29 06:05:40 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
May 29 06:05:40 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
May 29 06:05:40 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
May 29 06:05:40 localhost kernel: cryptd: max_cpu_glen set to 1000
May 29 06:05:40 localhost kernel: ACPI: Added _OSI(Module Device)
May 29 06:05:40 localhost kernel: ACPI: Added _OSI(Processor Device)
May 29 06:05:40 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
May 29 06:05:40 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
May 29 06:05:40 localhost kernel: ACPI: Interpreter enabled
May 29 06:05:40 localhost kernel: ACPI: PM: (supports S0 S4 S5)
May 29 06:05:40 localhost kernel: ACPI: Using IOAPIC for interrupt routing
May 29 06:05:40 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
May 29 06:05:40 localhost kernel: PCI: Using E820 reservations for host bridge windows
May 29 06:05:40 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
May 29 06:05:40 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
May 29 06:05:40 localhost kernel: acpi PNPA0A3:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
May 29 06:05:40 localhost kernel: acpi PNPA0A3:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
May 29 06:05:40 localhost kernel: acpi PNPA0A3:00: fail to add MMCONFIFO information, can't access extended PCI configuration space under this bridge.
May 29 06:05:40 localhost kernel: acpihp: Slot [3] registered
```

```
May 29 06:05:40 localhost kernel: acpihp: Slot [4] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [5] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [6] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [7] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [8] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [9] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [10] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [11] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [12] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [13] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [14] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [15] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [16] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [17] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [18] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [19] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [20] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [21] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [22] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [23] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [24] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [25] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [26] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [27] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [28] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [29] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [30] registered
May 29 06:05:40 localhost kernel: acpihp: Slot [31] registered
May 29 06:05:40 localhost kernel: PCI host bridge to bus 0000:00
May 29 06:05:40 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00a0000-0x00bfff window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x0000000-0xfefbfff window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x10000000-0x2000ffffff window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
May 29 06:05:40 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
May 29 06:05:40 localhost kernel: pci 0000:00:01.0: [8086:7080] type 00 class 0x060100
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x030000
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at fff0-ffff
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc00000-ffffffff
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at fff0-ffff
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc00000-ffffffff
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at fff0-ffff
May 29 06:05:40 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at fff0-ffff
May 29 06:05:40 localhost kernel: pci 0000:00:03.0: [108f:1111] type 00 class 0x030000
May 29 06:05:40 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x00000000-0x003fffff pref]
May 29 06:05:40 localhost kernel: pci 0000:00:03.0: ROM [mem 0xfffff000-0xffffffff pref]
May 29 06:05:40 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x000c0000-0x00dfffff]
May 29 06:05:40 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010002
May 29 06:05:40 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x00400000-0x00407fff]
May 29 06:05:40 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
May 29 06:05:40 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x00400000-0x00403fff]
May 29 06:05:40 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
May 29 06:05:40 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
May 29 06:05:40 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
May 29 06:05:40 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
May 29 06:05:40 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
May 29 06:05:40 localhost kernel: iommu: Default domain type: Translated
May 29 06:05:40 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
May 29 06:05:40 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
May 29 06:05:40 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
May 29 06:05:40 localhost kernel: PTP clock support registered
May 29 06:05:40 localhost kernel: EDAC MC: Ver: 3.0.0
May 29 06:05:40 localhost kernel: Registered efivar operations
May 29 06:05:40 localhost kernel: NetLabel: Initializing
May 29 06:05:40 localhost kernel: NetLabel: domain hash size = 128
May 29 06:05:40 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
May 29 06:05:40 localhost kernel: NetLabel: unlabeled traffic allowed by default
May 29 06:05:40 localhost kernel: PCI: Using ACPI for IRQ routing
May 29 06:05:40 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
May 29 06:05:40 localhost kernel: e820: reserve RAM buffer [mem 0x372ba018-0x373fffff]
May 29 06:05:40 localhost kernel: e820: reserve RAM buffer [mem 0x390ce000-0x3b3fffff]
May 29 06:05:40 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3f3fffff]
May 29 06:05:40 localhost kernel: hp0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
May 29 06:05:40 localhost kernel: hp0: 8 comparators, 32-bit 62.500000 MHz counter
May 29 06:05:40 localhost kernel: clocksource: Switched to clocksource kvm-clock
May 29 06:05:40 localhost kernel: VFS: Disk quotas dquot_6.6.0
May 29 06:05:40 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
May 29 06:05:40 localhost kernel: pnp: PnP ACPI init
May 29 06:05:40 localhost kernel: pnp: PnP ACPI: found 5 devices
May 29 06:05:40 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
May 29 06:05:40 localhost kernel: NET: Registered PF_INET protocol family
May 29 06:05:40 localhost kernel: IP idents hash table entries: 16384 (order: 5, 131072 bytes, linear)
May 29 06:05:40 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
May 29 06:05:40 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
May 29 06:05:40 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
May 29 06:05:40 localhost kernel: TCP hash table entries: 8192 (order: 6, 262144 bytes, linear)
May 29 06:05:40 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
May 29 06:05:40 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
May 29 06:05:40 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 06:05:40 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 06:05:40 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
May 29 06:05:40 localhost kernel: NET: Registered PF_XDP protocol family
May 29 06:05:40 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x00a0000-0x00bfff window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x0000000-0xfefbfff window]
May 29 06:05:40 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x10000000-0x2000ffffff window]
May 29 06:05:40 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
May 29 06:05:40 localhost kernel: PCI: CLS 0 bytes, default 64
May 29 06:05:40 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
May 29 06:05:40 localhost kernel: Trying to unpack rootfs image as initramfs...
May 29 06:05:40 localhost kernel: clocksource: Switched to clocksource tsc
May 29 06:05:40 localhost kernel: Initialise system trusted keyrings
May 29 06:05:40 localhost kernel: Key type blacklist registered
May 29 06:05:40 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
May 29 06:05:40 localhost kernel: zbud: loaded
May 29 06:05:40 localhost kernel: SGI XFS with ACLs, security attributes, quota, no debug enabled
May 29 06:05:40 localhost kernel: integrity: Platform Keyring initialized
May 29 06:05:40 localhost kernel: integrity: Machine Keyring initialized
May 29 06:05:40 localhost kernel: Key type asymmetric registered
May 29 06:05:40 localhost kernel: Asymmetric key parser 'x509' registered
May 29 06:05:40 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
May 29 06:05:40 localhost kernel: io scheduler mq-deadline registered
May 29 06:05:40 localhost kernel: io scheduler kyber registered
May 29 06:05:40 localhost kernel: io scheduler bfq registered
May 29 06:05:40 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
May 29 06:05:40 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
May 29 06:05:40 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
May 29 06:05:40 localhost kernel: AMD-I/O: AMD IOMMUv2 functionality not available on this system - This is not a bug.
May 29 06:05:40 localhost kernel: nvme nvme0: pci function 0000:00:04.0
May 29 06:05:40 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
May 29 06:05:40 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
May 29 06:05:40 localhost kernel: rtc_cmos 00:00: registered as rtc0
May 29 06:05:40 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-05-29T06:05:40 UTC (1780034740)
May 29 06:05:40 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
May 29 06:05:40 localhost kernel: vmclock AMZN10C:00: vmclock0: registered miscdev
May 29 06:05:40 localhost kernel: intel_pstate: CPU model not supported
May 29 06:05:40 localhost kernel: pstore: Registered efi as persistent store backend
May 29 06:05:40 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
May 29 06:05:40 localhost kernel: NET: Registered PF_INET6 protocol family
May 29 06:05:40 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
May 29 06:05:40 localhost kernel: nvme0n1: p1 p127 p128
May 29 06:05:40 localhost kernel: Freeing initrd memory: 20340K
May 29 06:05:40 localhost kernel: Segment Routing with IPv6
May 29 06:05:40 localhost kernel: In-situ OAM (IOAM) with IPv6
May 29 06:05:40 localhost kernel: NET: Registered PF_PACKET protocol family
May 29 06:05:40 localhost kernel: IPI shorthand broadcast: enabled
May 29 06:05:40 localhost kernel: AVX2 version of gcm_enc/dec engaged.
May 29 06:05:40 localhost kernel: AES CTR mode by8 optimization enabled
May 29 06:05:40 localhost kernel: sched_clock: Marking stable (236646616, 2553103)-->(259013734, -19814015)
May 29 06:05:40 localhost kernel: registered taskstats version 1
```

```
May 29 06:05:40 localhost kernel: Loading compiled-in X.509 certificates
May 29 06:05:40 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9049a1ad84746a4'
May 29 06:05:40 localhost kernel: zswap: loaded using pool lzo/zbud
May 29 06:05:40 localhost kernel: Key type .fscrypt registered
May 29 06:05:40 localhost kernel: Key type fscrypt-provisioning registered
May 29 06:05:40 localhost kernel: pstore: Using crash dump compression: deflate
May 29 06:05:40 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
May 29 06:05:40 localhost kernel: ima: Allocated hash algorithm: sha256
May 29 06:05:40 localhost kernel: ima: No architecture policies found
May 29 06:05:40 localhost kernel: clk: Disabling unused clocks
May 29 06:05:40 localhost kernel: Freeing unused decrypted memory: 2036K
May 29 06:05:40 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
May 29 06:05:40 localhost kernel: Write protecting the kernel read-only data: 26624K
May 29 06:05:40 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
May 29 06:05:40 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
May 29 06:05:40 localhost kernel: Run /init as init process
May 29 06:05:40 localhost kernel: with arguments:
May 29 06:05:40 localhost kernel: /init
May 29 06:05:40 localhost kernel: with environment:
May 29 06:05:40 localhost kernel: HOME=/
May 29 06:05:40 localhost kernel: TERM=linux
May 29 06:05:40 localhost systemd[1]: Systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIDIO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFODISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
May 29 06:05:40 localhost systemd[1]: Detected architecture x86_64.
May 29 06:05:40 localhost systemd[1]: Running in initrd.
May 29 06:05:40 localhost systemd[1]: No hostname configured, using default hostname.
May 29 06:05:40 localhost systemd[1]: Hostname set to <localhost>.
May 29 06:05:40 localhost systemd[1]: Initializing machine ID from VM UUID.
May 29 06:05:40 localhost systemd[1]: Quoted start job for default target initrd.target.
May 29 06:05:40 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 06:05:40 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
May 29 06:05:40 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
May 29 06:05:40 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 06:05:40 localhost systemd[1]: Reached target paths.target - Path Units.
May 29 06:05:40 localhost systemd[1]: Reached target slices.target - Slice Units.
May 29 06:05:40 localhost systemd[1]: Reached target swap.target - Swaps.
May 29 06:05:40 localhost systemd[1]: Reached target timers.target - Timer Units.
May 29 06:05:40 localhost systemd[1]: Listening on systemd-journald-audit.socket - Journal Audit Socket.
May 29 06:05:40 localhost systemd[1]: Listening on systemd-journald-dev-log.socket - Journal Socket (/dev/log).
May 29 06:05:40 localhost systemd[1]: Listening on systemd-journald.socket - Journal Socket.
May 29 06:05:40 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
May 29 06:05:40 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 29 06:05:40 localhost systemd[1]: Reached target sockets.target - Socket Units.
May 29 06:05:40 localhost systemd[1]: kmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unset condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname)
May 29 06:05:40 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
May 29 06:05:40 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 06:05:40 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 06:05:40 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
May 29 06:05:40 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
May 29 06:05:40 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
May 29 06:05:40 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
May 29 06:05:40 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
May 29 06:05:40 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 29 06:05:40 localhost kernel: audit: type=1130 audit(1780034740.900:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:40 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
May 29 06:05:40 localhost kernel: audit: type=1130 audit(1780034740.900:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:40 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 06:05:40 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 06:05:40 localhost kernel: audit: type=1130 audit(1780034740.910:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:40 localhost systemd-journald[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
May 29 06:05:40 localhost systemd-audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 06:05:40 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 06:05:40 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 29 06:05:40 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
May 29 06:05:40 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
May 29 06:05:40 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
May 29 06:05:40 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
May 29 06:05:40 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d
e4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 06:05:40 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
May 29 06:05:40 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 06:05:40 localhost systemd[1]: Started systemd-journald.service - Journal Service.
May 29 06:05:40 localhost kernel: audit: type=1130 audit(1780034740.920:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:40 localhost systemd-tmpfiles[381]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
May 29 06:05:40 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 06:05:40 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=?
addr=? terminal=? res=success'
May 29 06:05:40 localhost kernel: audit: type=1130 audit(1780034740.930:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:40 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
May 29 06:05:40 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 06:05:40 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
May 29 06:05:40 localhost audit: BPF prog-id=6 op=LOAD
May 29 06:05:40 localhost audit: BPF prog-id=7 op=LOAD
May 29 06:05:40 localhost kernel: audit: type=1130 audit(1780034740.940:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:40 localhost kernel: audit: type=1334 audit(1780034740.940:8): prog-id=6 op=LOAD
May 29 06:05:40 localhost kernel: audit: type=1334 audit(1780034740.940:9): prog-id=7 op=LOAD
May 29 06:05:40 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
May 29 06:05:40 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
May 29 06:05:40 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 06:05:40 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 06:05:40 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
May 29 06:05:40 localhost kernel: audit: type=1130 audit(1780034740.960:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:40 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 06:05:40 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr
=? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 29 06:05:41 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? ad
dr=? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 29 06:05:41 localhost systemd[1]: Reached target sysinit.target - System Initialization.
May 29 06:05:41 localhost systemd[1]: Reached target basic.target - Basic System.
May 29 06:05:41 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
May 29 06:05:41 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 06:05:41 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 29 06:05:41 localhost kernel: audit: type=1130 audit(1780034740.970:11): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-mount comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 06:05:41 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=?
res=success'
May 29 06:05:41 localhost rngd[773]: Disabling 7: PKCS11 Entropy generator (pkcs11)
May 29 06:05:41 localhost rngd[773]: Disabling 5: NIST Network Entropy Beacon (nist)
May 29 06:05:41 localhost rngd[773]: Initializing available sources
May 29 06:05:41 localhost rngd[773]: [hwng ]: Initialization Failed
May 29 06:05:41 localhost rngd[773]: [drand]: Enabling RDSEED rng support
May 29 06:05:41 localhost rngd[773]: [drand]: Initialized
May 29 06:05:41 localhost rngd[773]: [jitter]: JITTER timeout set to 5 sec
May 29 06:05:41 localhost rngd[773]: [jitter]: Initializing AES buffer
May 29 06:05:41 localhost systemd[1]: Found device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
May 29 06:05:41 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
May 29 06:05:41 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
May 29 06:05:41 localhost kernel: XFS (nvme0n1p1): Mounting V5 filesystem
May 29 06:05:41 localhost kernel: XFS (nvme0n1p1): Ending clean mount
May 29 06:05:41 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
May 29 06:05:41 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
May 29 06:05:41 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
May 29 06:05:41 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
May 29 06:05:41 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
```



```
terminal=? res=success'
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
May 29 06:05:41 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
May 29 06:05:41 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
May 29 06:05:41 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
May 29 06:05:41 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
May 29 06:05:41 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
May 29 06:05:41 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
May 29 06:05:41 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
May 29 06:05:41 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 29 06:05:41 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 06:05:41 localhost systemd[1]: Stopped target timers.target - Timer Units.
May 29 06:05:41 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
May 29 06:05:41 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: rngd.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? r
es=success'
May 29 06:05:41 localhost systemd[1]: rngd.service: Consumed 1.155s CPU time.
May 29 06:05:41 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
May 29 06:05:41 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Stopped target basic.target - Basic System.
May 29 06:05:41 localhost systemd[1]: Stopped target paths.target - Path Units.
May 29 06:05:41 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 06:05:41 localhost systemd[1]: Stopped target slices.target - Slice Units.
May 29 06:05:41 localhost systemd[1]: Stopped target sockets.target - Socket Units.
May 29 06:05:41 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
May 29 06:05:41 localhost systemd[1]: Stopped target swap.target - Swaps.
May 29 06:05:41 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 06:05:41 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
May 29 06:05:41 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? add
r=? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=
? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
May 29 06:05:41 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? ter
minal=? res=success'
May 29 06:05:41 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
May 29 06:05:41 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
May 29 06:05:41 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 06:05:41 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
May 29 06:05:41 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
May 29 06:05:41 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
May 29 06:05:41 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 29 06:05:41 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=
=? addr=? terminal=? res=success'
May 29 06:05:41 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
May 29 06:05:41 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
May 29 06:05:41 localhost systemd[1]: Switching root.
May 29 06:05:41 localhost systemd-journal[346]: Journal stopped
May 29 06:05:43 localhost systemd-journal[346]: Received SIGTERM from PID 1 (systemd).
May 29 06:05:43 localhost kernel: SELinux: Class user_namespace not defined in policy.
May 29 06:05:43 localhost kernel: SELinux: the above unknown classes and permissions will be allowed
May 29 06:05:43 localhost kernel: SELinux: policy capability network_peer_controls=1
May 29 06:05:43 localhost kernel: SELinux: policy capability open_perms=1
May 29 06:05:43 localhost kernel: SELinux: policy capability extended_socket_class=1
May 29 06:05:43 localhost kernel: SELinux: policy capability always_check_network=0
May 29 06:05:43 localhost kernel: SELinux: policy capability cgroup_seclabel=1
May 29 06:05:43 localhost kernel: SELinux: policy capability nnp_nosuid_transition=1
May 29 06:05:43 localhost kernel: SELinux: policy capability genfs_seclabel_symlinks=1
May 29 06:05:43 localhost kernel: SELinux: policy capability ioctl_skip_cloexec=0
May 29 06:05:43 localhost systemd[1]: Successfully loaded SELinux policy in 160.565ms.
May 29 06:05:43 localhost systemd[1]: Relabeled /dev, /dev/shm, /run, /sys/fs/cgroup in 21.403ms.
May 29 06:05:43 localhost systemd[1]: Created 252.23-11.amzn2023 running in system mode (+PAN +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP +GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIOID2 +IDN2 -IDN -IPTC +XMOD +LIBCRYPTSETUP +LIBFOIOSK +PCRE2 +PQALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
May 29 06:05:43 localhost systemd[1]: Detected virtualization amazon.
May 29 06:05:43 localhost systemd[1]: Detected architecture x86_64.
May 29 06:05:43 localhost systemd[1]: Initializing machine ID from VM UUID.
May 29 06:05:43 localhost systemd[1]: Installed transient /etc/machine-id file.
May 29 06:05:43 localhost systemd[1]: bpf-lsm: LSM BPF program attached
May 29 06:05:43 localhost zram-generator: config[816]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 06:05:43 localhost systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket;
please update the unit file accordingly.
May 29 06:05:43 localhost systemd[1]: initrd-switch-root.service: Deactivated successfully.
May 29 06:05:43 localhost systemd[1]: Stopped initrd-switch-root.service - Switch Root.
May 29 06:05:43 localhost systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
May 29 06:05:43 localhost systemd[1]: Created slice system-getty.slice - Slice /system/getty.
May 29 06:05:43 localhost systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
May 29 06:05:43 localhost systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 29 06:05:43 localhost systemd[1]: Created slice system-ssh\x2dkeygen.slice - Slice /system/ssh-keygen.
May 29 06:05:43 localhost systemd[1]: Created slice user.slice - User and Session Slices.
May 29 06:05:43 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 06:05:43 localhost systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 06:05:43 localhost systemd[1]: Set up automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 06:05:43 localhost systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
May 29 06:05:43 localhost systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
May 29 06:05:43 localhost systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
May 29 06:05:43 localhost systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
May 29 06:05:43 localhost systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
May 29 06:05:43 localhost systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
May 29 06:05:43 localhost systemd[1]: Reached target paths.target - Path Units.
May 29 06:05:43 localhost systemd[1]: Reached target slices.target - Slice Units.
May 29 06:05:43 localhost systemd[1]: Reached target swap.target - Swaps.
May 29 06:05:43 localhost systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
May 29 06:05:43 localhost systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
May 29 06:05:43 localhost systemd[1]: Listening on systemd-initctl.socket - Initctl Compatibility Named Pipe.
May 29 06:05:43 localhost systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
May 29 06:05:43 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
May 29 06:05:43 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 29 06:05:43 localhost systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
May 29 06:05:43 localhost systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
May 29 06:05:43 localhost systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
```

```

May 29 06:05:43 localhost systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
May 29 06:05:43 localhost systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
May 29 06:05:43 localhost systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
May 29 06:05:43 localhost systemd[1]: auth-rpcgss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unmet condition check (ConditionPathExists=/etc/krb5.keytab).
May 29 06:05:43 localhost systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
May 29 06:05:43 localhost systemd[1]: Starting modprobe@configs.service - Load Kernel Module configs...
May 29 06:05:43 localhost systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
May 29 06:05:43 localhost systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
May 29 06:05:43 localhost systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 29 06:05:43 localhost systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
May 29 06:05:43 localhost systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 29 06:05:43 localhost systemd[1]: Starting nfs-converter.service - Preprocess NFS configuration conversion...
May 29 06:05:43 localhost systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
May 29 06:05:43 localhost systemd[1]: Stopped systemd-journald.service - Journal Service.
May 29 06:05:43 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
May 29 06:05:43 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 06:05:43 localhost systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
May 29 06:05:43 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 06:05:43 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 29 06:05:43 localhost systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
May 29 06:05:43 localhost systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
May 29 06:05:43 localhost systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
May 29 06:05:43 localhost systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
May 29 06:05:43 localhost systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
May 29 06:05:43 localhost kernel: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
May 29 06:05:43 localhost kernel: device-mapper: uevent: version 1.0.3
May 29 06:05:43 localhost kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
May 29 06:05:43 localhost systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
May 29 06:05:43 localhost systemd[1]: modprobe@configs.service: Deactivated successfully.
May 29 06:05:43 localhost systemd-journald[838]: Journal started
May 29 06:05:43 localhost systemd-journald[838]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
May 29 06:05:42 localhost audit: MAC_POLICY_LOAD audit=4294967295 ses=4294967295 ls=selinux res=1
May 29 06:05:42 localhost audit: BPF prog-id=0 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=8 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=9 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=9 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=10 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=10 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=11 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=11 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=12 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=12 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=13 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=13 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=14 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=15 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=15 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=16 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=16 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=17 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=17 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=18 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=18 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=19 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=19 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=20 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=21 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=21 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=22 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=22 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=23 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=23 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=24 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=24 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=25 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=25 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=26 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=26 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=27 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=28 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=3 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=29 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=30 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=4 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=5 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=31 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=28 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=32 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=33 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=29 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=30 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=34 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=31 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=35 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=36 op=LOAD
May 29 06:05:42 localhost audit: BPF prog-id=32 op=UNLOAD
May 29 06:05:42 localhost audit: BPF prog-id=33 op=UNLOAD
May 29 06:05:42 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit: BPF prog-id=34 op=UNLOAD
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit: BPF prog-id=37 op=LOAD
May 29 06:05:43 localhost audit: BPF prog-id=38 op=LOAD
May 29 06:05:43 localhost audit: BPF prog-id=39 op=LOAD
May 29 06:05:43 localhost audit: BPF prog-id=36 op=UNLOAD
May 29 06:05:43 localhost audit: BPF prog-id=35 op=UNLOAD
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=kmod-static-nodes comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 audit=4294967295 ses=4294967295 subj=system_u:system_r:syslogd:t:s0 res=1
May 29 06:05:43 localhost audit[838]: SYSCALL arch=c000003e syscall=46 success=yes exit=0 a0=5 a1=7ffc73c9fd10 a2=a000 a3=7ffc73c9fd9c items=0 ppid=1 pid=838 audit=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="systemd-journald" exe="/usr/lib/systemd/systemd-journald" subj=system_u:system_r:syslogd:t:s0 key=(null)
May 29 06:05:43 localhost systemd[1]: Queued start job for default target graphical.target.
May 29 06:05:43 localhost systemd[1]: systemd-journald.service: Deactivated successfully.
May 29 06:05:43 localhost systemd-fsck[848]: /usr/sbin/fsck.xfs: XFS file system.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@configs comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@configs comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 06:05:43 localhost audit[1]: modprobe@dm_mod.service: Deactivated successfully.
May 29 06:05:43 localhost systemd[1]: Finished modprobe@configs.service - Load Kernel Module configs.
May 29 06:05:43 localhost systemd[1]: Started systemd-journald.service - Journal Service.
May
```

```

May 29 06:05:43 localhost systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: modprobe@loop.service: Deactivated successfully.
May 29 06:05:43 localhost systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: nfs-convertd.service: Deactivated successfully.
May 29 06:05:43 localhost systemd[1]: Finished nfs-convertd.service - Preprocess NFS configuration conversion.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Finished systemd-fsck-root.service - File System Check on Root Device.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Finished systemd-network-generator.service - Generate network units from Kernel command line.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
May 29 06:05:43 localhost systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
May 29 06:05:43 localhost systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
May 29 06:05:43 localhost audit[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 29 06:05:43 localhost systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
May 29 06:05:43 localhost systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
May 29 06:05:43 localhost systemd[1]: Finished systemd-remount-fs.service - Remount Root and Kernel File Systems.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 06:05:43 localhost systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
May 29 06:05:43 localhost systemd[1]: systemd-journal-flush.service - Flush Journal to Persistent Storage...
May 29 06:05:43 localhost systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
May 29 06:05:43 localhost systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
May 29 06:05:43 localhost systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 29 06:05:43 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 06:05:43 localhost systemd-journal[838]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d5b94fc48811fe is 8.725ms for 792 entries.
May 29 06:05:43 localhost systemd-journal[838]: Received client request to flush runtime journal.
May 29 06:05:43 localhost systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 06:05:43 localhost systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
May 29 06:05:43 localhost systemd[1]: Set up automount local-fs.target.
May 29 06:05:43 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 06:05:43 localhost systemd[1]: import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/run/initramfs/state).
May 29 06:05:43 localhost systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
May 29 06:05:43 localhost audit[1]: selinux-label-mark.service - Mark the files to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity!=selinux).
May 29 06:05:43 localhost systemd[1]: systemd-finitrd.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
May 29 06:05:43 localhost systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-0a4c-41cf-bc67-44a0b29b8c4f).
May 29 06:05:43 localhost systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
May 29 06:05:43 localhost systemd[1]: Starting systemd-machine-id-commit.service - Commit a transient machine-id on disk...
May 29 06:05:43 localhost audit: BPF prog-id=40 op=LOAD
May 29 06:05:43 localhost audit: BPF prog-id=41 op=LOAD
May 29 06:05:43 localhost audit: BPF prog-id=46 op=UNLOAD
May 29 06:05:43 localhost audit: BPF prog-id=7 op=UNLOAD
May 29 06:05:43 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
May 29 06:05:43 localhost systemd[1]: Starting systemd-udevdev.service - Rule-based Manager for Device Events and Files...
May 29 06:05:43 localhost systemd[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1251 (bootctl)
May 29 06:05:43 localhost systemd[1]: Created slice system-systemd\x2dfsc.slice - Slice /system/systemd-fsck.
May 29 06:05:43 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862a.device - /dev/disk/by-uuid/6084-862A...
May 29 06:05:43 localhost systemd[1]: etc-machine\x2ddid.mount: Deactivated successfully.
May 29 06:05:43 localhost systemd-udevdev[1254]: Using default interface naming scheme 'v252'.
May 29 06:05:43 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-machine-id-commit comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:43 localhost systemd[1]: Finished systemd-machine-id-commit.service - Commit a transient machine-id on disk.
May 29 06:05:44 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 06:05:44 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-udevdev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost systemd[1]: Starting systemd-udevdev.service - Rule-based Manager for Device Events and Files.
May 29 06:05:44 localhost audit: BPF prog-id=42 op=LOAD
May 29 06:05:44 localhost systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
May 29 06:05:44 localhost systemd[1]: Starting auditd.service - Security Auditing Service...
May 29 06:05:44 localhost systemd[1]: Starting systemd-journal-catalog-update.service - Rebuild Journal Catalog...
May 29 06:05:44 localhost systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
May 29 06:05:44 localhost systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
May 29 06:05:44 localhost audit[1279]: No plugins found, not dispatching events
May 29 06:05:44 localhost audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 uid=4294967295 ses=4294967295 subj=system_u:system_r:auditd:t:s0 res=1
May 29 06:05:44 localhost audit[12
```



```
addr.arpa 31.172.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
May 29 06:05:44 localhost systemd[1]: Started auditd.service - Security Auditing Service.
May 29 06:05:44 localhost systemd-resolved[1277]: Defaulting to hostname 'linux'.
May 29 06:05:44 localhost systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
May 29 06:05:44 localhost systemd[1]: Started systemd-resolved.service - Network Name Resolution.
May 29 06:05:44 localhost systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
May 29 06:05:44 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-update-utmp comm=systemd exe=/usr/lib/systemd/sy
stemd hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
May 29 06:05:44 localhost kernel: ena 0000:00:05:0 ens5: renamed from eth0
May 29 06:05:44 localhost systemd[1]: Reloading.
May 29 06:05:44 localhost zram_generator:config[1392]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 06:05:44 localhost systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket + /run/acpid.socket;
please update the unit file accordingly.
May 29 06:05:44 localhost systemd[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862A.device - Amazon Elastic Block Store EFi\x20System\x20Partition being skipped.
May 29 06:05:44 localhost audit: BPF prog-id=43 op=LOAD
May 29 06:05:44 localhost audit: BPF prog-id=44 op=LOAD
May 29 06:05:44 localhost audit: BPF prog-id=40 op=UNLOAD
May 29 06:05:44 localhost audit: BPF prog-id=41 op=UNLOAD
May 29 06:05:44 localhost audit: BPF prog-id=45 op=LOAD
May 29 06:05:44 localhost audit: BPF prog-id=37 op=UNLOAD
May 29 06:05:44 localhost audit: BPF prog-id=46 op=LOAD
May 29 06:05:44 localhost audit: BPF prog-id=47 op=LOAD
May 29 06:05:44 localhost audit: BPF prog-id=38 op=UNLOAD
May 29 06:05:44 localhost audit: BPF prog-id=39 op=UNLOAD
May 29 06:05:44 localhost audit: BPF prog-id=48 op=LOAD
May 29 06:05:44 localhost audit: BPF prog-id=42 op=UNLOAD
May 29 06:05:44 localhost systemd[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy-routes.
May 29 06:05:44 localhost systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/run/initramfs
/STATE).
May 29 06:05:44 localhost systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
May 29 06:05:44 localhost systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
May 29 06:05:44 localhost systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 29 06:05:44 localhost systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 29 06:05:44 localhost systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=!selinux).
May 29 06:05:44 localhost systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
May 29 06:05:44 localhost systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware
/efi/efivars/LocalBootEntry-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
May 29 06:05:44 localhost systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 06:05:44 localhost systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 06:05:44 localhost systemd[1]: Starting systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A...
May 29 06:05:44 localhost systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=/etc).
May 29 06:05:44 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 06:05:44 localhost systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 29 06:05:44 localhost systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
May 29 06:05:44 localhost systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
May 29 06:05:44 localhost systemd[1]: fsck[1403]: fsck.fat 4.2 (2021-01-31)
May 29 06:05:44 localhost systemd-fsck[1403]: /dev/nvme0n1p128: 5 files, 659/5101 clusters
May 29 06:05:44 localhost systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
May 29 06:05:44 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/system
d" hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/system
d" hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost audit[1]: modprobe@efi_pstore.service: Deactivated successfully.
May 29 06:05:44 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
May 29 06:05:44 localhost systemd[1]: modprobe@loop.service: Deactivated successfully.
May 29 06:05:44 localhost systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 29 06:05:44 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd"
hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd"
hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost systemd[1]: Finished systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
May 29 06:05:44 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:44 localhost systemd[1]: Mounting boot-efi.mount - /boot/efi...
May 29 06:05:44 localhost systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
May 29 06:05:44 localhost systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 29 06:05:44 localhost systemd[1]: Mounted boot-efi.mount - /boot/efi.
May 29 06:05:45 localhost systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:45 localhost systemd[1]: Starting systemd-update-done.service - Update is Completed...
May 29 06:05:45 localhost systemd[1]: Finished systemd-update-done.service - Update is Completed.
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-update-done comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:45 localhost systemd[1]: Reached target sysinit.target - System Initialization.
May 29 06:05:45 localhost systemd[1]: Started fstrim.timer - Discard unused blocks once a week.
May 29 06:05:45 localhost systemd[1]: Started logrotate.timer - Daily rotation of log files.
May 29 06:05:45 localhost systemd[1]: Started refresh-policy-routes@ens5.timer.
May 29 06:05:45 localhost systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 29 06:05:45 localhost systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 06:05:45 localhost systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 06:05:45 localhost systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 29 06:05:45 localhost systemd[1]: Reached target timers.target - Timer Units.
May 29 06:05:45 localhost systemd[1]: Listening on acpid.socket - ACPI Listen Socket.
May 29 06:05:45 localhost systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
May 29 06:05:45 localhost systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 29 06:05:45 localhost systemd[1]: Reached target sockets.target - Socket Units.
May 29 06:05:45 localhost systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuild.db).
May 29 06:05:45 localhost systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efi
vars/StubPcrKernelImage-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
May 29 06:05:45 localhost systemd[1]: Reached target basic.target - Basic System.
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
May 29 06:05:45 localhost systemd[1]: Started acpid.service - ACPI Event Daemon.
May 29 06:05:45 localhost systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
May 29 06:05:45 localhost systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" ho
stname=? addr=? terminal=? res=success'
May 29 06:05:45 localhost systemd[1]: Started irqbalance.service - irqbalance daemon.
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/system
d" hostname=? addr=? terminal=? res=success'
May 29 06:05:45 localhost systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 29 06:05:45 localhost systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
May 29 06:05:45 localhost systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecdsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.
early/multi-user.target.wants/cloud-init.target).
May 29 06:05:45 localhost systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/genera
tor.early/multi-user.target.wants/cloud-init.target).
May 29 06:05:45 localhost systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.earl
y/multi-user.target.wants/cloud-init.target).
May 29 06:05:45 localhost systemd[1]: Reached target sshd-keygen.target.
May 29 06:05:45 localhost systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
May 29 06:05:45 localhost systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
May 29 06:05:45 localhost systemd[1]: Starting sysstat.service - Resets System Activity Logs...
May 29 06:05:45 localhost audit: BPF prog-id=49 op=LOAD
May 29 06:05:45 localhost systemd[1]: Starting systemd-homed.service - Home Area Manager...
May 29 06:05:45 localhost audit: BPF prog-id=50 op=LOAD
May 29 06:05:45 localhost audit: BPF prog-id=51 op=LOAD
May 29 06:05:45 localhost audit: BPF prog-id=52 op=LOAD
May 29 06:05:45 localhost systemd[1]: Starting systemd-logind.service - User Login Management...
May 29 06:05:45 localhost systemd-homed[1425]: Watching /home.
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/syste
md" hostname=? addr=? terminal=? res=success'
May 29 06:05:45 localhost systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
May 29 06:05:45 localhost ec2net[1423]: Starting configuration for ens5
May 29 06:05:45 localhost ec2net[1431]: /usr/lib/systemd/systemd-networkd-wait-online ens5
May 29 06:05:45 localhost systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/system
d" hostname=? addr=? terminal=? res=success'
May 29 06:05:45 localhost systemd-logind[1426]: Watching system buttons on /dev/input/event0 (Power Button)
May 29 06:05:45 localhost systemd-logind[1426]: Watching system buttons on /dev/input/event1 (Sleep Button)
May 29 06:05:45 localhost systemd-logind[1426]: New seat seat0.
May 29 06:05:45 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
May 29 06:05:45 localhost audit: BPF prog-id=53 op=LOAD
May 29 06:05:45 localhost systemd[1]: Finished sysstat.service - Resets System Activity Logs.
May 29 06:05:45 localhost systemd[1]: Reached target network-pre.target - Preparation for Network.
May 29 06:05:45 localhost audit: BPF prog-id=54 op=LOAD
May 29 06:05:45 localhost systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
May 29 06:05:45 localhost systemd[1]: Starting systemd-networkd.service - Network Configuration...
```

[illegible]

```
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |++===== o |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |==Bo.+ o . |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |%*=. * . |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |&NB +=.Eoo. |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |-----[SHA256]-----+
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: Generating public/private ecdsa key pair.
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: Your identification has been saved in /etc/ssh/ssh_host_ecdsa_key
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: Your public key has been saved in /etc/ssh/ssh_host_ecdsa_key.pub
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: The key fingerprint is:
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: SHA256:oAwTFLVvZhEpp8Xq0EB4ES0vP4J5l3Fg0jKltropfkg root@ip-172-31-31-123.ec2.internal
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: The key's randomart image is:
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: +-----[ECDSA 256]-----+
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |oob0Rxo+ |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |oov+BX |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |o+XX |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |..+% + . |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: | o. = S |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: | E.. |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: | o . |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |. = |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |.o+ |
May 29 06:05:47 ip-172-31-31-123.ec2.internal cloud-init[1535]: |-----[SHA256]-----+
May 29 06:05:47 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadatas service crawler).
May 29 06:05:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=cloud-init comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
May 29 06:05:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=amazon-ssm-agent comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
May 29 06:05:48 ip-172-31-31-123.ec2.internal sm-notify[1587]: Version 2.5.4 starting
May 29 06:05:48 ip-172-31-31-123.ec2.internal sshd[1588]: Server listening on 0.0.0.0 port 22.
May 29 06:05:48 ip-172-31-31-123.ec2.internal sshd[1588]: Server listening on *: port 22.
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=systemd-user-sessions comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=sshd comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=rpc-statd-notify comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: Initializing new seelog logger
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=atd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=getty@tty1 comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=serial-getty@ttyS0 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: New Seelog Logger Creation Complete
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.1378 INFO Proxy environment variables:
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: chrony-config.service: Deactivated successfully.
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=chrony-config comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=chrony-config comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony.service - NTP client/server...
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.1387 INFO https-proxy:
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.1387 INFO http_proxy:
May 29 06:05:48 ip-172-31-31-123.ec2.internal chronyd[1618]: chronyd version 4.3 starting (+CMDMON +NTP +REFCLOCK +RTC +PRIVDROP +SCFILTER +SIGND +ASYNCDNS +NTS +SECHASH +IPV6 +DEBUG)
May 29 06:05:48 ip-172-31-31-123.ec2.internal chronyd[1618]: Loaded seccomp filter (level 2)
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started chrony.service - NTP client/server.
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=chronyd comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.1387 INFO no_proxy:
May 29 06:05:48 ip-172-31-31-123.ec2.internal cloud-init[1623]: Cloud-init v. 22.2.2 running 'modules:config' at Fri, 29 May 2026 06:05:48 +0000. Up 8.04 seconds.
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.1387 INFO Checking if agent identity type OnPrem can be assumed
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.1387 INFO Checking if agent identity type EC2 can be assumed
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=cloud-config comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=hibinit-agent comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: Started hibinit-agent.service - Initial hibernation setup job.
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3657 INFO Agent will take identity from EC2
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3700 INFO Telemetry initialized
May 29 06:05:48 ip-172-31-31-123.ec2.internal hibinit-agent[1628]: Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/l
ib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon (swapfile)', 'swaponoff': 'swaponoff (swapfile)'}
May 29 06:05:48 ip-172-31-31-123.ec2.internal hibinit-agent[1628]: Requesting new IMDSv2 token.
May 29 06:05:48 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3711 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4.108.0
May 29 06:05:48 ip-172-31-31-123.ec2.internal systemd[1]: hibinit-agent.service: Deactivated successfully.
May 29 06:05:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=hibinit-agent comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3711 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1633]: Cloud-init v. 22.2.2 running 'modules:final' at Fri, 29 May 2026 06:05:49 +0000. Up 8.67 seconds.
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3711 INFO [amazon-ssm-agent] Starting Core Agent
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1635]: #####BEGIN SSH HOST KEY FINGERPRINTS#####
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1636]: -----BEGIN SSH HOST KEY FINGERPRINTS-----
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1638]: 256 SHA256:oAwTFLVvZhEpp8Xq0EB4ES0vP4J5l3Fg0jKltropfkg root@ip-172-31-31-123.ec2.internal (ECDSA)
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1640]: 256 SHA256:1sbaIHqzeMLU0Xs40pPuSumGYlco+XJv79Uopryp4 root@ip-172-31-31-123.ec2.internal (ED25519)
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1641]: -----END SSH HOST KEY FINGERPRINTS-----
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1642]: #####BEGIN SSH HOST KEY FINGERPRINTS#####
May 29 06:05:49 ip-172-31-31-123.ec2.internal cloud-init[1633]: Cloud-init v. 22.2.2 finished at Fri, 29 May 2026 06:05:49 +0000. Datasource DataSourceEc2. Up 8.87 seconds
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3711 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
May 29 06:05:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
May 29 06:05:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg=unit=cloud-final comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:05:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3711 INFO [Registrar] Starting registrar module
May 29 06:05:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3778 INFO [EC2Identity] Checking disk for registration info
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3779 INFO [EC2Identity] No registration info found for ec2 instance, attempting registration
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.3779 INFO [EC2Identity] Generating registration keypair
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.6278 INFO [EC2Identity] Checking write access before registering
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.6282 INFO [EC2Identity] Registering EC2 instance with Systems Manager
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.6842 INFO [EC2Identity] EC2 registration was successful.
May 29 06:05:49 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.6842 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.6843 INFO [CredentialRefresher] CredentialRefresher has started
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.6843 INFO [CredentialRefresher] Starting credentials refresher loop
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.6878 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Er
r: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.7358 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: status code: 400, request id: 3ba3fa2f-a594-46b4-a614-b4217d9e58e7
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.7358 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retri
eved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account:
094337892911
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: status code: 400, request id: 3ba3fa2f-a594-46b4-a614-b4217d9e58e7
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.7359 INFO [CredentialRefresher] Sleeping for 25m58s before retrying retrieve credentials
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:05:48.7362 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid cre
dentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not
configured for account: 094337892911
May 29 06:05:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: status code: 400, request id: 3ba3fa2f-a594-46b4-a614-b4217d9e58e7<error>
May 29 06:05:50 ip-172-31-31-123.ec2.internal chronyd[1618]: Selected source 169.254.169.123
May 29 06:06:15 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh-x2dpolicy-x2droutes.slice - $Slice /system/refresh-policy-routes.
May 29 06:06:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: Starting configuration refresh for ens5
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: [get_meta] Querying IMDS for mac
```



```
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: [get_meta] Querying IMDS for mac
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: [get_meta] Querying IMDS for mac
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: [get_meta] Querying IMDS for mac
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: [get_meta] Querying IMDS for mac
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: Called trap
May 29 06:06:15 ip-172-31-31-123.ec2.internal ec2net[1660]: No networkd reload needed
May 29 06:06:15 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 06:06:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:15 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 06:06:17 ip-172-31-31-123.ec2.internal systemd[1]: system-hostnamed.service: Deactivated successfully.
May 29 06:06:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:17 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=59 op=UNLOAD
May 29 06:06:17 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=56 op=UNLOAD
May 29 06:06:17 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=55 op=UNLOAD
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: update-motd.service Consumed 7.512s CPU time.
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=59 op=UNLOAD
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1715]: SYSTEM_RUNLEVEL pid=1715 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='old-level=N new-level=5 comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp-runlevel.service: Deactivated successfully.
May 29 06:06:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP.
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:06:19 ip-172-31-31-123.ec2.internal audit[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 06:07:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: Starting configuration refresh for ens5
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: Called trap
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1716]: No networkd reload needed
May 29 06:07:29 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 06:07:29 ip-172-31-31-123.ec2.internal audit[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 06:07:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:07:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:07:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: Starting configuration refresh for ens5
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: [get_meta] Querying IMDS for mac
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: Called trap
May 29 06:07:29 ip-172-31-31-123.ec2.internal ec2net[1764]: No networkd reload needed
May 29 06:07:29 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 06:07:29 ip-172-31-31-123.ec2.internal audit[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 06:07:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:07:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:07:29 ip-172-31-31-123.ec2.internal audit[1813]: CRYPTO_KEY_USER pid=1813 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fpe=SHA256:22:c0:a2:80:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b7:54:a2:9a:72:a5:f6 direction=? spid=1813 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 06:09:55 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_SESSION pid=1812 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1813 suid=74 rport=49732 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 06:09:55 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_SESSION pid=1812 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1813 suid=74 rport=49732 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: USER_AUTH pid=1812 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=pubkey_auth grantors=auth-key acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_KEY_USER pid=1812 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=negotiate kind=auth-key fpe=SHA256:c9:af:5b:d8:f4:44:fd:61:a2:c1:6d:93:2e:84:b0:6d:6f:f3:81:74:89:25:0c:63:84:7e:52:16:ce:8b:7d uid exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_KEY_USER pid=1812 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: Accepted publickey for ec2-user from 122.176.214.14 port 49732 ssh2: RSA SHA256:ya9b2PRE/WGiWw2LoQkBW/zqX3JQxjh35F56Ltx0
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_KEY_USER pid=1812 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fpe=? direction=both spid=1813 suid=74 rport=49732 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: CRED_ACO pid=1812 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env ,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: USER_ROLE_CHANGE pid=1812 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=ssh res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: BPF prog-id=60 op=LOAD
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: BPF prog-id=61 op=LOAD
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: BPF prog-id=62 op=LOAD
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-userdbd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: Started systemd-userdbd.service - User Database Manager.
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd-logind[1426]: New session 1 of user ec2-user.
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: Starting user@1000.service - User Manager for UID 1000...
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: USER_ACO pid=1821 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: CRED_ACO pid=1821 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:setcred grantors=? acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: USER_ROLE_CHANGE pid=1821 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: pam_unix(systemd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: Reached target sockets.target - Sockets.
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: Reached target basic.target - Basic System.
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: Reached target default.target - Main User Target.
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1821]: Started user@1000.service - User Manager for UID 1000.
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/
```

```
systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal systemd[1]: Started session-1.scope - Session 1 of User ec2-user.
May 29 06:10:10 ip-172-31-31-123.ec2.internal sshd[1812]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1812]: USER_START pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1830]: CRYPTO_KEY_USER pid=1830 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:c9:bf:b5:a2:a2:9a:f2:a5:fe direction=? spid=1830 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 06:10:10 ip-172-31-31-123.ec2.internal audit[1830]: CRED_ACQ pid=1830 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 06:10:11 ip-172-31-31-123.ec2.internal audit[1812]: USER_LOGIN pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 06:10:11 ip-172-31-31-123.ec2.internal audit[1812]: USER_START pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 06:10:11 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_KEY_USER pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:c9:bf:b5:a2:a2:9a:f2:a5:fe direction=? spid=1831 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 06:10:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=LOAD
May 29 06:10:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=64 op=LOAD
May 29 06:10:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=65 op=LOAD
May 29 06:10:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
May 29 06:10:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:11 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
May 29 06:10:41 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 06:10:41 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hostnamed.service: Deactivated successfully.
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: Starting configuration refresh for ens5
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: [get_meta] Querying IMDS for mac
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: [get_meta] Querying IMDS for mac
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: [get_meta] Querying IMDS for mac
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: [get_meta] Querying IMDS for mac
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: [get_meta] Querying IMDS for mac
May 29 06:10:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: [get_meta] Querying IMDS for mac
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: [get_meta] Querying IMDS for mac/network/interfaces/mac0/0a:ffe4:df:2b:39/local-ipv4s
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: Called trap
May 29 06:10:41 ip-172-31-31-123.ec2.internal ec2net[1864]: No networkd reload needed
May 29 06:10:41 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 06:10:41 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 06:10:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:10:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=65 op=UNLOAD
May 29 06:10:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=64 op=UNLOAD
May 29 06:10:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=UNLOAD
May 29 06:11:25 ip-172-31-31-123.ec2.internal audit[1812]: USER_END pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 06:11:25 ip-172-31-31-123.ec2.internal audit[1812]: USER_LOGOUT pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 06:11:25 ip-172-31-31-123.ec2.internal sshd[1830]: Received disconnect from 122.176.214.14 port 49732:11: disconnected by user
May 29 06:11:25 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_KEY_USER pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=both spid=1830 suid=1000 rport=49732 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 06:11:25 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_KEY_USER pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:c9:bf:b5:a2:a2:9a:f2:a5:fe direction=? spid=1812 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 06:11:25 ip-172-31-31-123.ec2.internal audit[1812]: USER_END pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 06:11:25 ip-172-31-31-123.ec2.internal audit[1812]: CRED_DISP pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 06:11:25 ip-172-31-31-123.ec2.internal sshd[1830]: Disconnected from user ec2-user 122.176.214.14 port 49732
May 29 06:11:25 ip-172-31-31-123.ec2.internal audit[1812]: CRYPTO_KEY_USER pid=1812 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:c9:bf:b5:a2:a2:9a:f2:a5:fe direction=? spid=1812 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 06:11:25 ip-172-31-31-123.ec2.internal sshd[1812]: pam_unix(sshd:session): session closed for user ec2-user
May 29 06:11:25 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Deactivated successfully.
May 29 06:11:25 ip-172-31-31-123.ec2.internal systemd-logind[1426]: Session 1 logged out. Waiting for processes to exit.
May 29 06:11:25 ip-172-31-31-123.ec2.internal systemd-logind[1426]: Removed session 1.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Activating special unit exit.target...
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped target default.target - Main User Target.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped target basic.target - Basic System.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped target paths.target - Paths.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped target sockets.target - Sockets.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped target timers.target - Timers.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Removed slice app.slice - User Application Slice.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Reached target shutdown.target - Shutdown.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Finished systemd-exit.service - Exit the Session.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1821]: Reached target exit.target - Exit the Session.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
May 29 06:11:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 06:11:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 29 06:11:35 ip-172-31-31-123.ec2.internal systemd[1]: user-1000.slice: Consumed 1.111s CPU time.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd-logind[1426]: Power key pressed short.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd-logind[1426]: Powering off...
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd-logind[1426]: System is powering down.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice systemd-modprobe.slice - Slice /system/modprobe.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh\x2dpolicy\x2droutes.slice - Slice /system/refresh-policy-routes.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-sshd\x2dkeygen.slice - Slice /system/sshd-keygen.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Host and Network Name Lookups.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc.pipexfs.target.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: fstrim.timer: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstrim.timer - Discard unused blocks once a week.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: update-tmpfiles.timer: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipexfs.mount - RPC Pipe File System...
May 29 06:11:44 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:11:44.8836 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x5567404a7900
May 29 06:11:44 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:11:44.8837 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
May 29 06:11:44 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:11:44.8838 INFO [amazon-ssm-agent] Stopping Core Agent
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping crond.service - NTP client/server...
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
May 29 06:11:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
May 29 06:11:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
```


May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policyx2droutes.slice - Slice /system/policy-routes.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopping serial-getty@ttyS0.service - Serial Getty on ttyS0...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal sshd[1588]: Received signal 15; terminating.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1588]: CRYPTO_KEY_USER pid=1588 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-c0:c1023 msg=op=destroy kind=server f

SHA256:22:c6:da:28:7a:b3:76:c2:ee:39:7b:38:3a:93:be:4b:ab:ac:5c:3b:e5:c9:bf:bf:b4:a2:9a:f2:a5:fe direction=? spid=1588 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-machine-id-commit comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-machine-id-commit.service - Commit a transient machine-id on disk.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: systemd-logind.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: Stopped sshd.service - OpenSSH server daemon.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: systemd-random-seed.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serialx2dgetty.slice - Slice /system/serial-getty.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-user-sessions.service - Permit User Sessions...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: systemd-user-sessions.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-user-sessions.service - Permit User Sessions.

May 29 06:11:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed-activate.service - Home Area Activation...

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.

May 29 06:11:45 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.

May 29 06:11:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:46 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed-activate.service: Deactivated successfully.

May 29 06:11:46 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation.

May 29 06:11:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:46 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed.service - Home Area Manager...

May 29 06:11:46 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed.service: Deactivated successfully.

May 29 06:11:46 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed.service - Home Area Manager.

May 29 06:11:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD

May 29 06:11:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:11:51.8850 INFO [CredentialRefresher] Sending credential refresher stop signal

May 29 06:11:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:11:51.8850 INFO [Registrar] Registrar is already stopped

May 29 06:11:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1584]: 2026-05-29 06:11:51.8851 INFO [amazon-ssm-agent] Bye.

May 29 06:11:51 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.

May 29 06:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.

May 29 06:11:51 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.

May 29 06:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.

May 29 06:11:51 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd-wait-online.service: Deactivated successfully.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd-wait-online.service - Wait for Network to be Configured.

May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-networkd.service - Network Configuration...

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd-networkd[1449]: ens5: DHCP lease lost

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.service: Deactivated successfully.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd.service - Network Configuration.

May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.

May 29 06:11:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD

May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: gcore.slice: Consumed 1.111s CPU time.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon Socket.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.socket: Deactivated successfully.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-networkd.socket - Network Service Netlink Socket.

May 29 06:11:52 ip-172-31-31-123.ec2.internal dbus-broker[1451]: Dispatched 1715 messages @ 61418µs / message.

May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus...

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-network-generator.service: Deactivated successfully.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-network-generator.service - Generate network units from Kernel command line.

May 29 06:11:52 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.

```

May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: dbus.socket: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped target sysinit.target - System Initialization.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=UNLOAD
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-ask-password-console.path: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-ask-password-wall.path: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped target local-veritysetup.target - Local Verity Protected Volumes.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopping systemd-resolved.service - Network Name Resolution...
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-update-done.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-done comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-update-done.service - Update is Completed.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-boot-update.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-boot-update.service - Automatic Boot Loader Update.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-journal-catalog-update.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-catalog-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-journal-catalog-update.service - Rebuild Journal Catalog.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopping systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-resolved.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1767]: SYSTEM_SHUTDOWN pid=1767 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-resolved.service - Network Name Resolution.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-sysctl.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-sysd.socket: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Closed systemd-coredump.socket - Process Core Dump Socket.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unmounted run-credentials-systemd\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-update-utmp.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=48 op=UNLOAD
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopping auditd.service - Security Auditing Service...
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1279]: The audit daemon is exiting.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1279]: op=SET audit_pid=0 old=1279 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: auditd.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 126 callbacks suppressed
May 29 06:11:52 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780035112.570:318): op=SET audit_pid=0 old=1279 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped auditd.service - Security Auditing Service.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 06:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Stopped target local-fs.target - Local File Systems.
May 29 06:11:52 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780035112.610:319): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unmounting boot-efi.mount - /boot/efi...
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1793]: umount: /run/credentials-systemd-tmpfiles-setup.service: no mount point specified.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unmounting tmp.mount - Temporary Directory /tmp...
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: boot-efi.mount: Deactivated successfully.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unmounted boot-efi.mount - /boot/efi.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'.
May 29 06:11:52 ip-172-31-31-123.ec2.internal system[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
May 29 06:
```

```
May 29 07:11:49 localhost kernel: Linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SM
P PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
May 29 07:11:49 localhost kernel: Command line: BOOT_IMAGE=(hdb,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b6680de4a801 ro console=tty0 console=ttyS0,115
200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 07:11:49 localhost kernel: KASLR enabled
May 29 07:11:49 localhost kernel: BIOS-provided physical RAM map:
May 29 07:11:49 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x0000000000000fff] usable
May 29 07:11:49 localhost kernel: BIOS-e820: [mem 0x0000000001000000-0x00000000390cdfff] usable
May 29 07:11:49 localhost kernel: BIOS-e820: [mem 0x00000000390ce000-0x000000003934dfff] reserved
May 29 07:11:49 localhost kernel: BIOS-e820: [mem 0x000000003934e000-0x000000003935dfff] ACPI data
May 29 07:11:49 localhost kernel: BIOS-e820: [mem 0x000000003935e000-0x00000000393ddfff] ACPI NVS
May 29 07:11:49 localhost kernel: BIOS-e820: [mem 0x00000000393de000-0x000000003d37bfff] usable
May 29 07:11:49 localhost kernel: BIOS-e820: [mem 0x000000003d37c000-0x000000003d37ffff] reserved
May 29 07:11:49 localhost kernel: NX (Execute Disable) protection: active
May 29 07:11:49 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 29 07:11:49 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 29 07:11:49 localhost kernel: extended physical RAM map:
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x0000000000000fff] usable
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x0000000001000000-0x00000000372be017] usable
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x00000000372be018-0x00000000372c6e57] usable
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x00000000372c6e58-0x00000000390cdfff] usable
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x00000000390ce000-0x000000003934dfff] reserved
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x000000003934e000-0x000000003935dfff] ACPI data
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x000000003935e000-0x00000000393ddfff] ACPI NVS
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x00000000393de000-0x000000003d37bfff] usable
May 29 07:11:49 localhost kernel: reserve setup_data: [mem 0x000000003d37c000-0x000000003d37ffff] reserved
May 29 07:11:49 localhost kernel: efi: EFI v2.70 by EDK II
May 29 07:11:49 localhost kernel: efi: SMBIOS=0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x3744ba98
May 29 07:11:49 localhost kernel: SMBIOS 2.7 present.
May 29 07:11:49 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
May 29 07:11:49 localhost kernel: Hypervisor detected: KVM
May 29 07:11:49 localhost kernel: kvm-clock: Using msrcs 4b564d01 and 4b564d00
May 29 07:11:49 localhost kernel: kvm-clock: using sched offset of 1616768703 cycles
May 29 07:11:49 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
May 29 07:11:49 localhost kernel: tsc: Detected 2499.998 MHz processor
May 29 07:11:49 localhost kernel: e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
May 29 07:11:49 localhost kernel: e820: remove [mem 0x00000000-0x00000fff] usable
May 29 07:11:49 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x400000000
May 29 07:11:49 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
May 29 07:11:49 localhost kernel: Using GB pages for direct mapping
May 29 07:11:49 localhost kernel: Secure boot disabled
May 29 07:11:49 localhost kernel: RAMDISK: [mem 0x32885000-0x33c61fff]
May 29 07:11:49 localhost kernel: ACPI: Early table checksum verification disabled
May 29 07:11:49 localhost kernel: ACPI: RSDP 0x000000003935d014 000024 (v02 AMAZON)
May 29 07:11:49 localhost kernel: ACPI: XSDT 0x000000003935C0E8 00006C (v01 AMAZON AMZNACP 00000001 01000013)
May 29 07:11:49 localhost kernel: ACPI: FACP 0x0000000039355000 000114 (v01 AMAZON AMZNACP 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: DSDT 0x0000000039356000 00115A (v01 AMAZON AMZNSDST 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: FACS 0x00000000393D0000 000040
May 29 07:11:49 localhost kernel: ACPI: WAET 0x000000003935B000 000028 (v01 AMAZON AMZNAET 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: SLIT 0x000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: APIC 0x0000000039359000 000076 (v01 AMAZON AMZNAPIC 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: SRAT 0x0000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: HPET 0x0000000039354000 000038 (v01 AMAZON AMZNPET 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: SSDT 0x0000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: SSDT 0x0000000039352000 000001 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 29 07:11:49 localhost kernel: ACPI: BGRT 0x0000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
May 29 07:11:49 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
May 29 07:11:49 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
May 29 07:11:49 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393d0000-0x393d003f]
May 29 07:11:49 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x3935b000-0x3935b027]
May 29 07:11:49 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
May 29 07:11:49 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
May 29 07:11:49 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
May 29 07:11:49 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
May 29 07:11:49 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
May 29 07:11:49 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520d0]
May 29 07:11:49 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
May 29 07:11:49 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
May 29 07:11:49 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
May 29 07:11:49 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffffff]
May 29 07:11:49 localhost kernel: NUMA: initialized distance table, entries: 1
May 29 07:11:49 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
May 29 07:11:49 localhost kernel: Zone ranges:
May 29 07:11:49 localhost kernel: DMA [mem 0x0000000000001000-0x000000000000ffff]
May 29 07:11:49 localhost kernel: DMA32 [mem 0x0000000001000000-0x000000003d37bfff]
May 29 07:11:49 localhost kernel: Normal empty
May 29 07:11:49 localhost kernel: Device empty
May 29 07:11:49 localhost kernel: Movable zone start for each node
May 29 07:11:49 localhost kernel: Early memory node ranges
May 29 07:11:49 localhost kernel: node 0: [mem 0x0000000000000000-0x000000000000ffff]
May 29 07:11:49 localhost kernel: node 0: [mem 0x0000000001000000-0x00000000390cdfff]
May 29 07:11:49 localhost kernel: node 0: [mem 0x00000000393de000-0x000000003d37bfff]
May 29 07:11:49 localhost kernel: Initmem setup node 0 [mem 0x0000000000001000-0x000000003d37bfff]
May 29 07:11:49 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
May 29 07:11:49 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
May 29 07:11:49 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
May 29 07:11:49 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
May 29 07:11:49 localhost kernel: ACPI: PM-Timer IO Port: 0x00000000
May 29 07:11:49 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] dfl dfl lint[0x1])
May 29 07:11:49 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
May 29 07:11:49 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
May 29 07:11:49 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
May 29 07:11:49 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
May 29 07:11:49 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
May 29 07:11:49 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
May 29 07:11:49 localhost kernel: ACPI: HPET id: 0x0006a201 base: 0xfed00000
May 29 07:11:49 localhost kernel: TSC deadline timer available
May 29 07:11:49 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
May 29 07:11:49 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
May 29 07:11:49 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x0000ffff]
May 29 07:11:49 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393ddfff]
May 29 07:11:49 localhost kernel: [mem 0x3d400000-0xffffffff] available for PCI devices
May 29 07:11:49 localhost kernel: Booting paravirtualized kernel on KVM
May 29 07:11:49 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
May 29 07:11:49 localhost kernel: setup_percpu: NR_CPUS=192 nr_cpumask_bits=2 nr_cpu_ids=2 nr_node_ids=1
May 29 07:11:49 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1048576 alloc=1*2097152
May 29 07:11:49 localhost kernel: percpu-alloc: [0] 0 1
May 29 07:11:49 localhost kernel: kvm-guest: PV spinlocks enabled
May 29 07:11:49 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
May 29 07:11:49 localhost kernel: fallback order for Node 0: 0
May 29 07:11:49 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
May 29 07:11:49 localhost kernel: Policy zone: DMA32
May 29 07:11:49 localhost kernel: Kernel command line: BOOT_IMAGE=(hdb,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b6680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 07:11:49 localhost kernel: random: crng init done
May 29 07:11:49 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
May 29 07:11:49 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
May 29 07:11:49 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
May 29 07:11:49 localhost kernel: Memory: 228092K/999468K available (14347K kernel code, 9305K rwdata, 8964K rodata, 2456K init, 6356K bss, 133544K reserved, 0K cma-reserved)
May 29 07:11:49 localhost kernel: SLUB: Genslign, Order=6-3, Win0object=0, CPUs=2, Nodes=1
May 29 07:11:49 localhost kernel: Kernel/User page tables isolation: enabled
May 29 07:11:49 localhost kernel: ftrace: allocating 42099 entries in 165 pages
May 29 07:11:49 localhost kernel: ftrace: allocated 165 pages with 4 groups
May 29 07:11:49 localhost kernel: Dynamic Preempt: none
May 29 07:11:49 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
May 29 07:11:49 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
May 29 07:11:49 localhost kernel: Trampoline variant of Tasks RCU enabled.
May 29 07:11:49 localhost kernel: Rude variant of Tasks RCU enabled.
May 29 07:11:49 localhost kernel: Trand variant of Tasks RCU enabled.
May 29 07:11:49 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
May 29 07:11:49 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
May 29 07:11:49 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irq: 16
May 29 07:11:49 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
May 29 07:11:49 localhost kernel: Console: colour dummy device 80x25
May 29 07:11:49 localhost kernel: printk: console [tty0] enabled
May 29 07:11:49 localhost kernel: printk: console [ttyS0] enabled
May 29 07:11:49 localhost kernel: ACPI: Core revision 20200331
May 29 07:11:49 localhost kernel: clocksource: hpert: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
May 29 07:11:49 localhost kernel: APIC: Switch to symmetric I/O mode setup
May 29 07:11:49 localhost kernel: x2apic enabled
May 29 07:11:49 localhost kernel: Switched APIC routing to physical x2apic.
May 29 07:11:49 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x240937b9988, max_idle_ns: 440795218083 ns
```

```
May 29 07:11:49 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999980)
May 29 07:11:49 localhost kernel: Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
May 29 07:11:49 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
May 29 07:11:49 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
May 29 07:11:49 localhost kernel: Spectra v2 : Mitigation: Retpolines
May 29 07:11:49 localhost kernel: Spectre v2 : Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
May 29 07:11:49 localhost kernel: RETBleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETBleed attacks, data leaks possible!
May 29 07:11:49 localhost kernel: RETBleed: Vulnerable
May 29 07:11:49 localhost kernel: Speculative Store Bypass: Vulnerable
May 29 07:11:49 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 07:11:49 localhost kernel: MMIO State Data: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 07:11:49 localhost kernel: GDS: Unknown: Dependent on hypervisor status
May 29 07:11:49 localhost kernel: active return thunk: its_return_thunk
May 29 07:11:49 localhost kernel: ITS: Mitigation: Aliigned branch/return thunks
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
May 29 07:11:49 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
May 29 07:11:49 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
May 29 07:11:49 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
May 29 07:11:49 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
May 29 07:11:49 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
May 29 07:11:49 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
May 29 07:11:49 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
May 29 07:11:49 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
May 29 07:11:49 localhost kernel: x86/fpu: Enabled xstate features 0x2ff, context size is 2568 bytes, using 'compacted' format.
May 29 07:11:49 localhost kernel: Freeing SMP alternatives memory: 36K
May 29 07:11:49 localhost kernel: pid_max: default: 32768 minimum: 301
May 29 07:11:49 localhost kernel: LSM: Security Framework initializing
May 29 07:11:49 localhost kernel: landlock: Up and running.
May 29 07:11:49 localhost kernel: Yama: becoming mindful.
May 29 07:11:49 localhost kernel: SELinux: Initializing.
May 29 07:11:49 localhost kernel: LSM support for eBPF active
May 29 07:11:49 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 07:11:49 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 07:11:49 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
May 29 07:11:49 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 07:11:49 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 07:11:49 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 07:11:49 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 07:11:49 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
May 29 07:11:49 localhost kernel: signal: max sigframe size: 3632
May 29 07:11:49 localhost kernel: rcu: Hierarchical SRCU implementation.
May 29 07:11:49 localhost kernel: rcu: Max phase no-delay instances is 1000.
May 29 07:11:49 localhost kernel: smp: Bringing up secondary CPUs ...
May 29 07:11:49 localhost kernel: x86: Booting SMP configuration:
May 29 07:11:49 localhost kernel: .... node #0, CPUs:
May 29 07:11:49 localhost kernel: node #0:
May 29 07:11:49 localhost kernel: MMIO State Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
May 29 07:11:49 localhost kernel: more details.
May 29 07:11:49 localhost kernel: smp: Brought up 1 node, 2 CPUs
May 29 07:11:49 localhost kernel: smpboot: Max logical packages: 1
May 29 07:11:49 localhost kernel: smpboot: Total of 2 processors activated (9999.99 BogoMIPS)
May 29 07:11:49 localhost kernel: node 0 deferred pages initialised in 0ms
May 29 07:11:49 localhost kernel: devtmpfs: initialized
May 29 07:11:49 localhost kernel: x86/mm: Memory block size: 128MB
May 29 07:11:49 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393dffff] (524288 bytes)
May 29 07:11:49 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
May 29 07:11:49 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
May 29 07:11:49 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
May 29 07:11:49 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
May 29 07:11:49 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA pool for atomic allocations
May 29 07:11:49 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA32 pool for atomic allocations
May 29 07:11:49 localhost kernel: audit: initializing netlink subsys (disabled)
May 29 07:11:49 localhost kernel: audit: type=2000 audit(1780038710.831:1): state=initialized audit_enabled=0 res=1
May 29 07:11:49 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
May 29 07:11:49 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
May 29 07:11:49 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
May 29 07:11:49 localhost kernel: cpuidle: using governor ladder
May 29 07:11:49 localhost kernel: cpuidle: using governor menu
May 29 07:11:49 localhost kernel: efi: Freeing EFI boot services memory: 44696K
May 29 07:11:49 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
May 29 07:11:49 localhost kernel: PCI: Using configuration type 1 for base access
May 29 07:11:49 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
May 29 07:11:49 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
May 29 07:11:49 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
May 29 07:11:49 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
May 29 07:11:49 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
May 29 07:11:49 localhost kernel: cryptd: max_cpu_qlen set to 1000
May 29 07:11:49 localhost kernel: ACPI: Added _OSI(Module Device)
May 29 07:11:49 localhost kernel: ACPI: Added _OSI(Processor Device)
May 29 07:11:49 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
May 29 07:11:49 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
May 29 07:11:49 localhost kernel: ACPI: Interpreter enabled
May 29 07:11:49 localhost kernel: ACPI: PM: (supports S0 S4 S5)
May 29 07:11:49 localhost kernel: ACPI: Using IOAPIC for interrupt routing
May 29 07:11:49 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
May 29 07:11:49 localhost kernel: PCI: Using E820 reservations for host bridge windows
May 29 07:11:49 localhost kernel: ACPI: Enabled 2 GPEs in block 00 at 00
May 29 07:11:49 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
May 29 07:11:49 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
May 29 07:11:49 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
May 29 07:11:49 localhost kernel: acpi PNP0A03:00: fail to add NMCONFIG information, can't access extended PCI configuration space under this bridge.
May 29 07:11:49 localhost kernel: acpihp: Slot [3] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [4] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [5] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [6] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [7] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [8] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [9] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [10] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [11] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [12] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [13] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [14] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [15] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [16] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [17] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [18] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [19] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [20] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [21] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [22] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [23] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [24] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [25] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [26] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [27] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [28] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [29] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [30] registered
May 29 07:11:49 localhost kernel: acpihp: Slot [31] registered
May 29 07:11:49 localhost kernel: PCI host bridge to bus 0000:00
May 29 07:11:49 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x000a0000-0x000bffff window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x10000000-0x2000ffff window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
May 29 07:11:49 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
May 29 07:11:49 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x060000
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at fff0-ffff
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc0000-ffffff
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at fff0-ffff
```



```
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc00000-ffffff
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at fff0-ffff
May 29 07:11:49 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at fff0-ffff
May 29 07:11:49 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
May 29 07:11:49 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x00000000-0x0300ffff pref]
May 29 07:11:49 localhost kernel: pci 0000:00:03.0: ROM [mem 0xffff0000-0xffffffff pref]
May 29 07:11:49 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x000c0000-0x00d0ffff]
May 29 07:11:49 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010802
May 29 07:11:49 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x00400000-0x0040ffff]
May 29 07:11:49 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
May 29 07:11:49 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x00400000-0x00403fff]
May 29 07:11:49 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
May 29 07:11:49 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
May 29 07:11:49 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
May 29 07:11:49 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
May 29 07:11:49 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
May 29 07:11:49 localhost kernel: iommu: Default domain type: Translated
May 29 07:11:49 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
May 29 07:11:49 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
May 29 07:11:49 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
May 29 07:11:49 localhost kernel: PTP clock support registered
May 29 07:11:49 localhost kernel: EDAC MC: Ver: 3.0.0
May 29 07:11:49 localhost kernel: Registered efivars operations
May 29 07:11:49 localhost kernel: NetLabel: Initializing
May 29 07:11:49 localhost kernel: NetLabel: domain hash size = 128
May 29 07:11:49 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
May 29 07:11:49 localhost kernel: NetLabel: unlabeled traffic allowed by default
May 29 07:11:49 localhost kernel: PCI: Using ACPI for IRQ routing
May 29 07:11:49 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
May 29 07:11:49 localhost kernel: e820: reserve RAM buffer [mem 0x372b018-0x37ffffff]
May 29 07:11:49 localhost kernel: e820: reserve RAM buffer [mem 0x390ca000-0x3bffffff]
May 29 07:11:49 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3fffffff]
May 29 07:11:49 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
May 29 07:11:49 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 Mhz counter
May 29 07:11:49 localhost kernel: clocksource: Switched to clocksource kvm-clock
May 29 07:11:49 localhost kernel: VFS: Disk quotas dquot_6.6.0
May 29 07:11:49 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
May 29 07:11:49 localhost kernel: pnp: PnP ACPI init
May 29 07:11:49 localhost kernel: pnp: PnP ACPI: found 5 devices
May 29 07:11:49 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff, max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
May 29 07:11:49 localhost kernel: NET: Registered PF_INET protocol family
May 29 07:11:49 localhost kernel: IP ids hash table entries: 16384 (order: 5, 131072 bytes, linear)
May 29 07:11:49 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
May 29 07:11:49 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
May 29 07:11:49 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
May 29 07:11:49 localhost kernel: TCP fast hash table entries: 8192 (order: 6, 262144 bytes, linear)
May 29 07:11:49 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
May 29 07:11:49 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
May 29 07:11:49 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 07:11:49 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 07:11:49 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
May 29 07:11:49 localhost kernel: NET: Registered PF_XDP protocol family
May 29 07:11:49 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x00000000-0xfefbffff window]
May 29 07:11:49 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffffff window]
May 29 07:11:49 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
May 29 07:11:49 localhost kernel: PCI: CLS 0 bytes, default 64
May 29 07:11:49 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x240937b9988, max_idle_ns: 440795218083 ns
May 29 07:11:49 localhost kernel: Trying to unpack rootfs image as initramfs...
May 29 07:11:49 localhost kernel: clocksource: Switched to clocksource tsc
May 29 07:11:49 localhost kernel: Initialise system trusted keyrings
May 29 07:11:49 localhost kernel: Key type blacklist registered
May 29 07:11:49 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
May 29 07:11:49 localhost kernel: zbud: loaded
May 29 07:11:49 localhost kernel: SGI XFS with ACLs, security attributes, quota, no debug enabled
May 29 07:11:49 localhost kernel: integrity: Platform Keyring initialized
May 29 07:11:49 localhost kernel: integrity: Machine keyring initialized
May 29 07:11:49 localhost kernel: Key type asymmetric registered
May 29 07:11:49 localhost kernel: Asymmetric key parser 'x509' registered
May 29 07:11:49 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
May 29 07:11:49 localhost kernel: io scheduler mq-deadline registered
May 29 07:11:49 localhost kernel: io scheduler kyber registered
May 29 07:11:49 localhost kernel: io scheduler bfq registered
May 29 07:11:49 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
May 29 07:11:49 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
May 29 07:11:49 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
May 29 07:11:49 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
May 29 07:11:49 localhost kernel: nvme nvme0: pci function 0000:00:04.0
May 29 07:11:49 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
May 29 07:11:49 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
May 29 07:11:49 localhost kernel: rtc_cmos 00:00: registered as rtc0
May 29 07:11:49 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-05-29T07:11:49 UTC (1780038709)
May 29 07:11:49 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
May 29 07:11:49 localhost kernel: vmclock AMZNCI0C:00: vmclock0: registered miscdev
May 29 07:11:49 localhost kernel: intel_pstate: CPU model not supported
May 29 07:11:49 localhost kernel: pstore: Registered efi as persistent store backend
May 29 07:11:49 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
May 29 07:11:49 localhost kernel: NET: Registered PF_INET6 protocol family
May 29 07:11:49 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
May 29 07:11:49 localhost kernel: nvme0n1: p1 p127 p128
May 29 07:11:49 localhost kernel: Freeing initrd memory: 20340K
May 29 07:11:49 localhost kernel: Segment Routing with IPv6
May 29 07:11:49 localhost kernel: In-situ OAM (IOAM) with IPv6
May 29 07:11:49 localhost kernel: NET: Registered PF_PACKET protocol family
May 29 07:11:49 localhost kernel: IPI shorthand broadcast: enabled
May 29 07:11:49 localhost kernel: AVX2 version of gcm_enc/dec engaged.
May 29 07:11:49 localhost kernel: AES CTR mode by8 optimization enabled
May 29 07:11:49 localhost kernel: sched_clock: Marking stable (236843873, 2612835)-->(259338692, -19881984)
May 29 07:11:49 localhost kernel: registered taskstats version 1
May 29 07:11:49 localhost kernel: Loading compiled-in X.509 certificates
May 29 07:11:49 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9849a1ad84746a4'
May 29 07:11:49 localhost kernel: zswap: loaded using pool lzo/zbud
May 29 07:11:49 localhost kernel: Key type .fscrypt registered
May 29 07:11:49 localhost kernel: Key type fscrypt-provisioning registered
May 29 07:11:49 localhost kernel: pstore: Using crash dump compression: deflate
May 29 07:11:49 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
May 29 07:11:49 localhost kernel: ima: Allocated hash algorithm: sha256
May 29 07:11:49 localhost kernel: ima: No architecture policies found
May 29 07:11:49 localhost kernel: clk: Disabling unused clocks
May 29 07:11:49 localhost kernel: Freeing unused decrypted memory: 2036K
May 29 07:11:49 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
May 29 07:11:49 localhost kernel: Write protecting the kernel read-only data: 26624K
May 29 07:11:49 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
May 29 07:11:49 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
May 29 07:11:49 localhost kernel: Run /init as init process
May 29 07:11:49 localhost kernel: with arguments:
May 29 07:11:49 localhost kernel: /init
May 29 07:11:49 localhost kernel: with environment:
May 29 07:11:49 localhost kernel: HOME=/
May 29 07:11:49 localhost kernel: TERM=linux
May 29 07:11:49 localhost systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIOID2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
May 29 07:11:49 localhost systemd[1]: Detected virtualization amazon.
May 29 07:11:49 localhost systemd[1]: Detected architecture x86_64.
May 29 07:11:49 localhost systemd[1]: Running in initrd.
May 29 07:11:49 localhost systemd[1]: No hostname configured, using default hostname.
May 29 07:11:49 localhost systemd[1]: Hostname set to <localhost>.
May 29 07:11:49 localhost systemd[1]: Initializing machine ID from VM UUID.
May 29 07:11:49 localhost systemd[1]: Queued start job for default target initrd.target.
May 29 07:11:49 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 07:11:49 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db6b680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
May 29 07:11:49 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
May 29 07:11:49 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 07:11:49 localhost systemd[1]: Reached target paths.target - Path Units.
May 29 07:11:49 localhost systemd[1]: Reached target slices.target - Slice Units.
May 29 07:11:49 localhost systemd[1]: Reached target swap.target - Swaps.
May 29 07:11:49 localhost systemd[1]: Reached target timers.target - Timer Units.
May 29 07:11:49 localhost systemd[1]: Listening on systemd-journal-audit.socket - Journal Audit Socket.
May 29 07:11:49 localhost systemd[1]: Listening on systemd-journal-dev-log.socket - Journal Socket (/dev/log).
May 29 07:11:49 localhost systemd[1]: Listening on systemd-journal.socket - Journal Socket.
May 29 07:11:49 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
```

```
May 29 07:11:49 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 29 07:11:49 localhost systemd[1]: Reached target sockets.target - Socket Units.
May 29 07:11:49 localhost systemd[1]: kmoud-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname).
May 29 07:11:49 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
May 29 07:11:49 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 07:11:49 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 07:11:49 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
May 29 07:11:49 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
May 29 07:11:49 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
May 29 07:11:49 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
May 29 07:11:49 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
May 29 07:11:49 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 29 07:11:49 localhost kernel: audit: type=1130 audit(1780038709.909:2): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:49 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
May 29 07:11:49 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 07:11:49 localhost kernel: audit: type=1130 audit(1780038709.919:3): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:49 localhost systemd-journal[346]: Journal started
May 29 07:11:49 localhost systemd-journal[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc4881fe) is 2.2M, max 18.3M, 16.0M free.
May 29 07:11:49 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 07:11:49 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 07:11:49 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
May 29 07:11:49 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
May 29 07:11:49 localhost systemd[1]: Started systemd-journald.service - Journal Service.
May 29 07:11:49 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 07:11:49 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
May 29 07:11:49 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
May 29 07:11:49 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostnam
e=? addr=? terminal=? res=success'
May 29 07:11:49 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 07:11:49 localhost kernel: audit: type=1130 audit(1780038709.929:4): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:49 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:49 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
May 29 07:11:49 localhost systemd-tmpfiles[361]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
May 29 07:11:49 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-a778-b0680d
e4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 07:11:49 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 07:11:49 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=?
addr=? terminal=? res=success'
May 29 07:11:49 localhost kernel: audit: type=1130 audit(1780038709.939:6): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:49 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
May 29 07:11:49 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 07:11:49 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
May 29 07:11:49 localhost audit: BPF prog-id=6 op=LOAD
May 29 07:11:49 localhost audit: BPF prog-id=7 op=LOAD
May 29 07:11:49 localhost kernel: audit: type=1130 audit(1780038709.969:7): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:49 localhost kernel: audit: type=1334 audit(1780038709.969:8): prog-id=6 op=LOAD
May 29 07:11:49 localhost kernel: audit: type=1334 audit(1780038709.969:9): prog-id=7 op=LOAD
May 29 07:11:50 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
May 29 07:11:50 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
May 29 07:11:50 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 07:11:50 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
May 29 07:11:50 localhost kernel: audit: type=1130 audit(1780038710.009:10): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 07:11:50 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr
=? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 29 07:11:50 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? ad
dr=? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 29 07:11:50 localhost systemd[1]: Reached target sysinit.target - System Initialization.
May 29 07:11:50 localhost systemd[1]: Reached target basic.target - Basic System.
May 29 07:11:50 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
May 29 07:11:50 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 07:11:50 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 29 07:11:50 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
May 29 07:11:50 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=?
res=success'
May 29 07:11:50 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 07:11:50 localhost rngd[774]: Disabling 7: PKCS11 Entropy generator (pkcs11)
May 29 07:11:50 localhost rngd[774]: Disabling 5: NIST Network Entropy Beacon (nist)
May 29 07:11:50 localhost rngd[774]: Initializing available sources
May 29 07:11:50 localhost rngd[774]: [hwrng ]: Initialization Failed
May 29 07:11:50 localhost rngd[774]: [drand]: Enabling RDRSEED rng support
May 29 07:11:50 localhost rngd[774]: [drand]: Initialized
May 29 07:11:50 localhost rngd[774]: [jitter]: JITTER timeout set to 5 sec
May 29 07:11:50 localhost systemd[1]: Found device dev-disk-by\x2duuid=6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
May 29 07:11:50 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
May 29 07:11:50 localhost rngd[774]: [jitter]: Initializing AES buffer
May 29 07:11:50 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
May 29 07:11:50 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
May 29 07:11:50 localhost kernel: XFS (nvme0n1p1): Ending clean mount
May 29 07:11:50 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
May 29 07:11:50 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
May 29 07:11:50 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
May 29 07:11:50 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
May 29 07:11:50 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
May 29 07:11:50 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
May 29 07:11:50 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
May 29 07:11:50 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
May 29 07:11:50 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
May 29 07:11:50 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
May 29 07:11:50 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
May 29 07:11:50 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 29 07:11:50 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 07:11:50 localhost systemd[1]: Stopped target timers.target - Timer Units.
May 29 07:11:50 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
May 29 07:11:50 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: rngd.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? r
es=success'
May 29 07:11:50 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
May 29 07:11:50 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Stopped target basic.target - Basic System.
May 29 07:11:50 localhost systemd[1]: Stopped target paths.target - Path Units.
May 29 07:11:50 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 07:11:50 localhost systemd[1]: Stopped target slices.target - Slice Units.
May 29 07:11:50 localhost systemd[1]: Stopped target sockets.target - Socket Units.
May 29 07:11:50 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
May 29 07:11:50 localhost systemd[1]: Stopped target swap.target - Swaps.
May 29 07:11:50 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
```

```
May 29 07:11:50 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 07:11:50 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
May 29 07:11:50 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All Udev Devices.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? add
r=? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=
? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
May 29 07:11:50 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? ter
minal=? res=success'
May 29 07:11:50 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
May 29 07:11:50 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
May 29 07:11:50 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 07:11:50 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
May 29 07:11:50 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2dddev.service.mount: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
May 29 07:11:50 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
May 29 07:11:50 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 29 07:11:50 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=
=? addr=? terminal=? res=success'
May 29 07:11:50 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
May 29 07:11:50 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
May 29 07:11:50 localhost systemd[1]: Switching root.
May 29 07:11:50 localhost systemd-journal[346]: Journal stopped
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd-journal[346]: Received SIGTERM from PID 1 (systemd).
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability nnp_nosuid_transition=1
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_cloexec=0
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 143.430ms.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev/shm, /run, /sys/fs/cgroup in 21.038ms.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: System 252.23.11.amzn2823 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLK
ID +CURL +ELFUTILS +FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PMUQUILITY +PIKIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-h
ierarchy=unified)
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: bpflsm: LSM BPF program attached
May 29 07:11:51 ip-172-31-31-123.ec2.internal zram-generator::config[817]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
+ /run/acpid.socket; please update the file accordingly.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt.misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udevdb.socket - User Database Manager Socket.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unmet condition check (ConditionPathExists=/et
c/rb5.keytab)
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-converter.service - Preprocess NFS configuration conversion...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fck-root.service - File System Check on Root Device...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journal.service - Journal Service.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal.service - Journal Service...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
May 29 07:11:51 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd-journal[838]: Journal started
May 29 07:11:51 ip-172-31-31-123.ec2.internal systemd-journal[838]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4c48811fe) is 2.2M, max 18.3M, 16.0M free.
May 29 07:11:50 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD auid=4294967295 ses=4294967295 lsm=selinux res=1
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
May 29 07:11:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
```

[illegible]


```
=/sys/fs/pstore).
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd-journal[838]: Time spent on flushing to /var/log/journal/ec28de2184d571b0b93d59b4fc48811fe is 46.204ms for 790 entries.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd-journal[838]: System Journal (/var/log/journal/ec28de2184d571b0b93d59b4fc48811fe) is 16.0M, max 811.6M, 795.6M free.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd-journal[838]: Received client request to flush runtime journal.
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi.automount.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=run/inittarafs/state).
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-a667b082-8a4c-41cf-b6c7-440b29bb8c4f).
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIsMountPoint=/etc/machine-id).
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=6 op=UNLOAD
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udevdev.service - Rule-based Manager for Device Events and Files...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Import-efi-automount: Got automount request for /boot/efi, triggered by 1253 (bootctl)
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd\x2dfscck.slice - Slice /system/systemd-fscck.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862A.device - /dev/disk/by-uuid/6084-862A...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd-udev[1255]: Using default interface naming scheme 'v252'.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udevdev.service - Rule-based Manager for Device Events and Files.
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udevdev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting auditd.service - Security Auditing Service...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=var).
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: No plugins found, not dispatching events
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1280]: SYSCALL arch=000003e syscall=44 successes=0 exit=60 a0=3 a1=7ffd72165680 a2=3c a3=0 items=0 ppid=1276 pid=1280 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=1288 old=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1280]: SYSCALL arch=000003e syscall=44 successes=0 exit=60 a0=3 a1=7ffd72163380 a2=3c a3=0 items=0 ppid=1276 pid=1280 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1280]: Init complete, auditd 3.1.5 listening for events (startup state enable)
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipefs.target.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: Positive Trust Anchors:
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: res 0000:00:05:0: IN DS 20326 8 2 e064ad80b08bf139a95c0b0d7c65d08458e80409bbcb683457104237c7f8ec8d
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: Negative trust anchors: home.arpa 10.172.in-addr.arpa 16.172.in-addr.arpa 17.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) v2.16.1g
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRF]
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXPSPBN:00/input/input1
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA device version: 0.10
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA controller version: 0.0.1 implementation version 1
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: 18042: PNP: PS/2 Controller [PNP0303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: 18042: Warning: Keylock active
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: serio: 18042 KBD port at 0x60,0x64 irq 1
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: serio: 18042 AUX port at 0x60,0x64 irq 12
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: L1Q is not supported fallback to host mode policy
May 29 07:11:52 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) found at mem 00400000, mac addr 0a:ff:e4:6d:f2b:39
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule key=(null) list=1 res=1
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1316]: SYSCALL arch=000003e syscall=44 successes=0 exit=1056 a0=3 a1=7ffd004e3280 a2=420 a3=0 items=0 ppid=1283 pid=1316 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1323]: SYSTEM_BOOT pid=1323 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: Using system hostname 'ip-172-31-31-123.ec2.internal'.
May 29 07:11:52 ip-172-31-31-123.ec2.internal augenrules[1283]: /sbin/augeenrules: No change
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-resolved.service - Network Name Resolution.
May 29 07:11:52 ip-172-31-31-123.ec2.internal augenrules[1316]: No rules
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Started auditd.service - Security Auditing Service.
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
May 29 07:11:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
May 29 07:11:53 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: renamed from eth0
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
May 29 07:11:53 ip-172-31-31-123.ec2.internal zram-generator:config[1389]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket; please update the unit file accordingly.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862A.device - Amazon Elastic Block Store EFI\x20System\x20Partition being skipped
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=UNLOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=UNLOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=UNLOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy/routes.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=run/inittarafs/state).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-a667b082-8a4c-41cf-b6c7-440b29bb8c4f).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fscck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=/etc/).
```

```
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: system-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=var).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: system-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIsMountPoint/etc/machine-id).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: system-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: system-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: fsck.fat 4.2 (2021-01-31)
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: /dev/vme0n1p128: 5 files, 659/5181 clusters
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Mounting boot-efi.mount - /boot/efi...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: system-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Mounted boot-efi.mount - /boot/efi.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started fstirm.timer - Discard unused blocks once a week.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Daemon Socket.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-04ac-41cf-b6c7-440b29bb8c4f).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 29 07:11:53 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance/boot-finished'
May 29 07:11:53 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@cd25519.service - OpenSSH cd25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: ssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=49 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat.service - Resets System Activity Logs...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=50 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=51 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=52 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd-homed[1419]: Watching /home.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal ec2net[1417]: Starting configuration for ens5
May 29 07:11:53 ip-172-31-31-123.ec2.internal ec2net[1425]: /lib/systemd/systemd-networkd-wait-online ens5
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event0 (Power Button)
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event1 (Sleep Button)
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd-logind[1420]: New seat seat0.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat.service - Resets System Activity Logs.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=54 op=LOAD
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dnsmasq comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:54 ip-172-31-31-123.ec2.internal dbus-broker-lau[1442]: Ready
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: lo: Link UP
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: lo: Gained carrier
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: Enumeration completed
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
May 29 07:11:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module drm...
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Link UP
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Gained carrier
May 29 07:11:54 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:00 ens5: Local page cache is disabled for less than 16 channels
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module drm.
May 29 07:11:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:53 ip-172-31-31-123.ec2.internal systemd[1]: systemd-stop pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=/
```

```
tc/krb5.keytab).
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrservice.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b882-04ac-41cf-b0c7-44a8b29bb8c4f).
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Gained IPv6LL
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
May 29 07:11:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/subnet-ipv4-cidr-block
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/interface-id
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/local-ipv4s
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: Called trap
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCP lease lost
May 29 07:11:54 ip-172-31-31-123.ec2.internal ec2net[1417]: Reloaded networkd
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
May 29 07:11:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv6 lease lost
May 29 07:11:54 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: Cloud-init v. 22.2.2 running 'init' at Fri, 29 May 2026 07:11:54 +0000. Up 5.64 seconds.
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: ++++++Net device info+++++
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | Device | Up | Address | Mask | Scope | Hw-Address |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | ens5 | True | 172.31.31.123 | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | ens5 | True | fe80::8fff:fe4d:df2b:39/64 | 255.255.255.255 | UH | 0a:ff:e4:df:2b:39 |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | lo | True | 127.0.0.1 | 255.0.0.0 | host | . |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | ::1 | True | ::1/128 | . | host | . |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: ++++++Route IPv4 info+++++
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | Route | Destination | Gateway | Genmask | Interface | Flags |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | 0 | 0.0.0.0 | 172.31.16.1 | 0.0.0.0 | ens5 | UG |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | 1 | 172.31.0.2 | 172.31.16.1 | 255.255.255.255 | ens5 | UH |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | 2 | 172.31.16.0 | 0.0.0.0 | 255.255.240.0 | ens5 | U |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | 3 | 172.31.16.0 | 0.0.0.0 | 255.255.255.255 | ens5 | UH |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: ++++++Route IPv6 info+++++
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | Route | Destination | Gateway | Interface | Flags |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | 0 | fe80::/64 | :: | ens5 | U |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | 2 | local | :: | ens5 | U |
May 29 07:11:55 ip-172-31-31-123.ec2.internal cloud-init[1529]: ci-info: | 3 | multicast | :: | ens5 | U |
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
May 29 07:11:55 ip-172-31-31-123.ec2.internal sr-notify[1565]: Version 2.5.4 starting
May 29 07:11:55 ip-172-31-31-123.ec2.internal sshd[1566]: Server listening on 0.0.0.0 port 22.
May 29 07:11:55 ip-172-31-31-123.ec2.internal sshd[1566]: Server listening on : port 22.
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
May 29 07:11:55 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
May 29 07:11:55 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: Initializing new seelog logger
May 29 07:11:55 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: New Seelog Logger Creation Complete
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: chrony-config.service: Deactivated successfully.
May 29 07:11:55 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:55.7754 INFO Proxy environment variables:
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:55 ip-172-31-31-123.ec2.internal audit: BPF prog=id=56 op=LOAD
May 29 07:11:55 ip-172-31-31-123.ec2.internal systemd[1]: Started chronyd.service - NTP client/server.
May 29 07:11:55 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:55.7766 INFO https.proxy:
May 29 07:11:55 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:55.7766 INFO http.proxy:
May 29 07:11:56 ip-172-31-31-123.ec2.internal chronyd[1596]: 4.3 starting (+CDMOMON+NTP+REFCLOCK+RTC+PRIVDROP+SCFILTER+SIGND+ASYNCDNS+NTS+SECHASH+IPV6+DEBUEG)
May 29 07:11:56 ip-172-31-31-123.ec2.internal chronyd[1596]: Frequency -5.711 +/- 0.263 ppm read from /var/lib/chrony/drift
May 29 07:11:56 ip-172-31-31-123.ec2.internal chronyd[1596]: Loaded seccomp filter (level 2)
May 29 07:11:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:56 ip-172-31-31-123.ec2.internal systemd[1]: Started chronyd.service - NTP client/server.
May 29 07:11:56 ip-172-31-31-123.ec2.internal cloud-init[1602]: Cloud-init v. 22.2.2 running 'modules:config' at Fri, 29 May 2026 07:11:56 +0000. Up 6.66 seconds.
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:55.7766 INFO no.proxy:
May 29 07:11:56 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
May 29 07:11:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:55.7766 INFO Checking if agent identity type OnPrem can be assumed
May 29 07:11:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:56 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
May 29 07:11:56 ip-172-31-31-123.ec2.internal systemd[1]: Started hibinit-agent.service - Initial hibernation setup job.
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:55.7767 INFO Checking if agent identity type EC2 can be assumed
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0207 INFO Agent will take identity from EC2
May 29 07:11:56 ip-172-31-31-123.ec2.internal hibinit-agent[1605]: Effective config: ('log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/lib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon {swapfile}', 'swaponoff': 'swaponoff {swapfile}')
May 29 07:11:56 ip-172-31-31-123.ec2.internal hibinit-agent[1605]: Requesting new IMDSv2 token.
May 29 07:11:56 ip-172-31-31-123.ec2.internal hibinit-agent[1605]: Instance Launch has not enabled Hibernation Configured Flag. hibinit-agent exiting!!
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0209 INFO ITelemetry Initialized
May 29 07:11:56 ip-172-31-31-123.ec2.internal systemd[1]: hibinit-agent.service: Deactivated successfully.
May 29 07:11:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0269 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4108.0
May 29 07:11:56 ip-172-31-31-123.ec2.internal cloud-init[1610]: Cloud-init v. 22.2.2 running 'modules:final' at Fri, 29 May 2026 07:11:56 +0000. Up 7.19 seconds.
May 29 07:11:56 ip-172-31-31-123.ec2.internal cloud-init[1610]: Cloud-init v. 22.2.2 finished at Fri, 29 May 2026 07:11:56 +0000. DataSource DataSourceEc2. Up 7.29 seconds
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0269 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
May 29 07:11:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:11:56 ip-172-31-31-123.ec2.internal audit: BPF prog=id=56 op=LOAD
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0269 INFO [amazon-ssm-agent] Starting Core Agent
May 29 07:11:56 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
```



```
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0269 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
May 29 07:11:56 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0269 INFO [Registrar] Starting registrar module
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0340 INFO [EC2Identity] Checking disk for registration info
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0357 INFO [EC2Identity] Registration info found for ec2 instance
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0357 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0358 INFO [CredentialRefresher] credentialRefresher has started
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0358 INFO [CredentialRefresher] Starting credentials refresher loop
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0389 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Er
r: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0790 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: status code: 400, request id: d90170f6-2cd0-43bb-af8f-725a0ca50af6
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0791 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrie
ved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account:
094337892911
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: status code: 400, request id: d90170f6-2cd0-43bb-af8f-725a0ca50af6
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0791 INFO [CredentialRefresher] Sleeping for 25m46s before retrying retrieve credentials
May 29 07:11:57 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:11:56.0793 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid cre
dentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not
configured for account: 094337892911
May 29 07:12:01 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: status code: 400, request id: d90170f6-2cd0-43bb-af8f-725a0ca50af6</error>
May 29 07:12:01 ip-172-31-31-123.ec2.internal chrontyd[1596]: Selected source 169.254.169.123
May 29 07:12:01 ip-172-31-31-123.ec2.internal chrontyd[1596]: System clock wrong by 1.466483 seconds
May 29 07:12:02 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: Clock change detected. Flushing caches.
May 29 07:12:02 ip-172-31-31-123.ec2.internal chrontyd[1596]: System clock was stepped by 1.466483 seconds
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 7.549s CPU time.
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh\x2dpolicy\x2droutes.slice - Slice /system/refresh-policy-routes.
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=56 op=UNLOAD
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd[1627]: SYSTEM_RUNLEVEL pid=1627 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='old-level=N new-level=5 comm="system
d-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: Starting configuration refresh for ens5
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: system-update-utmp-runlevel.service: Deactivated successfully.
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: [get_meta] Querying IMDS for mac
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: [get_meta] Querying IMDS for mac
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-update-utmp-runlevel.service - Record Runlevel Change in UTMP.
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: Called trap
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="syst
emd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="syste
md" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: [get_meta] Querying IMDS for mac
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: [get_meta] Querying IMDS for mac
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: Called trap
May 29 07:12:28 ip-172-31-31-123.ec2.internal ec2net[1626]: No networkd reload needed
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:12:28 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:12:28 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 496ms (firmware) + 885ms (loader) + 397ms (kernel) + 1.012s (initrd) + 36.411s (userspace) = 39.281s.
May 29 07:14:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: Starting configuration refresh for ens5
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: [get_meta] Querying IMDS for mac
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: [get_meta] Querying IMDS for mac
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: [get_meta] Querying IMDS for mac
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: [get_meta] Querying IMDS for mac
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: Called trap
May 29 07:14:26 ip-172-31-31-123.ec2.internal ec2net[1675]: No networkd reload needed
May 29 07:14:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:14:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:14:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:14:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:16:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: Starting configuration refresh for ens5
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: [get_meta] Querying IMDS for mac
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: [get_meta] Querying IMDS for mac
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: [get_meta] Querying IMDS for mac
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: [get_meta] Querying IMDS for mac
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: Called trap
May 29 07:16:26 ip-172-31-31-123.ec2.internal ec2net[1723]: No networkd reload needed
May 29 07:16:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:16:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:16:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:16:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: Starting configuration refresh for ens5
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: [get_meta] Querying IMDS for mac
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: [get_meta] Querying IMDS for mac
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: [get_meta] Querying IMDS for mac
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: [get_meta] Querying IMDS for mac
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: Called trap
May 29 07:18:26 ip-172-31-31-123.ec2.internal ec2net[1774]: No networkd reload needed
May 29 07:18:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:18:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:18:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:20:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:20:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
May 29 07:20:26 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: Starting configuration refresh for ens5
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: [get_meta] Querying IMDS for mac
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: [get_meta] Querying IMDS for mac
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:20:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:20:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: [get_meta] Querying IMDS for mac
May 29 07:20:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: [get_meta] Querying IMDS for mac
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: Called trap
May 29 07:20:26 ip-172-31-31-123.ec2.internal ec2net[1823]: No networkd reload needed
May 29 07:20:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:20:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:20:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:20:26 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:22:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2net[1873]: Starting configuration refresh for ens5
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2net[1873]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2net[1873]: [get_meta] Querying IMDS for mac
```



```
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2Net[1873]: [get_meta] Querying IMDS for mac
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2Net[1873]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2Net[1873]: [get_meta] Querying IMDS for mac
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2Net[1873]: [get_meta] Querying IMDS for mac
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2Net[1873]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:fe4:d2b:39/local-ipv4s
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2Net[1873]: Called trap
May 29 07:22:26 ip-172-31-31-123.ec2.internal ec2Net[1873]: No networkd reload needed
May 29 07:22:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:22:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:22:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:22:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:24:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: Starting configuration refresh for ens5
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: [get_meta] Querying IMDS for mac
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: [get_meta] Querying IMDS for mac
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: [get_meta] Querying IMDS for mac
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: [get_meta] Querying IMDS for mac
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:fe4:d2b:39/local-ipv4s
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: Called trap
May 29 07:24:26 ip-172-31-31-123.ec2.internal ec2Net[1922]: No networkd reload needed
May 29 07:24:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:24:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:24:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:24:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:51 ip-172-31-31-123.ec2.internal audit[1721]: CRYPTO_KEY_USER pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:42:9a:f2:a5:fe direction=? spid=1972 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
May 29 07:25:51 ip-172-31-31-123.ec2.internal audit[1711]: CRYPTO_SESSION pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-s
erver cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1972 suid=74 rport=50361 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14
terminal=? res=success'
May 29 07:25:51 ip-172-31-31-123.ec2.internal audit[1711]: CRYPTO_SESSION pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-c
lient cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1972 suid=74 rport=50361 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14
terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: USER_AUTH pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=pubkey_auth grantors=auth-k
ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: CRYPTO_KEY_USER pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=negotiate kind=auth-k
ey fp=SHA256:c9:a5:b8:df:44:f6:61a2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: USER_ACCT pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam
_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: ACCEPTED_PUBLICKEY pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=accept kind=auth-k
ey fp=SHA256:c9:a5:b8:df:44:f6:61a2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: CRYPTO_KEY_USER pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session
fp=? direction=both spid=1972 suid=74 rport=50361 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: CRED_ACQ pid=1971 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env
,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: USER_ROLE_CHANGE pid=1971 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=pam: default-context=unconfined_u:unco
nfinied_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=succes
ss'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
May 29 07:25:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:25:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: Starting configuration refresh for ens5
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: [get_meta] Querying IMDS for mac
May 29 07:25:55 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-userdbd comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: [get_meta] Querying IMDS for mac
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: [get_meta] Querying IMDS for mac
May 29 07:25:55 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: [get_meta] Querying IMDS for mac
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:fe4:d2b:39/local-ipv4s
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: Called trap
May 29 07:25:55 ip-172-31-31-123.ec2.internal ec2Net[1974]: No networkd reload needed
May 29 07:25:55 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 07:25:55 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:25:55 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1721]: USER_SESSION pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:42:9a:f2:a5:fe direction=? spid=2038 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1721]: CRYPTO_KEY_USER pid=2038 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:42:9a:f2:a5:fe direction=? spid=2038 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: USER_ROLE_CHANGE pid=2028 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=pam: default-context=unconfined_u:u
nconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: USER_START pid=2028 uid=0 auid=1000 ses=2 subj=system_u:system_r:init_t:s0 msg=op=PAM:session_open grantors=pam_selinux,pam_selinux,pam
_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Queued start job for default target default.target.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Created slice app.slice - User Application Slice.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Started systemd-mpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Reached target paths.target - Paths.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Reached target timers.target - Timers.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Starting dbus.socket - D-Bus User Message Bus Socket...
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Starting systemd-mpfiles-setup.service - Create User's Volatile Files and Directories...
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: USER_START pid=1971 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantors=pam_selinux,pam
_loginuid,pam_keyinit,pam_namespace,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14
terminal=ssh res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2038]: CRYPTO_KEY_USER pid=2038 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:42:9a:f2:a5:fe direction=? spid=2038 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Finished systemd-mpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2038]: CRED_ACQ pid=2038 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="
ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Listening on dbus.socket - D-Bus User Message Bus Socket.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Reached target sockets.target - Sockets.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Reached target basic.target - Basic System.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Reached target default.target - Main User Target.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[2028]: Startup finished in 113ms.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1]: Started user@1000.service - User Manager for UID 1000.
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: USER_LOGIN pid=1971 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=122.176.214.14 terminal=devpts/0 res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: USER_START pid=1971 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=122.176.214.14 terminal=devpts/0 res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1711]: CRYPTO_KEY_USER pid=1971 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:42:9a:f2:a5:fe direction=? spid=2039 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=LOAD
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=LOAD
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=LOAD
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-hostnamed.service - Hostname Service...
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:25:55 ip-172-31-31-123.ec2.internal audit[1]: Started systemd-hostnamed.service - Hostname Service.
May 29 07:26:26 ip-172-31-31-123.ec2.internal audit[1]: systemd-hostnamed.service: Deactivated successfully.
May 29 07:26:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:26:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=UNLOAD
May 29 07:26:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=UNLOAD
May 29 07:26:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=UNLOAD
May 29 07:27:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:27:26 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-mpfiles-clean.service - Cleanup of User's Temporary Directories...
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2Net[2080]: Starting configuration refresh for ens5
May 29 07:27:26 ip-172-31-31-123.ec2.internal audit[1]: systemd-mpfiles-clean.service: Deactivated successfully.
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2Net[2080]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
```

```
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: [get_meta] Querying IMDS for mac
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: [get_meta] Querying IMDS for mac
May 29 07:27:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-clean.service - Cleanup of Temporary Directories.
May 29 07:27:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-clean comm="systemd" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:27:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-clean comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:27:26 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dclean.service.mount: Deactivated successfully.
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: [get_meta] Querying IMDS for mac
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: [get_meta] Querying IMDS for mac
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: Called trap
May 29 07:27:26 ip-172-31-31-123.ec2.internal ec2net[2080]: No network reload needed
May 29 07:27:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:27:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:27:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:27:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:28:26 ip-172-31-31-123.ec2.internal systemd[2028]: Starting grub-boot-success.service - Mark boot as successful...
May 29 07:28:26 ip-172-31-31-123.ec2.internal systemd[2028]: Finished grub-boot-success.service - Mark boot as successful.
May 29 07:29:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: Starting configuration refresh for ens5
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: [get_meta] Querying IMDS for mac
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: [get_meta] Querying IMDS for mac
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: [get_meta] Querying IMDS for mac
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: [get_meta] Querying IMDS for mac
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: Called trap
May 29 07:29:26 ip-172-31-31-123.ec2.internal ec2net[2152]: No network reload needed
May 29 07:29:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 07:29:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 07:29:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:38 ip-172-31-31-123.ec2.internal audit[1791]: USER_END pid=1791 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login uid=1000 exe="/usr/sbin/sshd" hostna
me=? addr=? terminal=/dev/pts/0 res=success'
May 29 07:29:38 ip-172-31-31-123.ec2.internal audit[1791]: USER_LOGOUT pid=1791 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login uid=1000 exe="/usr/sbin/sshd" hostn
ame=? addr=? terminal=/dev/pts/0 res=success'
May 29 07:29:39 ip-172-31-31-123.ec2.internal sshd[2038]: Received disconnect from 122.176.214.14 port 50361:11: disconnected by user
May 29 07:29:39 ip-172-31-31-123.ec2.internal audit[1791]: CRYP_TO_KEY_USER pid=1791 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=
both spid=2038 suid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=both spid=2038 suid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=2038 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 07:29:39 ip-172-31-31-123.ec2.internal audit[1791]: CRYP_TO_KEY_USER pid=1791 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1791 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 07:29:39 ip-172-31-31-123.ec2.internal audit[1791]: USER_END pid=1791 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinu
x,pam_loginuid,pam_selinu
x,pam_namespaces,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 t
erminal=ssh res=success'
May 29 07:29:39 ip-172-31-31-123.ec2.internal audit[1791]: CRED_DISP pid=1791 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct
="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 07:29:39 ip-172-31-31-123.ec2.internal sshd[2038]: Disconnected from user ec2-user 122.176.214.14 port 50361
May 29 07:29:39 ip-172-31-31-123.ec2.internal audit[1791]: CRYP_TO_KEY_USER pid=1791 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1791 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 07:29:39 ip-172-31-31-123.ec2.internal systemd[1]: session-1: session-1: Deactivated successfully.
May 29 07:29:39 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Session 1 logged out. Waiting for processes to exit.
May 29 07:29:39 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Removed session 1.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Power key pressed short.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Powering off...
May 29 07:29:47 ip-172-31-31-123.ec2.internal audit[1420]: System is powering down.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh\x2dpolicy\x2droutes.slice - Slice /system/refresh-policy-routes.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-sshd\x2dkeygen.slice - Slice /system/sshd-keygen.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc_pipefs.target.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: fstrim.timer: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstrim.timer - Discard unused blocks once a week.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc_pipefs.mount - RPC Pipe File System...
May 29 07:29:47 ip-172-31-31-123.ec2.internal chronyd[1596]: chronyd exiting
May 29 07:29:47 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:29:47.9446 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x562c886be900
May 29 07:29:47 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:29:47.9449 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
May 29 07:29:47 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:29:47.9449 INFO [amazon-ssm-agent] Stopping Core Agent
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
May 29 07:29:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:47 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service - Apply the settings specified in cloud-config.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy\x2droutes.slice - Slice /system/policy-routes.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@tty0.service - Serial Getty on tty0...
May 29 07:29:48 ip-172-31-31-123.ec2.internal sshd[1566]: Received signal 15; terminating.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon...
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1566]: CRYP_TO_KEY_USER pid=1566 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1566 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-logind.service - User Login Management...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2081]: Activating special unit exit.target.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped target default.target - Main User Target.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped target basic.target - Basic System.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped target paths.target - Paths.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped target sockets.target - Sockets.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped target timers.target - Timers.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Removed slice app.slice - User Application Slice.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Reached target shutdown.target - Shutdown.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Finished systemd-exit.service - Exit the Session.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[2028]: Reached target exit.target - Exit the Session.
```

```
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-logind.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-logind.service - User Login Management.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: system-random-seed.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-random-seed.service - Load/Save Random Seed.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-user-sessions.service - Permit User Sessions...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-user-1000.mount - /run/user/1000.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: system-user-sessions.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-user-sessions.service - Permit User Sessions.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: user-1000.slice: Consumed 1.144s CPU time.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-homed-activate.service - Home Area Activation...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: system-homed-activate.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-homed.service - Home Area Manager...
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: system-homed.service: Deactivated successfully.
May 29 07:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-homed.service - Home Area Manager.
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
May 29 07:29:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:29:54.9510 INFO [CredentialRefresher] Sending credential refresher stop signal
May 29 07:29:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:29:54.9510 INFO [Registrar] Registrar is already stopped
May 29 07:29:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1562]: 2026-05-29 07:29:54.9511 INFO [amazon-ssm-agent] Bye.
May 29 07:29:54 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - Amazon-ssm-agent.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd-wait-online.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-networkd-wait-online.service - Wait for Network to be Configured.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-networkd.service - Network Configuration...
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCP lease lost
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv6 lease lost
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-networkd.service - Network Configuration.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: user.slice: Consumed 1.144s CPU time.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon Socket.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.socket: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-networkd.socket - Network Service Netlink Socket.
May 29 07:29:55 ip-172-31-31-123.ec2.internal dbus-broker[1445]: Dispatched 1705 messages @ 6(418)us / message.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-network-generator.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-network-generator.service - Generate network units from Kernel command line.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sysinit.target - System Initialization.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=UNLOAD
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
```



```
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-ask-password-console.path: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-ask-password-wall.path: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-boot-update.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-boot-update.service - Automatic Boot Loader Update.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-resolved.service - Network Name Resolution...
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-update-utmp.service - Record System Boot/Shutdown in UTMF...
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-resolved.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SYSTEM_SHUTDOWN uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-resolved.service - Network Name Resolution.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-sysctl.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-sysctl.service - Apply Kernel Variables.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-coredump.socket: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-coredump.socket - Process Core Dump Socket.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-update-utmp.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-update-utmp.service - Record System Boot/Shutdown in UTMF.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopping auditd.service - Security Auditing Service...
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1280]: The audit daemon is exiting.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=0 old=1280 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: auditd.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 125 callbacks suppressed
May 29 07:29:55 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780039795.655:308): op=set audit_pid=0 old=1280 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-tmpfiles-setup.service: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 07:29:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
May 29 07:29:55 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780039795.685:309): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780039795.685:310): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting boot-efi.mount - /boot/efi...
May 29 07:29:55 ip-172-31-31-123.ec2.internal mount[2260]: umount: /run/credentials/systemd-tmpfiles-setup.service: no mount point specified.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting tmp.mount - Temporary Directory /tmp...
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Deactivated successfully.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount boot-efi.automount.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target swap.target - Swaps.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: Reached target union.target - Unmount All Filesystems.
May 29 07:29:55 ip-172-31-31-123.ec2.internal systemd[1]: system-fsck@dev-disk-by\x2duuid-6084\x2d862A.service: Deactivated successfully.
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780039796.085:311): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs-pre.target - Preparation for Local File Systems.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: systemd-remount-fs.service: Deactivated successfully.
May 29 07:29:56 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780039796.085:312): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780039796.085:313): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780039796.085:314): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal kernel: audit: type=1130 audit(1780039796.085:315): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780039796.085:316): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-remount-fs.service - Remount Root and Kernel File Systems.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: system-fsck-root.service: Deactivated successfully.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-fsck-root.service - File System Check on Root Device.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: system-tmpfiles-setup-dev.service: Deactivated successfully.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Reached target shutdown.target - System Shutdown.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Reached target final.target - Late Shutdown Services.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: system-poweroff.service: Deactivated successfully.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-poweroff.service - System Power Off.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Reached target poweroff.target - System Power Off.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Shutting down.
May 29 07:29:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd[1]: Syncing filesystems and block devices.
May 29 07:29:56 ip-172-31-31-123.ec2.internal systemd-journal[638]: Journal stopped
-- Boot 543b514a0e614b59f8d123f9508f --
May 29 10:36:33 localhost kernel: Linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SMP PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
May 29 10:36:33 localhost kernel: Command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 10:36:33 localhost kernel: KASLR enabled
May 29 10:36:33 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x000000000009ffff] usable
May 29 10:36:33 localhost kernel: BIOS-e820: [mem 0x0000000001000000-0x00000000039c0000] usable
May 29 10:36:33 localhost kernel: BIOS-e820: [mem 0x00000000039c0000-0x00000000039d0000] reserved
May 29 10:36:33 localhost kernel: BIOS-e820: [mem 0x00000000039d0000-0x00000000039d0000] ACPI data
May 29 10:36:33 localhost kernel: BIOS-e820: [mem 0x00000000039d0000-0x00000000039d0000] ACPI NVS
May 29 10:36:33 localhost kernel: BIOS-e820: [mem 0x00000000039d0000-0x00000000039d0000] usable
May 29 10:36:33 localhost kernel: BIOS-e820: [mem 0x0000000003d7c000-0x0000000003d7c000] reserved
May 29 10:36:33 localhost kernel: NX (Execute Disable) protection: active
May 29 10:36:33 localhost kernel: e820: update [mem 0x372be018-0x372c0e57] usable ==> usable
May 29 10:36:33 localhost kernel: e820: update [mem 0x372be018-0x372c0e57] usable ==> usable
May 29 10:36:33 localhost kernel: extended physical RAM map:
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x000000000009ffff] usable
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x0000000001000000-0x00000000037be017] usable
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x00000000037be018-0x00000000037c0e57] usable
```



```
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x0000000372c6e58-0x0000000390cdffff] usable
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x0000000390ce000-0x00000003934dffff] reserved
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x00000003934e000-0x00000003935dffff] ACPI data
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x00000003935e000-0x0000000393ddffff] ACPI NVS
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x0000000393de000-0x0000000393dbffff] usable
May 29 10:36:33 localhost kernel: reserve setup_data: [mem 0x0000000393dc000-0x0000000393ffff] reserved
May 29 10:36:33 localhost kernel: efi: EFI v2.70 by EDK II
May 29 10:36:33 localhost kernel: efi: SMBIOS=0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x37a4ba98
May 29 10:36:33 localhost kernel: SMBIOS 2.7 present.
May 29 10:36:33 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
May 29 10:36:33 localhost kernel: Hypervisor detected: KVM
May 29 10:36:33 localhost kernel: kvm-clock: Using mrs 4b564d01 and 4b564d00
May 29 10:36:33 localhost kernel: kvm-clock: using sched offset of 1743569148 cycles
May 29 10:36:33 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
May 29 10:36:33 localhost kernel: tsc: Detected 2499.996 MHz processor
May 29 10:36:33 localhost kernel: e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
May 29 10:36:33 localhost kernel: e820: remove [mem 0x000a0000-0x000fffff] usable
May 29 10:36:33 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x40000000
May 29 10:36:33 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
May 29 10:36:33 localhost kernel: Using 6B pages for direct mapping
May 29 10:36:33 localhost kernel: Secure boot disabled
May 29 10:36:33 localhost kernel: RAMDISK: [mem 0x32805000-0x33c61fff]
May 29 10:36:33 localhost kernel: ACPI: Early table checksum verification disabled
May 29 10:36:33 localhost kernel: ACPI: RSDP 0x0000000003935D014 000024 (v02 AMAZON)
May 29 10:36:33 localhost kernel: ACPI: XSDT 0x0000000003935C0E8 00006C (v01 AMAZON AMZNFACP 00000001 01000013)
May 29 10:36:33 localhost kernel: ACPI: FACP 0x0000000003935E000 000114 (v01 AMAZON AMZNFACP 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: SDST 0x00000000039356000 00115A (v01 AMAZON AMZNDSST 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: FACS 0x000000000393D0000 000040
May 29 10:36:33 localhost kernel: ACPI: WAET 0x0000000003935B000 00002B (v01 AMAZON AMZNWAET 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: SLIT 0x0000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: APIC 0x00000000039359000 000076 (v01 AMAZON AMZNPAPIC 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: SRAT 0x00000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: HPET 0x00000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: SSDT 0x00000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: SSDT 0x00000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 29 10:36:33 localhost kernel: ACPI: BGRT 0x00000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
May 29 10:36:33 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
May 29 10:36:33 localhost kernel: ACPI: Reserving SDST table memory at [mem 0x39356000-0x39357159]
May 29 10:36:33 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393D0000-0x393D003F]
May 29 10:36:33 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x3935B000-0x3935B027]
May 29 10:36:33 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935A000-0x3935A06B]
May 29 10:36:33 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
May 29 10:36:33 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809F]
May 29 10:36:33 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
May 29 10:36:33 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
May 29 10:36:33 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x39352000]
May 29 10:36:33 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
May 29 10:36:33 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
May 29 10:36:33 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
May 29 10:36:33 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffffff]
May 29 10:36:33 localhost kernel: NUMA: Initialized distance table, cnt=1
May 29 10:36:33 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
May 29 10:36:33 localhost kernel: Zone ranges:
May 29 10:36:33 localhost kernel: DMA [mem 0x0000000000001000-0x00000000000fffff]
May 29 10:36:33 localhost kernel: DMA32 [mem 0x0000000001000000-0x0000000003d37bfff]
May 29 10:36:33 localhost kernel: Normal empty
May 29 10:36:33 localhost kernel: Device empty
May 29 10:36:33 localhost kernel: Movable zone start for each node
May 29 10:36:33 localhost kernel: Early memory node ranges
May 29 10:36:33 localhost kernel: node 0: [mem 0x0000000000001000-0x000000000009ffff]
May 29 10:36:33 localhost kernel: node 0: [mem 0x00000000000100000-0x000000000390cdffff]
May 29 10:36:33 localhost kernel: node 0: [mem 0x000000000393de000-0x0000000003d37bfff]
May 29 10:36:33 localhost kernel: Init setup node 0 [mem 0x0000000000001000-0x0000000003d37bfff]
May 29 10:36:33 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
May 29 10:36:33 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
May 29 10:36:33 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
May 29 10:36:33 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
May 29 10:36:33 localhost kernel: ACPI: PM-Timer IO Port: 0xb008
May 29 10:36:33 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] dfl dfl lint[0x1])
May 29 10:36:33 localhost kernel: IOAPIC[0]: apic_id=0, version 32, address 0xfec00000, GSI 0-23
May 29 10:36:33 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
May 29 10:36:33 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
May 29 10:36:33 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
May 29 10:36:33 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
May 29 10:36:33 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
May 29 10:36:33 localhost kernel: ACPI: HPET id: 0x8086a201 base: 0xfed00000
May 29 10:36:33 localhost kernel: TSC deadline timer available
May 29 10:36:33 localhost kernel: smptboot: Allowing 2 CPUs, 0 hotplug CPUs
May 29 10:36:33 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
May 29 10:36:33 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x000fffff]
May 29 10:36:33 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393ddfff]
May 29 10:36:33 localhost kernel: [mem 0x3d400000-0xffffffff] available for PCI devices
May 29 10:36:33 localhost kernel: Booting paravirtualized kernel on KVM
May 29 10:36:33 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260462750000 ns
May 29 10:36:33 localhost kernel: setup_percpu: NR_CPUS=8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
May 29 10:36:33 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1848576
May 29 10:36:33 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1848576 alloc=1x2897152
May 29 10:36:33 localhost kernel: pcpu-initial: [0] 1
May 29 10:36:33 localhost kernel: kvm-guest: PV spinlocks enabled
May 29 10:36:33 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
May 29 10:36:33 localhost kernel: Fallback order for Node 0: 0
May 29 10:36:33 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
May 29 10:36:33 localhost kernel: Policy zone: DMA32
May 29 10:36:33 localhost kernel: Kernel command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 10:36:33 localhost kernel: random: crng init done
May 29 10:36:33 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
May 29 10:36:33 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
May 29 10:36:33 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
May 29 10:36:33 localhost kernel: Memory: 26860K/99946K available (14347K kernel code, 9305K rwdata, 8964K rodata, 2456K init, 6356K bss, 133544K reserved, 0K cma-reserved)
May 29 10:36:33 localhost kernel: SLUB: Hwalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
May 29 10:36:33 localhost kernel: Kernel/User page tables isolation: enabled
May 29 10:36:33 localhost kernel: ftrace: allocating 42099 entries in 165 pages
May 29 10:36:33 localhost kernel: ftrace: allocated 165 pages with 4 groups
May 29 10:36:33 localhost kernel: Dynamic Preempt: none
May 29 10:36:33 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
May 29 10:36:33 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
May 29 10:36:33 localhost kernel: Trampoline variant of Tasks RCU enabled.
May 29 10:36:33 localhost kernel: Rude variant of Tasks RCU enabled.
May 29 10:36:33 localhost kernel: Tracing variant of Tasks RCU enabled.
May 29 10:36:33 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
May 29 10:36:33 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
May 29 10:36:33 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
May 29 10:36:33 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
May 29 10:36:33 localhost kernel: Console: colour dummy device 80x25
May 29 10:36:33 localhost kernel: printk: console [tty0] enabled
May 29 10:36:33 localhost kernel: printk: console [ttyS0] enabled
May 29 10:36:33 localhost kernel: ACPI: Core revision 20220331
May 29 10:36:33 localhost kernel: clocksource: hpert: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
May 29 10:36:33 localhost kernel: APIC: Switch to symmetric I/O mode setup
May 29 10:36:33 localhost kernel: x2apic enabled
May 29 10:36:33 localhost kernel: Switched APIC routing to physical x2apic.
May 29 10:36:33 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
May 29 10:36:33 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999960)
May 29 10:36:33 localhost kernel: Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
May 29 10:36:33 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
May 29 10:36:33 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
May 29 10:36:33 localhost kernel: Spectre V2 : Mitigation: Retpolines
May 29 10:36:33 localhost kernel: Spectre V2 / SpectreRSB: Filling RSB on context switch and VEXIT
May 29 10:36:33 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
May 29 10:36:33 localhost kernel: RETbleed: Vulnerable
May 29 10:36:33 localhost kernel: Speculative Store Bypass: Vulnerable
May 29 10:36:33 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 10:36:33 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 10:36:33 localhost kernel: GDS: Unknown: Dependent on hypervisor status
May 29 10:36:33 localhost kernel: active return thunk: its_return_thunk
May 29 10:36:33 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x00: 'x87 floating point registers'
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
```

```
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
May 29 10:36:33 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
May 29 10:36:33 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
May 29 10:36:33 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
May 29 10:36:33 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
May 29 10:36:33 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
May 29 10:36:33 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
May 29 10:36:33 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
May 29 10:36:33 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
May 29 10:36:33 localhost kernel: x86/fpu: Enabled xstate features 0x2fff, context size is 2568 bytes, using 'compacted' format.
May 29 10:36:33 localhost kernel: Freeing SMP alternatives memory: 36K
May 29 10:36:33 localhost kernel: pid_max: default: 32768 minimum: 301
May 29 10:36:33 localhost kernel: LSM: Security Framework initializing
May 29 10:36:33 localhost kernel: landlock: Up and running.
May 29 10:36:33 localhost kernel: Yama: becoming mindful.
May 29 10:36:33 localhost kernel: SELinux: Initializing.
May 29 10:36:33 localhost kernel: LSM support for eBPF active
May 29 10:36:33 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 10:36:33 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 10:36:33 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
May 29 10:36:33 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 10:36:33 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 10:36:33 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 10:36:33 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 10:36:33 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 10:36:33 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 10:36:33 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
May 29 10:36:33 localhost kernel: signal: max sigframe size: 3632
May 29 10:36:33 localhost kernel: rcu: Hierarchical SRCU implementation.
May 29 10:36:33 localhost kernel: rcu: Max phase no-delay instances is 1000.
May 29 10:36:33 localhost kernel: smp: Bringing up secondary CPUs ...
May 29 10:36:33 localhost kernel: x86: Booting SMP configuration:
May 29 10:36:33 localhost kernel: .... node #0, CPUs: #1
May 29 10:36:33 localhost kernel: MDS CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
May 29 10:36:33 localhost kernel: MMIO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
May 29 10:36:33 localhost kernel: smp: Brought up 1 node, 2 CPUs
May 29 10:36:33 localhost kernel: smpboot: Max logical packages: 1
May 29 10:36:33 localhost kernel: smpboot: Total of 2 processors activated (9999.98 BogoMIPS)
May 29 10:36:33 localhost kernel: node 0 deferred pages initialised in 0ms
May 29 10:36:33 localhost kernel: devtmpfs: initialized
May 29 10:36:33 localhost kernel: x86/mm: Memory block size: 128MB
May 29 10:36:33 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393ddfff] (524288 bytes)
May 29 10:36:33 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
May 29 10:36:33 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
May 29 10:36:33 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
May 29 10:36:33 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
May 29 10:36:33 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
May 29 10:36:33 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
May 29 10:36:33 localhost kernel: audit: initializing netlink subsys (disabled)
May 29 10:36:33 localhost kernel: audit: type=2000 audit(1780050994.413:1): state=initialized audit_enabled=0 res=1
May 29 10:36:33 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
May 29 10:36:33 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
May 29 10:36:33 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
May 29 10:36:33 localhost kernel: cpuidle: using governor ladder
May 29 10:36:33 localhost kernel: cpuidle: using governor menu
May 29 10:36:33 localhost kernel: ef1: Freeing EFI boot services memory: 44696K
May 29 10:36:33 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
May 29 10:36:33 localhost kernel: PCI: Using configuration type 1 for base access
May 29 10:36:33 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
May 29 10:36:33 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
May 29 10:36:33 localhost kernel: HugeTLB: 16384 KiB vmemmap can be freed for a 1.00 GiB page
May 29 10:36:33 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
May 29 10:36:33 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
May 29 10:36:33 localhost kernel: cryptd: max_cpu_qlen set to 1000
May 29 10:36:33 localhost kernel: ACPI: Added _OSI(Module Device)
May 29 10:36:33 localhost kernel: ACPI: Added _OSI(Processor Device)
May 29 10:36:33 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
May 29 10:36:33 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
May 29 10:36:33 localhost kernel: ACPI: Interpreter enabled
May 29 10:36:33 localhost kernel: ACPI: PM: (supports S8 S4 S5)
May 29 10:36:33 localhost kernel: ACPI: Using IOAPIC for interrupt routing
May 29 10:36:33 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
May 29 10:36:33 localhost kernel: PCI: Using E820 reservations for host bridge windows
May 29 10:36:33 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
May 29 10:36:33 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
May 29 10:36:33 localhost kernel: acpi PNPBA03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
May 29 10:36:33 localhost kernel: acpi PNPBA03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
May 29 10:36:33 localhost kernel: WARNING: CPU:0/0: ACPI: PNPBA03:00: _OSC: can't access extended PCI configuration space under this bridge.
May 29 10:36:33 localhost kernel: acpihp: Slot [3] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [4] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [5] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [6] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [7] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [8] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [9] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [10] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [11] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [12] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [13] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [14] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [15] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [16] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [17] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [18] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [19] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [20] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [21] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [22] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [23] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [24] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [25] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [26] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [27] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [28] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [29] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [30] registered
May 29 10:36:33 localhost kernel: acpihp: Slot [31] registered
May 29 10:36:33 localhost kernel: PCI host bridge to bus 0000:00
May 29 10:36:33 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0xcff7 window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: root bus resource [io 0x8000-0xffff window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0x000bffff window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x100000000-0x2000ffffff window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
May 29 10:36:33 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
May 29 10:36:33 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x060000
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at fff0-ffff
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc00000-ffffff
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at fff0-ffff
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc00000-ffffff
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at fff0-ffff
May 29 10:36:33 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at fff0-ffff
May 29 10:36:33 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
May 29 10:36:33 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x80000000-0x803fffff pref]
May 29 10:36:33 localhost kernel: pci 0000:00:03.0: BAR 1 [mem 0x80000000-0x803fffff pref]
May 29 10:36:33 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x000c0000-0x000dffff]
May 29 10:36:33 localhost kernel: pci 0000:00:04.0: [1d0f:0061] type 00 class 0x010002
May 29 10:36:33 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x80404000-0x80407fff]
May 29 10:36:33 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
May 29 10:36:33 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x80400000-0x80403fff]
May 29 10:36:33 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
May 29 10:36:33 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
May 29 10:36:33 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
May 29 10:36:33 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
May 29 10:36:33 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
May 29 10:36:33 localhost kernel: iommu: Default domain type: Translated
May 29 10:36:33 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
May 29 10:36:33 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
May 29 10:36:33 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
```

```
May 29 10:36:33 localhost kernel: PTP clock support registered
May 29 10:36:33 localhost kernel: EDAC MC: Ver: 3.0.0
May 29 10:36:33 localhost kernel: Registered efivars operations
May 29 10:36:33 localhost kernel: NetLabel: Initializing
May 29 10:36:33 localhost kernel: NetLabel: domain hash size = 128
May 29 10:36:33 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
May 29 10:36:33 localhost kernel: NetLabel: unlabeled traffic allowed by default
May 29 10:36:33 localhost kernel: PCI: Using ACPI for IRQ routing
May 29 10:36:33 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
May 29 10:36:33 localhost kernel: e820: reserve RAM buffer [mem 0x372be018-0x37ffffff]
May 29 10:36:33 localhost kernel: e820: reserve RAM buffer [mem 0x390ce000-0x3bffffff]
May 29 10:36:33 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3fffffff]
May 29 10:36:33 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 0, 0, 0, 0, 0, 0, 0
May 29 10:36:33 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 Mhz counter
May 29 10:36:33 localhost kernel: clocksource: Switched to clocksource kvm-clock
May 29 10:36:33 localhost kernel: VFS: Disk quotas dquot_6.6.0
May 29 10:36:33 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
May 29 10:36:33 localhost kernel: pnp: PnP ACPI init
May 29 10:36:33 localhost kernel: pnp: PnP ACPI: found 5 devices
May 29 10:36:33 localhost kernel: clocksource: acpi_pm: mask: 0xfffff max_cycles: 0xfffff, max_idle_ns: 2085701024 ns
May 29 10:36:33 localhost kernel: NET: Registered PF_INET protocol family
May 29 10:36:33 localhost kernel: IP idents hash table entries: 16384 (order: 5, 131072 bytes, linear)
May 29 10:36:33 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
May 29 10:36:33 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
May 29 10:36:33 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
May 29 10:36:33 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
May 29 10:36:33 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
May 29 10:36:33 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
May 29 10:36:33 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 10:36:33 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 10:36:33 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
May 29 10:36:33 localhost kernel: NET: Registered PF_XDP protocol family
May 29 10:36:33 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x00a0000-0x00bffff window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x0000000-0xfefbffff window]
May 29 10:36:33 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x10000000-0x2000fffff window]
May 29 10:36:33 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
May 29 10:36:33 localhost kernel: PCI: CLS 0 bytes, default 64
May 29 10:36:33 localhost kernel: clocksource: tsc: mask: 0xffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
May 29 10:36:33 localhost kernel: Trying to unpack rootfs image as initramfs...
May 29 10:36:33 localhost kernel: clocksource: Switched to clocksource tsc
May 29 10:36:33 localhost kernel: Initialise system trusted keyrings
May 29 10:36:33 localhost kernel: Key type blacklist registered
May 29 10:36:33 localhost kernel: workerset: timestamp_bits=36 max_order=18 bucket_order=0
May 29 10:36:33 localhost kernel: zbud: loaded
May 29 10:36:33 localhost kernel: SGX: XFS with ACLs, security attributes, quota, no debug enabled
May 29 10:36:33 localhost kernel: integrity: Platform Keyring initialized
May 29 10:36:33 localhost kernel: integrity: Machine Keyring initialized
May 29 10:36:33 localhost kernel: Key type asymmetric registered
May 29 10:36:33 localhost kernel: Asymmetric key parser 'x509' registered
May 29 10:36:33 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
May 29 10:36:33 localhost kernel: io scheduler mq-deadline registered
May 29 10:36:33 localhost kernel: io scheduler kyber registered
May 29 10:36:33 localhost kernel: io scheduler bfq registered
May 29 10:36:33 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
May 29 10:36:33 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
May 29 10:36:33 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
May 29 10:36:33 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
May 29 10:36:33 localhost kernel: nvme nvme0: pci function 0000:00:04.0
May 29 10:36:33 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
May 29 10:36:33 localhost kernel: ACPI: X_S8_LNKD: Enabled at IRQ 11
May 29 10:36:33 localhost kernel: rtc_cmos 00:00: registered as rtc0
May 29 10:36:33 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-05-29T10:36:33 UTC (1780050993)
May 29 10:36:33 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
May 29 10:36:33 localhost kernel: vmclock AMZNC10C:00: vmclock0: registered miscdev
May 29 10:36:33 localhost kernel: intel_pstate: CPU model not supported
May 29 10:36:33 localhost kernel: pstore: Registered efi as persistent store backend
May 29 10:36:33 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
May 29 10:36:33 localhost kernel: NET: Registered PF_INET6 protocol family
May 29 10:36:33 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
May 29 10:36:33 localhost kernel: nvme0n1: p1 p127 p128
May 29 10:36:33 localhost kernel: Freeing initrd memory: 20340K
May 29 10:36:33 localhost kernel: Segment Routing with IPv6
May 29 10:36:33 localhost kernel: In-situ OAM (IOAM) with IPv6
May 29 10:36:33 localhost kernel: NET: Registered PF_PACKET protocol family
May 29 10:36:33 localhost kernel: IPI shorthand broadcast: enabled
May 29 10:36:33 localhost kernel: AVX2 version of gcm_enc/dec engaged.
May 29 10:36:33 localhost kernel: AES CTR mode by8 optimization enabled
May 29 10:36:33 localhost kernel: sched_clock: Marking stable (260289312, 2953838)-->(260289312, -21553402)
May 29 10:36:33 localhost kernel: registered taskstats version 1
May 29 10:36:33 localhost kernel: Loading compiled-in X.509 certificates
May 29 10:36:33 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9049a1ad84746a4'
May 29 10:36:33 localhost kernel: zswap: loaded using pool lzo/zbud
May 29 10:36:33 localhost kernel: Key type .fscrypt registered
May 29 10:36:33 localhost kernel: Key type fscrypt-provisioning registered
May 29 10:36:33 localhost kernel: pstore: Using crash dump compression: deflate
May 29 10:36:33 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
May 29 10:36:33 localhost kernel: ima: Allocated hash algorithm: sha256
May 29 10:36:33 localhost kernel: ima: No architecture policies found
May 29 10:36:33 localhost kernel: clk: Disabling unused clocks
May 29 10:36:33 localhost kernel: Freeing unused decrypted memory: 2036K
May 29 10:36:33 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
May 29 10:36:33 localhost kernel: Write protecting the kernel read-only data: 26624k
May 29 10:36:33 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
May 29 10:36:33 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
May 29 10:36:33 localhost kernel: Run /init as init process
May 29 10:36:33 localhost kernel: with arguments:
May 29 10:36:33 localhost kernel: /init
May 29 10:36:33 localhost kernel: with environment:
May 29 10:36:33 localhost kernel: HOME=/
May 29 10:36:33 localhost kernel: TERM=linux
May 29 10:36:33 localhost systemd[1]: systemd[252.23-11.amzn2023 running in system mode (+PAM+AUDIT+SELINUX+APPARMOR+IMA+SMACK+SECCOMP+GCRYPT+GNUTLS+OPENSSL+ACL+BLKID+CURL+ELFUTILS+
+FDIO2+IDW2-IDN+IPC+KMOD+LIBCRYPTSETUP+LIBDISK+PCRE2+PQQUALITY+P11KIT+QRENCODE+TPM2-BZIP2-LZ4+XZ+ZLIB-ZSTD+BPFL+FRAMEWORK+XKBCOMMON+UTMP+SYSVINIT default-hierarchy=unified)
May 29 10:36:33 localhost systemd[1]: Detected architecture x86_64.
May 29 10:36:33 localhost systemd[1]: Detected architecture x86_64.
May 29 10:36:33 localhost systemd[1]: Running in initrd.
May 29 10:36:33 localhost systemd[1]: No hostname configured, using default hostname.
May 29 10:36:33 localhost systemd[1]: Hostname set to <localhost>.
May 29 10:36:33 localhost systemd[1]: Initializing machine ID from VM UUID.
May 29 10:36:33 localhost systemd[1]: Queued start job for default target initrd.target.
May 29 10:36:33 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 10:36:33 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120-v2d868aVx2d45cd\x2daa78\x2db0680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
May 29 10:36:33 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
May 29 10:36:33 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 10:36:33 localhost systemd[1]: Reached target paths.target - Path Units.
May 29 10:36:33 localhost systemd[1]: Reached target slices.target - Slice Units.
May 29 10:36:33 localhost systemd[1]: Reached target swap.target - Swaps.
May 29 10:36:33 localhost systemd[1]: Reached target timers.target - Timer Units.
May 29 10:36:33 localhost systemd[1]: Listening on systemd-journal-audit.socket - Journal Audit Socket.
May 29 10:36:33 localhost systemd[1]: Listening on systemd-journal-dev-log.socket - Journal Socket (/dev/log).
May 29 10:36:33 localhost systemd[1]: Listening on systemd-journal.socket - Journal Socket.
May 29 10:36:33 localhost systemd[1]: Listening on systemd-udevd-control.socket - udev Control Socket.
May 29 10:36:33 localhost systemd[1]: Listening on systemd-udevd-kernel.socket - udev Kernel Socket.
May 29 10:36:33 localhost systemd[1]: Reached target sockets.target - Socket Units.
May 29 10:36:33 localhost systemd[1]: kmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname).
May 29 10:36:33 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
May 29 10:36:33 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 10:36:33 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 10:36:33 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
May 29 10:36:33 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
May 29 10:36:33 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
May 29 10:36:33 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
May 29 10:36:33 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
May 29 10:36:33 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 29 10:36:33 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
May 29 10:36:33 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 10:36:33 localhost kernel: audit: type=1130 audit(1780050993.910:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysctl comm=systemd exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost kernel: audit: type=1130 audit(1780050993.910:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysusers comm=systemd exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost systemd-journal[346]: Journal started
```

```
May 29 10:36:33 localhost systemd-journal[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48b11fe) is 2.2M, max 18.3M, 16.0M free.
May 29 10:36:33 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
May 29 10:36:33 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
May 29 10:36:33 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
May 29 10:36:33 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
May 29 10:36:33 localhost systemd[1]: Starting system-tmpfiles-setup.service - Create Volatile Files and Directories...
May 29 10:36:33 localhost systemd[1]: Started system-journald.service - Journal Service.
May 29 10:36:33 localhost audit[1]: type=1130 audit(1780050993.920:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost kernel: audit: type=1130 audit(1780050993.930:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d4e4801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 10:36:33 localhost systemd-tmpfiles[367]: /usr/lib/tmpfiles.d/var.conf:4: Duplicate line for path "/var/log", ignoring.
May 29 10:36:33 localhost systemd[1]: Finished system-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 10:36:33 localhost systemd[1]: Finished system-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 10:36:33 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost kernel: audit: type=1130 audit(1780050993.940:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
May 29 10:36:33 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
May 29 10:36:33 localhost audit: BPF prog-id=6 op=LOAD
May 29 10:36:33 localhost audit: BPF prog-id=7 op=LOAD
May 29 10:36:33 localhost kernel: audit: type=1130 audit(1780050993.960:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:33 localhost kernel: audit: type=1334 audit(1780050993.960:8): prog-id=6 op=LOAD
May 29 10:36:33 localhost kernel: audit: type=1334 audit(1780050993.960:9): prog-id=7 op=LOAD
May 29 10:36:33 localhost systemd[1]: Starting system-udev.service - Rule-based Manager for Device Events and Files...
May 29 10:36:34 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
May 29 10:36:34 localhost systemd[1]: Started system-udev.service - Rule-based Manager for Device Events and Files.
May 29 10:36:34 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
May 29 10:36:34 localhost kernel: audit: type=1130 audit(1780050994.000:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 10:36:34 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Starting system-udev-trigger.service - Coldplug All udev Devices...
May 29 10:36:34 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Finished system-udev-trigger.service - Coldplug All udev Devices.
May 29 10:36:34 localhost systemd[1]: Reached target sysinit.target - System Initialization.
May 29 10:36:34 localhost systemd[1]: Reached target basic.target - Basic System.
May 29 10:36:34 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
May 29 10:36:34 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 10:36:34 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 29 10:36:34 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
May 29 10:36:34 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 10:36:34 localhost rngd[775]: Disabling 7: PKCS11 Entropy generating (7)
May 29 10:36:34 localhost rngd[775]: Disabling 5: NIST Network Entropy Beacon (nist)
May 29 10:36:34 localhost rngd[775]: Initializing available sources
May 29 10:36:34 localhost rngd[775]: [hwrng ]: Initialization Failed
May 29 10:36:34 localhost rngd[775]: [rdrand]: Enabling RDSEED rng support
May 29 10:36:34 localhost rngd[775]: [rdrand]: Initialized
May 29 10:36:34 localhost rngd[775]: [jitter]: JITTER timeout set to 5 sec
May 29 10:36:34 localhost systemd[1]: Found device dev-disk-by\x2d\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
May 29 10:36:34 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
May 29 10:36:34 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
May 29 10:36:34 localhost rngd[775]: [jitter]: Initializing AES buffer
May 29 10:36:34 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
May 29 10:36:34 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
May 29 10:36:34 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
May 29 10:36:34 localhost kernel: XFS (nvme0n1p1): Ending clean mount
May 29 10:36:34 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
May 29 10:36:34 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
May 29 10:36:34 localhost kernel: initrd-parse-etc.service: Mountpoints Configured in the Real Root.
May 29 10:36:34 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
May 29 10:36:34 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
May 29 10:36:34 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
May 29 10:36:34 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot hook was skipped because no trigger condition checks were met.
May 29 10:36:34 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
May 29 10:36:34 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
May 29 10:36:34 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
May 29 10:36:34 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
May 29 10:36:34 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 29 10:36:34 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 10:36:34 localhost systemd[1]: Stopped target timers.target - Timer Units.
May 29 10:36:34 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
May 29 10:36:34 localhost systemd[1]: system-vconsole-setup.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped system-vconsole-setup.service - Setup Virtual Console.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: rngd.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
May 29 10:36:34 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Stopped target basic.target - Basic System.
May 29 10:36:34 localhost systemd[1]: Stopped target paths.target - Path Units.
May 29 10:36:34 localhost systemd[1]: system-ask-password-console.path: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped system-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 10:36:34 localhost systemd[1]: Stopped target slices.target - Slice Units.
May 29 10:36:34 localhost systemd[1]: Stopped target sockets.target - Socket Units.
May 29 10:36:34 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
May 29 10:36:34 localhost systemd[1]: Stopped target swap.target - Swaps.
May 29 10:36:34 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped system-sysctl.service - Apply Kernel Variables.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: system-tmpfiles-setup.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped system-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
May 29 10:36:34 localhost systemd[1]: system-udev-trigger.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped system-udev-trigger.service - Coldplug All udev Devices.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Stopping system-udev.service - Rule-based Manager for Device Events and Files...
May 29 10:36:34 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: system-udev.service: Deactivated successfully.
```



```
May 29 10:36:34 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
May 29 10:36:34 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Starting initrd-udevadm-clean-up-db.service - Cleanup udev Database...
May 29 10:36:34 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 10:36:34 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
May 29 10:36:34 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: initrd-udevadm-clean-up-db.service: Deactivated successfully.
May 29 10:36:34 localhost systemd[1]: Finished initrd-udevadm-clean-up-db.service - Cleanup udev Database.
May 29 10:36:34 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-clean-up-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-clean-up-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:34 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
May 29 10:36:34 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
May 29 10:36:34 localhost systemd[1]: Switching root.
May 29 10:36:34 localhost systemd-journal[346]: Journal stopped
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd-journal[346]: Received SIGTERM from PID 1 (systemd).
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user namespace not defined in policy.
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability mnp_nosuid_transition=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability gfs_seclabel_symlinks=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_cloexec=0
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 132.460ms.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 20.702ms.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: system 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PUCHAR +QTZ +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: bpf-lsm: LSM BPF program attached
May 29 10:36:35 ip-172-31-31-123.ec2.internal zram-generator: config[818]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket; please update the unit file accordingly.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt-misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Expiring device dev-ttyS0.device - /dev/ttyS0.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unmet condition check (ConditionPathExists=!/etc/krb5.keytab).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm.service - Load Kernel Module dm...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-convert.service - Preprocess NFS configuration conversion...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journal.service - Journal Service.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal.service - Journal Service...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd-journal[839]: Journal started
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd-journal[839]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
May 29 10:36:34 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD auid=4294967295 ses=4294967295 lsm=selinux res=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
```

```
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=3 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=4 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=5 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=kmod-static-nodes comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 audit=4294967295 ses=4294967295 subj=system_u:system_r:syslogd:t:s0 res=1
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[839]: SYSCALL arch=0000083e syscall=446 success=yes exit=60 a0=6 a1=7ffe61c09530 a2=4000 a3=7ffe61c095bc items=0 ppid=1 pid=839 audit=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="systemd-journald" exe="/usr/lib/systemd/systemd-journald" subj=system_u:system_r:syslogd:t:s0 keys=(null)
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/usr/lib/systemd/systemd-journald"
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Queued start job for default target graphical.target.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd-fsck[867]: /usr/sbin/fsck.xfs: XFS file system.
May 29 10:36:35 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobeconfigfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobeconfigfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-journald.service - Journal Service.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: nfs-convertd.service: Deactivated successfully.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished nfs-convertd.service - Preprocess NFS configuration conversion.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck-root.service - File System Check on Root Device.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-network-generator.service - Generate network units from Kernel command line.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-remount-fs.service - Remount Root and Kernel File Systems.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tpmfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd-journal[839]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d59b4fc48811fe is 50.187ms for 778 entries.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd-journal[839]: System Journal (/var/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 16.0M, max 811.6M, 795.6M free.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd-journal[839]: Received client request to flush runtime journal.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Firstboot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tpmfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-tpmfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi automount.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/run/initramfs/state).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-token.service - Store a System Token in an EFI variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-Aa67b082-Ba4c-41cf-b6c7-44A0B29bb8c4f).
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-boot-update.service - Automatic Boot Loader Update...
May 29 10:36:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathExistsMountPoint=/etc/machine-id).
May 29 10:36:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=LOAD
```

```

May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=LOAD
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: BPF prog-id=6 op=UNLOAD
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Starting systemd-mpfiles-setup.service - Create Volatile Files and Directories...
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1254 (bootctl)
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Created slice system-systemd-xdsk.service - Slice /system/systemd-fsck.
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862a.device - /dev/disk/by-uuid/6084-862A...
May 29 10:36:36 ip-172-31-31-123.ec2.internal system-udev[1256]: Using default interface naming scheme 'v252'.
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-mpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Finished systemd-mpfiles-setup.service - Create Volatile Files and Directories.
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=LOAD
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Starting auditd.service - Security Auditing Service...
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=var).
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Starting systemd-resolved.service - Network Name Resolution...
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
May 29 10:36:36 ip-172-31-31-123.ec2.internal auditd[1282]: No plugins found, not dispatching events
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
May 29 10:36:36 ip-172-31-31-123.ec2.internal system[1]: Reached target rpc_pipefs.target.
May 29 10:36:36 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
May 29 10:36:36 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
May 29 10:36:36 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
May 29 10:36:36 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit[1282]: SYSSCALL arch=0000003c syscall=44 success=yes exit=60 a0=3 a1=7ffc25d56d38 a2=3c a3=0 items=0 ppid=1277 pid=1282 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) exe="/usr/sbin/auditd" comm="auditd" subj=system_u:system_r:auditd_t:s0 keys=(null)
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: PROCTITLE procname="/sbin/auditd"
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit[1282]: SYSSCALL arch=0000003c syscall=44 success=yes exit=60 a0=3 a1=7ffc25d56d38 a2=3c a3=0 items=0 ppid=1277 pid=1282 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) exe="/usr/sbin/auditd" comm="auditd" subj=system_u:system_r:auditd_t:s0 keys=(null)
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit: PROCTITLE procname="/sbin/auditd"
May 29 10:36:36 ip-172-31-31-123.ec2.internal audit[1282]: Init complete, auditd 3.1.5 listening for events (startup state enable)
May 29 10:36:36 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
May 29 10:36:36 ip-172-31-31-123.ec2.internal system-resolved[1279]: Positive Trust Anchors:
May 29 10:36:36 ip-172-31-31-123.ec2.internal system-resolved[1279]: . IN DS 20326 8 2 606f44b08b8f39a95ce0b07c65d08458e880490bbc63457104237c7f8ec8d
May 29 10:36:36 ip-172-31-31-123.ec2.internal system-resolved[1279]: Negative trust anchors: home.arpa 10.in-addr.arpa 16.172.in-addr.arpa 17.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRF]
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input1
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) v2.16.1g
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: i8042: PNP: PS/2 Controller [PNP0303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: i8042: No keyboard node
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA device version: 0.10
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA controller version: 0.0.1 implementation version 1
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: serio: i8042 KBD port at 0x60,0x64 irq 1
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: serio: i8042 AUX port at 0x60,0x64 irq 12
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: LQI is not supported fallback to host mode policy.
May 29 10:36:37 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) found at mem 00400000, mac addr 0a:ff:e4:df:2b:39
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule keys=(null) list=1 res=1
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1327]: SYSSCALL arch=0000003c syscall=44 success=yes exit=1056 a0=3 a1=7ffeb44cd300 a2=a28 a3=0 items=0 ppid=1327 pid=1327 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) exe="/usr/sbin/auditd" comm="auditd" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: PROCTITLE procname="/usr/sbin/auditd"
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule keys=(null) list=1 res=1
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1332]: SYSTEM_BOOT pid=1332 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May
```



```
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Mounted boot-efi.mount - /boot/efi.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started fstirm.timer - Discard unused blocks once a week.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started update-notif.timer - Timer for Dynamically Generate Message Of The Day.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Daemon Socket.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb
).
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists
=/sys/firmware/efi/efivars/StubPcrKernelImage-4467b82-0a4c-41cf-b6c7-440b29bb8c4f).
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started policy-routes@ens5.service - Set up policy routes for ens5...
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecda Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/ru
n/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=
/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/sy
stemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
May 29 10:36:37 ip-172-31-31-123.ec2.internal rm[1415]: removed '/var/lib/cloud/instance/boot-finished'
May 29 10:36:37 ip-172-31-31-123.ec2.internal rm[1415]: removed '/var/lib/cloud/instance'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-loopk.target - User and Group Name Lookups.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat.service - Resets System Activity Logs...
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed[1421]: Watching Home
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
May 29 10:36:37 ip-172-31-31-123.ec2.internal ec2net[1419]: Starting configuration for ens5
May 29 10:36:37 ip-172-31-31-123.ec2.internal ec2net[1427]: /lib/systemd/systemd-networkd-wait-online ens5
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Watching system buttons on /dev/input/event0 (Power Button)
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Watching system buttons on /dev/input/event1 (Sleep Button)
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd-logind[1422]: New seat seat0.
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat.service - Resets System Activity Logs.
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
May 29 10:36:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
May 29 10:36:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal dbus-broker-lau[1444]: Ready
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: lo: Link UP
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: lo: Gained carrier
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: Enumeration completed
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Link UP
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Gained carrier
May 29 10:36:38 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: Local page cache is disabled for less than 16 channels
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=/e
tc/krb5.keytab).
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi
/efivars/StubPcrKernelImage-4467b82-0a4c-41cf-b6c7-440b29bb8c4f).
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Gained IPv6LL
May 29 10:36:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="syst
emd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
May 29 10:36:38 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for mac
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for mac
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac0:ff:e4:df:2b:39/subnet-ipv4-cidr-block
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac0:ff:e4:df:2b:39/subnet-ipv4-cidr-block
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for mac
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for mac
May 29 10:36:38 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac0:ff:e4:df:2b:39/local-ipv4s
May 29 10:36:39 ip-172-31-31-123.ec2.internal ec2net[1419]: Called trap
May 29 10:36:39 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
May 29 10:36:39 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCP lease lost
May 29 10:36:39 ip-172-31-31-123.ec2.internal ec2net[1419]: Reloaded networkd
May 29 10:36:39 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv6 lease lost
May 29 10:36:39 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
May 29 10:36:39 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:39 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: Cloud-init v. 22.2.2 running 'init' at Fri, 29 May 2026 10:36:39 +0000. Up 6.14 seconds.
```



```
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info: ++++++Net device info+++++
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
Device      Up      Address      Mask      Scope      Hw-Address
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
ens5      True      172.31.31.123      255.255.240.0      global      0a:ff:e4:df:2b:39
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
lo      True      fe80::8ff:fe:d3:2b39:64      255.0.0.0      host      0a:ff:e4:df:2b:39
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
lo      True      ::1/128      .      host      .
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info: ++++++Route IPv4 info+++++
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
Route      Destination      Gateway      Genmask      Interface      Flags
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
0      0.0.0.0      172.31.16.1      0.0.0.0      ens5      UG
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
1      172.31.0.2      172.31.16.1      255.255.255.255      ens5      UG
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
2      172.31.16.0      0.0.0.0      255.255.240.0      ens5      U
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
3      172.31.16.1      0.0.0.0      255.255.255.255      ens5      UH
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info: ++++++Route IPv6 info+++++
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
Route      Destination      Gateway      Interface      Flags
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
0      fe80::/64      ::      ens5      U
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
2      local      ::      ens5      U
May 29 10:36:39 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:
3      multicast      ::      ens5      U
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Started Amazon-ssm-agent.service - amazon-ssm-agent.
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
May 29 10:36:40 ip-172-31-31-123.ec2.internal sm-notify[1567]: Version 2.5.4 starting
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unitsystemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
May 29 10:36:40 ip-172-31-31-123.ec2.internal sshd[1568]: Server listening on 0.0.0.0 port 22.
May 29 10:36:40 ip-172-31-31-123.ec2.internal sshd[1568]: Server listening on :: port 22.
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: chrony-config.service: Deactivated successfully.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting chronyd.service - NTP client/server...
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=49 op=LOAD
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: Initializing the seelog logger
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: New Seelog Logger Creation Complete
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.3584 INFO Proxy environment variables:
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.3602 INFO https_proxy:
May 29 10:36:40 ip-172-31-31-123.ec2.internal chronyd[1600]: chronyd version 4.3 starting (+CMMODM +NTP +REFCLOCK +RTC +PRIVDROP +SCFILTER +SIGND +ASYNCDNS +NTS +SECHASH +IPV6 +DEBUG)
May 29 10:36:40 ip-172-31-31-123.ec2.internal chronyd[1600]: Frequency -4.716 +/- 0.041 ppm read from /var/lib/chrony/drift
May 29 10:36:40 ip-172-31-31-123.ec2.internal chronyd[1600]: Loaded seccomp filter (level 2)
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal cloud-init[1603]: Cloud-init v. 22.2.2 running 'modules:config' at Fri, 29 May 2026 10:36:40 +0000. Up 7.13 seconds.
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.3602 INFO http_proxy:
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.3602 INFO no_proxy:
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: Started hibinit-agent.service - Initial hibernation setup job.
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.3602 INFO Checking if agent identity type OnPrem can be assumed
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.3604 INFO Checking if agent identity type EC2 can be assumed
May 29 10:36:40 ip-172-31-31-123.ec2.internal hibinit-agent[1605]: Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/lib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon (swapfile)', 'swapoff': 'swapoff (swapfile)'}
May 29 10:36:40 ip-172-31-31-123.ec2.internal hibinit-agent[1605]: Requesting new IMDSv2 token.
May 29 10:36:40 ip-172-31-31-123.ec2.internal hibinit-agent[1605]: Instance launch has not enabled Hibernation Configured Flag. hibinit-agent exiting!!
May 29 10:36:40 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5535 INFO Agent will take identity from EC2
May 29 10:36:40 ip-172-31-31-123.ec2.internal systemd[1]: hibinit-agent.service: Deactivated successfully.
May 29 10:36:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5550 INFO Telemetry initialized
May 29 10:36:41 ip-172-31-31-123.ec2.internal cloud-init[1612]: Cloud-init v. 22.2.2 running 'modules:final' at Fri, 29 May 2026 10:36:41 +0000. Up 7.68 seconds.
May 29 10:36:41 ip-172-31-31-123.ec2.internal cloud-init[1612]: Cloud-init v. 22.2.2 finished at Fri, 29 May 2026 10:36:41 +0000. DataSource DataSourceEc2. Up 7.78 seconds
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5556 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4.108.0
May 29 10:36:41 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
May 29 10:36:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:36:41 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=50 op=LOAD
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5557 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
May 29 10:36:41 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5557 INFO [amazon-ssm-agent] Starting Core Agent
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5557 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5557 INFO [Registrar] Starting registrar module
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5598 INFO [EC2Identity] Checking disk for registration info
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5604 INFO [EC2Identity] Registration info found for ec2 instance
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5604 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
May 29 10:36:41 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5605 INFO [CredentialRefresher] credentialRefresher has started
May 29 10:36:42 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5605 INFO [CredentialRefresher] Starting credentials refresher loop
May 29 10:36:42 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.5628 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Err
r: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
May 29 10:36:42 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.6069 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 29 10:36:42 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: status code: 400, request id: 555bc1c3-e709-45a6-ab75-163670380e1
May 29 10:36:42 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.6069 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrie
ved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account:
094337892911
May 29 10:36:42 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: status code: 400, request id: 555bc1c3-e709-45a6-ab75-163670380e1<error>
May 29 10:36:42 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 10:36:40.6073 INFO [CredentialRefresher] Sleeping for 26m4s before retrying retrieve credentials
May 29 10:36:45 ip-172-31-31-123.ec2.internal chronyd[1600]: Selected source 169.254.169.123
May 29 10:36:45 ip-172-31-31-123.ec2.internal chronyd[1600]: System clock wrong by 1.058351 seconds
May 29 10:36:45 ip-172-31-31-123.ec2.internal chronyd[1600]: System clock was stepped by 1.058351 seconds
May 29 10:36:46 ip-172-31-31-123.ec2.internal systemd-resolved[1279]: Clock change detected. Flushing caches.
May 29 10:37:09 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh-h2dpolicyx2droutes.slice - Slice /system/refresh-policy-routes.
May 29 10:37:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes.service - Refresh policy routes for ens5...
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: Starting configuration refresh for ens5
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: [get_meta] Querying IMDS for mac
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: [get_meta] Querying IMDS for mac
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: Using existing cfgfile /run/systemd/network/70-ens5.network
```

```

May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: [get_meta] Querying IMDS for mac
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: [get_meta] Querying IMDS for mac
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: Called trap
May 29 10:37:10 ip-172-31-31-123.ec2.internal ec2net[1623]: No network reload needed
May 29 10:37:10 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:37:10 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:37:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:37:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
May 29 10:37:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:37:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 7.665s CPU time.
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
May 29 10:37:12 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel change in UTMP...
May 29 10:37:12 ip-172-31-31-123.ec2.internal audit[1676]: SYSTEMD_SERVICE pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='old-level=N new-level=5 comm="systemd" update-utmp="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp-runlevel.service: Deactivated successfully.
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp-runlevel.service - Record Runlevel change in UTMP.
May 29 10:37:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:37:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:37:12 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 503ms (firmware) + 886ms (loader) + 395ms (kernel) + 1.002s (initrd) + 36.832s (userspace) = 39.619s.
May 29 10:39:07 ip-172-31-31-123.ec2.internal audit[1676]: SYSTEMD_SERVICE pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:39:07 ip-172-31-31-123.ec2.internal ec2net[1677]: Starting configuration refresh for ens5
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: [get_meta] Querying IMDS for mac
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: [get_meta] Querying IMDS for mac
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: [get_meta] Querying IMDS for mac
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: [get_meta] Querying IMDS for mac
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: Called trap
May 29 10:39:08 ip-172-31-31-123.ec2.internal ec2net[1677]: No network reload needed
May 29 10:39:08 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:39:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:39:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:39:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:39:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:40:20 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_SESSION pid=1725 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0:c1023 msg='op=destroy kind=server f p=SHA256:c2:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1726 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:40:20 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_SESSION pid=1725 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0:c1023 msg='op=start direction=from-server cipher=aes128-gcm@openssh.com kszie=128 mac=cmipact1 pfs=ecdh-sha2-nistp256 spid=1726 suid=74 rport=50991 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:40:20 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_SESSION pid=1725 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0:c1023 msg='op=start direction=from-client cipher=aes128-gcm@openssh.com kszie=128 mac=cmipact1 pfs=ecdh-sha2-nistp256 spid=1726 suid=74 rport=50991 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:40:25 ip-172-31-31-123.ec2.internal audit[1725]: USER_AUTH pid=1725 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0:c1023 msg='op=pubkey_auth grantors=auth-k ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:40:25 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_KEY_USER pid=1725 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0:c1023 msg='op=negotiate kind=auth-k ey fp=SHA256:c9:a:f5b:d4:4a:ff:61:a2:c1:d6:93:2e:84:a0:6d:6f:73:81:74:89:25:0c:63:84:9e:52:16:0c:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:40:25 ip-172-31-31-123.ec2.internal audit[1725]: USER_ACCT pid=1725 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0:c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:40:25 ip-172-3
```

```
May 29 10:40:26 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
May 29 10:40:26 ip-172-31-31-123.ec2.internal systemd[1]: Started session-1.scope - Session 1 of user ec2-user.
May 29 10:40:26 ip-172-31-31-123.ec2.internal audit[1725]: USER_LOGIN pid=1725 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 10:40:26 ip-172-31-31-123.ec2.internal audit[1725]: USER_START pid=1725 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 10:40:26 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_KEY_USER pid=1725 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:a2:9a:f2:a5:fe direction=? spid=1792 uid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:40:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
May 29 10:40:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
May 29 10:40:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
May 29 10:40:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
May 29 10:40:27 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
May 29 10:40:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:40:57 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hostnamed.service: Deactivated successfully.
May 29 10:40:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:40:57 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
May 29 10:40:57 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
May 29 10:40:57 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
May 29 10:41:04 ip-172-31-31-123.ec2.internal audit[1819]: USER_ACCT pid=1819 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:05 ip-172-31-31-123.ec2.internal sudo[1819]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/dnf update -y
May 29 10:41:04 ip-172-31-31-123.ec2.internal audit[1819]: USER_CMD pid=1819 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=646E
6620757064617465282079 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 29 10:41:04 ip-172-31-31-123.ec2.internal audit[1819]: CRED_REFR pid=1819 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:05 ip-172-31-31-123.ec2.internal sudo[1819]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 10:41:05 ip-172-31-31-123.ec2.internal audit[1819]: USER_START pid=1819 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:19 ip-172-31-31-123.ec2.internal sudo[1819]: pam_unix(sudo:session): session closed for user root
May 29 10:41:19 ip-172-31-31-123.ec2.internal audit[1819]: USER_END pid=1819 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:19 ip-172-31-31-123.ec2.internal audit[1819]: CRED_DISP pid=1819 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:46 ip-172-31-31-123.ec2.internal audit[1831]: USER_ACCT pid=1831 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:46 ip-172-31-31-123.ec2.internal audit[1831]: USER_CMD pid=1831 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=646E
66206967374616C6C20687474706420B79 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 29 10:41:46 ip-172-31-31-123.ec2.internal audit[1831]: CRED_REFR pid=1831 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:46 ip-172-31-31-123.ec2.internal sudo[1831]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/dnf install httpd -y
May 29 10:41:46 ip-172-31-31-123.ec2.internal audit[1831]: USER_START pid=1831 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:46 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: Starting configuration refresh for ens5
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: Got IMDSv2 token from interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: [get_meta] Querying IMDS for mac
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: [get_meta] Querying IMDS for mac
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: [get_meta] Querying IMDS for mac
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: [get_meta] Querying IMDS for mac
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: Called trap
May 29 10:41:46 ip-172-31-31-123.ec2.internal ec2net[1833]: No networkd reload needed
May 29 10:41:46 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:41:46 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:41:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:41:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:41:48 ip-172-31-31-123.ec2.internal audit[1902]: ADD_GROUP pid=1902 uid=0 audit=1000 ses=1 subj=unconfined_u:unconfined_r:groupadd:t:s0-s0:c0.c1023 msg='op=add-group id=48 exe="/usr/sbin
/groupadd" hostname=? addr=? terminal=? res=success'
May 29 10:41:48 ip-172-31-31-123.ec2.internal groupadd[1902]: group added to /etc/group: name=apache, GID=48
May 29 10:41:48 ip-172-31-31-123.ec2.internal audit[1902]: GRP_MGMT pid=1902 uid=0 audit=1000 ses=1 subj=unconfined_u:unconfined_r:groupadd:t:s0-s0:c0.c1023 msg='op=add-shadow-group id=48 exe="/u
sr/sbin/groupadd" hostname=? addr=? terminal=? res=success'
May 29 10:41:48 ip-172-31-31-123.ec2.internal groupadd[1902]: group added to /etc/gshadow: name=apache
May 29 10:41:48 ip-172-31-31-123.ec2.internal groupadd[1902]: new group: name=apache, GID=48
May 29 10:41:48 ip-172-31-31-123.ec2.internal useradd[1911]: new user: name=apache, UID=48, GID=48, home=/usr/share/httpd, shell=/sbin/nologin, from=None
May 29 10:41:48 ip-172-31-31-123.ec2.internal audit[1911]: ADD_USER pid=1911 uid=0 audit=1000 ses=1 subj=unconfined_u:unconfined_r:useradd:t:s0-s0:c0.c1023 msg='op=add-user acct="apache" exe="/usr
/sbin/useradd" hostname=? addr=? terminal=? res=success'
May 29 10:41:49 ip-172-31-31-123.ec2.internal systemd[1]: Started run-r0f0ab0696ef2483bba263bfa07d43f1.service - /usr/bin/systemctl start man-db-cache-update.
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=run-r0f0ab0696ef2483bba263bfa07d43f1 c
omm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:41:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting man-db-cache-update.service...
May 29 10:41:49 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
May 29 10:41:49 ip-172-31-31-123.ec2.internal zram-generator:config[2033]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit[1]: USER/lib/systemd/system/acpid.socket:6: ListenStream references a path below legacy directory /var/run/, updating /var/run/acpid.socket
->/run/acpid.socket; please update the unit file accordingly.
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=64 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=65 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=66 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=67 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=68 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=69 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=70 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=71 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=72 op=LOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=UNLOAD
May 29 10:41:49 ip-172-31-31-123.ec2.internal systemd[1]: Queuing reload/restart jobs for marked units...
May 29 10:41:50 ip-172-31-31-123.ec2.internal sudo[1831]: pam_unix(sudo:session): session closed for user root
May 29 10:41:50 ip-172-31-31-123.ec2.internal audit[1831]: USER_END pid=1831 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:41:50 ip-172-31-31-123.ec2.internal audit[1831]: CRED_DISP pid=1831 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:05 ip-172-31-31-123.ec2.internal systemd[1]: man-db-cache-update.service: Deactivated successfully.
May 29 10:42:05 ip-172-31-31-123.ec2.internal systemd[1]: Finished man-db-cache-update.service.
May 29 10:42:05 ip-172-31-31-123.ec2.internal systemd[1]: man-db-cache-update.service: Consumed 14.302s CPU time.
May 29 10:42:05 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=man-db-cache-update comm="systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:42:05 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=man-db-cache-update comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:42:05 ip-172-31-31-123.ec2.internal systemd[1]: run-r0f0ab0696ef2483bba263bfa07d43f1.service: Deactivated successfully.
May 29 10:42:05 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=run-r0f0ab0696ef2483bba263bfa07d43f1 co
mm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal audit[25696]: USER_ACCT pid=25696 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors
=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal sudo[25696]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/systemctl start httpd
May 29 10:42:17 ip-172-31-31-123.ec2.internal audit[25696]: USER_CMD pid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=73
797374656063746C20B794617274206874747064 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal audit[25696]: CRED_REFR pid=25696 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal sudo[25696]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 10:42:17 ip-172-31-31-123.ec2.internal audit[25696]: USER_START pid=25696 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grant
ors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
May 29 10:42:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=httpd comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal audit[25696]: USER_END pid=25696 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantor
```



```

pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal audit[25696]: CRED_DISP pid=25696 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:17 ip-172-31-31-123.ec2.internal sudo[25696]: pam_unix(sudo:session): session closed for user root
May 29 10:42:17 ip-172-31-31-123.ec2.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
May 29 10:42:17 ip-172-31-31-123.ec2.internal httpd[25781]: Server configured, listening on: port 80
May 29 10:42:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: Starting configuration refresh for ens5
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: [get_meta] Querying IMDS for mac
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: [get_meta] Querying IMDS for mac
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: [get_meta] Querying IMDS for mac
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: [get_meta] Querying IMDS for mac
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: [get_meta] Querying IMDS for network/interfaces/macsf0:ff:e4:df:2b:39/local-ipv4s
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: Called trap
May 29 10:42:26 ip-172-31-31-123.ec2.internal ec2net[25881]: No network reload needed
May 29 10:42:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:42:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:42:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:42:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:42:26 ip-172-31-31-123.ec2.internal audit[25929]: USER_ACCT pid=25929 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:40 ip-172-31-31-123.ec2.internal sudo[25929]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/systemctl enable httpd
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit[25929]: USER_CMD pid=25929 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd="/home/ec2-user" cmd=73 79737465063746C20656E6162C65206874747064 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit[25929]: CRED_REFR pid=25929 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:40 ip-172-31-31-123.ec2.internal sudo[25929]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit[25929]: USER_START pid=25929 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:40 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
May 29 10:42:40 ip-172-31-31-123.ec2.internal zram-generator::config[25951]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 10:42:40 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket; please update the unit file accordingly.
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=73 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=74 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=75 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=76 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=77 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=78 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=79 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=81 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=64 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=65 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=82 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=66 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=83 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=67 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=84 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=68 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=85 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=86 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=69 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=70 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=87 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=71 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=88 op=LOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=72 op=UNLOAD
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit[25929]: USER_END pid=25929 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit[25929]: CRED_DISP pid=25929 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:42:40 ip-172-31-31-123.ec2.internal sudo[25929]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 10:42:40 ip-172-31-31-123.ec2.internal audit[25929]: USER_START pid=25929 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/
```



```

May 29 10:46:07 ip-172-31-31-123.ec2.internal system[1782]: Starting systemd-mpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
May 29 10:46:08 ip-172-31-31-123.ec2.internal system[1782]: Starting systemd-mpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
May 29 10:46:46 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: Starting configuration refresh for ens5
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: [get_meta] Querying IMDS for mac
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: [get_meta] Querying IMDS for mac
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: Using existing cfnfile /run/systemd/network/70-ens5.network
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: [get_meta] Querying IMDS for mac
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: [get_meta] Querying IMDS for mac
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: [get_meta] Querying IMDS for network/interfaces/mac0:ff:e4:df:2b:39/local-ipv4s
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: Called trap
May 29 10:46:46 ip-172-31-31-123.ec2.internal ec2net[26124]: No network reload needed
May 29 10:46:46 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:46:46 ip-172-31-31-123.ec2.internal system[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:47:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:46:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:47:56 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: Starting configuration refresh for ens5
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: [get_meta] Querying IMDS for mac
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: [get_meta] Querying IMDS for mac
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: Using existing cfnfile /run/systemd/network/70-ens5.network
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: [get_meta] Querying IMDS for mac
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: [get_meta] Querying IMDS for mac
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: [get_meta] Querying IMDS for network/interfaces/mac0:ff:e4:df:2b:39/local-ipv4s
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: Called trap
May 29 10:47:56 ip-172-31-31-123.ec2.internal ec2net[26172]: No network reload needed
May 29 10:47:56 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:47:57 ip-172-31-31-123.ec2.internal system[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:47:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:47:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:48:27 ip-172-31-31-123.ec2.internal audit[26222]: USER_ACCT pid=26222 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:48:27 ip-172-31-31-123.ec2.internal sudo[26222]: ec2-user : TTYpts/0 ; PWD=/var/www/html ; USER=root ; COMMAND=/usr/bin/nano index.html
May 29 10:48:27 ip-172-31-31-123.ec2.internal audit[26222]: USER_CMD pid=26222 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd="/var/www/html" cmd=6f6'
May 29 10:48:27 ip-172-31-31-123.ec2.internal audit[26222]: CREX_REFP pid=26222 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:48:27 ip-172-31-31-123.ec2.internal sudo[26222]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 10:48:27 ip-172-31-31-123.ec2.internal audit[26222]: USER_START pid=26222 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grant ors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:49:06 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:49:06 ip-172-31-31-123.ec2.internal ec2net[26227]: Starting configuration refresh for ens5
May 29 10:49:06 ip-172-31-31-123.ec2.internal ec2net[26227]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:49:06 ip-172-31-31-123.ec2.internal ec2net[26227]: [get_meta] Querying IMDS for mac
May 29 10:49:06 ip-172-31-31-123.ec2.internal ec2net[26227]: [get_meta] Querying IMDS for mac
May 29 10:49:06 ip-172-31-31-123.ec2.internal ec2net[26227]: Using existing cfnfile /run/systemd/network/70-ens5.network
May 29 10:49:06 ip-172-31-31-123.ec2.internal ec2net[26227]: [get_meta] Querying IMDS for mac
May 29 10:49:07 ip-172-31-31-123.ec2.internal ec2net[26227]: [get_meta] Querying IMDS for mac
May 29 10:49:07 ip-172-31-31-123.ec2.internal ec2net[26227]: Called trap
May 29 10:49:07 ip-172-31-31-123.ec2.internal ec2net[26227]: No network reload needed
May 29 10:49:07 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:49:07 ip-172-31-31-123.ec2.internal system[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:49:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:49:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:50:07 ip-172-31-31-123.ec2.internal system[1]: Starting sysstat-collect.service - system activity accounting tool...
May 29 10:50:07 ip-172-31-31-123.ec2.internal system[1]: sysstat-collect.service: Deactivated successfully.
May 29 10:50:07 ip-172-31-31-123.ec2.internal system[1]: Finished sysstat-collect.service - system activity accounting tool.
May 29 10:50:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:50:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:50:17 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:50:17 ip-172-31-31-123.ec2.internal ec2net[26278]: Starting configuration refresh for ens5
May 29 10:50:17 ip-172-31-31-123.ec2.internal ec2net[26278]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:50:17 ip-172-31-31-123.ec2.internal ec2net[26278]: [get_meta
```

May 29 10:52:37 ip-172-31-31-123.ec2.internal ec2net[26389]: [get_meta] Querying IMDS for mac
May 29 10:52:37 ip-172-31-31-123.ec2.internal ec2net[26389]: [get_meta] Querying IMDS for mac
May 29 10:52:37 ip-172-31-31-123.ec2.internal ec2net[26389]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:d4:2b:39/local-ipv4s
May 29 10:52:37 ip-172-31-31-123.ec2.internal ec2net[26389]: Called trap
May 29 10:52:37 ip-172-31-31-123.ec2.internal ec2net[26389]: No networkd reload needed
May 29 10:52:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:52:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:52:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:52:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:53:02 ip-172-31-31-123.ec2.internal audit[1725]: USER_END pid=1725 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:53:02 ip-172-31-31-123.ec2.internal audit[1725]: USER_LOGOUT pid=1725 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:53:03 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_KEY_USER pid=1725 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=both spid=1791 suid=1000 rport=50991 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:53:03 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_KEY_USER pid=1725 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1791 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:53:03 ip-172-31-31-123.ec2.internal audit[1725]: USER_END pid=1725 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:53:03 ip-172-31-31-123.ec2.internal audit[1725]: CRED_DISP pid=1725 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:53:03 ip-172-31-31-123.ec2.internal audit[1791]: Disconnected from user ec2-user 122.176.214.14 port 50991
May 29 10:53:03 ip-172-31-31-123.ec2.internal audit[1791]: CRYPTO_KEY_USER pid=1725 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1725 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:53:03 ip-172-31-31-123.ec2.internal audit[1725]: pam_unix(sshd:session): session closed for user ec2-user
May 29 10:53:03 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Deactivated successfully.
May 29 10:53:03 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Consumed 17.826s CPU time.
May 29 10:53:03 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Session 1 logged out. Waiting for processes to exit.
May 29 10:53:03 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Removed session 1.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Activating special unit exit.target...
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Removed slice background.slice - User Background Tasks Slice.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped target default.target - Main User Target.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped target basic.target - Basic System.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped target paths.target - Paths.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped target sockets.target - Sockets.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped target timers.target - Timers.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Removed slice app.slice - User Application Slice.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Reached target shutdown.target - Shutdown.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Finished systemd-exit.service - Exit the Session.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1782]: Reached target exit.target - Exit the Session.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
May 29 10:53:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm=systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 10:53:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm=systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:53:13 ip-172-31-31-123.ec2.internal audit[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 29 10:53:13 ip-172-31-31-123.ec2.internal systemd[1]: user-1000.slice: Consumed 18.011s CPU time.
May 29 10:53:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: Starting configuration for ens5
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: [get_meta] Querying IMDS for mac
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: [get_meta] Querying IMDS for mac
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: [get_meta] Querying IMDS for mac
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:d4:2b:39/local-ipv4s
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: Called trap
May 29 10:53:47 ip-172-31-31-123.ec2.internal ec2net[26439]: No networkd reload needed
May 29 10:53:47 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:53:47 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:53:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:53:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:53:47 ip-172-31-31-123.ec2.internal audit[1725]: CRYPTO_KEY_USER pid=26542 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26542 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:12 ip-172-31-31-123.ec2.internal audit[26541]: CRYPTO_KEY_USER pid=26541 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26542 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:12 ip-172-31-31-123.ec2.internal audit[26541]: CRYPTO_KEY_USER pid=26541 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26543 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:12 ip-172-31-31-123.ec2.internal audit[26541]: CRYPTO_KEY_USER pid=26541 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26543 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:12 ip-172-31-31-123.ec2.internal audit[26541]: USER_LOGIN pid=26541 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login acct="(unknown)" exe="/usr/sbin/sshd" hostname=? addr=91.230.168.6 terminal=ssh res=failed'
May 29 10:54:12 ip-172-31-31-123.ec2.internal audit[26544]: CRYPTO_KEY_USER pid=26544 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26544 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:20 ip-172-31-31-123.ec2.internal audit[26543]: CRYPTO_KEY_USER pid=26543 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26544 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:21 ip-172-31-31-123.ec2.internal audit[26543]: Unable to negotiate with 91.230.168.24 port 46711: no matching host key type found. Their offer: ssh-rsa,ssh-dss [preauth]
May 29 10:54:20 ip-172-31-31-123.ec2.internal audit[26543]: CRYPTO_KEY_USER pid=26543 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26543 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:20 ip-172-31-31-123.ec2.internal audit[26543]: USER_LOGIN pid=26543 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login acct="(unknown)" exe="/usr/sbin/sshd" hostname=? addr=91.230.168.24 terminal=ssh res=failed'
May 29 10:54:29 ip-172-31-31-123.ec2.internal audit[26546]: CRYPTO_KEY_USER pid=26546 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26546 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:29 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_SESSION pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=implicit> pfs=ecdh-sha2-nistp256 spid=26546 suid=74 rport=51172 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'.
May 29 10:54:29 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_SESSION pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=implicit> pfs=ecdh-sha2-nistp256 spid=26546 suid=74 rport=51172 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'.
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: USER_AUTH pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=pubkey_auth grantors=auth -key acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_KEY_USER pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=negotiate kind=auth -key fp=SHA256:c9:af:5b:d8:74:44:f6:1a:2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:6c:83:64:9a:52:16:ce:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: USER_ACCT pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: Accepted publickey for ec2-user from 122.176.214.14 port 51172 ssh2: RSA SHA256:ya9b2PRR/WGiwW2LoQKbw/zgXSJJQxjhJ5SF6Ltx0
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_KEY_USER pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session n fp=? direction=both spid=26546 suid=74 rport=51172 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: CRED_ACO pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: USER_ROLE_CHANGE pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: Created slice user-1000.slice - User Slice of UID 1000.
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_KEY_USER pid=26545 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session n fp=? direction=both spid=26546 suid=74 rport=51172 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: USER_START pid=26545 uid=0 auid=1000 ses=4 subj=system_u:system_r:init_t:s0 msg='op=PAM:session_open grantors=pam_selinux,pam_selinux,pam_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26549]: Queued start job for default target default.target.
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26549]: Created slice app.slice - User Application Slice.

```
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Reached target paths.target - Paths.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Reached target timers.target - Timers.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Starting dbus.socket - D-Bus User Message Bus Socket...
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Listening on dbus.socket - D-Bus User Message Bus Socket.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Reached target sockets.target - Sockets.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Reached target basic.target - Basic System.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Reached target default.target - Main User Target.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[26549]: Startup finished in 118ms.
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal systemd[1]: Started session-3.scope - Session 3 of User ec2-user.
May 29 10:54:31 ip-172-31-31-123.ec2.internal sshd[26545]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26545]: USER_START pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26558]: CRYPTO_KEY_USER pid=26558 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26558 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:31 ip-172-31-31-123.ec2.internal audit[26558]: CRED_Acq pid=26558 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:54:32 ip-172-31-31-123.ec2.internal audit[26545]: USER_LOGIN pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 10:54:32 ip-172-31-31-123.ec2.internal audit[26545]: USER_START pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 10:54:32 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_KEY_USER pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26559 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:54:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=89 op=LOAD
May 29 10:54:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=90 op=LOAD
May 29 10:54:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=91 op=LOAD
May 29 10:54:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
May 29 10:54:32 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
May 29 10:54:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:54:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: [get_meta] Querying IMDS for mac
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: [get_meta] Querying IMDS for mac
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: [get_meta] Querying IMDS for mac
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: [get_meta] Querying IMDS for network/interfaces/mac:0a:ff:e4:df:2b:39/local-ipv4s
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: Called trap
May 29 10:54:57 ip-172-31-31-123.ec2.internal ec2net[26589]: No networkd reload needed
May 29 10:54:57 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:54:57 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:54:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:54:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:55:02 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service: Deactivated successfully.
May 29 10:55:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:55:02 ip-172-31-31-123.ec2.internal audit: BPF prog-id=91 op=UNLOAD
May 29 10:55:02 ip-172-31-31-123.ec2.internal audit: BPF prog-id=90 op=UNLOAD
May 29 10:55:02 ip-172-31-31-123.ec2.internal audit: BPF prog-id=89 op=UNLOAD
May 29 10:55:34 ip-172-31-31-123.ec2.internal audit[26648]: USER_ACCT pid=26648 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct=ec2-user' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:55:34 ip-172-31-31-123.ec2.internal audit[26648]: ec2-user: TTVer@0 ; PAM:var/www/html ; USER=root ; COMMAND=/usr/bin/nano index.html
May 29 10:55:34 ip-172-31-31-123.ec2.internal audit[26648]: USER_CMD pid=26648 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/var/www/html' cmd=6E616C6F20696564657826B8746D0C exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 29 10:55:34 ip-172-31-31-123.ec2.internal audit[26648]: CRED_REFR pid=26648 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:55:34 ip-172-31-31-123.ec2.internal sudo[26648]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 10:55:34 ip-172-31-31-123.ec2.internal audit[26648]: USER_START pid=26648 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:55:34 ip-172-31-31-123.ec2.internal audit[26648]: pam_unix(sudo:session): session closed for user root
May 29 10:55:34 ip-172-31-31-123.ec2.internal audit[26648]: USER_END pid=26648 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:55:58 ip-172-31-31-123.ec2.internal audit[26648]: CRED_DISP pid=26648 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:56:07 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: Starting configuration refresh for ens5
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: [get_meta] Querying IMDS for mac
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: [get_meta] Querying IMDS for mac
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: [get_meta] Querying IMDS for mac
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: [get_meta] Querying IMDS for mac
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: [get_meta] Querying IMDS for network/interfaces/mac:0a:ff:e4:df:2b:39/local-ipv4s
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: Called trap
May 29 10:56:07 ip-172-31-31-123.ec2.internal ec2net[26656]: No networkd reload needed
May 29 10:56:07 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:56:07 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:56:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal audit[26545]: USER_END pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal audit[26545]: USER_LOGIN pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal sshd[26545]: Received disconnect from 122.176.214.14 port 51172:11: disconnected by user
May 29 10:56:17 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_KEY_USER pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=nboth spid=26558 uid=1000 rport=51172 laddr=172.31.123.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal sshd[26558]: Disconnected from user ec2-user 122.176.214.14 port 51172
May 29 10:56:17 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_KEY_USER pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26558 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal sshd[26545]: pam_unix(sshd:session): session closed for user ec2-user
May 29 10:56:17 ip-172-31-31-123.ec2.internal audit[26545]: USER_END pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_loginuid,pam_loginuid,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal audit[26545]: CRED_DISP pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal audit[26545]: CRYPTO_KEY_USER pid=26545 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26545 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:56:17 ip-172-31-31-123.ec2.internal systemd[1]: session-3.scope: Deactivated successfully.
May 29 10:56:17 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Session 3 logged out. Waiting for processes to exit.
May 29 10:56:17 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Removed session 3.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Activating special unit exit.target...
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped target default.target - Main User Target.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped target basic.target - Basic System.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped target paths.target - Paths.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped target sockets.target - Sockets.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped target timers.target - Timers.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Removed slice app.slice - User Application Slice.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Reached target shutdown.target - Shutdown.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Finished systemd-exit.service - Exit the Session.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[26549]: Reached target exit.target - Exit the Session.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
May 29 10:56:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:27 ip-172-31-31-123.ec2.internal audit[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 10:56:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:27 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 29 10:56:42 ip-172-31-31-123.ec2.internal audit[26708]: CRYPTO_KEY_USER pid=26708 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=26708 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:56:43 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_SESSION pid=26707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from
```



```
-server cipher=aes128-gcm@openssh.com ksize=128 mac=implicit> pfs=ecdh-sha2-nistp256 spid=26708 uid=74 rport=51635 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:56:43 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_SESSION pid=26707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=implicit> pfs=ecdh-sha2-nistp256 spid=26708 uid=74 rport=51635 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26707]: USER_AUTH pid=26707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=pubkey_auth grantors=auth-key acct=ec2-user' exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_KEY_USER pid=26707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=negotiate kind=auth-key fp=SHA256:c9af5b:08f4:44:fd:61:a2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26707]: USER_ACCT pid=26707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_KEY_USER pid=26707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=7 direction=both spid=26708 uid=74 rport=51635 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26707]: CRED_ACQ pid=26707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env nv_pam_unix acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26707]: USER_ROLE_CHANGE pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal systemd-logind[422]: New session 5 of user ec2-user.
May 29 10:56:44 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
May 29 10:56:44 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 10:56:44 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm=""systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User Manager for UID 1000...
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26711]: USER_ACCT pid=26711 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:accounting grantors=pam_unix acct=ec2-user' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26711]: CRED_ACQ pid=26711 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:setcred grantors=acct=ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26711]: USER_ROLE_CHANGE pid=26711 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:unit_t:s0 msg='pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:44 ip-172-31-31-123.ec2.internal systemd[26711]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 10:56:44 ip-172-31-31-123.ec2.internal audit[26711]: USER_START pid=26711 uid=0 auid=1000 ses=6 subj=system_u:system_r:init_t:s0 msg='op=PAM:session_open grantors=pam_selinux,pam_selinux,pam_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=ec2-user' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Queued start job for default target default.target.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Created slice app.slice - User Application Slice.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Reached target paths.target - Paths.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Reached target timers.target - Timers.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Starting dbus.socket - D-Bus User Message Bus Socket...
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Listening on dbus.socket - D-Bus User Message Bus Socket.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Reached target sockets.target - Sockets.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Reached target basic.target - Basic System.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Reached target default.target - Main User Target.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[26711]: Startup finished in 126ms.
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm=""systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[1]: Started session-5.scope - Session 5 of User ec2-user.
May 29 10:56:45 ip-172-31-31-123.ec2.internal sshd[26707]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[26707]: USER_START pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_namespace,pam_systemd,pam_unix,pam_umask,pam_lastlog acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[26708]: CRYPTO_KEY_USER pid=26720 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:78:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:4a:2:9a:f2:a5:fe directions? spid=26720 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[26708]: CRED_ACQ pid=26720 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[26707]: USER_LOGIN pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[26707]: USER_START pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_KEY_USER pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:78:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:b5:4a:2:9a:f2:a5:fe directions? spid=26721 uid=0 auid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=92 op=LOAD
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=93 op=LOAD
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=94 op=LOAD
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
May 29 10:56:45 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
May 29 10:56:45 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm=""systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:57:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:57:15 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hostnamed.service: Deactivated successfully.
May 29 10:57:15 ip-172-31-31-123.ec2.internal ec2net[26748]: Starting configuration refresh for ens5
May 29 10:57:15 ip-172-31-31-123.ec2.internal ec2net[26748]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:57:15 ip-172-31-31-123.ec2.internal ec2net[26748]: [get_meta] Querying IMDS for mac
May 29 10:57:15 ip-172-31-31-123.ec2.internal ec2net[26748]: [get_meta] Querying IMDS for mac
May 29 10:57:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm=""systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:57:15 ip-172-31-31-123.ec2.internal ec2net[26748]: Called trap
May 29 10:57:15 ip-172-31-31-123.ec2.internal ec2net[26748]: No networkd reload needed
May 29 10:57:16 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:57:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:57:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""systemd" d="" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:57:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:57:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=94 op=UNLOAD
May 29 10:57:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=95 op=UNLOAD
May 29 10:57:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=92 op=UNLOAD
May 29 10:58:05 ip-172-31-31-123.ec2.internal audit[26802]: USER_ACCT pid=26802 uid=1000 auid=1000 ses=5 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct=ec2-user' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:58:05 ip-172-31-31-123.ec2.internal sudo[26802]: ec2-user : TTY=pts/0 ; PWD=/var/www/html ; USER=root ; COMMAND=/usr/bin/nano index.html
May 29 10:58:05 ip-172-31-31-123.ec2.internal audit[26802]: USER_CMD pid=26802 uid=1000 auid=1000 ses=5 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd="var/www/html" cmd=666 166f26869564657826874d06C exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 29 10:58:05 ip-172-31-31-123.ec2.internal audit[26802]: CRED_REFR pid=26802 uid=1000 auid=1000 ses=5 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:58:05 ip-172-31-31-123.ec2.internal audit[26802]: pam_unix(sshd:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 10:58:05 ip-172-31-31-123.ec2.internal audit[26802]: USER_START pid=26802 uid=1000 auid=1000 ses=5 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 10:58:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: Starting configuration refresh for ens5
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: [get_meta] Querying IMDS for mac
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: [get_meta] Querying IMDS for mac
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: [get_meta] Querying IMDS for mac
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: [get_meta] Querying IMDS for mac
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: [get_meta] Querying IMDS for mac
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/local-ipv4s
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: Called trap
May 29 10:58:17 ip-172-31-31-123.ec2.internal ec2net[26806]: No networkd reload needed
May 29 10:58:17 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:58:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:58:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""systemd" d="" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:58:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:59:07 ip-172-31-31-123.ec2.internal systemd[26711]: Starting grub-boot-success.service - Mark boot as successful...
May 29 10:59:07 ip-172-31-31-123.ec2.internal systemd[26711]: Finished grub-boot-success.service - Mark boot as successful.
May 29 10:59:27 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: Starting configuration refresh for ens5
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: [get_meta] Querying IMDS for mac
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: [get_meta] Querying IMDS for mac
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: [get_meta] Querying IMDS for mac
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: [get_meta] Querying IMDS for mac
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/local-ipv4s
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: Called trap
May 29 10:59:27 ip-172-31-31-123.ec2.internal ec2net[26855]: No networkd reload needed
May 29 10:59:27 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 10:59:27 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 10:59:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""systemd" d="" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 10:59:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```



```
May 29 11:00:07 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
May 29 11:00:07 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
May 29 11:00:07 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
May 29 11:00:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:00:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:00:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: Starting configuration refresh for ens5
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: [get_meta] Querying IMDS for mac
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: [get_meta] Querying IMDS for mac
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: [get_meta] Querying IMDS for mac
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: [get_meta] Querying IMDS for mac
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: [get_meta] Querying IMDS for network/interfaces/mac8:ff:e4:df:2b:39/local-ipv4s
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: Called trap
May 29 11:00:37 ip-172-31-31-123.ec2.internal ec2net[26905]: No networkd reload needed
May 29 11:00:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:00:37 ip-172-31-31-123.ec2.internal audit[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:00:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:00:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:01:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: Starting configuration refresh for ens5
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: [get_meta] Querying IMDS for mac
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: [get_meta] Querying IMDS for mac
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: [get_meta] Querying IMDS for mac
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: [get_meta] Querying IMDS for mac
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: [get_meta] Querying IMDS for network/interfaces/mac8:ff:e4:df:2b:39/local-ipv4s
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: Called trap
May 29 11:01:47 ip-172-31-31-123.ec2.internal ec2net[26956]: No networkd reload needed
May 29 11:01:47 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:01:47 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:01:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:01:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:02:07 ip-172-31-31-123.ec2.internal systemd[26711]: Created slice background.slice - User Background Tasks Slice.
May 29 11:02:07 ip-172-31-31-123.ec2.internal systemd[26711]: Starting systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
May 29 11:02:07 ip-172-31-31-123.ec2.internal systemd[26711]: Finished systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories.
May 29 11:02:45 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:02:45.6596 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Er
r: retrieved credentials failed to report to ssm. Error: EC2RoleProvider: no EC2 instance role found
May 29 11:02:45 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:02:45.6978 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 29 11:02:45 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: status code: 400, request id: 11503bd7-39d5-450f-b922-ac933c6473d7
May 29 11:02:45 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:02:45.6979 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retri
eved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account:
094337892911
May 29 11:02:45 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: status code: 400, request id: 11503bd7-39d5-450f-b922-ac933c6473d7
May 29 11:02:45 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:02:45.6979 INFO [CredentialRefresher] Sleeping for 28m46s before retrying retrieve credentials
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: Starting configuration refresh for ens5
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: [get_meta] Querying IMDS for mac
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: [get_meta] Querying IMDS for mac
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: [get_meta] Querying IMDS for mac
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: [get_meta] Querying IMDS for mac
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: [get_meta] Querying IMDS for network/interfaces/mac8:ff:e4:df:2b:39/local-ipv4s
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: Called trap
May 29 11:02:57 ip-172-31-31-123.ec2.internal ec2net[27088]: No networkd reload needed
May 29 11:02:57 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:02:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:02:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:02:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:03:47 ip-172-31-31-123.ec2.internal audit[26802]: pam_unix(sudo:session): session closed for user root
May 29 11:03:47 ip-172-31-31-123.ec2.internal audit[26802]: USER_END pid=26802 uid=1000 auid=1000 ses=5 subj=system_u:system_r:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close granto
r=spam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/sbin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 11:03:47 ip-172-31-31-123.ec2.internal audit[26802]: CRED_DISP pid=26802 uid=1000 auid=1000 ses=5 subj=system_u:system_r:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pa
m_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal audit[26707]: USER_END pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=? terminal=/dev/pts/0 res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal audit[26707]: USER_LOGOUT pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hos
tname=? addr=? terminal=/dev/pts/0 res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal sshd[26720]: Received disconnect from 122.176.214.14 port 51635:11: disconnected by user
May 29 11:03:55 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_KEY_USER pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp? directio
n=noboth spid=26720 uid=1000 rport=51635 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal sshd[26720]: Disconnected from user ec2-user 122.176.214.14 port 51635
May 29 11:03:55 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_KEY_USER pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c
6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:b3:e5:c9:bf:bf:54:2a:9a:f2:a5:f0 directions? spid=26720 uid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal sshd[26707]: pam_unix(sshd:session): session closed for user ec2-user
May 29 11:03:55 ip-172-31-31-123.ec2.internal audit[26707]: USER_END pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pa
m_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14
terminal=ssh res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal audit[26707]: CRED_DISP pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix ac
ct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal audit[26707]: CRYPTO_KEY_USER pid=26707 uid=0 auid=1000 ses=5 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c
6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:b3:e5:c9:bf:bf:54:2a:9a:f2:a5:f0 directions? spid=26707 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:03:55 ip-172-31-31-123.ec2.internal systemd[1]: session-5.scope: Deactivated successfully.
May 29 11:03:55 ip-172-31-31-123.ec2.internal systemd-logind[422]: Session 6 logged out. Waiting for processes to exit.
May 29 11:03:55 ip-172-31-31-123.ec2.internal systemd-logind[422]: Removed session 5.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Activating special unit exit.target...
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Removed slice background.slice - User Background Tasks Slice.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped target default.target - Main User Target.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped target basic.target - Basic System.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped target paths.target - Paths.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped target sockets.target - Sockets.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped target timers.target - Timers.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Removed slice app.slice - User Application Slice.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Reached target shutdown.target - Shutdown.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Finished systemd-exit.service - Exit the Session.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[26711]: Reached target exit.target - Exit the Session.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: Starting configuration refresh for ens5
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: [get_meta] Querying IMDS for mac
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: [get_meta] Querying IMDS for mac
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: [get_meta] Querying IMDS for mac
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: [get_meta] Querying IMDS for mac
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: [get_meta] Querying IMDS for mac
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: [get_meta] Querying IMDS for network/interfaces/mac8:ff:e4:df:2b:39/local-ipv4s
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: Called trap
May 29 11:04:05 ip-172-31-31-123.ec2.internal ec2net[27058]: No networkd reload needed
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:04:05 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:04:05 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 11:04:05 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:04:05 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 29 11:05:07 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:05:07 ip-172-31-31-123.ec2.internal ec2net[27108]: Starting configuration refresh for ens5
```

May 29 11:05:07 ip-172-31-31-123.ec2.internal ec2net[27108]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:05:07 ip-172-31-31-123.ec2.internal ec2net[27108]: [get_meta] Querying IMDS for mac
May 29 11:05:08 ip-172-31-31-123.ec2.internal ec2net[27108]: [get_meta] Querying IMDS for mac
May 29 11:05:08 ip-172-31-31-123.ec2.internal ec2net[27108]: Using existing cfile /run/systemd/network/70-ens5.network
May 29 11:05:08 ip-172-31-31-123.ec2.internal ec2net[27108]: [get_meta] Querying IMDS for mac
May 29 11:05:08 ip-172-31-31-123.ec2.internal ec2net[27108]: [get_meta] Querying IMDS for mac
May 29 11:05:08 ip-172-31-31-123.ec2.internal ec2net[27108]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:ea:df:2b:39/local-ipv4s
May 29 11:05:08 ip-172-31-31-123.ec2.internal ec2net[27108]: Called trap
May 29 11:05:08 ip-172-31-31-123.ec2.internal ec2net[27108]: No network reload needed
May 29 11:05:08 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:05:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:05:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:05:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:12 ip-172-31-31-123.ec2.internal audit[27160]: CRYPTO_KEY_USER pid=27160 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:10:27:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bfbf:54:a2:9a:f2:a5:f6 direction=? spid=27160 suid=0 exe=/usr/sbin/sshd hostname=? addr=? terminal=? res=success
May 29 11:06:12 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_SESSION pid=27159 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=27160 suid=74 rport=51672 laddr=172.31.31.123 lport=22 exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:12 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_SESSION pid=27159 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=27160 suid=74 rport=51672 laddr=172.31.31.123 lport=22 exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:13 ip-172-31-31-123.ec2.internal audit[27159]: USER_AUTH pid=27159 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=pubkey_auth grantors=auth-key acct=ec2-user exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:13 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_KEY_USER pid=27159 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=negotiate kind=auth-key fp=SHA256:c9:af:5b:d8:f4:44:fd:61:a2:c1:6d:93:2e:8c:84:0d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:8b:b7:1d exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:13 ip-172-31-31-123.ec2.internal audit[27159]: USER_ACCT pid=27159 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=PAM:accounting grantors=pam_unix acct=ec2-user exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:13 ip-172-31-31-123.ec2.internal sshd[27159]: Accepted publickey for ec2-user from 122.176.214.14 port 51672 ssh2: RSA SHA256:ya9b2PRE/WGiwN2TL0aKbW/zgXSJQJxjh35SF6ltx0
May 29 11:06:13 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_KEY_USER pid=27159 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=destroy kind=session fp=direction=both spid=27160 suid=74 rport=51672 laddr=172.31.31.123 lport=22 exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:13 ip-172-31-31-123.ec2.internal audit[27159]: CRED_ACO pid=27159 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=ec2-user exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:13 ip-172-31-31-123.ec2.internal audit[27159]: USER_ROLE_CHANGE pid=27159 uid=0 auid=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:06:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:06:13 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
May 29 11:06:13 ip-172-31-31-123.ec2.internal ec2net[27162]: Starting configuration refresh for ens5
May 29 11:06:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 11:06:13 ip-172-31-31-123.ec2.internal systemd-logind[1422]: New session 7 of user ec2-user.
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: [get_meta] Querying IMDS for mac
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: [get_meta] Querying IMDS for mac
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: Using existing cfile /run/systemd/network/70-ens5.network
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: [get_meta] Querying IMDS for mac
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User Manager for UID 1000...
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: [get_meta] Querying IMDS for mac
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27187]: USER_ACCT pid=27187 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:accounting grantors=pam_unix acct=ec2-user exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27187]: CRED_ACO pid=27187 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:setcred grantors=acct=ec2-user exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=failed
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27187]: USER_ROLE_CHANGE pid=27187 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:ea:df:2b:39/local-ipv4s
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27187]: USER_START pid=27187 uid=0 auid=1000 ses=8 subj=system_u:system_r:init_t:s0 msg=op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=ec2-user exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27187]: psm_unix(systemd-user:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: Called trap
May 29 11:06:14 ip-172-31-31-123.ec2.internal ec2net[27162]: No network reload needed
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Queued start job for default target default.target.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Created slice app.slice - User Application Slice.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Reached target paths.target - Paths.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Reached target timers.target - Timers.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Starting dbus.socket - D-Bus User Message Bus Socket...
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27217]: Listening on dbus.socket - D-Bus User Message Bus Socket.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Reached target sockets.target - Sockets.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Reached target basic.target - Basic System.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Reached target default.target - Main User Target.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[27187]: Startup finished in 149ms.
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27217]: Started session-7.scope - Session 7 of User ec2-user.
May 29 11:06:14 ip-172-31-31-123.ec2.internal sshd[27159]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27159]: USER_START pid=27159 uid=0 auid=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct=ec2-user exe=/usr/sbin/sshd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27221]: CRYPTO_KEY_USER pid=27221 uid=0 auid=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:10:27:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bfbf:54:a2:9a:f2:a5:f6 direction=? spid=27221 suid=0 exe=/usr/sbin/sshd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27221]: CRED_ACO pid=27221 uid=0 auid=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=ec2-user exe=/usr/sbin/sshd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27159]: USER_LOGIN pid=27159 uid=0 auid=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=login id=1000 exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27159]: USER_START pid=27159 uid=0 auid=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=login id=1000 exe=/usr/sbin/sshd hostname=? addr=122.176.214.14 terminal=/dev/pts/0 res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_KEY_USER pid=27159 uid=0 auid=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:10:27:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bfbf:54:a2:9a:f2:a5:f6 direction=? spid=27222 suid=1000 exe=/usr/sbin/sshd hostname=? addr=? terminal=? res=success
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit: BPF prog-id=95 op=LOAD
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit: BPF prog-id=96 op=LOAD
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit: BPF prog-id=97 op=LOAD
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
May 29 11:06:14 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
May 29 11:06:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:25 ip-172-31-31-123.ec2.internal audit[27247]: USER_ACCT pid=27247 uid=1000 suid=1000 ses=7 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 msg=op=PAM:accounting grantors=pam_unix acct=ec2-user exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
May 29 11:06:25 ip-172-31-31-123.ec2.internal audit[27247]: TTYpts/0 ; PWD=/var/www/html ; USER=root ; COMMAND=/usr/bin/nano index.html
May 29 11:06:25 ip-172-31-31-123.ec2.internal audit[27247]: USER_CMD pid=27247 uid=1000 suid=1000 ses=7 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 msg=cwd=/var/www/html cmd=6E616F62896E6465782E687A6D6C exe=/usr/bin/sudo terminal=pts/0 res=success
May 29 11:06:25 ip-172-31-31-123.ec2.internal audit[27247]: CRED_REFR pid=27247 uid=1000 suid=1000 ses=7 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
May 29 11:06:25 ip-172-31-31-123.ec2.internal audit[27247]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 29 11:06:25 ip-172-31-31-123.ec2.internal audit[27247]: USER_START pid=27247 uid=1000 suid=1000 ses=7 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.1023 msg=op=PAM:session_open grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
May 29 11:06:44 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hostnamed.service: Deactivated successfully.
May 29 11:06:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:06:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=97 op=UNLOAD
May 29 11:06:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=96 op=UNLOAD
May 29 11:06:45 ip-172-31-31-123.ec2.internal audit: BPF prog-id=95 op=UNLOAD
May 29 11:07:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: Starting configuration refresh for ens5
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: [get_meta] Querying IMDS for mac
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: [get_meta] Querying IMDS for mac
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: Using existing cfile /run/systemd/network/70-ens5.network
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: [get_meta] Querying IMDS for mac
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:ea:df:2b:39/local-ipv4s
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: Called trap
May 29 11:07:18 ip-172-31-31-123.ec2.internal ec2net[27253]: No network reload needed
May 29 11:07:18 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:07:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:07:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:07:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success

```
May 29 11:08:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: Starting configuration refresh for ens5
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: [get_meta] Querying IMDS for mac
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: [get_meta] Querying IMDS for mac
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: [get_meta] Querying IMDS for mac
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: [get_meta] Querying IMDS for mac
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: [get_meta] Querying IMDS for mac
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: Called trap
May 29 11:08:28 ip-172-31-31-123.ec2.internal ec2net[27383]: No networkd reload needed
May 29 11:08:28 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:08:28 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:08:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:08:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:09:07 ip-172-31-31-123.ec2.internal systemd[27187]: Starting grub-boot-success.service - Mark boot as successful...
May 29 11:09:07 ip-172-31-31-123.ec2.internal systemd[27187]: Finished grub-boot-success.service - Mark boot as successful.
May 29 11:09:19 ip-172-31-31-123.ec2.internal sudo[27247]: pam_unix(sudo:session): session closed for user root
May 29 11:09:19 ip-172-31-31-123.ec2.internal USER_END pid=27159 uid=0 audit=1000 ses=7 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success
May 29 11:09:19 ip-172-31-31-123.ec2.internal audit[27247]: CRED_DISP pid=27247 uid=1000 audit=1000 ses=7 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success
May 29 11:09:38 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: Starting configuration refresh for ens5
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: [get_meta] Querying IMDS for mac
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: [get_meta] Querying IMDS for mac
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: [get_meta] Querying IMDS for mac
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: [get_meta] Querying IMDS for mac
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: Called trap
May 29 11:09:38 ip-172-31-31-123.ec2.internal ec2net[27353]: No networkd reload needed
May 29 11:09:38 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:09:38 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:09:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:09:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal audit[27159]: USER_END pid=27159 uid=0 audit=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal audit[27159]: USER_LOGOUT pid=27159 uid=0 audit=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal sshd[27221]: Received disconnect from 122.176.214.14 port 51672:11: disconnected by user
May 29 11:10:06 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_KEY_USER pid=27159 uid=0 audit=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fp=? direction=nboth spid=27221 suid=1000 rport=51672 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal sshd[27159]: Disconnected from user ec2-user 122.176.214.14 port 51672
May 29 11:10:06 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_KEY_USER pid=27159 uid=0 audit=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=27221 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal sshd[27159]: pam_unix(sshd:session): session closed for user ec2-user
May 29 11:10:06 ip-172-31-31-123.ec2.internal audit[27159]: USER_END pid=27159 uid=0 audit=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct=ec2-user exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal audit[27159]: CRED_DISP pid=27159 uid=0 audit=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=ec2-user exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal audit[27159]: CRYPTO_KEY_USER pid=27159 uid=0 audit=1000 ses=7 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=27159 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success
May 29 11:10:06 ip-172-31-31-123.ec2.internal systemd[1]: session-7.scope: Deactivated successfully.
May 29 11:10:06 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Session 7 logged out. Waiting for processes to exit.
May 29 11:10:07 ip-172-31-31-123.ec2.internal systemd[1]: Starting systat-collect.service - system activity accounting tool...
May 29 11:10:07 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Removed session 7.
May 29 11:10:07 ip-172-31-31-123.ec2.internal systemd[1]: systat-collect.service: Deactivated successfully.
May 29 11:10:07 ip-172-31-31-123.ec2.internal systemd[1]: Finished systat-collect.service - system activity accounting tool.
May 29 11:10:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systat-collect comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:10:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systat-collect comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Activating special unit exit.target...
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped target default.target - Main User Target.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped target basic.target - Basic System.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped target paths.target - Paths.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped target sockets.target - Sockets.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped target timers.target - Timers.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Removed slice app.slice - User Application Slice.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Reached target shutdown.target - Shutdown.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Finished systemd-exit.service - Exit the Session.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[27187]: Reached target exit.target - Exit the Session.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 29 11:10:17 ip-172-31-31-123.ec2.internal audit[1]: Stopped user@1000.service - User Manager for UID 1000.
May 29 11:10:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 11:10:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:10:17 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 29 11:10:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: Starting configuration refresh for ens5
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: [get_meta] Querying IMDS for mac
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: [get_meta] Querying IMDS for mac
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: [get_meta] Querying IMDS for mac
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: [get_meta] Querying IMDS for mac
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: Called trap
May 29 11:10:48 ip-172-31-31-123.ec2.internal ec2net[27405]: No networkd reload needed
May 29 11:10:48 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:10:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:10:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:10:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
May 29 11:11:04 ip-172-31-31-123.ec2.internal audit[27454]: CRYPTO_KEY_USER pid=27454 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=27454 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success
May 29 11:11:06 ip-172-31-31-123.ec2.internal audit[27453]: CRYPTO_SESSION pid=27453 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-server cipher=aes128-ctr ks12e=128 mac=hmacc-sha1-etm@openssh.com pfs=diffie-hellman-group-exchange-sha256 spid=27454 suid=74 rport=65440 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=198.235.24.214 terminal=? res=success
May 29 11:11:06 ip-172-31-31-123.ec2.internal audit[27453]: CRYPTO_SESSION pid=27453 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-client cipher=aes128-ctr ks12e=128 mac=hmacc-sha1-etm@openssh.com pfs=diffie-hellman-group-exchange-sha256 spid=27454 suid=74 rport=65440 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=198.235.24.214 terminal=? res=success
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Power key pressed short.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd-logind[1422]: System is powering down.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh-x2dpolicy-x2droues.slice - Slice /system/refresh-policy-routes.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: system-refresh-x2dpolicy-x2droues.slice: Consumed 2.939s CPU time.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice systemd-sshd-x2dkeygen.slice - Slice /system/sshd-keygen.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc_pipefs.target.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: fstirm.timer: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstirm.timer - Discard unused blocks once a week.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: systat-collect.timer: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systat-collect.timer - Run system activity accounting tool every 10 minutes.
```



```
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
May 29 11:11:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:07 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:11:07.9297 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x558386fc3900
May 29 11:11:07 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:11:07.9299 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
May 29 11:11:07 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:11:07.9299 INFO [amazon-ssm-agent] Stopping Core Agent
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
May 29 11:11:07 ip-172-31-31-123.ec2.internal chronyd[1600]: chronyd exiting
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
May 29 11:11:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping httpd.service - The Apache HTTP Server...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy\x2droutes.slice - Slice /system/policy-routes.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping serial-getty@ttyS0.service - Serial Getty on ttyS0...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
May 29 11:11:07 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:07 ip-172-31-31-123.ec2.internal audit[1568]: CRYPTO_KEY_USER pid=1568 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd.ts:0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1568 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...
May 29 11:11:07 ip-172-31-31-123.ec2.internal sshd[1568]: Received signal 15; terminating.
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
May 29 11:11:07 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Unit process 27453 (sshd) remains running after unit stopped.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:ssh:ts:0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=27453 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-logind.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-logind.service - User Login Management.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=73 op=UNLOAD
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-random-seed.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=84 op=UNLOAD
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-user-sessions.service - Permit User Sessions...
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-user-sessions.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-user-sessions.service - Permit User Sessions.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target systemd-homed-activate.service - Home Area Activation...
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed-activate.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed.service - Home Area Manager...
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed.service - Home Area Manager.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=87 op=UNLOAD
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: httpd.service: Deactivated successfully.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped httpd.service - The Apache HTTP Server.
May 29 11:11:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=httpd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: httpd.service: Consumed 1.691s CPU time.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
May 29 11:11:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
May 29 11:11:09 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
May 29 11:11:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
May 29 11:11:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init.ts:0 msg=unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:09 ip-172-31-31-123.ec2.internal audit[27453]: CRYPTO_KEY_USER pid=27453 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd.ts:0-s0:c0.c1023 msg=op=destroy kind=session fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=27454 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:11:09 ip-172-31-31-123.ec2.internal audit[27453]: CRYPTO_KEY_USER pid=27453 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd.ts:0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=27454 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:11:09 ip-172-31-31-123.ec2.internal audit[27453]: CRYPTO_KEY_USER pid=27453 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd.ts:0-s0:c0.c1023 msg=op=login acct="(unknown)" exe="/usr/sbin/sshd" hostname=? addr=198.235.24.214 terminal=ssh res=failed'
May 29 11:11:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:11:14.9365 INFO [CredentialRefresher] Sending credential refresher stop signal
May 29 11:11:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:11:14.9365 INFO [Registrar] Registrar is already stopped
```



```
May 29 11:11:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:11:14.9367 INFO [CredentialRefresher] Stopping credentials refresher
May 29 11:11:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-05-29 11:11:14.9367 INFO [amazon-ssm-agent] Bye.
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.
May 29 11:11:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=amazon-ssm-agent comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd-wait-online.service: Deactivated successfully.
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-networkd-wait-online.service - Wait for Network to be Configured.
May 29 11:11:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd-wait-online comm="systemd"
exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-networkd.service - Network Configuration...
May 29 11:11:14 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-networkd[1445]: enS: DHCP lease lost
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-networkd.service - Network Configuration.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-init-local comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=83 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: user.slice: Consumed 19.213s CPU time.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.socket: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-networkd.socket - Network Service Netlink Socket.
May 29 11:11:15 ip-172-31-31-123.ec2.internal dbus-broker[1447]: Dispatched 547 messages @ 51x2jms / message
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-network-generator comm="systemd"
exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-network-generator.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-network-generator.service - Generate network units from Kernel command line.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dbus-broker comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sysinit.target - System Initialization.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Target cryptsetup.target - Local Encrypted Volumes.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-ask-password-console.path: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-ask-password-wall.path: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=82 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-boot-update comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-boot-update.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-boot-update.service - Automatic Boot Loader Update.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-resolved.service - Network Name Resolution...
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-update-utmp.service - Record System Boot/Shutdown in UTMP...
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-resolved.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[27507]: SYSTEM_SHUTDOWN pid=27507 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg= comm="systemd-update-utmp" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-resolved.service - Network Name Resolution.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-resolved comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-sysctl comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-sysctl.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-sysctl.service - Apply Kernel Variables.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-coredump.socket: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-coredump.socket - Process Core Dump Socket.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-system\x2dsysctl.service.mount: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-system\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-update-utmp.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-update-utmp.service - Record System Boot/Shutdown in UTMP.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopping auditd.service - Security Auditing Service...
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=88 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal auditd[1282]: The audit daemon is exiting.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: COWID 0x00000000 op=SET audit_id=0 old=1282 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: auditd.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 113 callbacks suppressed
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780053075.548:608): op=set audit_pid=0 old=1282 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res
=1
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=auditd comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-tmpfiles-setup.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmpfiles-setup comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780053075.608:609): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=auditd comm
="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780053075.608:610): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmp
files-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-system\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-system\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
May 29 11:11:15 ip-172-31-31-123.ec2.internal mount[27512]: umount: /run/credentials/systemd-tmpfiles-setup.service: no mount point specified.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting tmp.mount - Temporary Directory /tmp...
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-system\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-system\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-system\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-system\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-system\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount boot-efi.automount.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target swap.target - Swaps.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Mount All Filesystems.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-fsck@dev-disk-by\x2duuid-6084\x2d862A.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2
d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780053075.868:611): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck
@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-remount-fs comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs-pre.target - Preparation for Local File Systems.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: system-remount-fs.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-remount-fs.service - Remount Root and Kernel File Systems.
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780053075.938:612): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-rem
ount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780053075.938:613): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck
-k-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780053075.938:614): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmp
files-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1130 audit(1780053075.938:615): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-pow
eroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780053075.938:616): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-pow
```

```
eroff comm="systemd" exe="/usr/lib/systemd/systemd" hostnames? addr? terminal? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname? addr? terminal? res=success'
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: systemd-fsck-root.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: Stopped systemd-fsck-root.service - File System Check on Root Device.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: Reached target shutdown.target - System Shutdown.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: Reached target final.target - Late Shutdown Services.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: systemd-poweroff.service: Deactivated successfully.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-poweroff.service - System Power Off.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: Reached target poweroff.target - System Power Off.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit[1]: Shutting down.
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=86 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=85 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=84 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=75 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=74 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=79 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=78 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=77 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=81 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=80 op=UNLOAD
May 29 11:11:15 ip-172-31-31-123.ec2.internal kernel: audit: type=1334 audit(1780053075.938:617): prog-id=86 op=UNLOAD
May 29 11:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
May 29 11:11:16 ip-172-31-31-123.ec2.internal audit: Syncing filesystems and block devices.
May 29 11:11:16 ip-172-31-31-123.ec2.internal audit: Journal stopped
-- Boot 7f0ff6d800584d6297213e9c37c1b1a9 --
May 29 11:14:26 localhost kernel: linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SM
P PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
May 29 11:14:26 localhost kernel: Command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980128-868a-45cd-aa78-b680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 11:14:26 localhost kernel: KASLR enabled
May 29 11:14:26 localhost kernel: BIOS-provided physical RAM map:
May 29 11:14:26 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x0000000000000fff] usable
May 29 11:14:26 localhost kernel: BIOS-e820: [mem 0x0000000001000000-0x000000000390cdfff] usable
May 29 11:14:26 localhost kernel: BIOS-e820: [mem 0x000000000390ce000-0x0000000003934dfff] reserved
May 29 11:14:26 localhost kernel: BIOS-e820: [mem 0x0000000003934e000-0x0000000003935dfff] ACPI data
May 29 11:14:26 localhost kernel: BIOS-e820: [mem 0x0000000003935e000-0x000000000393ddfff] ACPI NVS
May 29 11:14:26 localhost kernel: BIOS-e820: [mem 0x000000000393de000-0x000000000393fbfff] usable
May 29 11:14:26 localhost kernel: BIOS-e820: [mem 0x000000000393fc000-0x000000000393ffff] reserved
May 29 11:14:26 localhost kernel: NX (Execute Disable) protection: active
May 29 11:14:26 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 29 11:14:26 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 29 11:14:26 localhost kernel: extended physical RAM map:
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x0000000000000fff] usable
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x0000000001000000-0x000000000372be017] usable
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x000000000372be018-0x000000000372c6e57] usable
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x000000000372c6e58-0x000000000390cdfff] usable
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x000000000390ce000-0x0000000003934dfff] reserved
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x0000000003934e000-0x0000000003935dfff] ACPI data
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x0000000003935e000-0x000000000393ddfff] ACPI NVS
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x000000000393de000-0x000000000393fbfff] usable
May 29 11:14:26 localhost kernel: reserve setup_data: [mem 0x000000000393fc000-0x000000000393ffff] reserved
May 29 11:14:26 localhost kernel: efi: EFI v2.70 by EDK II
May 29 11:14:26 localhost kernel: efi: SMBIOS0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x3744ba98
May 29 11:14:26 localhost kernel: SMOS 2.2 present
May 29 11:14:26 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
May 29 11:14:26 localhost kernel: Hypervisor detected: KVM
May 29 11:14:26 localhost kernel: kvm-clock: Using msrcs 4b564d01 and 4b564d00
May 29 11:14:26 localhost kernel: kvm-clock: using sched offset of 1753750255 cycles
May 29 11:14:26 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
May 29 11:14:26 localhost kernel: tsc: Detected 2499.994 MHz processor
May 29 11:14:26 localhost kernel: e820: update [mem 0x000000000-0x00000fff] usable ==> reserved
May 29 11:14:26 localhost kernel: e820: remove [mem 0x000000000-0x00000fff] usable
May 29 11:14:26 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x400000000
May 29 11:14:26 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
May 29 11:14:26 localhost kernel: Using 6B pages for direct mapping
May 29 11:14:26 localhost kernel: Secure boot disabled
May 29 11:14:26 localhost kernel: RAMDISK: [mem 0x32885000-0x33c61fff]
May 29 11:14:26 localhost kernel: ACPI: Early table checksum verification disabled
May 29 11:14:26 localhost kernel: ACPI: RSDP 0x0000000003935D014 000024 (v02 AMAZON)
May 29 11:14:26 localhost kernel: ACPI: XSDT 0x0000000003935C0E8 00006C (v01 AMAZON AMZNFCAP 00000001 01000013)
May 29 11:14:26 localhost kernel: ACPI: FACP 0x0000000003935E000 000114 (v01 AMAZON AMZNFCAP 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: DSDT 0x00000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: FACS 0x000000000393D0000 000040
May 29 11:14:26 localhost kernel: ACPI: WAET 0x0000000003935B000 000028 (v01 AMAZON AMZNWAET 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: SLIT 0x0000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: APIC 0x00000000039359000 000076 (v01 AMAZON AMZNAPIC 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: SRAT 0x00000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: HPET 0x00000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: XSDT 0x00000000039353000 000079 (v01 AMAZON AMZNSDST 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: SDDT 0x00000000039352000 0000D1 (v01 AMAZON AMZNSDST 00000001 AMZN 00000001)
May 29 11:14:26 localhost kernel: ACPI: BGRT 0x00000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
May 29 11:14:26 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
May 29 11:14:26 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
May 29 11:14:26 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393d0000-0x393d003f]
May 29 11:14:26 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x3935b000-0x3935b027]
May 29 11:14:26 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
May 29 11:14:26 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
May 29 11:14:26 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
May 29 11:14:26 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
May 29 11:14:26 localhost kernel: ACPI: Reserving SDDT table memory at [mem 0x39353000-0x39353758]
May 29 11:14:26 localhost kernel: ACPI: Reserving SDDT table memory at [mem 0x39352000-0x393520d0]
May 29 11:14:26 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
May 29 11:14:26 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
May 29 11:14:26 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
May 29 11:14:26 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffffff]
May 29 11:14:26 localhost kernel: NUMA: Initialised distance table, online
May 29 11:14:26 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
May 29 11:14:26 localhost kernel: Zone ranges:
May 29 11:14:26 localhost kernel: DMA [mem 0x0000000000001000-0x000000000000ffff]
May 29 11:14:26 localhost kernel: DMA32 [mem 0x0000000001000000-0x0000000003d3bfff]
May 29 11:14:26 localhost kernel: Normal empty
May 29 11:14:26 localhost kernel: Device empty
May 29 11:14:26 localhost kernel: Movable zone start for each node
May 29 11:14:26 localhost kernel: Early memory node ranges
May 29 11:14:26 localhost kernel: node 0: [mem 0x0000000000001000-0x000000000000ffff]
May 29 11:14:26 localhost kernel: node 0: [mem 0x0000000001000000-0x000000000390cdfff]
May 29 11:14:26 localhost kernel: node 0: [mem 0x000000000393de000-0x0000000003d3bfff]
May 29 11:14:26 localhost kernel: Initmem setup node 0 [mem 0x0000000000001000-0x0000000003d3bfff]
May 29 11:14:26 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
May 29 11:14:26 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
May 29 11:14:26 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
May 29 11:14:26 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
May 29 11:14:26 localhost kernel: ACPI: PM-Timer IO Port: 0x0008
May 29 11:14:26 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] dfl dfl lint[0x1])
May 29 11:14:26 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
May 29 11:14:26 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
May 29 11:14:26 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
May 29 11:14:26 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
May 29 11:14:26 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
May 29 11:14:26 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
May 29 11:14:26 localhost kernel: ACPI: HPET id: 0x00000001 base: 0xfde00000
May 29 11:14:26 localhost kernel: TSC deadline timer available
May 29 11:14:26 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
May 29 11:14:26 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
May 29 11:14:26 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x000fffff]
May 29 11:14:26 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393ddfff]
May 29 11:14:26 localhost kernel: [mem 0x3d400000-0xffffffff] available for PCI devices
May 29 11:14:26 localhost kernel: Booting paravirtualized kernel on KVM
May 29 11:14:26 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
May 29 11:14:26 localhost kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
May 29 11:14:26 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1048576
May 29 11:14:26 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1048576 alloc=1*2097152
May 29 11:14:26 localhost kernel: pcpu-alloc: [0] 0 1
May 29 11:14:26 localhost kernel: kvm-guest: PV spinlocks enabled
```

```
May 29 11:14:26 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
May 29 11:14:26 localhost kernel: Fallback order for Node 0: 0
May 29 11:14:26 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
May 29 11:14:26 localhost kernel: Policy zone: DMA32
May 29 11:14:26 localhost kernel: Kernel command line: BOOT_IMAGE=(hdb,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 11:14:26 localhost kernel: random: crng init done
May 29 11:14:26 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
May 29 11:14:26 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
May 29 11:14:26 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
May 29 11:14:26 localhost kernel: Memory: 260860K/999468K available (14347K kernel code, 8905K rodata, 2456K init, 6356K bss, 133548K reserved, 0K cma-reserved)
May 29 11:14:26 localhost kernel: SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
May 29 11:14:26 localhost kernel: Kernel/User page tables isolation: enabled
May 29 11:14:26 localhost kernel: ftrace: allocating 42099 entries in 165 pages
May 29 11:14:26 localhost kernel: ftrace: allocated 165 pages with 4 groups
May 29 11:14:26 localhost kernel: Dynamic Preempt: none
May 29 11:14:26 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
May 29 11:14:26 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
May 29 11:14:26 localhost kernel: Trampoline variant of Tasks RCU enabled.
May 29 11:14:26 localhost kernel: Rude variant of Tasks RCU enabled.
May 29 11:14:26 localhost kernel: Tracing variant of Tasks RCU enabled.
May 29 11:14:26 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
May 29 11:14:26 localhost kernel: rcu: Adjusting geometry for rcu.fanout_leaf=16, nr_cpu_ids=2
May 29 11:14:26 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
May 29 11:14:26 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
May 29 11:14:26 localhost kernel: Console: colour dummy device 80x25
May 29 11:14:26 localhost kernel: printk: console [tty0] enabled
May 29 11:14:26 localhost kernel: printk: console [ttyS0] enabled
May 29 11:14:26 localhost kernel: ACPI: Core revision 20220931
May 29 11:14:26 localhost kernel: clocksource: hpet: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
May 29 11:14:26 localhost kernel: APIC: Switch to symmetric I/O mode setup
May 29 11:14:26 localhost kernel: x2apic enabled
May 29 11:14:26 localhost kernel: Switched APIC routing to physical x2apic.
May 29 11:14:26 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x240933eba6e, max_idle_ns: 440795246008 ns
May 29 11:14:26 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.98 BogoMIPS (lpj=24999940)
May 29 11:14:26 localhost kernel: Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
May 29 11:14:26 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
May 29 11:14:26 localhost kernel: Spectre v1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
May 29 11:14:26 localhost kernel: Spectre V2 : Mitigation: Retpolines
May 29 11:14:26 localhost kernel: Spectre V2 : Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
May 29 11:14:26 localhost kernel: RETBleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETBleed attacks, data leaks possible!
May 29 11:14:26 localhost kernel: RETBleed: Vulnerable
May 29 11:14:26 localhost kernel: Speculative Store Bypass: Vulnerable
May 29 11:14:26 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 11:14:26 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
May 29 11:14:26 localhost kernel: GDS: Unknown: Dependent on hypervisor status
May 29 11:14:26 localhost kernel: active return thunk: its return thunk
May 29 11:14:26 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
May 29 11:14:26 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
May 29 11:14:26 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
May 29 11:14:26 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
May 29 11:14:26 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
May 29 11:14:26 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
May 29 11:14:26 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
May 29 11:14:26 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
May 29 11:14:26 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
May 29 11:14:26 localhost kernel: x86/fpu: Enabled xstate features 0x2ff, context size is 2568 bytes, using 'compacted' format.
May 29 11:14:26 localhost kernel: Freeing SMP alternatives memory: 36K
May 29 11:14:26 localhost kernel: pid_max: default: 32768 minimum: 301
May 29 11:14:26 localhost kernel: LSM: Security Framework initializing
May 29 11:14:26 localhost kernel: landlock: Up and running.
May 29 11:14:26 localhost kernel: Yama: becoming mindful.
May 29 11:14:26 localhost kernel: SELinux: Initializing.
May 29 11:14:26 localhost kernel: LSM support for ebpf active
May 29 11:14:26 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 11:14:26 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 29 11:14:26 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
May 29 11:14:26 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 11:14:26 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 11:14:26 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 11:14:26 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 11:14:26 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 29 11:14:26 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 29 11:14:26 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
May 29 11:14:26 localhost kernel: signal: max sigframe size: 3632
May 29 11:14:26 localhost kernel: rcu: Hierarchical SRCU implementation.
May 29 11:14:26 localhost kernel: rcu: Max phase no-delay instances is 1000.
May 29 11:14:26 localhost kernel: smp: Bringing up secondary CPUs ...
May 29 11:14:26 localhost kernel: x86: Booting SMP configuration:
May 29 11:14:26 localhost kernel: ... node #0, CPUs: #1
May 29 11:14:26 localhost kernel: MDS: CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
May 29 11:14:26 localhost kernel: MMIO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
May 29 11:14:26 localhost kernel: smp: Brought up 1 node, 2 CPUs
May 29 11:14:26 localhost kernel: smpboot: Max logical packages: 1
May 29 11:14:26 localhost kernel: smpboot: Total of 2 processors activated (9999.97 BogoMIPS)
May 29 11:14:26 localhost kernel: node 0 deferred pages initialised in 0ms
May 29 11:14:26 localhost kernel: devtmpfs: initialized
May 29 11:14:26 localhost kernel: x86/64 Memory block size: 128MB
May 29 11:14:26 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393d0fff] (524288 bytes)
May 29 11:14:26 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
May 29 11:14:26 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
May 29 11:14:26 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
May 29 11:14:26 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
May 29 11:14:26 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA pool for atomic allocations
May 29 11:14:26 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA32 pool for atomic allocations
May 29 11:14:26 localhost kernel: audit: initializing netlink subsys (disabled)
May 29 11:14:26 localhost kernel: audit: type=2000 audit(1780053267.048:1): state=initialized audit_enabled=0 res=1
May 29 11:14:26 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
May 29 11:14:26 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
May 29 11:14:26 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
May 29 11:14:26 localhost kernel: cpuidle: using governor ladder
May 29 11:14:26 localhost kernel: cpuidle: using governor menu
May 29 11:14:26 localhost kernel: efi: Freeing EFI boot services memory: 44696K
May 29 11:14:26 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
May 29 11:14:26 localhost kernel: PCI: Using configuration type 1 for base access
May 29 11:14:26 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
May 29 11:14:26 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
May 29 11:14:26 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
May 29 11:14:26 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
May 29 11:14:26 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
May 29 11:14:26 localhost kernel: cryptd: max_cpu_qlen set to 1000
May 29 11:14:26 localhost kernel: ACPI: Added _OSI (Module Device)
May 29 11:14:26 localhost kernel: ACPI: Added _OSI (Processor Device)
May 29 11:14:26 localhost kernel: ACPI: Added _OSI (Processor Aggregator Device)
May 29 11:14:26 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
May 29 11:14:26 localhost kernel: ACPI: Interpreter enabled
May 29 11:14:26 localhost kernel: ACPI: PM: (supports S0 S4 S5)
May 29 11:14:26 localhost kernel: ACPI: Using IOAPIC for interrupt routing
May 29 11:14:26 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
May 29 11:14:26 localhost kernel: PCI: Using E820 reservations for host bridge windows
May 29 11:14:26 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
May 29 11:14:26 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
May 29 11:14:26 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
May 29 11:14:26 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
May 29 11:14:26 localhost kernel: acpi PNP0A03:00: fail to add MMCONFIG information, can't access extended PCI configuration space under this bridge.
May 29 11:14:26 localhost kernel: acpihp: Slot [3] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [4] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [5] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [6] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [7] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [8] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [9] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [10] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [11] registered
```



```
May 29 11:14:26 localhost kernel: acpihp: Slot [12] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [13] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [14] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [15] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [16] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [17] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [18] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [19] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [20] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [21] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [22] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [23] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [24] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [25] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [26] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [27] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [28] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [29] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [30] registered
May 29 11:14:26 localhost kernel: acpihp: Slot [31] registered
May 29 11:14:26 localhost kernel: PCI host bridge to bus 0000:00
May 29 11:14:26 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x000a0000-0x000bffff window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x100000000-0x2000ffffff window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
May 29 11:14:26 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
May 29 11:14:26 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x000000
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at ffff-ffff
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc0000-ffffff
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at ffff-ffff
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc0000-ffffff
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at ffff-ffff
May 29 11:14:26 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at ffff-ffff
May 29 11:14:26 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
May 29 11:14:26 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x80000000-0x803fffff pref]
May 29 11:14:26 localhost kernel: pci 0000:00:03.0: ROM [mem 0xffff0000-0xfffffff pref]
May 29 11:14:26 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x00c0000-0x00dffff]
May 29 11:14:26 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010802
May 29 11:14:26 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x8040000-0x80407fff]
May 29 11:14:26 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
May 29 11:14:26 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x80400000-0x80403fff]
May 29 11:14:26 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
May 29 11:14:26 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
May 29 11:14:26 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
May 29 11:14:26 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
May 29 11:14:26 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
May 29 11:14:26 localhost kernel: iommu: Default domain type: Translated
May 29 11:14:26 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
May 29 11:14:26 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
May 29 11:14:26 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
May 29 11:14:26 localhost kernel: PTP clock support registered
May 29 11:14:26 localhost kernel: EDAC MC: Ver: 3.0.0
May 29 11:14:26 localhost kernel: Registered efivars operations
May 29 11:14:26 localhost kernel: NetLabel: Initializing
May 29 11:14:26 localhost kernel: NetLabel: domain hash size = 128
May 29 11:14:26 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
May 29 11:14:26 localhost kernel: NetLabel: unlabeled traffic allowed by default
May 29 11:14:26 localhost kernel: PCI: Using ACPI for IRQ routing
May 29 11:14:26 localhost kernel: PCI: pci_scan_line_size set to 64 bytes
May 29 11:14:26 localhost kernel: e820: reserve RAM buffer [mem 0x372ba018-0x37ffffff]
May 29 11:14:26 localhost kernel: e820: reserve RAM buffer [mem 0x390ca000-0x3bffffff]
May 29 11:14:26 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3ffffff]
May 29 11:14:26 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
May 29 11:14:26 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 Mhz counter
May 29 11:14:26 localhost kernel: clocksource: Switched to clocksource kvm-clock
May 29 11:14:26 localhost kernel: VFS: Disk quotas dquot_6.6.0
May 29 11:14:26 localhost kernel: VFS: Quota: Cache hash table entries: 512 (order 0, 4096 bytes)
May 29 11:14:26 localhost kernel: pnp: PnP ACPI init
May 29 11:14:26 localhost kernel: pnp: PnP ACPI: found 5 devices
May 29 11:14:26 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
May 29 11:14:26 localhost kernel: NET: Registered PF_INET protocol family
May 29 11:14:26 localhost kernel: IP idents hash table entries: 16384 (order: 5, 131072 bytes, linear)
May 29 11:14:26 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
May 29 11:14:26 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
May 29 11:14:26 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
May 29 11:14:26 localhost kernel: TCP hash table entries: 8192 (order: 6, 262144 bytes, linear)
May 29 11:14:26 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
May 29 11:14:26 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
May 29 11:14:26 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 11:14:26 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
May 29 11:14:26 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
May 29 11:14:26 localhost kernel: NET: Registered PF_XDP protocol family
May 29 11:14:26 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x00000000-0xfefbffff window]
May 29 11:14:26 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffff window]
May 29 11:14:26 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
May 29 11:14:26 localhost kernel: PCI: CLS 0 bytes, default 64
May 29 11:14:26 localhost kernel: Trying to unpack rootfs image as initramfs...
May 29 11:14:26 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x240933eba6e, max_idle_ns: 440795246008 ns
May 29 11:14:26 localhost kernel: clocksource: Switched to clocksource tsc
May 29 11:14:26 localhost kernel: Initialise system trusted keyrings
May 29 11:14:26 localhost kernel: Key type blacklist registered
May 29 11:14:26 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
May 29 11:14:26 localhost kernel: zbud: loaded
May 29 11:14:26 localhost kernel: SGI XFS with ACLs, security attributes, quota, no debug enabled
May 29 11:14:26 localhost kernel: integrity: Platform Keyring initialized
May 29 11:14:26 localhost kernel: integrity: Machine keyring initialized
May 29 11:14:26 localhost kernel: Key type asymmetric registered
May 29 11:14:26 localhost kernel: Asymmetric key parser 'x509' registered
May 29 11:14:26 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
May 29 11:14:26 localhost kernel: io scheduler mq-deadline registered
May 29 11:14:26 localhost kernel: io scheduler kyber registered
May 29 11:14:26 localhost kernel: io scheduler bfq registered
May 29 11:14:26 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
May 29 11:14:26 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
May 29 11:14:26 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
May 29 11:14:26 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
May 29 11:14:26 localhost kernel: nvme nvme0: pci function 0000:00:04.0
May 29 11:14:26 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
May 29 11:14:26 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
May 29 11:14:26 localhost kernel: rtc_cmos 00:00: registered as rtc0
May 29 11:14:26 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-05-29T11:14:26 UTC (1780053266)
May 29 11:14:26 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
May 29 11:14:26 localhost kernel: vmclock AMZNCL0C:00: vmclock0: registered miscdev
May 29 11:14:26 localhost kernel: intel_pstate: CPU model not supported
May 29 11:14:26 localhost kernel: pstore: Registered efi as persistent store backend
May 29 11:14:26 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
May 29 11:14:26 localhost kernel: NET: Registered PF_INET6 protocol family
May 29 11:14:26 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
May 29 11:14:26 localhost kernel: nvme0n1: p1 p127 p128
May 29 11:14:26 localhost kernel: Freeing initrd memory: 20340K
May 29 11:14:26 localhost kernel: Segment Routing with IPv6
May 29 11:14:26 localhost kernel: In-situ OAM (IOAM) with IPv6
May 29 11:14:26 localhost kernel: NET: Registered PF_PACKET protocol family
May 29 11:14:26 localhost kernel: IPI shorthand broadcast: enabled
May 29 11:14:26 localhost kernel: AVX2 version of gcm_enc/dec engaged.
May 29 11:14:26 localhost kernel: AES CTR mode by8 optimization enabled
May 29 11:14:26 localhost kernel: sched_clock: Marking stable (246191636, 2889292)-->(269678812, -20597884)
May 29 11:14:26 localhost kernel: registered taskstats version 1
May 29 11:14:26 localhost kernel: Loading compiled-in X.509 certificates
May 29 11:14:26 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9849a1ad8476a4'
May 29 11:14:26 localhost kernel: zswap: loaded using pool lz4/zbud
May 29 11:14:26 localhost kernel: Key type .fscrypt registered
May 29 11:14:26 localhost kernel: Key type fscrypt-provisioning registered
May 29 11:14:26 localhost kernel: pstore: Using crash dump compression: deflate
May 29 11:14:26 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
May 29 11:14:26 localhost kernel: ima: Allocated hash algorithm: sha256
```

```
May 29 11:14:26 localhost kernel: ima: No architecture policies found
May 29 11:14:26 localhost kernel: clk: Disabling unused clocks
May 29 11:14:26 localhost kernel: Freeing unused decrypted memory: 2036K
May 29 11:14:26 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
May 29 11:14:26 localhost kernel: Write protecting the kernel read-only data: 26624k
May 29 11:14:26 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
May 29 11:14:26 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
May 29 11:14:26 localhost kernel: Run /init as init process
May 29 11:14:26 localhost kernel: with arguments:
May 29 11:14:26 localhost kernel: /init
May 29 11:14:26 localhost kernel: with environment:
May 29 11:14:26 localhost kernel: HOME=/
May 29 11:14:26 localhost kernel: TERM=linux
May 29 11:14:26 localhost systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIO202 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD -BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
May 29 11:14:26 localhost systemd[1]: Detected virtualization amazon.
May 29 11:14:26 localhost systemd[1]: Detected architecture x86_64.
May 29 11:14:26 localhost systemd[1]: Running in initrd.
May 29 11:14:26 localhost systemd[1]: No hostname configured, using default hostname.
May 29 11:14:26 localhost systemd[1]: Hostname set to <localhost>.
May 29 11:14:26 localhost systemd[1]: Initializing machine ID from VM UUID.
May 29 11:14:26 localhost systemd[1]: Queued start job for default target initrd.target.
May 29 11:14:26 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 11:14:26 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
May 29 11:14:26 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
May 29 11:14:26 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 11:14:26 localhost systemd[1]: Reached target paths.target - Path Units.
May 29 11:14:26 localhost systemd[1]: Reached target slices.target - Slice Units.
May 29 11:14:26 localhost systemd[1]: Reached target swap.target - Swaps.
May 29 11:14:26 localhost systemd[1]: Reached target timers.target - Timer Units.
May 29 11:14:26 localhost systemd[1]: Listening on systemd-journald-audit.socket - Journal Audit Socket.
May 29 11:14:26 localhost systemd[1]: Listening on systemd-journald-dev-log.socket - Journal Socket (/dev/log).
May 29 11:14:26 localhost systemd[1]: Listening on systemd-journald.socket - Journal Socket.
May 29 11:14:26 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
May 29 11:14:26 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 29 11:14:26 localhost systemd[1]: Reached target sockets.target - Socket Units.
May 29 11:14:26 localhost systemd[1]: kmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname)
May 29 11:14:26 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
May 29 11:14:26 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 11:14:26 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 11:14:26 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
May 29 11:14:26 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
May 29 11:14:26 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
May 29 11:14:26 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
May 29 11:14:26 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
May 29 11:14:26 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
May 29 11:14:26 localhost kernel: audit: type=1130 audit(1780053266.959:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:26 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 11:14:26 localhost systemd-journald[346]: Journal started
May 29 11:14:26 localhost systemd-journald[346]: Runtime Journal (/run/log/journal/ec28de2184d5718b93d59b4fc4811fe) is 2.2M, max 18.3M, 16.0M free.
May 29 11:14:26 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 11:14:26 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
May 29 11:14:26 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
May 29 11:14:26 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
May 29 11:14:26 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 11:14:26 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 11:14:26 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 29 11:14:26 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 11:14:26 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
May 29 11:14:26 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
May 29 11:14:26 localhost systemd[1]: Started systemd-journald.service - Journal Service.
May 29 11:14:26 localhost kernel: audit: type=1130 audit(1780053266.969:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:26 localhost kernel: audit: type=1130 audit(1780053266.969:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:26 localhost kernel: audit: type=1130 audit(1780053266.969:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:26 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
May 29 11:14:26 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d
e4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 29 11:14:26 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=?
addr=? terminal=? res=success'
May 29 11:14:26 localhost systemd-tmpfiles[361]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
May 29 11:14:26 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Volatile Files and Directories.
May 29 11:14:26 localhost kernel: audit: type=1130 audit(1780053266.979:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 11:14:27 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
May 29 11:14:27 localhost audit: BPF prog-id=6 op=LOAD
May 29 11:14:27 localhost audit: BPF prog-id=7 op=LOAD
May 29 11:14:27 localhost systemd[1]: Starting systemd-udevdev.service - Rule-based Manager for Device Events and Files...
May 29 11:14:27 localhost kernel: audit: type=1130 audit(1780053267.009:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:27 localhost kernel: audit: type=1334 audit(1780053267.009:8): prog-id=6 op=LOAD
May 29 11:14:27 localhost kernel: audit: type=1334 audit(1780053267.009:9): prog-id=7 op=LOAD
May 29 11:14:27 localhost systemd-udevdev[410]: Using default interface naming scheme 'v252'.
May 29 11:14:27 localhost systemd[1]: Started systemd-udevdev.service - Rule-based Manager for Device Events and Files.
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udevdev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rминаl=? res=success'
May 29 11:14:27 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
May 29 11:14:27 localhost kernel: audit: type=1130 audit(1780053267.029:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udevdev comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr
=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? ad
dr=? terminal=? res=success'
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=ternrdg comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=?
res=success'
May 29 11:14:27 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 29 11:14:27 localhost systemd[1]: Reached target sysinit.target - System Initialization.
May 29 11:14:27 localhost systemd[1]: Reached target basic.target - Basic System.
May 29 11:14:27 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
May 29 11:14:27 localhost systemd[1]: Reached target remote-fs.target - Preparation for Remote File Systems.
May 29 11:14:27 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 29 11:14:27 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
May 29 11:14:27 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 11:14:27 localhost rngd[773]: Disabling 7: PKCS11 Entropy generator (pkcs11)
May 29 11:14:27 localhost rngd[773]: Disabling 5: NIST Network Entropy Beacon (nist)
May 29 11:14:27 localhost rngd[773]: Initializing available sources
May 29 11:14:27 localhost rngd[773]: [hwrng]: Initialization Failed
May 29 11:14:27 localhost rngd[773]: [drand]: Enabling RDSEED rng support
May 29 11:14:27 localhost rngd[773]: [drand]: Initialized
May 29 11:14:27 localhost rngd[773]: [jitter]: JITTER timeout set to 5 sec
May 29 11:14:27 localhost rngd[773]: [jitter]: Initializing AES buffer
May 29 11:14:27 localhost systemd[1]: Found device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
May 29 11:14:27 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
May 29 11:14:27 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
May 29 11:14:27 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
May 29 11:14:27 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
May 29 11:14:27 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
May 29 11:14:27 localhost kernel: XFS (nvme0n1p1): Ending clean mount
May 29 11:14:27 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
May 29 11:14:27 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
May 29 11:14:27 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
May 29 11:14:27 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
May 29 11:14:27 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
May 29 11:14:27 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
```

```
May 29 11:14:27 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
May 29 11:14:27 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
May 29 11:14:27 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
May 29 11:14:27 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 29 11:14:27 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 11:14:27 localhost systemd[1]: Stopped target timers.target - Timer Units.
May 29 11:14:27 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
May 29 11:14:27 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
May 29 11:14:27 localhost systemd[1]: rngd.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? r
es=success'
May 29 11:14:27 localhost systemd[1]: Stopped target basic.target - Basic System.
May 29 11:14:27 localhost systemd[1]: Stopped target paths.target - Path Units.
May 29 11:14:27 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 11:14:27 localhost systemd[1]: Stopped target slices.target - Slice Units.
May 29 11:14:27 localhost systemd[1]: Stopped target sockets.target - Socket Units.
May 29 11:14:27 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
May 29 11:14:27 localhost systemd[1]: Stopped target swap.target - Swaps.
May 29 11:14:27 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
May 29 11:14:27 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
May 29 11:14:27 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? add
r=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=
? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
May 29 11:14:27 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? te
rminal=? res=success'
May 29 11:14:27 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? ter
minal=? res=success'
May 29 11:14:27 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
May 29 11:14:27 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
May 29 11:14:27 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 11:14:27 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
May 29 11:14:27 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
May 29 11:14:27 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 29 11:14:27 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=
=? addr=? terminal=? res=success'
May 29 11:14:27 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
May 29 11:14:27 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
May 29 11:14:27 localhost systemd[1]: Switching root.
May 29 11:14:27 localhost systemd-journal[346]: Journal stopped
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd-journal[346]: Received SIGTERM from PID 1 (systemd).
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability nnp_nosuid_transition=1
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_cloexec=0
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 146.160ms.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev/shm, /run, /sys/fs/cgroup in 20.730ms.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: system 252.23-11.amzn2823 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLK
ID +CURL +FIDUCIAL +FIDO2 +IDW2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PMUQUALITY +PI1KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-h
ierarchy=unified)
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: bpf-lsm: LSM BPF program attached
May 29 11:14:28 ip-172-31-31-123.ec2.internal zram-generator: config[816]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
->/run/acpid.socket; please update the unit file accordingly.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-ssh\x2dkeygen.slice - Slice /system/ssh-keygen.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt-misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udevdb.socket - User Database Manager Socket.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unmet condition check (ConditionPathExists=/et
c/krb5.keytab).
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
```



```

May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-convert.service - Preprocess NFS configuration conversion...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journald.service - Journal Service.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journald.service - Journal Service...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioct1: 4.47.0-ioct1 (2022-07-28) initialised: dm-devel@redhat.com
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
May 29 11:14:28 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd-journald[837]: Journal started
May 29 11:14:28 ip-172-31-31-123.ec2.internal systemd-journald[837]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
May 29 11:14:27 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD audit=4294967295 ses=4294967295 lam=selinux res=1
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=LOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
May 29 11:14:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=LOAD
May 29 11:14:28 ip-172-31-31
```

```
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convertd comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck-root.service - File System Check on Root Device.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-network-generator.service - Generate network units from Kernel command line.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd"
" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev-trigger comm="systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-remount-fs.service - Remount Root and Kernel File Systems.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exes
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty
=/sys/fs/pstore).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd-journald[837]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d59b4fc48811fe is 55.477ms for 784 entries.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd-journald[837]: System Journal (/var/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 16.0M, max 811.6M, 795.5M free.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd-journald[837]: Received client request to flush runtime journal.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-flush comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: First-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi.automount.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNot
Empty=/run/initramfs/state).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecuri
ty=selinux).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-efivarfs/efivarfs/LoaderFeatures-a67b0802-Ba6c-41cf-b6c7-440b29bb8c4f).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathI
sMountPoint=/etc/machine-id).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=LOAD
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=LOAD
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=6 op=UNLOAD
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udevd.service - Rule-based Manager for Device Events and Files...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1252 (bootctl)
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd\x2dfsc.slice - Slice /system/systemd-fsck.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862A.device - /dev/disk/by-uuid/6084-862A...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd-udev[1254]: Using default interface naming scheme 'v252'.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=LOAD
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting auditd.service - Security Auditing Service...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/v
ar).
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
May 29 11:14:29 ip-172-31-31-123.ec2.internal auditd[1278]: No plugins found, not dispatching events
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 11:14:29 ip-172-31-31-123.ec2.internal auditd[1278]: SYSCALL arch=000003e syscall=44 success=yes exit=0 a0=3 a1=7fff4425a10 a2=3c a3=0 items=0 ppid=1275 pid=1278 auid=4294967295 uid=0 gi
d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=1278 old=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 11:14:29 ip-172-31-31-123.ec2.internal auditd[1278]: SYSCALL arch=000003e syscall=44 success=yes exit=0 a0=3 a1=7fff44257d0 a2=3c a3=0 items=0 ppid=1275 pid=1278 auid=4294967295 uid=0 gi
d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
May 29 11:14:29 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
May 29 11:14:29 ip-172-31-31-123.ec2.internal auditd[1278]: Init complete, auditd 3.1.5 listening for events (startup state enable)
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
May 29 11:14:29 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipefs.target.
May 29 11:14:29 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
May 29 11:14:29 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
May 29 11:14:29 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
May 29 11:14:29 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Positive Trust Anchors:
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: IN D5 20326 8 2 e06d44b80b8f1d39a95c0bbd7c6d508450e80409bbc683457104237f8c8d
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Negative trust anchors: home.arpa 10.172.in-addr.arpa 16.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.
arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-
addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
May 29 11:14:30 ip-172-31-31-123.ec2.internal augenrules[1282]: /sbin/augeenrules: No change
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) v2.16.1g
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA device version: 0.10
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA controller version: 0.0.1 implementation version 1
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: i8042: PNP: PS/2 Controller [PNP0303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: i8042: Warning: Keylock active
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: serio: i8042 KBD port at 0x60,0x64 irq 1
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: serio: i8042 AUX port at 0x60,0x64 irq 12
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRB]
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXLSPBN:00/input/input1
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: LLQ is not supported fallback to host mode policy.
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) found at mem 0a400000, mac addr 0a:ff:e4:d2:b3:39
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule key=(null) list=1 res=1
May 29 11:14:30 ip-172-31-31-123.ec2.internal auditd[1393]: SYSCALL arch=000003e syscall=44 success=yes exit=1056 a0=3 a1=7ffc7a50200 a2=420 a3=0 items=0 ppid=1282 pid=1393 auid=4294967295 uid=0 gi
d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="2F7362696E62f61756497437a6c0802D52082F6574632F61756469742F61756469742F275605C573"
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/sys
temd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1313]: SYSTEM_BOOT pid=1313 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=' comm="systemd-update-utmp" exe="/us/li
b/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal augenrules[1393]: No rules
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started auditd.service - Security Auditing Service.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Using system hostname 'ip-172-31-31-123.ec2.internal'.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-resolved.service - Network Name Resolution.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
May 29 11:14:30 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 enss: renamed from eth0
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reloading
May 29 11:14:30 ip-172-31-31-123.ec2.internal zram-generator: config[1388]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: /usr/lib/systemd/system/acpid.socket: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the unit file accordingly.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862A.device - Amazon Elastic Block Store EFI\x20System\x20Partition being skipped
.
```

```
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=UNLOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=UNLOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=UNLOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=UNLOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy-routes.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=run/initramfs.state).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-btmpf.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: First-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a.service - File System Check on /dev/disk/by-uuid/6084-862a...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=/etc).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/var).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathExists=/etc/machine-id).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service - Deactivated successfully.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd-fsck[1399]: fsck.fat 4.2 (2021-01-31)
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd-fsck[1399]: /dev/nvme0n1p28: 5 files, 659/5101 clusters
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service - Deactivated successfully.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service - Deactivated successfully.
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting boot-efi.mount - /boot/efi...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted boot-efi.mount - /boot/efi.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started fstirm.timer - Discard unused blocks once a week.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Daemon Socket.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: system-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@cdcsa.service - OpenSSH cdcsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: removed '/var/lib/cloud/instance/boot-finished'
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit[1]: removed '/var/lib/cloud/instance'
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat.service - Resets System Activity Logs...
May 29 11:14:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
May 29 11:14:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=LOAD
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-homed[1419]: Watching /home.
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[1417]: Starting configuration for ens5
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[1425]: /lib/systemd/system-networkd-wait-online ens5
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event0 (Power Button)
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event1 (Sleep Button)
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-logind[1420]: New seat seat0.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat.service - Resets System Activity Logs.
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=LOAD
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=LOAD
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
```



```

May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: lo: Link UP
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: lo: Gained carrier
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: Enumeration completed
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Link UP
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Gained carrier
May 29 11:14:31 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0 ens5: Local page cache is disabled for less than 16 channels
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drn.service - Load Kernel Module drn...
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Gained IPv6LL
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drn.service: Deactivated successfully.
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drn comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drn comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drn.service - Load Kernel Module drn.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unset condition check (ConditionPathExists=/etc/krb5.keytab).
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Preparation for Remote File Systems.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unset condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4ae67b082-Ba4c-41cf-b6c7-440b29bb8c4f).
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: [get_meta] Querying IMDS for mac
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: [get_meta] Querying IMDS for mac
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/subnet-ipv4-cidr-block
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/interface-id
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: [get_meta] Querying IMDS for mac
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=httpd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: [get_meta] Querying IMDS for mac
May 29 11:14:31 ip-172-31-31-123.ec2.internal httpd[1456]: Server configured, listening on: port 80
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/local-ipv4s
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: Called trap
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCP lease lost
May 29 11:14:31 ip-172-31-31-123.ec2.internal ec2net[147]: Reloaded networkd
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv6 lease lost
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
May 29 11:14:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:31 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 29 11:14:31 ip-172-31-31-123.ec2.internal cloud-init[1789]: Cloud-init v. 22.2.2 running 'init' at Fri, 29 May 2026 11:14:31 +0000. Up 5.62 seconds.
May 29 11:14:31 ip-172-31-31-123.ec2.internal cloud-init[1789]: ci-info: *****Net device info*****
May 29 11:14:32 ip-172-31-31-123.ec2.internal cloud-init[1789]: ci-info:


|      | Device | Up                           | Address       | Mask   | Scope             | Hw-Address |
|------|--------|------------------------------|---------------|--------|-------------------|------------|
| ens5 | True   | 172.31.31.123                | 255.255.248.0 | global | 0a:ff:e4:df:2b:39 |            |
| ens5 | True   | fe80::8ff:ae4ff:fedf:2b39/64 | .             | link   | 0a:ff:e4:df:2b:39 |            |
| lo   | True   | 127.0.0.1                    | 255.0.0.0     | host   | .                 |            |
| lo   | True   | :::1                         | .             | host   | .                 |            |


May 29 11:14:32 ip-172-31-31-123.ec2.internal cloud-init[1789]: ci-info: *****Route IPv4 info*****
May 29 11:14:32 ip-172-31-31-123.ec2.internal cloud-init[1789]: ci-info:

```



```

May 29 11:14:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:33 ip-172-31-31-123.ec2.internal systemd[1]: Started chronyd.service - NTP client/server.
May 29 11:14:33 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.1161 INFO no_proxy:
May 29 11:14:33 ip-172-31-31-123.ec2.internal cloud-init[1782]: Cloud-init v. 22.2.2 running 'modules:config' at Fri, 29 May 2026 11:14:33 +0000. Up 7.00 seconds.
May 29 11:14:33 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.1161 INFO Cloud Checking if agent identity type OnPrem can be assumed
May 29 11:14:33 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
May 29 11:14:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:33 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
May 29 11:14:33 ip-172-31-31-123.ec2.internal systemd[1]: Started hinit-agent.service - Initial hibernation setup job.
May 29 11:14:33 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.1162 INFO Cloud Checking if agent identity type EC2 can be assumed
May 29 11:14:33 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3598 INFO Agent will take identity from EC2
May 29 11:14:33 ip-172-31-31-123.ec2.internal hinit-agent[1785]: Effective config: {'log_to_syslog': 'True', 'grub_update': 'False', 'touch_swap': 'False', 'btrfs_enabled': 'False', 'state_dir': '/var/lib/systemd/systemd' hostname=? addr=? terminal=? res=success'
May 29 11:14:33 ip-172-31-31-123.ec2.internal hinit-agent[1785]: Requesting new IMDSv2 token.
May 29 11:14:33 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3651 INFO Telemetry Initialized
May 29 11:14:33 ip-172-31-31-123.ec2.internal hinit-agent[1785]: Instance Launch has not enabled Hibernation Configured Flag. hinit-agent exiting!!
May 29 11:14:33 ip-172-31-31-123.ec2.internal systemd[1]: hinit-agent.service: Deactivated successfully.
May 29 11:14:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:33 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3665 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4108.0
May 29 11:14:33 ip-172-31-31-123.ec2.internal cloud-init[1790]: Cloud-init v. 22.2.2 running 'modules:final' at Fri, 29 May 2026 11:14:33 +0000. Up 7.53 seconds.
May 29 11:14:34 ip-172-31-31-123.ec2.internal cloud-init[1790]: Cloud-init v. 22.2.2 finished at Fri, 29 May 2026 11:14:33 +0000. DataSource DataSourceEc2. Up 7.64 seconds
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3665 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
May 29 11:14:34 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
May 29 11:14:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:34 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=LOAD
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3665 INFO [amazon-ssm-agent] Starting Core Agent
May 29 11:14:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3665 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3665 INFO [Registrar] Starting registrar module
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3798 INFO [EC2Identity] Checking disk for registration info
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3814 INFO [EC2Identity] Registration info found for ec2 instance
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3815 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3816 INFO [CredentialRefresher] CredentialRefresher has started
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3816 INFO [CredentialRefresher] Starting credentials refresher loop
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.3963 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Er
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.4514 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 29 11:14:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: status code: 400, request id: 2b21ea2b-0e23-4c0b-ace7-dbc4c6ddca30
May 29 11:14:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.4514 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retri
eved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account:
094337892911
May 29 11:14:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: status code: 400, request id: 2b21ea2b-0e23-4c0b-ace7-dbc4c6ddca30
May 29 11:14:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.4514 INFO [CredentialRefresher] Sleeping for 29ms before retrying retrieve credentials
May 29 11:14:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:14:33.4516 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: error:no valid cre
dentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not
configured for account: 094337892911
May 29 11:14:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: status code: 400, request id: 2b21ea2b-0e23-4c0b-ace7-dbc4c6ddca30/error
May 29 11:14:38 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
May 29 11:14:38 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service - Dynamically Generate Message Of The Day.
May 29 11:14:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:38 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:14:38 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 1.043s CPU time.
May 29 11:14:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
May 29 11:14:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-Init target.
May 29 11:14:38 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
May 29 11:14:38 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=UNLOAD
May 29 11:14:38 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
May 29 11:14:38 ip-172-31-31-123.ec2.internal audit[1812]: SYSTEM_RUNLEVEL pid=1812
```

```
May 29 11:17:28 ip-172-31-31-123.ec2.internal audit[1911]: CRYPTO_KEY_USER pid=1911 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fpe? direction=both spid=1912 suid=74 rport=52177 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:17:28 ip-172-31-31-123.ec2.internal sshd[1911]: Connection closed by authenticating user ec2-user 122.176.214.14 port 52177 [preauth]
May 29 11:17:28 ip-172-31-31-123.ec2.internal audit[1911]: CRYPTO_KEY_USER pid=1911 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1912 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes ss'
May 29 11:17:28 ip-172-31-31-123.ec2.internal audit[1911]: USER_ERR pid=1911 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:bad_ident grantors=? acc t=?' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=failed'
May 29 11:17:28 ip-172-31-31-123.ec2.internal audit[1911]: CRYPTO_KEY_USER pid=1911 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1911 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success s'
May 29 11:17:28 ip-172-31-31-123.ec2.internal audit[1911]: USER_LOGIN pid=1911 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=ssh res=success'
May 29 11:17:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: Starting configuration refresh for ens5
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: [get_meta] Querying IMDS for mac
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: [get_meta] Querying IMDS for mac
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: [get_meta] Querying IMDS for mac
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: [get_meta] Querying IMDS for mac
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: Called trap
May 29 11:17:28 ip-172-31-31-123.ec2.internal ec2net[1913]: No network reload needed
May 29 11:17:28 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:17:28 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:17:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:17:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:24 ip-172-31-31-123.ec2.internal audit[1962]: CRYPTO_KEY_USER pid=1962 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1962 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success s'
May 29 11:18:24 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_SESSION pid=1961 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from-s erver cipher=aes128-gcm@openssh.com ksize=128 mac=cmllplicit' pfs=ecdh-sha2-nistp256 spid=1962 suid=74 rport=52178 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 11:18:24 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_SESSION pid=1961 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=start direction=from-c lient cipher=aes128-gcm@openssh.com ksize=128 mac=cmllplicit' pfs=ecdh-sha2-nistp256 spid=1962 suid=74 rport=52178 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: USER_AUTH pid=1961 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=pubkey_auth grantors=auth-k ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_KEY_USER pid=1961 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=negotiate kind=auth-k ey fp=SHA256:c9:af:5b:db:f4:4a:df:61:a2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: USER_ACCT pid=1961 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam _unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal sshd[1961]: Accepted publickey for ec2-user from 122.176.214.14 port 52178 ssh2: RSA SHA256:ya9b2PRE/Wiwm2TLQKw/zgXSJQxjhJ5Sf6sLtx0
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_KEY_USER pid=1961 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fpe? direction=both spid=1962 suid=74 rport=52178 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: CRED_ACQ pid=1961 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env ,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: USER_ROLE_CHANGE pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='pam: default-context=unconfined_u:unco nfinied_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=succes ss'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-userdbd comm="systemd" exe="/u s r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd-logind[1420]: New session 1 of user ec2-user.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" ex e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User Manager for UID 1000...
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1969]: USER_ACCT pid=1969 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:accounting grantors=pam_unix acct=" ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1969]: CRED_ACQ pid=1969 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:setcred grantors=? acct="ec2-user" e xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1969]: USER_ROLE_CHANGE pid=1969 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='pam: default-context=unconfined_u: nconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal (systemd)[1969]: pam_unix(systemd-user:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1969]: USER_START pid=1969 uid=0 audit=1000 ses=2 subj=system_u:system_r:init_t:s0 msg='op=PAM:session_open grantors=pam_selinux,pam _loginuid,pam_keyinit,pam_namespace,pam_systemd,home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Queued start job for default target default.target.
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/ systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Created slice app.slice - User Application Slice.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Reached target paths.target - Paths.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Reached target timers.target - Timers.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Starting dbus.socket - D-Bus User Message Bus Socket...
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Listening on dbus.socket - D-Bus User Message Bus Socket.
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1961]: USER_START pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam _loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1978]: CRYPTO_KEY_USER pid=1978 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6: da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1978 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Reached target sockets.target - Sockets.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Reached target basic.target - Basic System.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Reached target default.target - Main User Target.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1969]: Startup finished in 132ms.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
May 29 11:18:26 ip-172-31-31-123.ec2.internal systemd[1]: Started session-1.scope - Session 1 of User ec2-user.
May 29 11:18:26 ip-172-31-31-123.ec2.internal audit[1978]: CRED_ACQ pid=1978 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct=" ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 11:18:27 ip-172-31-31-123.ec2.internal audit[1961]: USER_LOGIN pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna me=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 11:18:27 ip-172-31-31-123.ec2.internal audit[1961]: USER_START pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna me=? addr=122.176.214.14 terminal=/dev/pts/0 res=success'
May 29 11:18:27 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_KEY_USER pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6: da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1979 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:18:27 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
May 29 11:18:27 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
May 29 11:18:27 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
May 29 11:18:27 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-hostnamed.service - Hostname Service...
May 29 11:18:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-hostnamed comm="systemd" exe="/u sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:27 ip-172-31-31-123.ec2.internal systemd[1]: Started system-hostnamed.service - Hostname Service.
May 29 11:18:33 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: Starting configuration refresh for ens5
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: [get_meta] Querying IMDS for mac
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: [get_meta] Querying IMDS for mac
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: [get_meta] Querying IMDS for mac
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: [get_meta] Querying IMDS for mac
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: Called trap
May 29 11:18:33 ip-172-31-31-123.ec2.internal ec2net[2004]: No network reload needed
May 29 11:18:33 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:18:33 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:18:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:57 ip-172-31-31-123.ec2.internal systemd[1]: system-hostnamed.service: Deactivated successfully.
May 29 11:18:57 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-hostnamed comm="systemd" exe="/u sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:18:57 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=UNLOAD
May 29 11:18:57 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD
May 29 11:18:57 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=UNLOAD
May 29 11:19:17 ip-172-31-31-123.ec2.internal audit[1961]: USER_END pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna me=? addr=? terminal=/dev/pts/0 res=success'
May 29 11:19:17 ip-172-31-31-123.ec2.internal audit[1961]: USER_LOGOUT pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostn ame=? addr=? terminal=/dev/pts/0 res=success'
May 29 11:19:17 ip-172-31-31-123.ec2.internal sshd[1978]: Received disconnect from 122.176.214.14 port 52178:11: disconnected by user
```

```
May 29 11:19:17 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_KEY_USER pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=
both spid=1978 suid=1000 rport=52178 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=122.176.214.14 terminal=? res=success'
May 29 11:19:17 ip-172-31-31-123.ec2.internal sshd[1978]: Disconnected from user ec2-user 122.176.214.14 port 52178
May 29 11:19:17 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_KEY_USER pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:86:19:8d:5c:3b:05:c9:b7:bf:54:a2:9a:f2:a5:f0 direction=? spid=1978 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:19:17 ip-172-31-31-123.ec2.internal sshd[1961]: pam_unix(sshd:session): session closed for user ec2-user
May 29 11:19:17 ip-172-31-31-123.ec2.internal audit[1961]: USER_END pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_
loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_unix,pam_unix,pam_umask,pam_lastlog acct=ec2-user' exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 t
erminal=ssh res=success'
May 29 11:19:17 ip-172-31-31-123.ec2.internal audit[1961]: CRED_DISP pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct
="ec2-user" exe="/usr/sbin/sshd" hostname=122.176.214.14 addr=122.176.214.14 terminal=ssh res=success'
May 29 11:19:17 ip-172-31-31-123.ec2.internal audit[1961]: CRYPTO_KEY_USER pid=1961 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:86:19:8d:5c:3b:05:c9:b7:bf:54:a2:9a:f2:a5:f0 direction=? spid=1961 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 29 11:19:17 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Deactivated successfully.
May 29 11:19:17 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Session 1 logged out. Waiting for processes to exit.
May 29 11:19:17 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Removed session 1.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Activating special unit exit.target...
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped target default.target - Main User Target.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped target basic.target - Basic System.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped target paths.target - Paths.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped target sockets.target - Sockets.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped target timers.target - Timers.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Removed slice app.slice - User Application Slice.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Reached target shutdown.target - Shutdown.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Finished systemd-exit.service - Exit the Session.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1969]: Reached target exit.target - Exit the Session.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
May 29 11:19:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 29 11:19:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 29 11:19:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:19:28 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 29 11:19:43 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: Starting configuration refresh for ens5
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: [get_meta] Querying IMDS for mac
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: [get_meta] Querying IMDS for mac
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: [get_meta] Querying IMDS for mac
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: [get_meta] Querying IMDS for mac
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39:local-ipv4s
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: Called trap
May 29 11:19:43 ip-172-31-31-123.ec2.internal ec2net[2061]: No network reload needed
May 29 11:19:43 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:19:43 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:19:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:19:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:20:03 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
May 29 11:20:03 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
May 29 11:20:03 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
May 29 11:20:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/u
srlib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:20:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/u
srlib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:20:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: Starting configuration refresh for ens5
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: [get_meta] Querying IMDS for mac
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: [get_meta] Querying IMDS for mac
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: [get_meta] Querying IMDS for mac
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: [get_meta] Querying IMDS for mac
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39:local-ipv4s
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: Called trap
May 29 11:20:53 ip-172-31-31-123.ec2.internal ec2net[2165]: No network reload needed
May 29 11:20:53 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:20:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:20:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:20:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:21:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: Starting configuration refresh for ens5
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: [get_meta] Querying IMDS for mac
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: [get_meta] Querying IMDS for mac
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: [get_meta] Querying IMDS for mac
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: [get_meta] Querying IMDS for mac
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39:local-ipv4s
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: Called trap
May 29 11:21:54 ip-172-31-31-123.ec2.internal ec2net[2213]: No network reload needed
May 29 11:21:54 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 29 11:21:54 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 29 11:21:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:21:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Power key pressed short.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Powering off...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd-logind[1420]: System is powering down.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice refresh-x2dpolicy-x2droutes.slice - Slice /system/refresh-policy-routes.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-sshd-x2dkeygen.slice - Slice /system/sshd-keygen.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc.pipetfs.target.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: fstrim.timer: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstrim.timer - Discard unused blocks once a week.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipetfs.mount - RPC Pipe File System...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal chronyd[1777]: chronyd exiting
May 29 11:22:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:22:22.2627 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x58593b250900
May 29 11:22:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:22:22.2630 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
May 29 11:22:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:22:22.2631 INFO [amazon-ssm-agent] Stopping Core Agent
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/li
```



```
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping httpd.service - The Apache HTTP Server...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy\x2droutes.slice - Slice /system/policy-routes.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping serial-getty@ttyS0.service - Serial Getty on ttyS0...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping sshd.service - OpenSSH server daemon...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal sshd[1746]: Received signal 15; terminating.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1746]: CRYPTO_KEY_USER pid=1746 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-c0:c0.1023 msg=op=destroy kind=server f
p=SHA256:22:c6:a:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1746 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=acpid comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=irqbalance comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=libstoragemgmt comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: systemd-logind.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-logind comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sshd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=atd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
May 29 11:22:22 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
May 29 11:22:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=getty@tty1 comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=serial-getty@ttyS0 comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=chronyd comm="systemd" exe="/usr/lib/sys
temd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=52 op=UNLOAD
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dracut-shutdown comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-random-seed.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-random-seed comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=47 op=UNLOAD
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-user-sessions.service - Permit User Sessions...
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-user-sessions.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-user-sessions.service - Permit User Sessions.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-user-sessions comm="systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed-activate.service - Home Area Activation...
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed-activate.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed-activate comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: httpd.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped httpd.service - The Apache HTTP Server.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=httpd comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed.service - Home Area Manager...
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=gssproxy comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed.service: Deactivated successfully.
May 29 11:22:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed.service - Home Area Manager.
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=46 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:22:29.2687 INFO [CredentialRefresher] Sending credential refresher stop signal
May 29 11:22:29 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:22:29.2687 INFO [CredentialRefresher] Stopping credentials refresher
May 29 11:22:29 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:22:29.2689 INFO [Registrar] Registrar is already stopped
May 29 11:22:29 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1742]: 2026-05-29 11:22:29.2689 INFO [amazon-ssm-agent] Bye.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=amazon-ssm-agent comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd-wait-online.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd-wait-online.service - Wait for Network to be Configured.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd-wait-online comm="syste
md" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-networkd.service - Network Configuration...
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCP lease lost
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd-networkd[1443]: ens5: DHCPv6 lease lost
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd.service - Network Configuration.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=51 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-init-local comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon Socket.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.socket: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-networkd.socket - Network Service Netlink Socket.
```



```
May 29 11:22:29 ip-172-31-31-123.ec2.internal dbus-broker[1445]: Dispatched 1796 messages @ 6(±19)µs / message.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-network-generator.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-network-generator.service - Generate network units from Kernel command line.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target systemd.target - System Initialization.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-wall.path: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-update.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-boot-update.service - Automatic Boot Loader Update.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-resolved.service - Network Name Resolution...
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-update-utmp.service - Record System Boot/Shutdown in UTMP...
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: system-resolved.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[2313]: SYSTEM_SHUTDOWN pid=2313 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg= comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-resolved.service - Network Name Resolution.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysctl.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-coredump.socket: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-coredump.socket - Process Core Dump Socket.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping auditd.service - Security Auditing Service...
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1278]: The audit daemon is exiting.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=0 old=1278 audit=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: auditd.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 119 callbacks suppressed
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780853749.944:311): op=set audit_pid=0 old=1278 audit=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780853749.994:312): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780853749.994:313): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting boot-efi.mount - /boot/efi...
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting tmp.mount - Temporary Directory /tmp...
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[2319]: umount[2319]: /run/credentials/systemd-tmpfiles-setup.service: no mount point specified.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount boot-efi.automount.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target swap.target - Swaps.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Reached target umount.target - Unmount All Filesystems.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780853750.374:314): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs-pre.target - Preparation for Local File Systems.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-remount-fs.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-remount-fs.service - Remount Root and Kernel File Systems.
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck-root.service - File System Check on Root Device.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Reached target shutdown.target - System Shutdown.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Reached target final.target - Late Shutdown Services.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-poweroff.service: Deactivated successfully.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-poweroff.service - System Power Off.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Reached target poweroff.target - System Power Off.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Shutting down.
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780853750.444:315): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780853750.444:316): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780853750.444:317): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1130 audit(1780853750.444:318): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780853750.444:319): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal kernel: audit: type=1334 audit(1780853750.444:320): prog-id=49 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd[1]: Syncing filesystems and block devices.
May 29 11:22:29 ip-172-31-31-123.ec2.internal systemd-journal[837]: Journal stopped
-- Boot a594fb6f334019b99455ed267b32d1 --
May 31 13:24:06 localhost kernel: Linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SMP PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
May 31 13:24:06 localhost kernel: Command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b680de4a801 ro console=tty0 console=ttyS0,115
```

```
200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 31 13:24:06 localhost kernel: KASLR enabled
May 31 13:24:06 localhost kernel: BIOS-provided physical RAM map:
May 31 13:24:06 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x0000000000009fff] usable
May 31 13:24:06 localhost kernel: BIOS-e820: [mem 0x0000000001000000-0x00000000039c0000] reserved
May 31 13:24:06 localhost kernel: BIOS-e820: [mem 0x00000000039c0000-0x000000000393dfff] reserved
May 31 13:24:06 localhost kernel: BIOS-e820: [mem 0x0000000003934e000-0x0000000003935dfff] ACPI data
May 31 13:24:06 localhost kernel: BIOS-e820: [mem 0x0000000003935e000-0x000000000393dfff] ACPI NVS
May 31 13:24:06 localhost kernel: BIOS-e820: [mem 0x000000000393de000-0x0000000003d37bfff] usable
May 31 13:24:06 localhost kernel: BIOS-e820: [mem 0x0000000003d37c000-0x0000000003d3ffff] reserved
May 31 13:24:06 localhost kernel: NX (Execute Disable) protection: active
May 31 13:24:06 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 31 13:24:06 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
May 31 13:24:06 localhost kernel: extended physical RAM map:
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x0000000000009fff] usable
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x0000000000100000-0x000000000372be017] usable
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x000000000372be018-0x000000000372c6e57] usable
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x000000000372c6e58-0x00000000039c0000] usable
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x00000000039c0000-0x0000000003934dfff] reserved
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x0000000003934e000-0x0000000003935dfff] ACPI data
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x0000000003935e000-0x000000000393dfff] ACPI NVS
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x000000000393de000-0x0000000003d37bfff] usable
May 31 13:24:06 localhost kernel: reserve setup_data: [mem 0x0000000003d37c000-0x0000000003d3ffff] reserved
May 31 13:24:06 localhost kernel: efi: EFI v2.70 by EDK II
May 31 13:24:06 localhost kernel: efi: SMBIOS=0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x374ba98
May 31 13:24:06 localhost kernel: SMBIOS 2.7 present.
May 31 13:24:06 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
May 31 13:24:06 localhost kernel: Hypervisor detected: KVM
May 31 13:24:06 localhost kernel: kvm-clock: Using mtrs 4b564d01 and 4b564d00
May 31 13:24:06 localhost kernel: kvm-clock: using sched offset of 16221952 cycles
May 31 13:24:06 localhost kernel: clocksource: kvm-clock: mask: 0xfffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
May 31 13:24:06 localhost kernel: tsc: Detected 2499.994 Mhz processor
May 31 13:24:06 localhost kernel: e820: update [mem 0x00000000-0x000000fff] usable ==> reserved
May 31 13:24:06 localhost kernel: e820: remove [mem 0x000a0000-0x000ffff] usable
May 31 13:24:06 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x40000000
May 31 13:24:06 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
May 31 13:24:06 localhost kernel: Using 6B pages for direct mapping
May 31 13:24:06 localhost kernel: Secure boot disabled
May 31 13:24:06 localhost kernel: RAMDISK: [mem 0x3285000-0x33c61fff]
May 31 13:24:06 localhost kernel: ACPI: Early table checksum verification disabled
May 31 13:24:06 localhost kernel: ACPI: RSDP 0x00000000039350014 000024 (v02 AMAZON)
May 31 13:24:06 localhost kernel: ACPI: XSDT 0x000000000393500E8 00006C (v01 AMAZON AMZNFACP 00000001 01000013)
May 31 13:24:06 localhost kernel: ACPI: FACP 0x00000000039350000 000114 (v01 AMAZON AMZNFACP 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: DSDT 0x00000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: FACS 0x00000000039300000 000040
May 31 13:24:06 localhost kernel: ACPI: WAT 0x00000000039350000 000028 (v01 AMAZON AMZNWACT 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: SLIT 0x0000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: APIC 0x00000000039359000 000076 (v01 AMAZON AMZNAPIC 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: SRAT 0x00000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: HPET 0x00000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: SSDT 0x00000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: SSDT 0x00000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
May 31 13:24:06 localhost kernel: ACPI: BGRT 0x00000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
May 31 13:24:06 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355133]
May 31 13:24:06 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39356159]
May 31 13:24:06 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393d0000-0x393d003f]
May 31 13:24:06 localhost kernel: ACPI: Reserving WAT table memory at [mem 0x3935b000-0x3935b027]
May 31 13:24:06 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
May 31 13:24:06 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
May 31 13:24:06 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
May 31 13:24:06 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
May 31 13:24:06 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
May 31 13:24:06 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520d1]
May 31 13:24:06 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
May 31 13:24:06 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
May 31 13:24:06 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
May 31 13:24:06 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffff]
May 31 13:24:06 localhost kernel: NUMA: Initialized distance table, cnt=1
May 31 13:24:06 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
May 31 13:24:06 localhost kernel: Zone ranges:
May 31 13:24:06 localhost kernel: DMA [mem 0x0000000000001000-0x00000000000fffff]
May 31 13:24:06 localhost kernel: DMA32 [mem 0x0000000001000000-0x0000000003d37bfff]
May 31 13:24:06 localhost kernel: Normal empty
May 31 13:24:06 localhost kernel: Device empty
May 31 13:24:06 localhost kernel: Movable zone start for each node
May 31 13:24:06 localhost kernel: Early memory node ranges
May 31 13:24:06 localhost kernel: node 0: [mem 0x0000000000001000-0x000000000009fff]
May 31 13:24:06 localhost kernel: node 0: [mem 0x0000000000100000-0x00000000039c0000]
May 31 13:24:06 localhost kernel: node 0: [mem 0x000000000393de000-0x0000000003d37bfff]
May 31 13:24:06 localhost kernel: Initmem setup node 0 [mem 0x0000000000001000-0x0000000003d37bfff]
May 31 13:24:06 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
May 31 13:24:06 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
May 31 13:24:06 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
May 31 13:24:06 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
May 31 13:24:06 localhost kernel: ACPI: PM-Timer IO Port: 0xb008
May 31 13:24:06 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] df1 df1 lint[0x1])
May 31 13:24:06 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
May 31 13:24:06 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
May 31 13:24:06 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
May 31 13:24:06 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
May 31 13:24:06 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
May 31 13:24:06 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
May 31 13:24:06 localhost kernel: ACPI: HPET id: 0x00806a201 base: 0xfed00000
May 31 13:24:06 localhost kernel: TSC deadline timer available
May 31 13:24:06 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
May 31 13:24:06 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
May 31 13:24:06 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x0000ffff]
May 31 13:24:06 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393d0fff]
May 31 13:24:06 localhost kernel: [mem 0x3d400000-0xfffffff] available for PCI devices
May 31 13:24:06 localhost kernel: Booting paravirtualized kernel on KVM
May 31 13:24:06 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
May 31 13:24:06 localhost kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
May 31 13:24:06 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1848576
May 31 13:24:06 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1848576 alloc=1s2897152
May 31 13:24:06 localhost kernel: pcpu-alloc: [0] 0 1
May 31 13:24:06 localhost kernel: kvm-guest: PV spinlocks enabled
May 31 13:24:06 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
May 31 13:24:06 localhost kernel: fallback order for Node 0: 0
May 31 13:24:06 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
May 31 13:24:06 localhost kernel: Policy zone: DMA32
May 31 13:24:06 localhost kernel: Kernel command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 31 13:24:06 localhost kernel: random: crng init done
May 31 13:24:06 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
May 31 13:24:06 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
May 31 13:24:06 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
May 31 13:24:06 localhost kernel: Memory: 268060K/999468K available (14347K kernel code, 9305K rdata, 8964K rodata, 2456K init, 6356K bss, 133548K reserved, 0K cma-reserved)
May 31 13:24:06 localhost kernel: SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
May 31 13:24:06 localhost kernel: Kernel/User page tables isolation: enabled
May 31 13:24:06 localhost kernel: ftrace: allocating 42099 entries in 165 pages
May 31 13:24:06 localhost kernel: ftrace: allocated 165 pages with 4 groups
May 31 13:24:06 localhost kernel: Dynamic Preempt: none
May 31 13:24:06 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
May 31 13:24:06 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
May 31 13:24:06 localhost kernel: Trampoline variant of Tasks RCU enabled.
May 31 13:24:06 localhost kernel: Rude variant of Tasks RCU enabled.
May 31 13:24:06 localhost kernel: Tracing variant of Tasks RCU enabled.
May 31 13:24:06 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
May 31 13:24:06 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
May 31 13:24:06 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
May 31 13:24:06 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
May 31 13:24:06 localhost kernel: Console: colour dummy device 80x25
May 31 13:24:06 localhost kernel: printk: console [tty0] enabled
May 31 13:24:06 localhost kernel: printk: console [ttyS0] enabled
May 31 13:24:06 localhost kernel: ACPI: Core revision 20220331
May 31 13:24:06 localhost kernel: clocksource: hpet: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
May 31 13:24:06 localhost kernel: APIC: Switch to symmetric I/O mode setup
May 31 13:24:06 localhost kernel: x2apic enabled
May 31 13:24:06 localhost kernel: Switched APIC routing to physical x2apic.
May 31 13:24:06 localhost kernel: clocksource: tsc-early: mask: 0xfffffffffff max_cycles: 0x240933eba0e, max_idle_ns: 440795246008 ns
May 31 13:24:06 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.98 BogoMIPS (lpj=24999940)
May 31 13:24:06 localhost kernel: Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
May 31 13:24:06 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 4
```

```
May 31 13:24:06 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
May 31 13:24:06 localhost kernel: Spectre V2 : Mitigation: Retpolines
May 31 13:24:06 localhost kernel: Spectre V2 / SpectreRSB: Filling RSB on context switch and VMEXIT
May 31 13:24:06 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
May 31 13:24:06 localhost kernel: RETbleed: Vulnerable: VMAVE
May 31 13:24:06 localhost kernel: Speculative Store Bypass: Vulnerable
May 31 13:24:06 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
May 31 13:24:06 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
May 31 13:24:06 localhost kernel: GDS: Unknown: Dependent on hypervisor status
May 31 13:24:06 localhost kernel: active return thunk: its_return_thunk
May 31 13:24:06 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
May 31 13:24:06 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
May 31 13:24:06 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
May 31 13:24:06 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
May 31 13:24:06 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
May 31 13:24:06 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
May 31 13:24:06 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
May 31 13:24:06 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
May 31 13:24:06 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
May 31 13:24:06 localhost kernel: x86/fpu: Enabled xstate features 0x2ff, context size is 2568 bytes, using 'compacted' format.
May 31 13:24:06 localhost kernel: Freeing SMP alternatives memory: 36K
May 31 13:24:06 localhost kernel: pid_max: default: 32768 minimum: 301
May 31 13:24:06 localhost kernel: LSM: Security Framework initializing
May 31 13:24:06 localhost kernel: landlock: Up and running.
May 31 13:24:06 localhost kernel: Yama: becoming mindful.
May 31 13:24:06 localhost kernel: SELinux: Initializing.
May 31 13:24:06 localhost kernel: LSM support for eBPF active
May 31 13:24:06 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 31 13:24:06 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
May 31 13:24:06 localhost kernel: smop: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
May 31 13:24:06 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 31 13:24:06 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 31 13:24:06 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 31 13:24:06 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 31 13:24:06 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
May 31 13:24:06 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
May 31 13:24:06 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
May 31 13:24:06 localhost kernel: signal: max sigframe size: 3632
May 31 13:24:06 localhost kernel: rcu: Hierarchical SRCU implementation.
May 31 13:24:06 localhost kernel: rcu: Max phase no-delay instances is 1000.
May 31 13:24:06 localhost kernel: smp: Bringing up secondary CPUs ...
May 31 13:24:06 localhost kernel: x86: Booting SMP configuration:
May 31 13:24:06 localhost kernel: .... node #0, CPUs: #1
May 31 13:24:06 localhost kernel: MDS CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
May 31 13:24:06 localhost kernel: MMIO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor/mmio_stale_data.html for more details
May 31 13:24:06 localhost kernel: smp: Brought up 1 node, 2 CPUs
May 31 13:24:06 localhost kernel: smboot: Max logical packages: 1
May 31 13:24:06 localhost kernel: smboot: Total of 2 processors activated (9999.97 BogoMIPS)
May 31 13:24:06 localhost kernel: node 0 deferred pages initialised in 0ms
May 31 13:24:06 localhost kernel: devtmpfs: initialized
May 31 13:24:06 localhost kernel: x86/mm: Memory block size: 128MB
May 31 13:24:06 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393dfff] (524288 bytes)
May 31 13:24:06 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112608446275000 ns
May 31 13:24:06 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
May 31 13:24:06 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
May 31 13:24:06 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
May 31 13:24:06 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA pool for atomic allocations
May 31 13:24:06 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA32 pool for atomic allocations
May 31 13:24:06 localhost kernel: audit: initializing netlink subsys (disabled)
May 31 13:24:06 localhost kernel: audit: type=2000 audit(178023847.763:1): state=initialized audit_enabled=0 res=1
May 31 13:24:06 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
May 31 13:24:06 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
May 31 13:24:06 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
May 31 13:24:06 localhost kernel: cpuidle: using governor ladder
May 31 13:24:06 localhost kernel: cpuidle: using governor menu
May 31 13:24:06 localhost kernel: efi: Freeing EFI boot services memory: 44696K
May 31 13:24:06 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
May 31 13:24:06 localhost kernel: PCI: Using configuration type 1 for base access
May 31 13:24:06 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
May 31 13:24:06 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
May 31 13:24:06 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
May 31 13:24:06 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
May 31 13:24:06 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
May 31 13:24:06 localhost kernel: cryptd: max_cpu_qlen set to 1000
May 31 13:24:06 localhost kernel: ACPI: Added _OSI(Module Device)
May 31 13:24:06 localhost kernel: ACPI: Added _OSI(Processor Device)
May 31 13:24:06 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
May 31 13:24:06 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
May 31 13:24:06 localhost kernel: ACPI: Interpreter enabled
May 31 13:24:06 localhost kernel: ACPI: PM: (supports S0 S4 S5)
May 31 13:24:06 localhost kernel: ACPI: Using IOAPIC for interrupt routing
May 31 13:24:06 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
May 31 13:24:06 localhost kernel: PCI: Using E820 reservations for host bridge windows
May 31 13:24:06 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
May 31 13:24:06 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
May 31 13:24:06 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
May 31 13:24:06 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
May 31 13:24:06 localhost kernel: acpi PNP0A03:00: fail to add MMIO information, can't access extended PCI configuration space under this bridge.
May 31 13:24:06 localhost kernel: acpihp: Slot [3] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [4] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [5] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [6] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [7] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [8] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [9] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [10] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [11] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [12] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [13] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [14] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [15] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [16] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [17] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [18] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [19] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [20] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [21] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [22] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [23] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [24] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [25] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [26] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [27] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [28] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [29] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [30] registered
May 31 13:24:06 localhost kernel: acpihp: Slot [31] registered
May 31 13:24:06 localhost kernel: PCI host bridge to bus 0000:00
May 31 13:24:06 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0xffff window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x000a0000-0x000bffff window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x100000000-0x2000ffffff window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
May 31 13:24:06 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
May 31 13:24:06 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x000000
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: quirk: [io 0x0000-0x003f] claimed by PIIX4 ACPI
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at ffff-ffff
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc0000-ffffffff
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at fff0-ffff
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc0000-ffffffff
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at fff0-ffff
May 31 13:24:06 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at fff0-ffff
```



```

May 31 13:24:06 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
May 31 13:24:06 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x80000000-0x803fffff pref]
May 31 13:24:06 localhost kernel: pci 0000:00:03.0: ROM [mem 0xffff0000-0xffffffff pref]
May 31 13:24:06 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x000c0000-0x000dffff]
May 31 13:24:06 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010802
May 31 13:24:06 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x80404000-0x80407fff]
May 31 13:24:06 localhost kernel: pci 0000:00:05.0: [1d0f:ec28] type 00 class 0x020000
May 31 13:24:06 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x80400000-0x80403fff]
May 31 13:24:06 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
May 31 13:24:06 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
May 31 13:24:06 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
May 31 13:24:06 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
May 31 13:24:06 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
May 31 13:24:06 localhost kernel: iommu: Default domain type: Translated
May 31 13:24:06 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
May 31 13:24:06 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
May 31 13:24:06 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
May 31 13:24:06 localhost kernel: PTP clock support registered
May 31 13:24:06 localhost kernel: EDAC MC: Ver: 3.0.0
May 31 13:24:06 localhost kernel: Registered efivars operations
May 31 13:24:06 localhost kernel: NetLabel: Initializing
May 31 13:24:06 localhost kernel: NetLabel: domain hash size = 128
May 31 13:24:06 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
May 31 13:24:06 localhost kernel: NetLabel: unlabeled traffic allowed by default
May 31 13:24:06 localhost kernel: PCI: Using ACPI for IRQ routing
May 31 13:24:06 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
May 31 13:24:06 localhost kernel: e820: reserve RAM buffer [mem 0x372be018-0x37ffffff]
May 31 13:24:06 localhost kernel: e820: reserve RAM buffer [mem 0x390ce000-0x39bffffff]
May 31 13:24:06 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3ffffff]
May 31 13:24:06 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
May 31 13:24:06 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 Mhz counter
May 31 13:24:06 localhost kernel: clocksource: Switched to clocksource kvm-clock
May 31 13:24:06 localhost kernel: VFS: Disk quotas dquot_6.6.0
May 31 13:24:06 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
May 31 13:24:06 localhost kernel: pnp: PnP ACPI init
May 31 13:24:06 localhost kernel: pnp: PnP ACPI: found 5 devices
May 31 13:24:06 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
May 31 13:24:06 localhost kernel: NET: Registered PF_INET protocol family
May 31 13:24:06 localhost kernel: IP idents hash table entries: 16384 (order: 5, 131072 bytes, linear)
May 31 13:24:06 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
May 31 13:24:06 localhost kernel: Table hash table entries: 65536 (order: 6, 262144 bytes, linear)
May 31 13:24:06 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
May 31 13:24:06 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
May 31 13:24:06 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
May 31 13:24:06 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
May 31 13:24:06 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
May 31 13:24:06 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
May 31 13:24:06 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
May 31 13:24:06 localhost kernel: NET: Registered PF_XDP protocol family
May 31 13:24:06 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x000c0000-0x000dffff window]
May 31 13:24:06 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x000e0000-0x000fffff window]
May 31 13:24:06 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
May 31 13:24:06 localhost kernel: PCI: CLS 0 bytes, default 64
May 31 13:24:06 localhost kernel: Trying to unpack rootfs image as initramfs...
May 31 13:24:06 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x24a893bea6e, max_idle_ns: 440795246008 ns
May 31 13:24:06 localhost kernel: clocksource: Switched to clocksource tsc
May 31 13:24:06 localhost kernel: Initialise system trusted keyrings
May 31 13:24:06 localhost kernel: Key type blacklist registered
May 31 13:24:06 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
May 31 13:24:06 localhost kernel: zbud: loaded
May 31 13:24:06 localhost kernel: SGI XFS with ACLs, security attributes, quota, no debug enabled
May 31 13:24:06 localhost kernel: integrity: Platform Keyring initialized
May 31 13:24:06 localhost kernel: integrity: Machine Keyring initialized
May 31 13:24:06 localhost kernel: Key type asymmetric registered
May 31 13:24:06 localhost kernel: Asymmetric key parser 'x509' registered
May 31 13:24:06 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
May 31 13:24:06 localhost kernel: io scheduler mq-deadline registered
May 31 13:24:06 localhost kernel: io scheduler kyber registered
May 31 13:24:06 localhost kernel: io scheduler bfq registered
May 31 13:24:06 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
May 31 13:24:06 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
May 31 13:24:06 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
May 31 13:24:06 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
May 31 13:24:06 localhost kernel: nvme nvme0: pci function 0000:00:04.0
May 31 13:24:06 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
May 31 13:24:06 localhost kernel: ACPI: \_SB\_LNKD: Enabled at IRQ 11
May 31 13:24:06 localhost kernel: rtc_cmos 00:00: registered as rtc0
May 31 13:24:06 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-05-31T13:24:06 UTC (1780233846)
May 31 13:24:06 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
May 31 13:24:06 localhost kernel: vmclock AMZN018C:00: vmclock0: registered miscdev
May 31 13:24:06 localhost kernel: intel_pstate: CPU model not supported
May 31 13:24:06 localhost kernel: pstore: Registered efi as persistent store backend
May 31 13:24:06 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
May 31 13:24:06 localhost kernel: NET: Registered PF_INET6 protocol family
May 31 13:24:06 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
May 31 13:24:06 localhost kernel: nvme0n1: p1 p127 p128
May 31 13:24:06 localhost kernel: Freeing initrd memory: 20340K
May 31 13:24:06 localhost kernel: Segment Routing with IPv6
May 31 13:24:06 localhost kernel: In-situ OAM (IOAM) with IPv6
May 31 13:24:06 localhost kernel: NET: Registered PF_PACKET protocol family
May 31 13:24:06 localhost kernel: IPI shorthand broadcast: enabled
May 31 13:24:06 localhost kernel: AVX2 version of gcm_enc/dec engaged.
May 31 13:24:06 localhost kernel: AES CTR mode by8 optimization enabled
May 31 13:24:06 localhost kernel: sched_clock: Marking stable (2509903206, 2622564)-->(274913466, -21387696)
May 31 13:24:06 localhost kernel: registered taskstats version 1
May 31 13:24:06 localhost kernel: Loading compiled-in X.509 certificates
May 31 13:24:06 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63dc551894c40f52518678b90491ad84746a4'
May 31 13:24:06 localhost kernel: zswap: loaded using pool lzo/zbud
May 31 13:24:06 localhost kernel: Key type .fscrypt registered
May 31 13:24:06 localhost kernel: Key type fscrypt-provisioning registered
May 31 13:24:06 localhost kernel: pstore: Using crash dump compression: deflate
May 31 13:24:06 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
May 31 13:24:06 localhost kernel: ima: Allocated hash algorithm: sha256
May 31 13:24:06 localhost kernel: ima: No architecture policies found
May 31 13:24:06 localhost kernel: clk: Disabling unused clocks
May 31 13:24:06 localhost kernel: Freeing unused decrypted memory: 2036K
May 31 13:24:06 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
May 31 13:24:06 localhost kernel: Write protecting the kernel read-only data: 26624K
May 31 13:24:06 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
May 31 13:24:06 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
May 31 13:24:06 localhost kernel: Run /init as init process
May 31 13:24:06 localhost kernel: with arguments:
May 31 13:24:0
```

```
6.329.amzn2023.x86_64/modules.devname).
May 31 13:24:06 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
May 31 13:24:06 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 31 13:24:06 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 31 13:24:06 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
May 31 13:24:06 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
May 31 13:24:06 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
May 31 13:24:06 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
May 31 13:24:06 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
May 31 13:24:06 localhost systemd-journald[346]: Journal started
May 31 13:24:06 localhost systemd-journald[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd[1]: Started systemd-journald.service - Journal Service.
May 31 13:24:06 localhost kernel: audit: type=1130 audit(1780233846.899:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost kernel: audit: type=1130 audit(1780233846.899:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost kernel: audit: type=1130 audit(1780233846.899:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
May 31 13:24:06 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
May 31 13:24:06 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
May 31 13:24:06 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 31 13:24:06 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
May 31 13:24:06 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 31 13:24:06 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
May 31 13:24:06 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 31 13:24:06 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d4e4801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
May 31 13:24:06 localhost systemd-journald[346]: User/journalfiles.d/dev.conf:4: Duplicate line for path "/var/log", ignoring.
May 31 13:24:06 localhost kernel: audit: type=1130 audit(1780233846.919:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 31 13:24:06 localhost kernel: audit: type=1130 audit(1780233846.929:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
May 31 13:24:06 localhost audit: BPF prog-id=6 op=LOAD
May 31 13:24:06 localhost audit: BPF prog-id=7 op=LOAD
May 31 13:24:06 localhost kernel: audit: type=1130 audit(1780233846.949:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost kernel: audit: type=1334 audit(1780233846.949:8): prog-id=6 op=LOAD
May 31 13:24:06 localhost kernel: audit: type=1334 audit(1780233846.949:9): prog-id=7 op=LOAD
May 31 13:24:06 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
May 31 13:24:06 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
May 31 13:24:06 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
May 31 13:24:06 localhost kernel: audit: type=1130 audit(1780233846.979:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:06 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
May 31 13:24:06 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 31 13:24:07 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 31 13:24:07 localhost systemd[1]: Reached target sysinit.target - System Initialization.
May 31 13:24:07 localhost systemd[1]: Reached target basic.target - Basic System.
May 31 13:24:07 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
May 31 13:24:07 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
May 31 13:24:07 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 31 13:24:07 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
May 31 13:24:07 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 31 13:24:07 localhost rngd[773]: PKCS11 entropy generation (pkcs11)
May 31 13:24:07 localhost rngd[773]: Disabling 5: NIST Network Entropy Beacon (nist)
May 31 13:24:07 localhost rngd[773]: Initializing available sources
May 31 13:24:07 localhost rngd[773]: [hwrng ]: Initialization Failed
May 31 13:24:07 localhost rngd[773]: [rdrand]: Enabling RDSEED rng support
May 31 13:24:07 localhost rngd[773]: [rdrand]: Initialized
May 31 13:24:07 localhost rngd[773]: [jitter]: JITTER timeout set to 5 sec
May 31 13:24:07 localhost rngd[773]: [jitter]: Initializing AES buffer
May 31 13:24:07 localhost systemd[1]: Found device dev-disk-byUUID-6d980120-868a-x2d45cd-x2daa78-x2db0680de4a801.device - Amazon Elastic Block Store /.
May 31 13:24:07 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
May 31 13:24:07 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
May 31 13:24:07 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
May 31 13:24:07 localhost kernel: XFS (nvme0n1p1): Ending clean mount
May 31 13:24:07 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
May 31 13:24:07 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
May 31 13:24:07 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
May 31 13:24:07 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
May 31 13:24:07 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
May 31 13:24:07 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
May 31 13:24:07 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
May 31 13:24:07 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
May 31 13:24:07 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
May 31 13:24:07 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
May 31 13:24:07 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
May 31 13:24:07 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
May 31 13:24:07 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 31 13:24:07 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 31 13:24:07 localhost systemd[1]: Stopped target timers.target - Timer Units.
May 31 13:24:07 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
May 31 13:24:07 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: rngd.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
May 31 13:24:07 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Stopped target basic.target - Basic System.
May 31 13:24:07 localhost systemd[1]: Stopped target paths.target - Path Units.
May 31 13:24:07 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 31 13:24:07 localhost systemd[1]: Stopped target slices.target - Slice Units.
May 31 13:24:07 localhost systemd[1]: Stopped target sockets.target - Socket Units.
May 31 13:24:07 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
May 31 13:24:07 localhost systemd[1]: Stopped target swap.target - Swaps.
May 31 13:24:07 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
May 31 13:24:07 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
May 31 13:24:07 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? add
r=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=
? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
May 31 13:24:07 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? ter
minal=? res=success'
May 31 13:24:07 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
May 31 13:24:07 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Starting initrd-udevadm-clean-up.service - Cleanup udev Database...
May 31 13:24:07 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
May 31 13:24:07 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddevel.service.mount: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: initrd-udevadm-clean-up.service: Deactivated successfully.
May 31 13:24:07 localhost systemd[1]: Finished initrd-udevadm-clean-up.service - Cleanup udev Database.
May 31 13:24:07 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-clean-up comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 31 13:24:07 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-clean-up comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
May 31 13:24:07 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
May 31 13:24:07 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
May 31 13:24:07 localhost systemd[1]: Switching root.
May 31 13:24:07 localhost systemd-journal[346]: Journal stopped
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability mmp_nosuid_transition=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_cloexec=0
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 128.748ms.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 20.817ms.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: system 252.23-11.amzn2923 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLK
ID +CURL +ELFUTILS +FIDO2 +IWN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PNPQ +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB +BDNF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-h
ierarchy=unified)
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: bpf-lsm: LSM BPF program attached
May 31 13:24:08 ip-172-31-31-123.ec2.internal zram-generator:config[815]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the unit file accordingly.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt-misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Expiring device dev-ttyS0.device - /dev/ttyS0...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Reached target snap.target - Snaps.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unset condition check (ConditionPathExists/tc
c/krb5.keytab).
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm.service - Load Kernel Module drm...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-convertd.service - Preprocess NFS configuration conversion...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journal.service - Journal Service.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal.service - Journal Service...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: device-mapper: event: version 1.0.3
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd-journal[837]: Journal started
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd-journal[837]: Runtime Journal (/run/log/journal/cc28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
May 31 13:24:07 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD audit=4294967295 ses=4294967295 lsm=selinux res=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
```

```
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=3 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=4 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=5 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-journald comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=initrd-switch-root comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=initrd-switch-root comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-journald comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-journald comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=LOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=UNLOAD
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=knod-static-nodes comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:syslogd_t:s0 res=1
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[837]: SYSCALL arch=000003e syscall=46 success=yes exit=60 a0=4 a1=7ffd33812d40 a2=4000 a3=7ffd33812d40 items=0 ppid=837 auid=4294967295
uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="systemd-journald" exe="/usr/lib/systemd/systemd-journald" subj=system_u:system_r:syslogd_t:s0 key=(null)
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/usr/lib/systemd/systemd-journald"
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Queued start job for default target graphical.target.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: fuse init (API version 7.38)
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd-fsck[8461]: /usr/sbin/fsck.xfs: XFS file system.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@configfs comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@configfs comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-journald comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal kernel: load module loaded
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-journald.service - Journal Service.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@dm_mod comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@dm_mod comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm.service - Load Kernel Module dm_mod.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm.service - Load Kernel Module dm.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@drm comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@drm comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: modprobe@fuse.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@fuse.service - Load Kernel Module fuse.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@fuse comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@fuse comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: nfs-convertd.service: Deactivated successfully.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished nfs-convertd.service - Preprocess NFS configuration conversion.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=nfs-convertd comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=nfs-convertd comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck-root.service - File System Check on Root Device.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck-root comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-network-generator.service - Generate network units from Kernel command line.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-network-generator comm="systemd
" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-sysctl comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-udev-trigger comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: system-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-remount-fs.service - Remount Root and Kernel File Systems.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-remount-fs comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: system-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: system-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-journal-flush.service - Flush Journal to Persistent Storage...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: system-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty
=sys/fs/pstore).
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: system-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd-journal[837]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d59b4fc48811fe is 65.71ms for 784 entries.
May 31 13:24:08 ip-172-31-31-123.ec2.internal systemd-journal[837]: System Journal (/var/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 16.0M, max 811.6M, 795.6M free.
May 31 13:24:08 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-random-seed comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```



```
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-random-seed.service - Load/Save Random Seed.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="" system d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-flush comm="" systemd' ex e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: First-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Preparation for Local File Systems.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi.automount.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNot Empty=run/initramfs/state).  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIs MountPoint=/etc/machine-id).  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=LOAD  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=LOAD  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: systemd-systemd-udev.service - Rule-based Manager for Device Events and Files...  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Boot-efi.automount: Got automount request for /boot/efi, triggered by 1252 (/bootctl)  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd\x2dfsc.slice - Slice /system/systemd-fsck.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862a.device - /dev/disk/by-uuid/6084-862A..  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Using default interface naming scheme 'v252'.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="" systemd' e x="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev comm="" systemd' exe="/usr/ lib/systemd/systemd" hostname=? addr=? terminal=? res=success'  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=LOAD  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipes.mount - RPC Pipe File System...  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting auditd.service - Security Auditing Service...  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=v ar).  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1278]: No plugins found, not dispatching events  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1278]: SYSCALL arch=0000003c syscall=44 success=yes exit=0 a0=3 a1=7ffd9ba9b130 a2=3c a3=0 items=0 ppid=1275 pid=1278 auid=4294967295 uid=0 gi d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) syscall=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE opset audit_pid=1278 old=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1278]: SYSCALL arch=0000003c syscall=44 success=yes exit=0 a0=3 a1=7ffd9ba9b130 a2=3c a3=0 items=0 ppid=1275 pid=1278 auid=4294967295 uid=0 gi d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) syscall=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1278]: Init complete, audit 3.1.5 listening for events (startup state enable)  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal augenrules[1282]: /sbin/augenrules: No change  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Mounted var-lib-nfs-rpc-pipes.mount - RPC Pipe File System.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipes.target.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd-resolved[1276]: Positive Trust Anchors:  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd-resolved[1276]: IN OS 20326 8 2 e06d44b08f8fd39a95c0b0d7c65d08458e880409bbc683457104237cf78ec8d  
May 31 13:24:09 ip-172-31-31-123.ec2.internal systemd-resolved[1276]: Negative trust anchors: home.arpa 10.in-addr.arpa 16.172.in-addr.arpa 17.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa corp.home.internal intranet.lan local.private.net  
May 31 13:24:09 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule keys=(null) list=1 res=1  
May 31 13:24:09 ip-172-31-31-123.ec2.internal auditd[1380]: SYSCALL arch=0000003c syscall=44 success=yes exit=-1056 a0=3 a1=7ffde220168 a2=a2 a3=0 items=0 ppid=1282 pid=1380 auid=4294967295 uid=0 gi d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) syscall=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:unconfined_service_t:s0 key=(null)  
May 31 13
```

```
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIsMountPoint=/etc/machine-id).
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
May 31 13:24:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
May 31 13:24:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
May 31 13:24:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
May 31 13:24:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started fstrim.timer - Discard unused blocks once a week.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Daemon Socket.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb).
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/vars/StubPcrKernelImage-4467b882-0a4c-4c1f-b6c7-440b290b54f7).
May 31 13:24:10 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started cloud-init-local.service - Initial cloud-init job (pre-networking)...
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecdsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
May 31 13:24:11 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance/boot-finished'
May 31 13:24:11 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance'
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=LOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-homed[1419]: Watching /home.
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: Starting configuration for ens5
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1425]: /lib/systemd/systemd-networkd-wait-online ens5
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event0 (Power Button)
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event1 (Sleep Button)
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-logind[1420]: New seat seat0.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat.service - Resets System Activity Logs.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=LOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=LOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=LOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting logrotate.service - Rotate log files...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.service: Deactivated successfully.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: lo: Link UP
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: lo: Gained carrier
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: Enumeration completed
May 31 13:24:11 ip-172-31-31-123.ec2.internal dbus-broker-lau[1442]: Ready
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Link UP
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Gained carrier
May 31 13:24:11 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: Local page cache is disabled for less than 16 channels
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=logrotate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=logrotate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished logrotate.service - Rotate log files.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=UNLOAD
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=/etc/krb5.keytab).
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting httpd.service - The Apache HTTP Server...
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: system-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b882-04ac-41cf-b6c7-44a0b29bb8c4f).
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=httpd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Started httpd.service - The Apache HTTP Server.
May 31 13:24:11 ip-172-31-31-123.ec2.internal httpd[1460]: Server configured, listening on: port 80
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init[1444]: ens5: Gained IPv6LL
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 31 3:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/subnet-ipv4-cidr-block
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/interface-id
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/local-ipv4s
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: Called trap
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
May 31 13:24:11 ip-172-31-31-123.ec2.internal ec2net[1417]: DHCP lease lost
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Reloaded networkd
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
May 31 13:24:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:11 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv6 lease lost
May 31 13:24:12 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv4 lease acquired 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: Cloud-init v. 22.2.2 running 'init' at Sun, 31 May 2026 13:24:12 +0000. Up 6.82 seconds.
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: +-----Net device info-----+
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | Device | Up | Address | Mask | Scope | Hw-Address |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: |-----|-----|-----|-----|-----|-----|
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | ens5 | True | 172.31.31.123 | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | ens5 | True | fe80::8ff:e4ff:fedf:2b39/64 | . | link | 0a:ff:e4:df:2b:39 |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | lo | True | 127.0.0.1 | 255.0.0.0 | host | . |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | lo | True | ::1/128 | . | host | . |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: +-----+Route IPv6 info-----+
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | Route | Destination | Gateway | Genmask | Interface | Flags |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: |-----|-----|-----|-----|-----|-----|
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | 0 | 0.0.0.0 | 172.31.16.1 | 0.0.0.0 | ens5 | UG |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | 1 | 172.31.0.2 | 172.31.16.1 | 255.255.255.255 | ens5 | UGH |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | 2 | 172.31.16.0 | 0.0.0.0 | 255.255.240.0 | ens5 | U |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | 3 | 172.31.16.1 | 0.0.0.0 | 255.255.255.255 | ens5 | UH |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: +-----+Route IPv6 info-----+
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | Route | Destination | Gateway | Interface | Flags |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: |-----|-----|-----|-----|-----|
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | 0 | fe80::/64 | :: | ens5 | U |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | 2 | local | :: | ens5 | U |
May 31 13:24:12 ip-172-31-31-123.ec2.internal cloud-init[1713]: ci-info: | 3 | multicast | :: | ens5 | U |
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
May 31 13:24:13 ip-172-31-31-123.ec2.internal sm-notify[1749]: Version 2.5.4 starting
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal sshd[1750]: Server listening on 0.0.0.0 port 22.
May 31 13:24:13 ip-172-31-31-123.ec2.internal sshd[1750]: Server listening on :: port 22.
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: Initializing new seelog logger
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: New Seelog Logger Creation Complete
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.2048 INFO Proxy environment variables:
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: chrony-config.service: Deactivated successfully.
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=LOAD
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting chronyd.service - NTP client/server...
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.2058 INFO no_proxy:
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.2058 INFO http_proxy:
May 31 13:24:13 ip-172-31-31-123.ec2.internal cloud-init[1782]: Cloud-init v. 22.2.2 running 'modules:config' at Sun, 31 May 2026 13:24:13 +0000. Up 7.10 seconds.
May 31 13:24:13 ip-172-31-31-123.ec2.internal chronyd[1784]: chronyd version 4.3 starting (+CMDMON +NTP +REFCLOCK +RTC +PRIVDROP +SCFILTER +SIGND +ASYNCDNS +NTS +SECHASH +IPV6 +DEBUG)
May 31 13:24:13 ip-172-31-31-123.ec2.internal chronyd[1784]: Frequency -1.936 +/- 0.262 ppm read from /var/lib/chrony/drift
May 31 13:24:13 ip-172-31-31-123.ec2.internal chronyd[1784]: Loaded seccomp filter (level 2)
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started chronyd.service - NTP client/server.
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.2058 INFO Checking if agent identity type OnPrem can be assumed
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: Started hibinit-agent.service - Initial hibernation setup job.
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.2060 INFO Checking if agent identity type EC2 can be assumed
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4329 INFO Agent will take identity from EC2
May 31 13:24:13 ip-172-31-31-123.ec2.internal hibinit-agent[1789]: Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/lib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon (swapfile)', 'swaponoff': 'swaponoff (swapfile)'}
May 31 13:24:13 ip-172-31-31-123.ec2.internal hibinit-agent[1789]: Requesting new IMDSv2 token.
May 31 13:24:13 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4352 INFO Telemetry initialized
May 31 13:24:13 ip-172-31-31-123.ec2.internal hibinit-agent[1789]: Instance Launch has not enabled Hibernation Configured Flag. hibinit-agent exiting!!
May 31 13:24:13 ip-172-31-31-123.ec2.internal systemd[1]: hibinit-agent.service: Deactivated successfully.
May 31 13:24:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4360 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4108.0
May 31 13:24:14 ip-172-31-31-123.ec2.internal cloud-init[1794]: Cloud-init v. 22.2.2 running 'modules:final' at Sun, 31 May 2026 13:24:13 +0000. Up 7.65 seconds.
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4360 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
May 31 13:24:14 ip-172-31-31-123.ec2.internal cloud-init[1794]: Cloud-init v. 22.2.2 finished at Sun, 31 May 2026 13:24:14 +0000. DataSource DataSourceEc2. Up 7.76 seconds
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4361 INFO [amazon-ssm-agent] Starting Core Agent
```



```
May 31 13:24:14 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
May 31 13:24:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:14 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
May 31 13:24:14 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4361 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4361 INFO [Registrar] Starting registrar module
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4375 INFO [EC2Identity] Checking disk for registration info
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4390 INFO [EC2Identity] Registration info found for ec2 instance
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4390 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4391 INFO [CredentialRefresher] credentialRefresher has started
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4391 INFO [CredentialRefresher] Starting credentials refresher loop
May 31 13:24:14 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4406 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Error: retrieved credentials failed to report to ssm. Error: EC2RoleProvider: no EC2 instance role found
May 31 13:24:15 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4969 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 31 13:24:15 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: status code: 400, request id: fe6606dd-08b8-454d-aa30-352d8e26e38a
May 31 13:24:15 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4969 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrieved for ec2 identity. Default Host Management Error: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 31 13:24:15 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: status code: 400, request id: fe6606dd-08b8-454d-aa30-352d8e26e38a
May 31 13:24:15 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4970 INFO [CredentialRefresher] Sleeping for 28m31s before retrying retrieve credentials
May 31 13:24:15 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:24:13.4972 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid credentials could be retrieved for ec2 identity. Default Host Management Error: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
May 31 13:24:15 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: status code: 400, request id: fe6606dd-08b8-454d-aa30-352d8e26e38a<error>
May 31 13:24:18 ip-172-31-31-123.ec2.internal chronyd[1784]: Selected source 169.254.169.123
May 31 13:24:18 ip-172-31-31-123.ec2.internal chronyd[1784]: System clock wrong by 1.422171 seconds
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd-resolved[1276]: Clock change detected. Flushing caches.
May 31 13:24:20 ip-172-31-31-123.ec2.internal chronyd[1784]: System clock was stepped by 1.422171 seconds
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
May 31 13:24:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 1.121s CPU time.
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
May 31 13:24:20 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
May 31 13:24:20 ip-172-31-31-123.ec2.internal audit[1820]: SYSTEM_RUNLEVEL pid=1820 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=old-level=N new-level=5 comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp-runlevel.service: Deactivated successfully.
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP.
May 31 13:24:20 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 510ms (Firmware) + 891ms (loader) + 410ms (kernel) + 1.062s (initrd) + 11.246s (userspace) = 14.121s.
May 31 13:24:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:46 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh-x2dpolicy-x2droues.slice - Slice /system/refresh-policy-routes.
May 31 13:24:46 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: Starting configuration refresh for ens5
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: [get_meta] Querying IMDS for mac
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: [get_meta] Querying IMDS for mac
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: [get_meta] Querying IMDS for mac
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: [get_meta] Querying IMDS for mac
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: Called trap
May 31 13:24:46 ip-172-31-31-123.ec2.internal ec2net[1821]: No network reload needed
May 31 13:24:46 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:24:46 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 31 13:24:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:24:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:25:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: Starting configuration refresh for ens5
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: [get_meta] Querying IMDS for mac
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: [get_meta] Querying IMDS for mac
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: [get_meta] Querying IMDS for mac
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: [get_meta] Querying IMDS for mac
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: Called trap
May 31 13:25:52 ip-172-31-31-123.ec2.internal ec2net[1869]: No network reload needed
May 31 13:25:52 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:25:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 31 13:25:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:25:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:02 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: Starting configuration refresh for ens5
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: [get_meta] Querying IMDS for mac
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: [get_meta] Querying IMDS for mac
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: [get_meta] Querying IMDS for mac
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: Called trap
May 31 13:27:02 ip-172-31-31-123.ec2.internal ec2net[1917]: No network reload needed
May 31 13:27:02 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:27:02 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 31 13:27:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:13 ip-172-31-31-123.ec2.internal audit[1966]: CRYPTO_KEY_USER pid=1966 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=destroy kind=server f p=SHA256:22:c0:da:20:7a:b3:70:c2:e:39:7b:38:3a:93:e:4b:ab:ae:19:8d:5c:3b:e5:c9:bf:b5:42:a9:f2:a5:f6 direction=? spid=1966 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 31 13:27:13 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_SESSION pid=1965 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=cmplc' pfs=ecdh-sha2-nistp256 spid=1966 uid=74 rport=49499 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=49.47.196.32 terminal=? res=success'
May 31 13:27:13 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_SESSION pid=1965 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=cmplc' pfs=ecdh-sha2-nistp256 spid=1966 uid=74 rport=49499 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=49.47.196.32 terminal=? res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1965]: USER_AUTH pid=1965 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=pubkey_auth grantors=auth-key acct=ec2-user' exe="/usr/sbin/sshd" hostname=? addr=49.47.196.32 terminal=? res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_KEY_USER pid=1965 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=negotiate kind=auth-key fp=SHA256:c9:a5:bdb:4f:44:fd:61:a2:c1:6d:93:2e:84:0a:6d:6f:81:74:78:25:0c:63:84:9e:52:16:c8:8b:7d uid=0 exe="/usr/sbin/sshd" hostname=? addr=49.47.196.32 terminal=? res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1965]: USER_ACCT pid=1965 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct=ec2-user' exe="/usr/sbin/sshd" hostname=49.47.196.32 addr=49.47.196.32 terminal=ssh res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal sshd[1965]: Accepted publickey for ec2-user from 49.47.196.32 port 49499 ssh2: RSA SHA256:ya9b2PRE/W6iWm2TL0KqBv/zgX3JQxjhJ5Sf6Lxt0
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_KEY_USER pid=1965 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=both spid=1966 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=destroy kind=session'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1965]: CRED_ACO pid=1965 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env pam_unix acct=ec2-user' exe="/usr/sbin/sshd" hostname=49.47.196.32 addr=49.47.196.32 terminal=ssh res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1965]: USER_ROLE_CHANGE pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=s0-s0:c0.c1023 msg=pam: default-context=unconfined_u:unconfined_r:unconfined_u:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_u:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=49.47.196.32 addr=49.47.196.32 terminal=ssh res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
May 31 13:27:24 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
May 31 13:27:24 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager...
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=systemd-userdbd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User 1000...
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1973]: USER_ACCT pid=1973 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=op=PAM:accounting grantors=pam_unix acct=ec2-user' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1973]: CRED_ACO pid=1973 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=op=PAM:setcred grantors=? acct=ec2-user' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1973]: CRED_ACO pid=1973 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=op=PAM:setcred grantors=? acct=ec2-user' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```



```
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1793]: USER_ROLE_CHANGE pid=1973 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='pam: default-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:24 ip-172-31-31-123.ec2.internal [systemd][1793]: pam_unix(systemd-user:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 31 13:27:24 ip-172-31-31-123.ec2.internal audit[1793]: USER_START pid=1973 uid=0 auid=1000 ses=2 subj=system_u:system_r:init:t:s0 msg='op=PAM:session_open grantors=pam_selinux,pam_selinux,pam_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:24 ip-172-31-123.ec2.internal audit[1793]: Queued start job for default target default.target.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Created slice ap.slice - User Application Slice.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Reached target paths.target - Paths.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Reached target timers.target - Timers.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1965]: USER_START pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=49.47.196.32 addr=49.47.196.32 terminal=ssh res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_KEY_USER pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:2b:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:e5:c9:bf:b7:54:a2:9a:f2:a5:fe direction=? spid=1982 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1982]: CRED_Acq pid=1982 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=49.47.196.32 addr=49.47.196.32 terminal=ssh res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1965]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Listening on dbus.socket - D-Bus User Message Bus Socket.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Reached target sockets.target - Sockets.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Reached target basic.target - Basic System.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Reached target default.target - Main User Target.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1793]: Startup finished in 198ms.
May 31 13:27:25 ip-172-31-123.ec2.internal audit[1]: Started user@1000.service - User Manager for UID 1000.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1]: Started session-1.scope - Session 1 of User ec2-user.
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1965]: USER_LOGIN pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=49.47.196.32 terminal=/dev/pts/0 res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1965]: USER_START pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=49.47.196.32 terminal=/dev/pts/0 res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_KEY_USER pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:2b:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:e5:c9:bf:b7:54:a2:9a:f2:a5:fe direction=? spid=1983 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=59 op=LOAD
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=60 op=LOAD
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-hostnamed.service - Hostname Service...
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:25 ip-172-31-31-123.ec2.internal audit[1]: Started systemd-hostnamed.service - Hostname Service.
May 31 13:27:55 ip-172-31-31-123.ec2.internal audit[1]: systemd-hostnamed.service: Deactivated successfully.
May 31 13:27:55 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:27:55 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=60 op=UNLOAD
May 31 13:27:55 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=59 op=UNLOAD
May 31 13:27:55 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=58 op=UNLOAD
May 31 13:28:12 ip-172-31-31-123.ec2.internal audit[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: Starting configuration refresh for ens5
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: [get_meta] Querying IMDS for mac
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: [get_meta] Querying IMDS for mac
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: [get_meta] Querying IMDS for mac
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: [get_meta] Querying IMDS for mac
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: Called trap
May 31 13:28:12 ip-172-31-31-123.ec2.internal ec2Net[2012]: No network reload needed
May 31 13:28:12 ip-172-31-31-123.ec2.internal audit[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:28:12 ip-172-31-31-123.ec2.internal audit[1]: Finished refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:28:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:28:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:29:05 ip-172-31-31-123.ec2.internal audit[2060]: USER_ACCT pid=2060 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:05 ip-172-31-31-123.ec2.internal audit[2060]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/systemctl stop httpd
May 31 13:29:05 ip-172-31-31-123.ec2.internal audit[2060]: USER_LOGIN pid=2060 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='pwd=/home/ec2-user cmd=7379 737465063746C20864697361626C65206874747064 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 31 13:29:05 ip-172-31-31-123.ec2.internal audit[2060]: CRED_REFR pid=2060 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:05 ip-172-31-31-123.ec2.internal audit[2060]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 31 13:29:05 ip-172-31-31-123.ec2.internal audit[2060]: USER_START pid=2060 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:05 ip-172-31-31-123.ec2.internal audit[1]: Stopping httpd.service - The Apache HTTP Server...
May 31 13:29:06 ip-172-31-31-123.ec2.internal audit[1]: httpd.service: Deactivated successfully.
May 31 13:29:06 ip-172-31-31-123.ec2.internal audit[1]: Stopping httpd.service - The Apache HTTP Server.
May 31 13:29:06 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=httpd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:29:06 ip-172-31-31-123.ec2.internal audit[2060]: pam_unix(sudo:session): session closed for user root
May 31 13:29:06 ip-172-31-31-123.ec2.internal audit[2060]: USER_END pid=2060 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors =pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:06 ip-172-31-31-123.ec2.internal audit[2060]: CRED_DISP pid=2060 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: USER_ACCT pid=2069 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: USER_CMD pid=2069 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='pwd=/home/ec2-user cmd=7379 737465063746C20864697361626C65206874747064 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: CRED_REFR pid=2069 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/systemctl disable httpd
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: USER_START pid=2069 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: Reloading.
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: Starting configuration refresh for ens5
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: [get_meta] Querying IMDS for mac
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: [get_meta] Querying IMDS for mac
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: [get_meta] Querying IMDS for mac
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: [get_meta] Querying IMDS for mac
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: Called trap
May 31 13:29:23 ip-172-31-31-123.ec2.internal ec2Net[2071]: No network reload needed
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: config[2141]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket -> /run/acpid.socket; please update the unit file accordingly.
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=61 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=61 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=62 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=55 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=63 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=64 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=56 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=57 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=65 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=66 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=40 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=41 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=67 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=42 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=68 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=58 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=69 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=70 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=70 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=71 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=48 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=49 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=72 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=46 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=73 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=74 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=43 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=75 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=76 op=LOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=44 op=UNLOAD
```

```
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=UNLOAD
May 31 13:29:23 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:29:23 ip-172-31-31-123.ec2.internal sudo[2069]: pam_unix(sudo:session): session closed for user root
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: USER_END pid=2069 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[2069]: CRED_DISP pid=2069 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm=system
d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:29:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm=system
d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:29:46 ip-172-31-31-123.ec2.internal audit[2147]: USER_START pid=2147 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct=ec2-user' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:46 ip-172-31-31-123.ec2.internal sudo[2147]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/dnf install nginx -y
May 31 13:29:46 ip-172-31-31-123.ec2.internal audit[2147]: USER_CMD pid=2147 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=646E
620696E737461606C206E67696E78202079 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 31 13:29:46 ip-172-31-31-123.ec2.internal audit[2147]: CRED_REFR pid=2147 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:46 ip-172-31-31-123.ec2.internal sudo[2147]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 31 13:29:46 ip-172-31-31-123.ec2.internal audit[2147]: USER_START pid=2147 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:46 ip-172-31-31-123.ec2.internal systemd[1973]: Starting grub-boot-success.service - Mark boot as successful...
May 31 13:29:46 ip-172-31-31-123.ec2.internal systemd[1973]: Finished grub-boot-success.service - Mark boot as successful.
May 31 13:29:47 ip-172-31-31-123.ec2.internal audit[2164]: ADD_GROUP pid=2164 uid=0 auid=1000 ses=1 subj=unconfined_u:unconfined_r:groupadd_t:s0-s0:c0.c1023 msg='op=add-group id=992 exe="/usr/sbi
n/groupadd" hostname=? addr=? terminal=? res=success'
May 31 13:29:47 ip-172-31-31-123.ec2.internal groupadd[2164]: group added to /etc/group: name=nginx, GID=992
May 31 13:29:47 ip-172-31-31-123.ec2.internal audit[2164]: GRP_MGMT pid=2164 uid=0 auid=1000 ses=1 subj=unconfined_u:unconfined_r:groupadd_t:s0-s0:c0.c1023 msg='op=add-shadow-group id=992 exe="/u
sr/sbin/groupadd" hostname=? addr=? terminal=? res=success'
May 31 13:29:47 ip-172-31-31-123.ec2.internal groupadd[2164]: group added to /etc/gshadow: name=nginx
May 31 13:29:47 ip-172-31-31-123.ec2.internal groupadd[2164]: new group: name=nginx, GID=992
May 31 13:29:47 ip-172-31-31-123.ec2.internal useradd[2171]: new user: name=nginx, UID=992, GID=992, home=/var/lib/nginx, shell=/sbin/nologin, from=none
May 31 13:29:47 ip-172-31-31-123.ec2.internal audit[2171]: ADD_USER pid=2171 uid=0 auid=1000 ses=1 subj=unconfined_u:unconfined_r:useradd_t:s0-s0:c0.c1023 msg='op=add-user acct=nginx' exe="/usr/
sbin/useradd" hostname=? addr=? terminal=? res=success'
May 31 13:29:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=run-r859274f92a0c436b83345fdd01667d5c c
omm=systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Started run-r859274f92a0c436b83345fdd01667d5c.service - /usr/bin/systemctl start man-db-cache-update.
May 31 13:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting man-db-cache-update.service...
May 31 13:29:47 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
May 31 13:29:48 ip-172-31-31-123.ec2.internal zram-generator:config[2212]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 31 13:29:48 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the unit file accordingly.
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=77 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=78 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=79 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=80 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=64 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=81 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=82 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=65 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=66 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=83 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=67 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=84 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=68 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=85 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=69 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=86 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=87 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=70 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=71 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=88 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=72 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=89 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=73 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=90 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=74 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=91 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=92 op=LOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=75 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=76 op=UNLOAD
May 31 13:29:48 ip-172-31-31-123.ec2.internal systemd[1]: Queuing reload/restart jobs for marked units...
May 31 13:29:48 ip-172-31-31-123.ec2.internal sudo[2147]: pam_unix(sudo:session): session closed for user root
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit[2147]: USER_END pid=2147 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:48 ip-172-31-31-123.ec2.internal audit[2147]: CRED_DISP pid=2147 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:48 ip-172-31-31-123.ec2.internal systemd[1]: man-db-cache-update.service: Deactivated successfully.
May 31 13:29:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished man-db-cache-update.service.
May 31 13:29:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=man-db-cache-update comm=systemd' exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:29:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=man-db-cache-update comm=systemd' exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:29:49 ip-172-31-31-123.ec2.internal systemd[1]: Started run-r859274f92a0c436b83345fdd01667d5c.service: Deactivated successfully.
May 31 13:29:49 ip-172-31-31-123.ec2.internal audit[2692]: pam_unix(sudo:session): session closed for user root
May 31 13:29:49 ip-172-31-31-123.ec2.internal audit[2692]: USER_START pid=2692 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=
pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:49 ip-172-31-31-123.ec2.internal audit[2692]: CRED_DISP pid=2692 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:29:49 ip-172-31-31-123.ec2.internal audit[2692]: USER_START pid=2692 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
May 31 13:30:19 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
May 31 13:30:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
May 31 13:30:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sysstat-collect comm=systemd' exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:30:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sysstat-collect comm=systemd' exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:30:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
May 31 13:30:19 ip-172-31-31-123.ec2.internal nginx[2699]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
May 31 13:30:19 ip-172-31-31-123.ec2.internal nginx[2699]: nginx: configuration file /etc/nginx/nginx.conf test is successful
May 31 13:30:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=nginx comm=systemd' exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:30:19 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
May 31 13:30:19 ip-172-31-31-123.ec2.internal sudo[2692]: pam_unix(sudo:session): session closed for user root
May 31 13:30:19 ip-172-31-31-123.ec2.internal audit[2692]: USER_END pid=2692 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:19 ip-172-31-31-123.ec2.internal audit[2692]: CRED_DISP pid=2692 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:40 ip-172-31-31-123.ec2.internal audit[2705]: USER_START pid=2705 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct=ec2-user' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:40 ip-172-31-31-123.ec2.internal audit[2705]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/systemctl enable nginx
May 31 13:30:40 ip-172-31-31-123.ec2.internal audit[2705]: USER_CMD pid=2705 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=7379
737465063746C206E67696E78 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 31 13:30:40 ip-172-31-31-123.ec2.internal audit[2705]: CRED_REFR pid=2705 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:40 ip-172-31-31-123.ec2.internal sudo[2705]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 31 13:30:40 ip-172-31-31-123.ec2.internal audit[2705]: USER_START pid=2705 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root' exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 31 13:30:40 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: Starting configuration refresh for ens5
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: Start IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: [get_meta] Querying IMDS for mac
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: [get_meta] Querying IMDS for mac
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: [get_meta] Querying IMDS for mac
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: [get_meta] Querying IMDS for mac
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:04:d:2b:39/local-ipv4s
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: Called trap
May 31 13:30:40 ip-172-31-31-123.ec2.internal ec2net[2707]: No network reload needed
May 31 13:30:40 ip-172-31-31-123.ec2.internal zram-generator:config[2775]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
May 31 13:30:40 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the unit file accordingly.
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=93 op=LOAD
```

```

May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=77 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=94 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=78 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=95 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=96 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=79 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=80 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=97 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=98 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=81 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=82 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=99 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=83 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=100 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=84 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=101 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=85 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=102 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=103 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=86 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=87 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=104 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=88 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=105 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=89 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=106 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=90 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=107 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=108 op=LOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=91 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit: BPF prog-id=92 op=UNLOAD
May 31 13:30:41 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:30:41 ip-172-31-31-123.ec2.internal sudo[2785]: pam_unix(sudo:session): session closed for user root
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit[2785]: USER_END pid=2785 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit[2785]: CRED_DISP pid=2785 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:41 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:30:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:30:53 ip-172-31-31-123.ec2.internal audit[2781]: USER_ACCT pid=2781 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:53 ip-172-31-31-123.ec2.internal sudo[2781]: ec2-user : TTY=pts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/systemctl status nginx
May 31 13:30:53 ip-172-31-31-123.ec2.internal audit[2781]: USER_CMD pid=2781 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd="/home/ec2-user" cmd=73797374656063746C2087346174573206E67696E78 exe="/usr/bin/sudo" terminal=pts/0 res=success'
May 31 13:30:53 ip-172-31-31-123.ec2.internal audit[2781]: CRED_REFR pid=2781 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:30:53 ip-172-31-31-123.ec2.internal audit[2781]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
May 31 13:30:53 ip-172-31-31-123.ec2.internal audit[2781]: USER_START pid=2781 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:31:33 ip-172-31-31-123.ec2.internal sudo[2781]: pam_unix(sudo:session): session closed for user root
May 31 13:31:33 ip-172-31-31-123.ec2.internal audit[2781]: USER_END pid=2781 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:31:33 ip-172-31-31-123.ec2.internal audit[2781]: CRED_DISP pid=2781 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:31:46 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: Starting configuration refresh for ens5
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: [get_meta] Querying IMDS for mac
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: [get_meta] Querying IMDS for mac
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: Using existing cfgfile /run/systemd/network/70-ens5.network
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: [get_meta] Querying IMDS for mac
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: Called trap
May 31 13:31:46 ip-172-31-31-123.ec2.internal ec2net[2786]: No network reload needed
May 31 13:31:46 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
May 31 13:31:46 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
May 31 13:31:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:31:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:32:46 ip-172-31-31-123.ec2.internal audit[1793]: Created slice background.slice - User Background Tasks Slice.
May 31 13:32:46 ip-172-31-31-123.ec2.internal systemd[1793]: Starting systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
May 31 13:32:46 ip-172-31-31-123.ec2.internal systemd[1793]: Finished systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
May 31 13:33:26 ip-172-31-31-123.ec2.internal audit[2864]: USER_ACCT pid=2864 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting
```



```
" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:36:48 ip-172-31-31-123.ec2.internal audit[1965]: USER_END pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:36:48 ip-172-31-31-123.ec2.internal audit[1965]: USER_LOGOUT pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
May 31 13:36:49 ip-172-31-31-123.ec2.internal sshd[1982]: Received disconnect from 49.47.196.32 port 49499:11: disconnected by user
May 31 13:36:49 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_KEY_USER pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=both spid=1982 suid=1000 rport=64949 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=49.47.196.32 terminal=? res=success'
May 31 13:36:49 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_KEY_USER pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1982 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 31 13:36:49 ip-172-31-31-123.ec2.internal audit[1965]: USER_END pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=49.47.196.32 terminal=? res=success'
May 31 13:36:49 ip-172-31-31-123.ec2.internal audit[1965]: CRED_DISP pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=49.47.196.32 terminal=? res=success'
May 31 13:36:49 ip-172-31-31-123.ec2.internal sshd[1982]: Disconnected from user ec2-user 49.47.196.32 port 49499
May 31 13:36:49 ip-172-31-31-123.ec2.internal sshd[1965]: pam_unix(sshd:session): session closed for user ec2-user
May 31 13:36:49 ip-172-31-31-123.ec2.internal audit[1965]: CRYPTO_KEY_USER pid=1965 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1965 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 31 13:36:49 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Deactivated successfully.
May 31 13:36:49 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Consumed 2.239s CPU time.
May 31 13:36:49 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Session 1 logged out. Waiting for processes to exit.
May 31 13:36:49 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Removed session 1.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Activating special unit exit.target...
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Removed slice background.slice - User Background Tasks Slice.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped target default.target - Main User Target.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped target basic.target - Basic System.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped target paths.target - Paths.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped target sockets.target - Sockets.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped target timers.target - Timers.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Closed dbus.socket - D-Bus User Message Bus Socket.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Removed slice app.slice - User Application Slice.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Reached target shutdown.target - Shutdown.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Finished systemd-exit.service - Exit the Session.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1973]: Reached target exit.target - Exit the Session.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
May 31 13:36:59 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
May 31 13:36:59 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
May 31 13:36:59 ip-172-31-31-123.ec2.internal systemd[1]: user-1000.slice: Consumed 2.421s CPU time.
May 31 13:37:07 ip-172-31-31-123.ec2.internal sshd[3026]: error: kex_exchange_identification: client sent invalid protocol identifier "GET / HTTP/1.1"
May 31 13:37:07 ip-172-31-31-123.ec2.internal audit[3026]: CRYPTO_KEY_USER pid=3026 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=3026 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 31 13:37:07 ip-172-31-31-123.ec2.internal sshd[3026]: banner exchange: Connection from 36.94.120.221 port 41936: invalid format
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Power key pressed short.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Powering off...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd-logind[1420]: System is powering down.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh-x2dpolicy-x2droues.slice - Slice /system/refresh-policy-routes.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: system-refresh-x2dpolicy-x2droues.slice: Consumed 1.000s CPU time.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-ssh-v2keygen.slice - Slice /system/ssh-keygen.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc.pipex.target.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: fstimer.timer: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fdtrim.timer - Discard unused blocks once a week.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
May 31 13:37:29 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:37:29.5565 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x55fc464d1900
May 31 13:37:29 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:37:29.5566 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
May 31 13:37:29 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:37:29.5566 INFO [amazon-ssm-agent] Stopping Core Agent
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
May 31 13:37:29 ip-172-31-31-123.ec2.internal chronyd[1784]: chronyd exiting
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy-x2droues.slice - Slice /system/policy-routes.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping serial-getty@ttyS0.service - Serial Getty on ttyS0...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping sshd.service - OpenSSH server daemon...
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1750]: CRYPTO_KEY_USER pid=1750 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1750 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
May 31 13:37:29 ip-172-31-31-123.ec2.internal sshd[1750]: Received signal 15: terminating.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Unit process 3027 (sshd) remains running after unit stopped.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: systemd-logind.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-logind.service - User Login Management.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
```



```
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
May 31 13:37:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:29 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=105 op=UNLOAD
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-random-seed.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=101 op=UNLOAD
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target ssh-keygen.target - Stop target ssh-keygen.target.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-user-sessions.service - Permit User Sessions...
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-user-sessions.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-user-sessions.service - Permit User Sessions.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed-activate.service - Home Area Activation...
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed-activate.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed.service - Home Area Manager...
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed.service: Deactivated successfully.
May 31 13:37:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed.service - Home Area Manager.
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=104 op=UNLOAD
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:37:36.5624 INFO [CredentialRefresher] Sending credential refresher stop signal
May 31 13:37:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:37:36.5624 INFO [Registrar] Registrar is already stopped
May 31 13:37:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1746]: 2026-05-31 13:37:36.5625 INFO [amazon-ssm-agent] Bye.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd-wait-online.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd-wait-online.service - Wait for Network to be Configured.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-networkd.service - Network Configuration...
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv6 lease lost
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv6 lease lost
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd.service - Network Configuration.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit: BPF prog-id=93 op=UNLOAD
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: user.slice: Consumed 2.421s CPU time.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Listen Socket.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.socket: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-networkd.socket - Network Service Netlink Socket.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker[1447]: Dispatched 4202 messages @ 4/(13)us / message.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus...
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-network-generator.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-network-generator.service - Generate network units from Kernel command line.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sysinit.target - System Initialization.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit: BPF prog-id=100 op=UNLOAD
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-wall.path: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-update.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-boot-update.service - Automatic Boot Loader Update.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-resolved.service - Network Name Resolution...
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMF...
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-resolved.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[3080]: SYSTEM_SHUTDOWN pid=3080 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=' comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-resolved.service - Network Name Resolution.
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysctl.service: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: systemd-coredump.socket: Deactivated successfully.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-coredump.socket - Process Core Dump Socket.
May 31 13:37:36 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
```

```
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=99 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopping auditd.service - Security Auditing Service...
May 31 13:37:37 ip-172-31-31-123.ec2.internal auditd[1278]: The audit daemon is exiting.
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=0 old=1278 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: auditd.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 119 callbacks suppressed
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780234657.240:454): op=set audit_pid=0 old=1278 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780234657.280:455): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780234657.280:456): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting boot-efi.mount - /boot/efi...
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
May 31 13:37:37 ip-172-31-31-123.ec2.internal umount[3086]: umount: /run/credentials-systemd\x2dtmpfiles\x2dsetup.service: no mount point specified.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount boot-efi.automount.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target swap.target - Swaps.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target umount.target - Unmount All Filesystems.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780234657.500:457): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs-pre.target - Preparation for Local File Systems.
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780234657.570:458): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780234657.570:459): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780234657.570:460): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1130 audit(1780234657.570:461): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780234657.570:462): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal kernel: audit: type=1334 audit(1780234657.570:463): prog-id=96 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=96 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=95 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=94 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=98 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=97 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=103 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=102 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=100 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=107 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=106 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-remount-fs.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-remount-fs.service - Remount Root and Kernel File Systems.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-fsck-root.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck-root.service - File System Check on Root Device.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target shutdown.target - System Shutdown.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target final.target - Late Shutdown Services.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: systemd-poweroff.service: Deactivated successfully.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-poweroff.service - System Power Off.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Reached target poweroff.target - System Power Off.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Shutting down.
May 31 13:37:37 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Syncing filesystems and block devices.
May 31 13:37:37 ip-172-31-31-123.ec2.internal systemd-journal[637]: Journal stopped

-- Boot 8fb6c37a76e0b93a8d839b65b:c94 --
Jun 01 05:11:14 localhost kernel: Linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SMP PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
Jun 01 05:11:14 localhost kernel: Command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 05:11:14 localhost kernel: KASLR enabled
Jun 01 05:11:14 localhost kernel: BIOS-provided physical RAM map:
Jun 01 05:11:14 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x00000000000009fff] usable
Jun 01 05:11:14 localhost kernel: BIOS-e820: [mem 0x0000000001000000-0x00000000039c0000] usable
Jun 01 05:11:14 localhost kernel: BIOS-e820: [mem 0x00000000039c0000-0x00000000039d0000] reserved
Jun 01 05:11:14 localhost kernel: BIOS-e820: [mem 0x00000000039d0000-0x00000000039e0000] ACPI data
Jun 01 05:11:14 localhost kernel: BIOS-e820: [mem 0x00000000039e0000-0x00000000039f0000] ACPI NVS
Jun 01 05:11:14 localhost kernel: BIOS-e820: [mem 0x00000000039f0000-0x0000000003a00000] usable
Jun 01 05:11:14 localhost kernel: BIOS-e820: [mem 0x0000000003a00000-0x0000000003a10000] reserved
Jun 01 05:11:14 localhost kernel: e820: update [mem 0x372be018-0x372c0e57] usable ==> usable
Jun 01 05:11:14 localhost kernel: e820: update [mem 0x372be018-0x372c0e57] usable ==> usable
Jun 01 05:11:14 localhost kernel: extended physical RAM map:
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x0000000000000000-0x00000000000009fff] usable
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x0000000001000000-0x00000000037be017] usable
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x00000000037be018-0x00000000037c0e57] usable
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x00000000037c0e58-0x00000000039c0000] usable
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x00000000039c0000-0x00000000039d0000] reserved
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x00000000039d0000-0x00000000039e0000] ACPI data
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x00000000039e0000-0x00000000039f0000] ACPI NVS
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x00000000039f0000-0x0000000003a00000] usable
Jun 01 05:11:14 localhost kernel: reserve setup.data: [mem 0x0000000003a00000-0x0000000003a10000] reserved
Jun 01 05:11:14 localhost kernel: efi: EFI v2.70 by EDK II
Jun 01 05:11:14 localhost kernel: efi: SMBIOS=0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x374a4a98
Jun 01 05:11:14 localhost kernel: SMBIOS 2.7 present.
Jun 01 05:11:14 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
Jun 01 05:11:14 localhost kernel: Hypervisor detected: KVM
Jun 01 05:11:14 localhost kernel: kvm-clock: Using msrc 4b564d01 and 4b564d00
Jun 01 05:11:14 localhost kernel: kvm-clock: using sched offset of 1765274045 cycles
Jun 01 05:11:14 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 88159051483 ns
Jun 01 05:11:14 localhost kernel: tsc: Detected 2499.996 MHz processor
Jun 01 05:11:14 localhost kernel: e820: update [mem 0x00000000-0x000000fff] usable ==> reserved
Jun 01 05:11:14 localhost kernel: e820: remove [mem 0x000a0000-0x0000ffff] usable
Jun 01 05:11:14 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x400000000
Jun 01 05:11:14 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC-UC WB WP UC- WT
Jun 01 05:11:14 localhost kernel: Using 0B pages for direct mapping
Jun 01 05:11:14 localhost kernel: Secure boot disabled
Jun 01 05:11:14 localhost kernel: RAMDISK: [mem 0x32885000-0x33c61fff]
Jun 01 05:11:14 localhost kernel: ACPI: Early table checksum verification disabled
Jun 01 05:11:14 localhost kernel: ACPI: RSDP 0x0000000003935D014 000024 (v02 AMAZON)
Jun 01 05:11:14 localhost kernel: ACPI: XSDT 0x0000000003935C0E8 00006C (v01 AMAZON AMZNACP 00000001 01000013)
```

```
Jun 01 05:11:14 localhost kernel: ACPI: FACP 0x0000000039355000 000114 (v01 AMAZON AMZNFACP 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: DSDT 0x0000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: FACS 0x00000000393D0000 000040
Jun 01 05:11:14 localhost kernel: ACPI: WAET 0x0000000039355000 000028 (v01 AMAZON AMZNWAET 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: SLIT 0x000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: APIC 0x0000000039359000 000076 (v01 AMAZON AMZNAPIC 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: SRAT 0x0000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: HPET 0x0000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: SSDT 0x0000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: SSDT 0x0000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 01 05:11:14 localhost kernel: ACPI: BGRT 0x0000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
Jun 01 05:11:14 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39356000-0x39357159]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393D0000-0x393D0037]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x39355000-0x39355027]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935A000-0x3935A06B]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809F]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520D0]
Jun 01 05:11:14 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
Jun 01 05:11:14 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
Jun 01 05:11:14 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
Jun 01 05:11:14 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffffff]
Jun 01 05:11:14 localhost kernel: NUMA: Initialized distance table, cnt=1
Jun 01 05:11:14 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
Jun 01 05:11:14 localhost kernel: Zone ranges:
Jun 01 05:11:14 localhost kernel:   DMA [mem 0x0000000000001000-0x0000000000ffffff]
Jun 01 05:11:14 localhost kernel:   DMA32 [mem 0x0000000001000000-0x000000003d37bfff]
Jun 01 05:11:14 localhost kernel:   Normal empty
Jun 01 05:11:14 localhost kernel:   Device empty
Jun 01 05:11:14 localhost kernel: Movable zone start for each node
Jun 01 05:11:14 localhost kernel: Early memory node ranges
Jun 01 05:11:14 localhost kernel:   node 0: [mem 0x0000000000001000-0x000000000009ffff]
Jun 01 05:11:14 localhost kernel:   node 0: [mem 0x0000000000100000-0x000000000390cdfff]
Jun 01 05:11:14 localhost kernel:   node 0: [mem 0x000000000393de000-0x0000000003d7bfff]
Jun 01 05:11:14 localhost kernel: Init setup node 0 [mem 0x0000000000001000-0x0000000003d7bfff]
Jun 01 05:11:14 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
Jun 01 05:11:14 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
Jun 01 05:11:14 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
Jun 01 05:11:14 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
Jun 01 05:11:14 localhost kernel: ACPI: PM-Timer IO Port: 0xb008
Jun 01 05:11:14 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] df1 df1 lint[0x1])
Jun 01 05:11:14 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
Jun 01 05:11:14 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
Jun 01 05:11:14 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
Jun 01 05:11:14 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
Jun 01 05:11:14 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
Jun 01 05:11:14 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
Jun 01 05:11:14 localhost kernel: ACPI: HPET id: 0x8086a201 base: 0xfed00000
Jun 01 05:11:14 localhost kernel: TSC deadline timer available
Jun 01 05:11:14 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
Jun 01 05:11:14 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000000]
Jun 01 05:11:14 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000000]
Jun 01 05:11:14 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393dffff]
Jun 01 05:11:14 localhost kernel: [mem 0x3d400000-0xffffffff] available for PCI devices
Jun 01 05:11:14 localhost kernel: Booting paravirtualized kernel on KVM
Jun 01 05:11:14 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
Jun 01 05:11:14 localhost kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
Jun 01 05:11:14 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1848576
Jun 01 05:11:14 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1848576 alloc=1*2897152
Jun 01 05:11:14 localhost kernel: pcpu-alloc: [0] 0 1
Jun 01 05:11:14 localhost kernel: kvm-guest: PV spinlocks enabled
Jun 01 05:11:14 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
Jun 01 05:11:14 localhost kernel: Fallback order for Node 0: 0
Jun 01 05:11:14 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
Jun 01 05:11:14 localhost kernel: Policy zone: DMA32
Jun 01 05:11:14 localhost kernel: Kernel command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 05:11:14 localhost kernel: random: crng init done
Jun 01 05:11:14 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Jun 01 05:11:14 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Jun 01 05:11:14 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
Jun 01 05:11:14 localhost kernel: Memory: 268060K/999468K available (14347K kernel code, 9305K rwdata, 8964K rodata, 2456K init, 6356K bss, 133548K reserved, 0K cma-reserved)
Jun 01 05:11:14 localhost kernel: SLUB: Hwalign=64, Order=0-3, MinObjects=2, CPUs=2, Nodes=1
Jun 01 05:11:14 localhost kernel: Kernel/User page tables isolation: enabled
Jun 01 05:11:14 localhost kernel: ftrace: allocating 42099 entries in 165 pages
Jun 01 05:11:14 localhost kernel: ftrace: allocated 165 pages with 4 groups
Jun 01 05:11:14 localhost kernel: Dynamic Preempt: none
Jun 01 05:11:14 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
Jun 01 05:11:14 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
Jun 01 05:11:14 localhost kernel: Trampoline variant of Tasks RCU enabled.
Jun 01 05:11:14 localhost kernel: Rude variant of Tasks RCU enabled.
Jun 01 05:11:14 localhost kernel: Tracing variant of Tasks RCU enabled.
Jun 01 05:11:14 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
Jun 01 05:11:14 localhost kernel: rcu: Adjusting geometry for rcu.fanout_leaf=16, nr_cpu_ids=2
Jun 01 05:11:14 localhost kernel: NR_IRQS: 524288, nr_irqs: 440, preallocated irqs: 16
Jun 01 05:11:14 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
Jun 01 05:11:14 localhost kernel: Console: colour dummy device 80x25
Jun 01 05:11:14 localhost kernel: printk: console [tty0] enabled
Jun 01 05:11:14 localhost kernel: printk: console [ttyS0] enabled
Jun 01 05:11:14 localhost kernel: ACPI: Core revision 20220331
Jun 01 05:11:14 localhost kernel: clocksource: hpert: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
Jun 01 05:11:14 localhost kernel: APIC: Switch to symmetric I/O mode setup
Jun 01 05:11:14 localhost kernel: x2apic enabled
Jun 01 05:11:14 localhost kernel: Switched APIC routing to physical x2apic.
Jun 01 05:11:14 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 44079521220 ns
Jun 01 05:11:14 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999960)
Jun 01 05:11:14 localhost kernel: Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
Jun 01 05:11:14 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
Jun 01 05:11:14 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
Jun 01 05:11:14 localhost kernel: Spectre V2 : Mitigation: Retpolines
Jun 01 05:11:14 localhost kernel: Spectre v2 / Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
Jun 01 05:11:14 localhost kernel: RETBld: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETBld attacks, data leaks possible!
Jun 01 05:11:14 localhost kernel: RETBld: Vulnerable
Jun 01 05:11:14 localhost kernel: Speculative Store Bypass: Vulnerable
Jun 01 05:11:14 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 05:11:14 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 05:11:14 localhost kernel: GDS: Unknown: Dependent on hypervisor status
Jun 01 05:11:14 localhost kernel: active return thunk: its_return_thunk
Jun 01 05:11:14 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM Hi256'
Jun 01 05:11:14 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
Jun 01 05:11:14 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
Jun 01 05:11:14 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
Jun 01 05:11:14 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
Jun 01 05:11:14 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
Jun 01 05:11:14 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
Jun 01 05:11:14 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
Jun 01 05:11:14 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
Jun 01 05:11:14 localhost kernel: x86/fpu: Enabled xstate features 0x2fff, context size is 2568 bytes, using 'compacted' format.
Jun 01 05:11:14 localhost kernel: Freeing SMP alternatives memory: 36K
Jun 01 05:11:14 localhost kernel: pid_max: default: 32768 minimum: 301
Jun 01 05:11:14 localhost kernel: LSM: Security Framework initializing
Jun 01 05:11:14 localhost kernel: landlock: Up and running.
Jun 01 05:11:14 localhost kernel: Yama: becoming mindful.
Jun 01 05:11:14 localhost kernel: SELinux: Initializing.
Jun 01 05:11:14 localhost kernel: LSM support for eBPF active
Jun 01 05:11:14 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 05:11:14 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 05:11:14 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
Jun 01 05:11:14 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 05:11:14 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 05:11:14 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 05:11:14 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
```



```
Jun 01 05:11:14 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 05:11:14 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 05:11:14 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
Jun 01 05:11:14 localhost kernel: signal: max sigframe size: 3632
Jun 01 05:11:14 localhost kernel: rcu: Hierarchical SRCU implementation.
Jun 01 05:11:14 localhost kernel: rcu:      Max phase no-delay instances is 1000.
Jun 01 05:11:14 localhost kernel: smp: Bringing up secondary CPUs ...
Jun 01 05:11:14 localhost kernel: x86: Booting SMP configuration:
Jun 01 05:11:14 localhost kernel: ... node #0, CPUs:      #1
Jun 01 05:11:14 localhost kernel: MDS CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
Jun 01 05:11:14 localhost kernel: MMIO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
Jun 01 05:11:14 localhost kernel: smp: Brought up 1 node, 2 CPUs
Jun 01 05:11:14 localhost kernel: smptboot: Max logical packages: 1
Jun 01 05:11:14 localhost kernel: smptboot: Total of 2 processors activated (9999.98 BogoMIPS)
Jun 01 05:11:14 localhost kernel: node 0 deferred pages initialised in 0ms
Jun 01 05:11:14 localhost kernel: devtmpfs: initialized
Jun 01 05:11:14 localhost kernel: x86/mm: Memory block size: 128MB
Jun 01 05:11:14 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393ddfff] (524288 bytes)
Jun 01 05:11:14 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
Jun 01 05:11:14 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
Jun 01 05:11:14 localhost kernel: NET: Registered PF_INETLINK/PF_ROUTE protocol family
Jun 01 05:11:14 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 05:11:14 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 05:11:14 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 05:11:14 localhost kernel: audit: initializing netlink subsys (disabled)
Jun 01 05:11:14 localhost kernel: audit: type=2000 audit(1708290675.124:1): state=initialized audit_enabled=0 res=1
Jun 01 05:11:14 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
Jun 01 05:11:14 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
Jun 01 05:11:14 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
Jun 01 05:11:14 localhost kernel: cpuidle: using governor ladder
Jun 01 05:11:14 localhost kernel: cpuidle: using governor menu
Jun 01 05:11:14 localhost kernel: efifree: Freeing EFI boot services memory: 44696K
Jun 01 05:11:14 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
Jun 01 05:11:14 localhost kernel: PCI: Using configuration type 1 for base access
Jun 01 05:11:14 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
Jun 01 05:11:14 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
Jun 01 05:11:14 localhost kernel: HugeTLB: 16384 KiB vmemmap can be freed for a 1.00 GiB page
Jun 01 05:11:14 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
Jun 01 05:11:14 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
Jun 01 05:11:14 localhost kernel: cryptd: max_cpu_qlen set to 1000
Jun 01 05:11:14 localhost kernel: ACPI: Added _OSI(Module Device)
Jun 01 05:11:14 localhost kernel: ACPI: Added _OSI(Processor Device)
Jun 01 05:11:14 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
Jun 01 05:11:14 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
Jun 01 05:11:14 localhost kernel: ACPI: Interpreter enabled
Jun 01 05:11:14 localhost kernel: ACPI: PM: (supports S0 S4 S5)
Jun 01 05:11:14 localhost kernel: ACPI: Using IOAPIC for interrupt routing
Jun 01 05:11:14 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
Jun 01 05:11:14 localhost kernel: PCI: Using E820 reservations for host bridge windows
Jun 01 05:11:14 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
Jun 01 05:11:14 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
Jun 01 05:11:14 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
Jun 01 05:11:14 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
Jun 01 05:11:14 localhost kernel: acpi PNP0A03:00: _OSC: fail to load MMCONF10 information, can't access extended PCI configuration space under this bridge.
Jun 01 05:11:14 localhost kernel: acpihp: Slot [3] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [4] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [5] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [6] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [7] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [8] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [9] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [10] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [11] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [12] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [13] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [14] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [15] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [16] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [17] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [18] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [19] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [20] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [21] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [22] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [23] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [24] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [25] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [26] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [27] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [28] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [29] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [30] registered
Jun 01 05:11:14 localhost kernel: acpihp: Slot [31] registered
Jun 01 05:11:14 localhost kernel: PCI host bridge to bus 0000:00
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0x000bffff window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x100000000-0x2000ffff window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
Jun 01 05:11:14 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x060000
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at fff0-ffff
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc0000-ffffff
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at fff0-ffff
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc0000-ffffff
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at fff0-ffff
Jun 01 05:11:14 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at fff0-ffff
Jun 01 05:11:14 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
Jun 01 05:11:14 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x80000000-0x803fffff pref]
Jun 01 05:11:14 localhost kernel: pci 0000:00:03.0: ROM [mem 0xfffff000-0xfffff000 pref]
Jun 01 05:11:14 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x000c0000-0x000dffff]
Jun 01 05:11:14 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010002
Jun 01 05:11:14 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x80404000-0x80407fff]
Jun 01 05:11:14 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
Jun 01 05:11:14 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x80400000-0x80403fff]
Jun 01 05:11:14 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
Jun 01 05:11:14 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
Jun 01 05:11:14 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
Jun 01 05:11:14 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
Jun 01 05:11:14 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
Jun 01 05:11:14 localhost kernel: iommu: Default domain type: Translated
Jun 01 05:11:14 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
Jun 01 05:11:14 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
Jun 01 05:11:14 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Jun 01 05:11:14 localhost kernel: PTP clock support registered
Jun 01 05:11:14 localhost kernel: EDAC MC: Ver: 3.0.0
Jun 01 05:11:14 localhost kernel: Registered efivars operations
Jun 01 05:11:14 localhost kernel: NetLabel: Initializing
Jun 01 05:11:14 localhost kernel: NetLabel: domain hash size = 128
Jun 01 05:11:14 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
Jun 01 05:11:14 localhost kernel: NetLabel: unlabeled traffic allowed by default
Jun 01 05:11:14 localhost kernel: PCI: Using ACPI for IRQ routing
Jun 01 05:11:14 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
Jun 01 05:11:14 localhost kernel: e820: reserve RAM buffer [mem 0x372be018-0x377fffff]
Jun 01 05:11:14 localhost kernel: e820: reserve RAM buffer [mem 0x390c0000-0x393fffff]
Jun 01 05:11:14 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3d3fffff]
Jun 01 05:11:14 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0
Jun 01 05:11:14 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 Mhz counter
Jun 01 05:11:14 localhost kernel: clocksource: Switched to clocksource kvm-clock
Jun 01 05:11:14 localhost kernel: VFS: Disk quotas dquot_6.6.0
Jun 01 05:11:14 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Jun 01 05:11:14 localhost kernel: pnp: PnP ACPI init
Jun 01 05:11:14 localhost kernel: pnp: PnP ACPI: found 5 devices
Jun 01 05:11:14 localhost kernel: clocksource: acpi_pm: max: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
Jun 01 05:11:14 localhost kernel: NET: Registered PF_INET protocol family
Jun 01 05:11:14 localhost kernel: IP idents hash table entries: 16384 (order: 5, 131072 bytes, linear)
Jun 01 05:11:14 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Jun 01 05:11:14 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
Jun 01 05:11:14 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
```

```
Jun 01 05:11:14 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
Jun 01 05:11:14 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
Jun 01 05:11:14 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
Jun 01 05:11:14 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 05:11:14 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 05:11:14 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
Jun 01 05:11:14 localhost kernel: NET: Registered PF_XDP protocol family
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0xcff7 window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x00000000-0xfefbffff window]
Jun 01 05:11:14 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffffff window]
Jun 01 05:11:14 localhost kernel: pci 0000:00:00.0: limiting direct PCI/PCI transfers
Jun 01 05:11:14 localhost kernel: CLS 0 bytes, default 64
Jun 01 05:11:14 localhost kernel: clocksource: tsc: mask: 0xffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
Jun 01 05:11:14 localhost kernel: Trying to unpack rootfs image as initramfs...
Jun 01 05:11:14 localhost kernel: clocksource: Switched to clocksource tsc
Jun 01 05:11:14 localhost kernel: Initialise system trusted keyrings
Jun 01 05:11:14 localhost kernel: Key type blacklist registered
Jun 01 05:11:14 localhost kernel: workqueue: timestamp_bits=36 max_order=18 bucket_order=0
Jun 01 05:11:14 localhost kernel: zbud: loaded
Jun 01 05:11:14 localhost kernel: SGX XFS with ACLs, security attributes, quota, no debug enabled
Jun 01 05:11:14 localhost kernel: integrity: Platform Keyring initialized
Jun 01 05:11:14 localhost kernel: integrity: Machine keyring initialized
Jun 01 05:11:14 localhost kernel: Key type asymmetric registered
Jun 01 05:11:14 localhost kernel: Asymmetric key parser 'x509' registered
Jun 01 05:11:14 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
Jun 01 05:11:14 localhost kernel: io scheduler mq-deadline registered
Jun 01 05:11:14 localhost kernel: io scheduler kyber registered
Jun 01 05:11:14 localhost kernel: io scheduler bfq registered
Jun 01 05:11:14 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
Jun 01 05:11:14 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Jun 01 05:11:14 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
Jun 01 05:11:14 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
Jun 01 05:11:14 localhost kernel: nvme nvme0: pci function 0000:00:04.0
Jun 01 05:11:14 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
Jun 01 05:11:14 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
Jun 01 05:11:14 localhost kernel: rtc_cmos 00:00: registered as rtc0
Jun 01 05:11:14 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-06-01T05:11:14 UTC (1780290674)
Jun 01 05:11:14 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
Jun 01 05:11:14 localhost kernel: vmclock AMZNC10C:00: vmclock0: registered mscdev
Jun 01 05:11:14 localhost kernel: intel_pstate: CPU model not supported
Jun 01 05:11:14 localhost kernel: pstore: Registered efi as persistent store backend
Jun 01 05:11:14 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
Jun 01 05:11:14 localhost kernel: NET: Registered PF_INET6 protocol family
Jun 01 05:11:14 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
Jun 01 05:11:14 localhost kernel: nvme0n1: p1 p127 p128
Jun 01 05:11:14 localhost kernel: Freeing initrd memory: 20340K
Jun 01 05:11:14 localhost kernel: Segment Routing with IPv6
Jun 01 05:11:14 localhost kernel: In-situ OAM (IOAM) with IPv6
Jun 01 05:11:14 localhost kernel: NET: Registered PF_PACKET protocol family
Jun 01 05:11:14 localhost kernel: IPI shorthand broadcast: enabled
Jun 01 05:11:14 localhost kernel: AVX2 version of gcm_enc/dec engaged.
Jun 01 05:11:14 localhost kernel: AES CTR mode by8 optimization enabled
Jun 01 05:11:14 localhost kernel: sched clock: Marking stable (237851818, 2919571)->(262399219, -21627830)
Jun 01 05:11:14 localhost kernel: registered taskstats version 1
Jun 01 05:11:14 localhost kernel: Loading compiled-in X.509 certificates
Jun 01 05:11:14 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9049a1ad84746a4'
Jun 01 05:11:14 localhost kernel: zswap: loaded using pool lzo/zbud
Jun 01 05:11:14 localhost kernel: Key type .fscrypt registered
Jun 01 05:11:14 localhost kernel: Key type fscrypt-provisioning registered
Jun 01 05:11:14 localhost kernel: pstore: Using crash dump compression: deflate
Jun 01 05:11:14 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
Jun 01 05:11:14 localhost kernel: ima: Allocated hash algorithm: sha256
Jun 01 05:11:14 localhost kernel: ima: No architecture policies found
Jun 01 05:11:14 localhost kernel: clk: Disabling unused clocks
Jun 01 05:11:14 localhost kernel: Freeing unused decrypted memory: 2036K
Jun 01 05:11:14 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
Jun 01 05:11:14 localhost kernel: Write protecting the kernel read-only data: 26624k
Jun 01 05:11:14 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
Jun 01 05:11:14 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
Jun 01 05:11:14 localhost kernel: Run /init as init process
Jun 01 05:11:14 localhost kernel: with arguments:
Jun 01 05:11:14 localhost kernel: /init
Jun 01 05:11:14 localhost kernel: with environment:
Jun 01 05:11:14 localhost kernel: HOME=/
Jun 01 05:11:14 localhost kernel: TERM=linux
Jun 01 05:11:14 localhost systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
+FDIO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 01 05:11:14 localhost systemd[1]: Detected virtualization amazon.
Jun 01 05:11:14 localhost systemd[1]: Detected architecture x86_64.
Jun 01 05:11:14 localhost systemd[1]: Running in initrd.
Jun 01 05:11:14 localhost systemd[1]: No hostname configured, using default hostname.
Jun 01 05:11:14 localhost systemd[1]: Hostname set to <localhost>.
Jun 01 05:11:14 localhost systemd[1]: Initializing machine ID from VM UUID.
Jun 01 05:11:14 localhost systemd[1]: Queued start job for default target initrd.target.
Jun 01 05:11:14 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 05:11:14 localhost systemd[1]: Exporting device dev-disk-by\x2duuid-6d980120-v2d868aVx2d45cd\x2daa78\x2db0680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
Jun 01 05:11:14 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
Jun 01 05:11:14 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 01 05:11:14 localhost systemd[1]: Reached target paths.target - Path Units.
Jun 01 05:11:14 localhost systemd[1]: Reached target slices.target - Slice Units.
Jun 01 05:11:14 localhost systemd[1]: Reached target swap.target - Swaps.
Jun 01 05:11:14 localhost systemd[1]: Reached target timers.target - Timer Units.
Jun 01 05:11:14 localhost systemd[1]: Listening on systemd-journal-audit.socket - Journal Audit Socket.
Jun 01 05:11:14 localhost systemd[1]: Listening on systemd-journal-dev-log.socket - Journal Socket (/dev/log).
Jun 01 05:11:14 localhost systemd[1]: Listening on systemd-journal.socket - Journal Socket.
Jun 01 05:11:14 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 01 05:11:14 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 05:11:14 localhost systemd[1]: Reached target sockets.target - Socket Units.
Jun 01 05:11:14 localhost systemd[1]: kmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname).
Jun 01 05:11:14 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 05:11:14 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 05:11:14 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 05:11:14 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
Jun 01 05:11:14 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
Jun 01 05:11:14 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
Jun 01 05:11:14 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
Jun 01 05:11:14 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
Jun 01 05:11:14 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 01 05:11:14 localhost kernel: audit: type=1130 audit(1780290674.930:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:14 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
Jun 01 05:11:14 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 01 05:11:14 localhost kernel: audit: type=1130 audit(1780290674.930:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:14 localhost systemd-journald[346]: Journal started
Jun 01 05:11:14 localhost systemd-journald[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59f4c48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 05:11:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 01 05:11:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 05:11:14 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
Jun 01 05:11:14 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
Jun 01 05:11:14 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
Jun 01 05:11:14 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
Jun 01 05:11:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 05:11:14 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 01 05:11:14 localhost systemd[1]: Started systemd-journald.service - Journal Service.
Jun 01 05:11:14 localhost kernel: audit: type=1130 audit(1780290674.940:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:14 localhost kernel: audit: type=1130 audit(1780290674.940:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:11:14 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 05:11:14 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d
e4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 05:11:14 localhost systemd-tmpfiles[368]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
Jun 01 05:11:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=?
addr=? terminal=? res=success'
```

```
Jun 01 05:11:14 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 05:11:14 localhost kernel: audit: type=1130 audit(1788290674.908:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:14 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
Jun 01 05:11:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 01 05:11:14 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
Jun 01 05:11:14 localhost audit: BPF prog-id=6 op=LOAD
Jun 01 05:11:14 localhost audit: BPF prog-id=7 op=LOAD
Jun 01 05:11:14 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 05:11:14 localhost kernel: audit: type=1130 audit(1788290674.908:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:14 localhost kernel: audit: type=1334 audit(1788290674.908:8): prog-id=6 op=LOAD
Jun 01 05:11:14 localhost kernel: audit: type=1334 audit(1788290674.908:9): prog-id=7 op=LOAD
Jun 01 05:11:15 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
Jun 01 05:11:15 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 05:11:15 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
Jun 01 05:11:15 localhost kernel: audit: type=1130 audit(1788290675.000:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 05:11:15 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr
=? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 05:11:15 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? ad
dr=? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 05:11:15 localhost systemd[1]: Reached target sysinit.target - System Initialization.
Jun 01 05:11:15 localhost systemd[1]: Reached target basic.target - Basic System.
Jun 01 05:11:15 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
Jun 01 05:11:15 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 05:11:15 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 05:11:15 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
Jun 01 05:11:15 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=?
res=success'
Jun 01 05:11:15 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 05:11:15 localhost rngd[766]: Disabling 7: PKCS11 Entropy generator (pkcs11)
Jun 01 05:11:15 localhost rngd[766]: Disabling 5: NIST Network Entropy Beacon (nist)
Jun 01 05:11:15 localhost rngd[766]: Initializing available sources
Jun 01 05:11:15 localhost rngd[766]: [hwng ]: Initialization Failed
Jun 01 05:11:15 localhost rngd[766]: [rdrand]: Enabling RDSEED rng support
Jun 01 05:11:15 localhost rngd[766]: [rdrand]: Initialized
Jun 01 05:11:15 localhost rngd[766]: [jitter]: JITTER timeout set to 5 sec
Jun 01 05:11:15 localhost rngd[766]: [jitter]: Initializing AES buffer
Jun 01 05:11:15 localhost systemd[1]: Found device dev-disk-by\x2duuid=6d908120\x2d868a\x2d245cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
Jun 01 05:11:15 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
Jun 01 05:11:15 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
Jun 01 05:11:15 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
Jun 01 05:11:15 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
Jun 01 05:11:15 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
Jun 01 05:11:15 localhost kernel: XFS (nvme0n1p1): Ending clean mount
Jun 01 05:11:15 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
Jun 01 05:11:15 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
Jun 01 05:11:15 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
Jun 01 05:11:15 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
Jun 01 05:11:15 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
Jun 01 05:11:15 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
Jun 01 05:11:15 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
Jun 01 05:11:15 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
Jun 01 05:11:15 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
Jun 01 05:11:15 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
Jun 01 05:11:15 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 05:11:15 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 05:11:15 localhost systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 05:11:15 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
Jun 01 05:11:15 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: rngd.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? r
es=success'
Jun 01 05:11:15 localhost systemd[1]: Stopped target basic.target - Basic System.
Jun 01 05:11:15 localhost systemd[1]: Stopped target paths.target - Path Units.
Jun 01 05:11:15 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 05:11:15 localhost systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 05:11:15 localhost systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 05:11:15 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 01 05:11:15 localhost systemd[1]: Stopped target swap.target - Swaps.
Jun 01 05:11:15 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 05:11:15 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? add
r=? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=
? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 05:11:15 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? ter
minal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
Jun 01 05:11:15 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 05:11:15 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 05:11:15 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
Jun 01 05:11:15 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2dudev.service.mount: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
Jun 01 05:11:15 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
Jun 01 05:11:15 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
Jun 01 05:11:15 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
Jun 01 05:11:15 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=
? addr=? terminal=? res=success'
Jun 01 05:11:15 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
```



```
Jun 01 05:11:15 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
Jun 01 05:11:15 localhost systemd[1]: Switching root.
Jun 01 05:11:15 localhost systemd-journald[346]: Journal stopped
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd-journald[346]: Received SIGTERM from PID 1 (systemd).
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability nnp_nosuid_transition=1
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_clovex=0
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 143.771ms.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 21.815ms.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: system 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLK
ID +CURL +ELFUTILS +FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-h
ierarchy=unified)
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to ip-172-31-31-123.ec2.internal.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: bpf-lsm: LSM BPF program attached
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal zram-generator:config[815]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the unit file accordingly.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Scheduled restart job, restart counter is at 1.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Expiring device dev-ttyS0.device - /dev/ttyS0...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unset condition check (ConditionPathExists=/et
c/krb5.keytab).
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-convert.service - Preprocess NFS configuration conversion...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journald.service - Journal Service.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd-journald[837]: Journal started
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd-journald[837]: Runtime Journal (/run/log/journal/ec82de2184d5710b9d359b4fc8811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: MAC POLICY LOAD auid=4294967295 ses=4294967295 lsm=selinux res=1
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
Jun 01 05:11:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=3 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=4 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=5 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=UNLOAD
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=initrd-switch-root comm="systemd" exe="
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=initrdr-switch-root comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=bpf-prog-id=34 op=LOAD' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=35 op=LOAD
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=36 op=LOAD
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=32 op=UNLOAD
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=33 op=UNLOAD
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=kmod-static-nodes comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:syslogd:t:s0 res=1
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SYSCALL arch=000083 syscalls=46 success=ys exit=60 ad=3 al=7fdd74065f0 a2=4000 a3=7fd074067c items=0 ppid=837 auid=4294967295 uid=0 gid=0 suid=0 fsuid=0 euid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="" systemd-journal" subj=system_u:system_r:syslogd:t:s0 key=(null)
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: PROCTITLE proctitle="/usr/lib/systemd/systemd-journald"
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Queued start job for default target graphical.target.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd-fsck[848]: /usr/sbin/fsck.xfs: XFS file system.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-journald.service - Journal Service.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@configfs comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@configfs comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journald comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@dm_mod comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@dm_mod comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@drm comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@drm comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@efi_pstore comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@efi_pstore comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@fuse.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@fuse comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@fuse comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@loop comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@loop comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: nfs-convertd.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished nfs-convertd.service - Preprocess NFS configuration conversion.
```

```
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=nfs-convertd comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=nfs-convertd comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=fuse-kernel-module fuse' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@fuse comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@fuse comm="" systemd' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
```

```
Jun 01 05:11:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 a
```

```
ar}).
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1279]: No plugins found, not dispatching events
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 audit=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1279]: SYSCALL arch=080003e syscall=44 successes=exit=60 a0=3 a1=7ffc80b7c980 a2=3c a3=0 items=0 ppid=1276 pid=1279 audit=4294967295 uid=0 gi
d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=1279 old=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1279]: SYSCALL arch=080003e syscall=44 successes=exit=60 a0=3 a1=7ffc80b7c980 a2=3c a3=0 items=0 ppid=1276 pid=1279 audit=4294967295 uid=0 gi
d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1279]: Init complete, auditd 3.1.5 listening for events (startup state enable)
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipefs.target.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal augenrules[1283]: /sbin/augeenrules: No change
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: 18042: PNP: PS/2 Controller: [PNP0303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: 18042: Warning: Keylock active
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRF]
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXPSPBN:00/input/input1
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: serio: i8042 KBD port at 0x60,0x64 irq 1
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: serio: i8042 AUX port at 0x60,0x64 irq 12
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) v2.16.1g
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA device version: 0.10
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA controller version: 0.0.1 implementation version 1
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: LLQ is not supported fallback to host mode policy.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) found at mem 80400000, mac addr 0a:ff:e4:d2:b:39
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE audit=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule key=(null) list=1 res=1
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1326]: SYSCALL arch=080003e syscall=44 successes=exit=105e a0=3 a1=7fffd4d30d60 a2=420 a3=0 items=0 ppid=1276 pid=1279 audit=4294967295 uid=0
gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditctl" exe="/usr/sbin/auditctl" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="2F7362696E2F617564697463746C002052602F6574632F61756469742F61756469742F2756C0573
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=auditd comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1330]: SYSTEM_BOOT pid=1330 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="comm="systemd-update-utmp" exe="/usr/li
b/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=systemd-update-utmp comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=systemd-resolved comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal auditd[1331]: No rules
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Positive Trust Anchors:
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: . IN DS 20326 8 2 e6d4x4b80b8fd139a95c0bbd7c65d08458e80409bbc683457184237c7f8ec8d
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Negative trust anchors: home.arpa 10.in-addr.arpa 16.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.
arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-
addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Started auditd.service - Security Auditing Service.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Using system hostname 'ip-172-31-31-123.ec2.internal'.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-resolved.service - Network Name Resolution.
Jun 01 05:11:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: renamed from eth0
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal zram_generator[:config[1389]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the unit file accordingly.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862A.device - Amazon Elastic Block Store EFI\x20System\x20Partition being skipped
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=UNLOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=UNLOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=UNLOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=UNLOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy-routes.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNot
Empty=run/initramfs/state).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecuri
ty=selinux).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: system-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPat
HExists=/sys/firmware/efi/vars/LoaderEntries-4a7b082-bac-cf-bc7-440b29bb8c4f).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: system-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: system-firstboot.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: system-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=/etc).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/v
ar).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathI
sMountPoint=/etc/machine-id).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: system-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: system-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: fsck.fat 4.2 (2021-01-31)
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: /dev/nvme0n1p128: 5 files, 659/5101 clusters
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=modprobe@dm_mod comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=modprobe@dm_mod comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success"
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: system-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started fstrim.timer - Discard unused blocks once a week.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Daemon Socket.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
```



```
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb
).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists
=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b882-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=46 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=47 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecdsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/ru
n/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=
/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/sy
stemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat.service - Setsys System Activity Logs...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=48 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=49 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance/boot-finished'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd-homed[1419]: Watching /home.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal ec2net[1417]: Starting configuration for ens5
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal ec2net[1425]: /lib/systemd/systemd-networkd-wait-online ens5
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event0 (Power Button)
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event1 (Sleep Button)
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd-logind[1420]: New seat seat0.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=50 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat.service - Resets System Activity Logs.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=51 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=52 op=LOAD
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
Jun 01 05:11:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting logrotate.service - Rotate log files...
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal dbus-broker-lau[1442]: Ready
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: lo: Link UP
Jun 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: lo: Gained carrier
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: Enumeration completed
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Link UP
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Gained carrier
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal kernel: en000:00:05:0 ens5: Local page cache is disabled for less than 16 channels
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.service: Deactivated successfully.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished logrotate.service - Rotate log files.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=logrotate comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=logrotate comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=/e
tc/krb5.keytab).
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-pre.target - Preparation for Remote File Systems.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi
/efivars/StubPcrKernelImage-4a67b882-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=52 op=UNLOAD
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Gained IPv6LL
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="syst
emd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/subnet-ipv4-cidr-block
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/interface-id
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: Called trap
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCP lease lost
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal ec2net[1417]: Reloaded networkd
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv6 lease lost
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 05:11:19 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: Cloud-init v. 22.2.2 running 'init' at Mon, 01 Jun 2026 05:11:20 +0000. Up 5.91 seconds.
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: +-----Net device info-----+
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info:
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info:


| Device | Up   | Address                      | Mask          | Scope  | Hw-Address        |
|--------|------|------------------------------|---------------|--------|-------------------|
| ens5   | True | 172.31.31.123                | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
| ens5   | True | fe80::8fff:e4ff:fedf:2b39/64 | .             | link   | 0a:ff:e4:df:2b:39 |
| lo     | True | 127.0.0.1                    | 255.0.0.0     | host   | .                 |
| lo     | True | ::1/128                      | .             | host   | .                 |


Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: +-----Route IPv4 info-----+
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info:


| Route | Destination | Gateway     | Genmask         | Interface | Flags |
|-------|-------------|-------------|-----------------|-----------|-------|
| 0     | 0.0.0.0     | 172.31.16.1 | 0.0.0.0         | ens5      | UG    |
| 1     | 172.31.0.2  | 172.31.16.1 | 255.255.255.255 | ens5      | UGH   |
| 2     | 172.31.16.0 | 0.0.0.0     | 255.255.240.0   | ens5      | U     |
| 3     | 172.31.16.1 | 0.0.0.0     | 255.255.255.255 | ens5      | UH    |


Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info:
```



```
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: +-----+
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: +-----+Route IPv6 info+-----+
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info:
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: | Route | Destination | Gateway | Interface | Flags |
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: | 0 | fe80::/64 | :: | ens5 | U |
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: | 2 | local | :: | ens5 | U |
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: | 3 | multicast | :: | ens5 | U |
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal cloud-init[1537]: ci-info: +-----+
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd.service - OpenSSH server daemon...'
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal sm-notify[1576]: Version 2.5.4 starting
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal sshd[1576]: Server listening on 0.0.0.0 port 22.
Jun 01 05:11:20 ip-172-31-31-123.ec2.internal sshd[1576]: Server listening on :: port 22.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal nginx[1578]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: Initializing new seelog logger
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: New Seelog Logger Creation Complete
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.0560 INFO Proxy environment variables:
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal nginx[1578]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: chrony-config.service: Deactivated successfully.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=LOAD
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Starting chronyd.service - NTP client/server...
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.0569 INFO https proxy:
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.0569 INFO http proxy:
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal chronyd[1610]: chronyd version 4.3 starting (+MCDMMON +NTP +REFCLOCK +RTC +PRIVDROP +SCFILTER +SIGND +ASYNCDNS +NTS +SECHASH +IPV6 +DEBUG)
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal chronyd[1610]: Frequency -2.195 +/- 0.066 ppm read from /var/lib/chrony/drift
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal chronyd[1610]: Loaded seccomp filter (level 2)
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Started chronyd.service - NTP client/server.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.0570 INFO no_proxy:
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal cloud-init[1615]: Cloud-init v. 22.2.2 running 'modules:config' at Mon, 01 Jun 2026 05:11:21 +0000. Up 6.99 seconds.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.0570 INFO Checking if agent identity type OnPrem can be assumed
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: Starting hibinit-agent.service - hibinit-agent.service
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.0571 INFO Checking if agent identity type EC2 can be assumed
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3219 INFO Agent will take identity from EC2
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3236 INFO Telemetry initialized
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal hibinit-agent[1618]: Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/l
ib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon (swapfile)', 'swaponoff': 'swaponoff (swapfile)'}
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal hibinit-agent[1618]: Requesting new IMDSv2 token.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal hibinit-agent[1618]: Instance Launch has not enabled Hibernation Configured Flag. hibinit-agent exiting!!
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal systemd[1]: hibinit-agent.service: Deactivated successfully.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3244 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4.108.0
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal cloud-init[1623]: Cloud-init v. 22.2.2 running 'modules:final' at Mon, 01 Jun 2026 05:11:21 +0000. Up 7.53 seconds.
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3244 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
Jun 01 05:11:21 ip-172-31-31-123.ec2.internal cloud-init[1623]: Cloud-init v. 22.2.2 finished at Mon, 01 Jun 2026 05:11:21 +0000. DataSource DataSourceEc2. Up 7.63 seconds
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3244 INFO [amazon-ssm-agent] Starting Core Agent
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=54 op=LOAD
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3245 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3245 INFO [Registrar] Starting registrar module
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3268 INFO [EC2Identity] Checking disk for registration info
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3284 INFO [EC2Identity] Registration info found for ec2 instance
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3284 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3285 INFO [CredentialRefresher] credentialRefresher has started
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3285 INFO [CredentialRefresher] Starting credentials refresher loop
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3895 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Er
r: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3891 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 05:11:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: status code: 400, request id: 1f91690e-a878-4dbf-9430-1332bc7271c6
Jun 01 05:11:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3891 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrie
ved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account:
094337892911
Jun 01 05:11:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: status code: 400, request id: 1f91690e-a878-4dbf-9430-1332bc7271c6
Jun 01 05:11:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3892 INFO [CredentialRefresher] Sleeping for 27m47s before retrying retrieve credentials
Jun 01 05:11:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:11:21.3894 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid cre
dentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not
configured for account: 094337892911
Jun 01 05:11:24 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: status code: 400, request id: 1f91690e-a878-4dbf-9430-1332bc7271c6<error>
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 1.063s CPU time.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal chronyd[1610]: Selected source 169.254.169.123
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=54 op=UNLOAD
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMF...
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal audit[1646]: SYSTEM_RUNLEVEL pid=1646 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='old-level=N new-level=5 comm="system
d-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp-runlevel.service: Deactivated successfully.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMF.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 510ms (firmware) + 885ms (loader) + 397ms (kernel) + 10.931s (userspace) = 13.595s.
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="syst
emd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:11:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="syste
md" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh\x2dpolicy\x2droutes.slice - Slice /system/refresh-policy-routes.
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: Starting configuration refresh for ens5
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: [get_meta] Querying IMDS for mac
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: [get_meta] Querying IMDS for mac
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: [get_meta] Querying IMDS for mac
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: [get_meta] Querying IMDS for mac
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: [get_meta] Querying IMDS for network/interfaces/macsof:ffe4:df:2b:39/local-ipv4s
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: Called trap
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal ec2net[1647]: No network reload needed
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:12:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: Starting configuration refresh for ens5
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: [get_meta] Querying IMDS for mac
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: [get_meta] Querying IMDS for mac
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: [get_meta] Querying IMDS for mac
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: [get_meta] Querying IMDS for mac
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: [get_meta] Querying IMDS for network/interfaces/macsof:ffe4:df:2b:39/local-ipv4s
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: Called trap
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal ec2net[1695]: No network reload needed
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:14:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:15:21 ip-172-31-31-123.ec2.internal audit[1744]: CRYPTO_KEY_USER pid=1744 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1744 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:15:22 ip-172-31-31-123.ec2.internal audit[1743]: CRYPTO_SESSION pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=start direction=from-s
erver cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1744 suid=74 rport=49288 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 01 05:15:22 ip-172-31-31-123.ec2.internal audit[1743]: CRYPTO_SESSION pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=start direction=from-c
lient cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1744 suid=74 rport=49288 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 01 05:15:24 ip-172-31-31-123.ec2.internal audit[1743]: CRYPTO_KEY_USER pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=session
fpe? direction=both spid=1744 suid=74 rport=49288 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:15:24 ip-172-31-31-123.ec2.internal audit[1743]: CRYPTO_SESSION pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1744 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
ss'
Jun 01 05:15:24 ip-172-31-31-123.ec2.internal audit[1743]: CRYPTO_KEY_USER pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1743 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:15:24 ip-172-31-31-123.ec2.internal audit[1743]: CRYPTO_SESSION pid=1745 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=start direction=from-c
lient cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1746 suid=74 rport=49315 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 01 05:15:24 ip-172-31-31-123.ec2.internal audit[1745]: CRYPTO_SESSION pid=1745 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=session
fpe? direction=both spid=1746 suid=74 rport=49315 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal audit[1745]: CRYPTO_KEY_USER pid=1745 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1746 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
ss'
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal audit[1745]: CRYPTO_KEY_USER pid=1745 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1745 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal audit[1745]: USER_LOGIN pid=1745 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=login acct="(unknown)" exe
="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=ssh res=failed'
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: Starting configuration refresh for ens5
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: [get_meta] Querying IMDS for mac
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: [get_meta] Querying IMDS for mac
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: [get_meta] Querying IMDS for mac
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: [get_meta] Querying IMDS for mac
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: [get_meta] Querying IMDS for network/interfaces/macsof:ffe4:df:2b:39/local-ipv4s
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: Called trap
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal ec2net[1747]: No network reload needed
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:15:51 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:26 ip-172-31-31-123.ec2.internal audit[1798]: CRYPTO_KEY_USER pid=1798 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1798 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:16:27 ip-172-31-31-123.ec2.internal audit[1797]: CRYPTO_SESSION pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=start direction=from-s
erver cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1798 suid=74 rport=49316 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 01 05:16:27 ip-172-31-31-123.ec2.internal audit[1797]: CRYPTO_SESSION pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=start direction=from-c
lient cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1798 suid=74 rport=49316 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: USER_AUTH pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=pubkey_auth grantors=auth-k
ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: CRYPTO_KEY_USER pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=negotiate kind=auth-k
ey fpe=SHA256:22:c0:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1797 suid=0 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: USER_ACCT pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam
_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: Accepted publickey for ec2-user from 61.2.141.177 port 49316 ssh2: RSA SHA256:ya9b2PRE/WGiwWZLoQkwb/zgX3JQxjh35FS6ltX0
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: CRYPTO_KEY_USER pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=destroy kind=session
fpe? direction=both spid=1798 suid=74 rport=49316 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: CRED_ACQ pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam,env
_pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: USER_ROLE_CHANGE pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=pam: default-context=unconfined,uc
onfined_r:unconfined:t:s0-s0:c0.c1023 selected-context=unconfined,unconfined_r:unconfined:t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-userdbd comm=systemd exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1797]: USER_ROLE_CHANGE pid=1797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0.c1023 msg=pam: default-context=unconfined,uc
onfined_r:unconfined:t:s0-s0:c0.c1023 selected-context=unconfined,unconfined_r:unconfined:t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=user-runtime-dir@1000 comm=systemd ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1]: Starting user@1000.service - User Manager for UID 1000...
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1805]: USER_ACCT pid=1805 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=op=PAM:accounting grantors=pam_unix acct="
ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1805]: CRED_ACQ pid=1805 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=op=PAM:setcred grantors=? acct="ec2-user" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=failed'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1805]: USER_ROLE_CHANGE pid=1805 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=pam: default-context=unconfined,uc
onfined_r:unconfined:t:s0-s0:c0.c1023 selected-context=unconfined,unconfined_r:unconfined:t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal (systemd[1805]: pam_unix(systemd-user:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 01 05:16:31 ip-172-31-31-123.ec2.internal audit[1805]: USER_START pid=1805 uid=0 auid=1000 ses=2 subj=system_u:system_r:init:t:s0 msg=op=PAM:session_open grantors=pam_selinux,pam
_loginuid,pam_keyinit,pam_namespace,pam_systemd,home,pam_yeinit,pam_limits,pam_sysd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=user@1000 comm=systemd exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1805]: Created slice app.slice - User Application Slice.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1805]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1805]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
```

```

Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1777]: USER_START pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct='ec2-user' exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Reached target paths.target - Paths.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1815]: CRYPTO_KEY_USER pid=1815 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:b:f:bf:54:a2:9a:f2:a5:fe direction=? spid=1815 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Reached target timers.target - Timers.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1815]: CRED_ACO pid=1815 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct='ec2-user' exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1815]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Listening on dbus.socket - D-Bus User Message Bus Socket.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Reached target sockets.target - Sockets.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1815]: Disconnected from user ec2-user 61.2.141.177 port 49316
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Reached target basic.target - Basic System.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Reached target default.target - Main User Target.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1085]: Startup finished in 121ms.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1]: Started session-1.scope - Session 1 of User ec2-user.
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1777]: USER_LOGIN pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1777]: USER_START pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1777]: CRYPTO_KEY_USER pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:b:f:bf:54:a2:9a:f2:a5:fe direction=? spid=1816 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=LOAD
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: USER_END pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: USER_LOGOUT pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1815]: Received disconnect from 61.2.141.177 port 49316:11: disconnected by user
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: CRYPTO_KEY_USER pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=both spid=1815 suid=1000 report=49316 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:16:32 ip-172-31-31-123.ec2.internal audit[1815]: Disconnected from user ec2-user 61.2.141.177 port 49316
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: CRYPTO_KEY_USER pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:b:f:bf:54:a2:9a:f2:a5:fe direction=? spid=1815 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: pam_unix(sshd:session): session closed for user ec2-user
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: USER_END pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct='ec2-user' exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: CRED_DISP pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct='ec2-user' exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal audit[1777]: CRYPTO_KEY_USER pid=1797 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:b:f:bf:54:a2:9a:f2:a5:fe direction=? spid=1797 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal systemd[1]: session-1.succeeded: Deactivated successfully.
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Session 1 logged out. Waiting for processes to exit.
Jun 01 05:16:40 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Removed session 1.
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1857]: CRYPTO_KEY_USER pid=1857 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:b:f:bf:54:a2:9a:f2:a5:fe direction=? spid=1857 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1855]: CRYPTO_KEY_USER pid=1855 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:b:f:bf:54:a2:9a:f2:a5:fe direction=? spid=1855 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1859]: CRYPTO_KEY_USER pid=1859 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:b:f:bf:54:a2:9a:f2:a5:fe
```



```
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1846]: CRYPTO_SESSION pid=1846 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1863 suid=74 rport=39264 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1865]: CRYPTO_KEY_USER pid=1865 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1865 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1847]: CRYPTO_SESSION pid=1847 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1866 suid=74 rport=39242 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1867]: CRYPTO_KEY_USER pid=1867 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1867 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1845]: CRYPTO_SESSION pid=1845 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1865 suid=74 rport=39260 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1845]: CRYPTO_SESSION pid=1845 uid=0 audit=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1865 suid=74 rport=39260 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1853]: CRYPTO_SESSION pid=1853 uid=0 audit=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1867 suid=74 rport=39284 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1853]: CRYPTO_SESSION pid=1853 uid=0 audit=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1867 suid=74 rport=39284 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1868]: CRYPTO_KEY_USER pid=1868 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1868 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1841]: CRYPTO_SESSION pid=1841 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-server cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1868 suid=74 rport=39188 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:46 ip-172-31-31-123.ec2.internal audit[1841]: CRYPTO_SESSION pid=1841 uid=0 audit=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-client cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=curve25519-sha256 spid=1868 suid=74 rport=39188 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 t
ernal=7 ressuccess'
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Activating special unit exit.target...
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped target default.target - Main User Target.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped target basic.target - Basic System.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped target paths.target - Paths.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped target sockets.target - Sockets.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped target timers.target - Timers.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Closed dbus.socket - D-Bus User Message Bus Socket.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Removed slice app.slice - User Application Slice.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Reached target shutdown.target - Shutdown.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Finished systemd-exit.service - Exit the Session.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1085]: Reached target exit.target - Exit the Session.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:16:50 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
Jun 01 05:17:01 ip-172-31-31-123.ec2.internal sshd[1852]: Invalid user raspberry from 35.231.70.231 port 39236
Jun 01 05:17:01 ip-172-31-31-123.ec2.internal sshd[1845]: Invalid user admin from 35.231.70.231 port 39260
Jun 01 05:17:01 ip-172-31-31-123.ec2.internal sshd[1843]: Invalid user admin from 35.231.70.231 port 39252
Jun 01 05:17:01 ip-172-31-31-123.ec2.internal sshd[1842]: Invalid user administrator from 35.231.70.231 port 39214
Jun 01 05:17:01 ip-172-31-31-123.ec2.internal sshd[1847]: Invalid user admin from 35.231.70.231 port 39242
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hostnamed.service: Deactivated successfully.
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: Starting configuration refresh for ens5
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: [get_meta] Querying IMDS for mac
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: [get_meta] Querying IMDS for mac
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: [get_meta] Querying IMDS for mac
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: [get_meta] Querying IMDS for mac
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: Called trap
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal ec2net[1871]: No networkd reload needed
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=UNLOAD
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=UNLOAD
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1843]: CRYPTO_KEY_USER pid=1843 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session
fpe? direction=both spid=1860 suid=74 rport=39252 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1848]: CRYPTO_KEY_USER pid=1848 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session
fpe? direction=both spid=1862 suid=74 rport=39254 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1848]: CRYPTO_KEY_USER pid=1848 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1862 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1843]: CRYPTO_KEY_USER pid=1843 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1860 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1843]: USER_ERR pid=1843 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden
t grantors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1843]: CRYPTO_KEY_USER pid=1843 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1843 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1843]: USER_LOGIN pid=1843 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="(unknown)" exe
="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal sshd[1848]: Connection closed by authenticating user root 35.231.70.231 port 39254 [preauth]
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal sshd[1843]: Connection closed by invalid user admin 35.231.70.231 port 39252 [preauth]
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1848]: USER_ERR pid=1848 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden
t grantors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1852]: USER_ERR pid=1852 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="(unknown)" exe
="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1852]: CRYPTO_KEY_USER pid=1852 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1852 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1852]: USER_LOGIN pid=1852 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="(unknown)" exe
="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1842]: CRYPTO_KEY_USER pid=1842 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session
fpe? direction=both spid=1858 suid=74 rport=39214 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal sshd[1842]: Connection closed by invalid user administrator 35.231.70.231 port 39214 [preauth]
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1842]: CRYPTO_KEY_USER pid=1842 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1858 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1842]: USER_ERR pid=1842 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden
t grantors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'
Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1842]: CRYPTO_KEY_USER pid=1842 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1842 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
```

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1842]: USER_LOGIN pid=1842 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="(unknown)" exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1844]: CRYPTO_KEY_USER pid=1844 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1856 suid=74 rport=39196 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1844]: CRYPTO_KEY_USER pid=1844 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1856 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1844]: Connection closed by authenticating user root 35.231.70.231 port 39196 [preauth]

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1845]: CRYPTO_KEY_USER pid=1849 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1864 suid=74 rport=39206 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1849]: Connection closed by authenticating user root 35.231.70.231 port 39206 [preauth]

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1849]: CRYPTO_KEY_USER pid=1849 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1864 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1845]: CRYPTO_KEY_USER pid=1845 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1865 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1846]: CRYPTO_KEY_USER pid=1846 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1863 suid=74 rport=39264 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1844]: USER_ERR pid=1844 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden grantsors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1845]: USER_ERR pid=1845 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden grantsors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1844]: CRYPTO_KEY_USER pid=1844 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1844 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1844]: USER_LOGIN pid=1844 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="root" exe="/us r/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1845]: CRYPTO_KEY_USER pid=1845 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1865 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1846]: CRYPTO_KEY_USER pid=1846 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1846 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1846]: USER_LOGIN pid=1846 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="root" exe="/us r/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1850]: CRYPTO_KEY_USER pid=1850 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1857 suid=74 rport=39228 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1847]: CRYPTO_KEY_USER pid=1847 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1866 suid=74 rport=39242 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1841]: CRYPTO_KEY_USER pid=1841 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1868 suid=74 rport=39188 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=35.231.70.231 terminal=? res=success'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1849]: USER_ERR pid=1849 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden grantsors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1847]: CRYPTO_KEY_USER pid=1847 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1866 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1847]: Connection closed by invalid user admin 35.231.70.231 port 39242 [preauth]

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1847]: USER_ERR pid=1847 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden grantsors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1849]: CRYPTO_KEY_USER pid=1849 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1849 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1847]: CRYPTO_KEY_USER pid=1847 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1866 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1850]: Connection closed by authenticating user root 35.231.70.231 port 39220 [preauth]

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1850]: CRYPTO_KEY_USER pid=1850 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1857 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1850]: CRYPTO_KEY_USER pid=1850 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden grantsors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1850]: CRYPTO_KEY_USER pid=1850 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1850 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1850]: USER_LOGIN pid=1850 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="root" exe="/us r/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1841]: Connection closed by authenticating user root 35.231.70.231 port 39188 [preauth]

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1841]: CRYPTO_KEY_USER pid=1841 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1868 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1841]: USER_ERR pid=1841 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_iden grantsors=? acc t=?? exe="/usr/sbin/sshd" hostname=35.231.70.231 addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1841]: CRYPTO_KEY_USER pid=1841 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1841 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:03 ip-172-31-31-123.ec2.internal audit[1841]: USER_LOGIN pid=1841 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="root" exe="/us r/sbin/sshd" hostname=? addr=35.231.70.231 terminal=ssh res=failed'

Jun 01 05:17:20 ip-172-31-31-123.ec2.internal audit[1923]: CRYPTO_KEY_USER pid=1923 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1923 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes

Jun 01 05:17:20 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_SESSION pid=1922 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-s erver cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1923 suid=74 rport=49317 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t erminat=? res=success'

Jun 01 05:17:20 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_SESSION pid=1922 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-c lient cipher=aes128-gcm@openssh.com ksize=128 mac=implicit pfs=ecdh-sha2-nistp256 spid=1923 suid=74 rport=49317 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t erminat=? res=success'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1922]: USER_AUTH pid=1922 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=pubkey_auth grantsors=auth-k ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_KEY_USER pid=1922 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=authenticate kind=auth-k ey fpe=SHA256:c9:af:5b:08:f4:44:7d:61:a2:c1:6d:93:2e:84:0b:6d:6f:f3:81:74:89:25:0c:63:38:49:52:16:c8:0b:7d:1d exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1922]: USER_ACCT pid=1922 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantsors=pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=failed'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1922]: Accepted publickey for ec2-user from 61.2.141.177 port 49317 ssh2: RSA SHA256:ya9b2PRE/WgiwZWtLOqKwB/zgX53JQxjhJ5FS6ltX0

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_KEY_USER pid=1922 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1923 suid=74 rport=49317 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1922]: CRED_AQ pid=1922 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:acctcred grantsors=pam_env ,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1922]: USER_ROLE_CHANGE pid=1922 uid=0 audit=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=pam: default-context=unconfined,unco nfigined,r:unconfined,t:s0-s0:c0.c1023 selected-context=unconfined,unconfined,t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1920]: New session 3 of user ec2-user.

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1921]: Created slice user-1000.slice - User Slice of UID 1000.

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1921]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1921]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1921]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm=systemd" ex e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

Jun 01 05:17:21 ip-172-31-31-123.ec2.internal audit[1921]: Starting user-1000.service - User Manager for UID 1000...

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: USER_ACCT pid=1926 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:accounting grantsors=pam_unix acct=" ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: CRED_AQ pid=1926 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:acctcred grantsors=? acct="ec2-user" e xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=failed'

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: USER_ROLE_CHANGE pid=1926 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=pam: default-context=unconfined,ucu nconfined,r:unconfined,t:s0-s0:c0.c1023 selected-context=unconfined,unconfined,r:unconfined,t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: pam_unix(systemd-user:session): session opened for user ec2-user(uid=1000) by (uid=0)

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: USER_START pid=1926 uid=0 audit=1000 ses=4 subj=system_u:system_r:init_t:s0 msg=op=PAM:session_open grantsors=pam_selinux,pam_selinux,pam _loginuid,pam_keyinit,pam_namespace,pam_systemd,hom,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Finished systemd-mpfiles-setup.service - Create User's Volatile Files and Directories.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Created slice app.slice - User Application Slice.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Started grub-boot=systemd.timer - Mark boot as successful after the user session has run 2 minutes.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Started systemd-mpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Reached target paths.target - Paths.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Reached target timers.target - Timers.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Starting dbus.socket - D-Bus User Message Bus Socket...

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Starting systemd-mpfiles-setup.service - Create User's Volatile Files and Directories...

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Finished systemd-mpfiles-setup.service - Create User's Volatile Files and Directories.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Listening on dbus.socket - D-Bus User Message Bus Socket.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Reached target sockets.target - Sockets.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Reached target basic.target - Basic System.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Reached target default.target - Main User Target.

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1926]: Startup finished in 108ms.

```

Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1]: Started user@1000.service - User Manager for UID 1000.
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1]: Started session-3.scope - Session 3 of User ec2-user.
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal sshd[1922]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1922]: USER_START pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantors=pam_selinux, pam_loginuid, pam_selinux, pam_namestack, pam_keyinit, pam_keyinit, pam_limits, pam_systemd, pam_unix, pam_umask, pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 term
me=7 res=success'
Jun 01 05:17:52 ip-172-31-31-123.ec2.internal audit[1935]: CRYPTO_KEY_USER pid=1935 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:ab:ab:a6:19:8d:5c:3b:e5:c9:bfbf:54:a2:9a:f2:a5:fe direction=? spid=1935 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:52 ip-172-31-31-123.ec2.internal audit[1935]: CRED_ACQ pid=1935 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env, pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 terminal=ssh res=success'
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1922]: USER_LOGIN pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login uid=1000 exe="/usr/sbin/sshd" hostna
me=7 addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1922]: USER_START pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login uid=1000 exe="/usr/sbin/sshd" hostna
me=7 addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 05:17:52 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_KEY_USER pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:ab:ab:a6:19:8d:5c:3b:e5:c9:bfbf:54:a2:9a:f2:a5:fe direction=? spid=1936 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=LOAD
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=LOAD
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=LOAD
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-hostnamed.service - Hostname Service...
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:22 ip-172-31-31-123.ec2.internal audit[1]: Started systemd-hostnamed.service - Hostname Service.
Jun 01 05:17:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:17:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=UNLOAD
Jun 01 05:17:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=UNLOAD
Jun 01 05:17:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=UNLOAD
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: USER_ACCT pid=1970 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal sudo[1970]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx ; USER=root ; COMMAND=/usr/bin/mkdir ssl
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: USER_CMD pid=1970 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd=/etc/nginx" cmd=0d686469
722873736C exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: CRED_REFR pid=1970 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam
_env, pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal sudo[1970]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: USER_START pid=1970 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantor
s=pam_keyinit, pam_limits, pam_keyinit, pam_limits, pam_systemd, pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: pam_unix(sudo:session): session closed for user root
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: USER_END pid=1970 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors
=pam_keyinit, pam_limits, pam_keyinit, pam_limits, pam_systemd, pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: CRED_DISP pid=1970 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam
_env, pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: Starting configuration refresh for ens5
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: [get_meta] Querying IMDS for mac
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: [get_meta] Querying IMDS for mac
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: [get_meta] Querying IMDS for mac
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: [get_meta] Querying IMDS for mac
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: Called trap
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal ec2net[1972]: No network reload needed
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1970]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:18:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:19:37 ip-172-31-31-123.ec2.internal audit[1926]: Starting grub-boot-success.service - Mark boot as successful...
Jun 01 05:19:37 ip-172-31-31-123.ec2.internal audit[1926]: Finished grub-boot-success.service - Mark boot as successful.
Jun 01 05:19:37 ip-172-31-31-123.ec2.internal audit[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:20:22 ip-172-31-31-123.ec2.internal audit[1]: Starting sysstat-collect.service - system activity accounting tool...
Jun 01 05:20:22 ip-172-31-31-123.ec2.internal audit[1]: sysstat-collect.service: Deactivated successfully.
Jun 01 05:20:22 ip-172-31-31-123.ec2.internal audit[2070]: Starting configuration refresh for ens5
Jun 01 05:20:22 ip-172-31-31-123.ec2.internal ec2net[2070]: Get IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 0
```



```
Jun 01 05:24:32 ip-172-31-123.ec2.internal sudo[2242]: USER_CMD pid=2242 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct='ec2-user' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
```

```
Jun 01 05:24:32 ip-172-31-123.ec2.internal sudo[2242]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx/sbin ; USER=root ; COMMAND=/usr/bin/nano /etc/nginx/nginx.conf
```

```
Jun 01 05:24:32 ip-172-31-123.ec2.internal audit[2242]: USER_CMD pid=2242 uid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd="/etc/nginx/sbin" cmd=6E6166F620F6574632F667696F782F6E67696F782E636F6E6E exe="/usr/bin/sudo" terminal=pts/0 res=success'
```

```
Jun 01 05:24:32 ip-172-31-123.ec2.internal audit[2242]: CRED_REFR pid=2242 uid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
```

```
Jun 01 05:24:32 ip-172-31-123.ec2.internal audit[2242]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
```

```
Jun 01 05:24:32 ip-172-31-123.ec2.internal audit[2242]: USER_START pid=2242 uid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: Starting configuration refresh for ens5
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: Using existing cfile /run/systemd/network/70-ens5.network
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: [get_meta] Querying IMDS for network/interfaces/macsb0a:ffe4:df:2b:39/local-ipv4s
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: Called trap
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal ec2net[2246]: No network reload needed
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" d_exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:25:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" e_xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:26:37 ip-172-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-clean.service - Cleanup of Temporary Directories...
```

```
Jun 01 05:26:37 ip-172-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.service: Deactivated successfully.
```

```
Jun 01 05:26:37 ip-172-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-clean.service - Cleanup of Temporary Directories.
```

```
Jun 01 05:26:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-tmpfiles-clean comm="systemd" e_xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:26:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-tmpfiles-clean comm="systemd" ex_e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:26:37 ip-172-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dclean.service.mount: Deactivated successfully.
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: Starting configuration refresh for ens5
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: Using existing cfile /run/systemd/network/70-ens5.network
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: [get_meta] Querying IMDS for network/interfaces/macsb0a:ffe4:df:2b:39/local-ipv4s
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: Called trap
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal ec2net[2302]: No network reload needed
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" d_exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:27:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" e_xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: Starting configuration refresh for ens5
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: Using existing cfile /run/systemd/network/70-ens5.network
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: [get_meta] Querying IMDS for mac
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: [get_meta] Querying IMDS for network/interfaces/macsb0a:ffe4:df:2b:39/local-ipv4s
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: Called trap
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal ec2net[2351]: No network reload needed
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" d_exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:29:37 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" e_xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:29:48 ip-172-31-123.ec2.internal sudo[2242]: pam_unix(sudo:session): session closed for user root
```

```
Jun 01 05:29:48 ip-172-31-123.ec2.internal audit[2242]: USER_END pid=2242 uid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam
```

```
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: Starting configuration refresh for ens5
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: [get_meta] Querying IMDS for mac
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: [get_meta] Querying IMDS for mac
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: [get_meta] Querying IMDS for mac
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: [get_meta] Querying IMDS for mac
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: [get_meta] Querying IMDS for mac
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: Called trap
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal ec2net[2561]: No networkd reload needed
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=refresh-policy-routes@ens5 comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:37:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=refresh-policy-routes@ens5 comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:39:08 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: status code: 400, request id: c0a21284-e092-4b4e-be8b-44e08ba4ad91 INFO [CredentialRefresher] Retrieving credentials produced error: no valid credentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 05:39:08 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: status code: 400, request id: c0a21284-e092-4b4e-be8b-44e08ba4ad91 ERROR [EC2RoleProvider] Failed to connect to Systems Manager with SSM role credentials. error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 05:39:08 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: status code: 400, request id: c0a21284-e092-4b4e-be8b-44e08ba4ad91 INFO [CredentialRefresher] Sleeping for 25m25s before retrying retrieve credentials
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: Starting configuration refresh for ens5
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: [get_meta] Querying IMDS for mac
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: [get_meta] Querying IMDS for mac
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: [get_meta] Querying IMDS for mac
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: [get_meta] Querying IMDS for mac
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: Called trap
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal ec2net[2611]: No networkd reload needed
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=refresh-policy-routes@ens5 comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:39:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=refresh-policy-routes@ens5 comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:39:53 ip-172-31-31-123.ec2.internal sudo[2400]: pam_unix(sudo:session): session closed for user root
Jun 01 05:39:53 ip-172-31-31-123.ec2.internal audit[2400]: USER_END pid=2400 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:39:53 ip-172-31-31-123.ec2.internal audit[2400]: CRED_DISP pid=2400 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:40:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
Jun 01 05:40:22 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
Jun 01 05:40:22 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
Jun 01 05:40:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=sysstat-collect comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:40:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=sysstat-collect comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[2669]: USER_ACCT pid=2669 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct='ec2-user' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal sudo[2669]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx ; USER=root ; COMMAND=/usr/sbin/nginx -t
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[2669]: USER_CMD pid=2669 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd=/etc/nginx cmd=6E6769E78202D74 exe='/usr/bin/sudo' terminal=pts/0 res=success'
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[2669]: CRED_REFR pid=2669 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[2669]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[2669]: USER_START pid=2669 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor=s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[2669]: USER_END pid=2669 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[2669]: CRED_DISP pid=2669 uid=1000 auid=1000 ses=3 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct='root' exe='/usr/bin/sudo' hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal sudo[2669]: pam_unix(sudo:session): session closed for user root
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: Starting configuration refresh for ens5
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: [get_meta] Querying IMDS for mac
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: [get_meta] Querying IMDS for mac
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: [get_meta] Querying IMDS for mac
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: [get_meta] Querying IMDS for mac
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: Called trap
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal ec2net[2671]: No networkd reload needed
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=refresh-policy-routes@ens5 comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:41:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=refresh-policy-routes@ens5 comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal audit[1922]: USER_END pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe='/usr/sbin/ssh'd hostname=ame? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal audit[1922]: USER_LOGOUT pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe='/usr/sbin/ssh'd hostname? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal sshd[1935]: Received disconnect from 61.2.141.177 port 49317:11: disconnected by user
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_KEY_USER pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=both spid=1935 uid=1000 rport=49317 laddr=172.31.13.123 lport=22 exe='/usr/sbin/ssh'd hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal sshd[1935]: Disconnected from user ec2-user 61.2.141.177 port 49317
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_KEY_USER pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:3e:39:7b:38:93:4e:4b:54:12:9d:3b:05:c9:b4:bf:54:a2:9a:f2:a5:fe direction=? spid=1935 uid=1000 exe='/usr/sbin/ssh'd hostname=? addr=? terminal=? res=success'
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal sshd[1922]: pam_unix(sshd:session): session closed for user ec2-user
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal audit[1922]: USER_END pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct='ec2-user' exe='/usr/sbin/ssh'd hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal audit[1922]: CRED_DISP pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct='ec2-user' exe='/usr/sbin/ssh'd hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal audit[1922]: CRYPTO_KEY_USER pid=1922 uid=0 auid=1000 ses=3 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:20:7a:b3:70:3e:39:7b:38:93:4e:4b:54:12:9d:3b:05:c9:b4:bf:54:a2:9a:f2:a5:fe direction=? spid=1922 uid=0 exe='/usr/sbin/ssh'd hostname=? addr=? terminal=? res=success'
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal systemd[1]: session-3.scope: Consumed 1.966s CPU time.
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Session 3 logged out. Waiting for processes to exit.
Jun 01 05:41:52 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Removed session 3.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Power key pressed short.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Powering off...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd-logind[1420]: System is powering down.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh\x2dpolicy\x2droutes.slice - Slice /system/refresh-policy-routes.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: system-refresh\x2dpolicy\x2droutes.slice: Consumed 1.634s CPU time.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-ssh\x2dkeygen.slice - Slice /system/ssh-keygen.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rc.target - RC Pipefs target.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: fstirm.timer: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstirm.timer - Discard unused blocks once a week.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - Amazon-SSM-agent...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:42:02.5669 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x5f595760aa900
```

```
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:42:02.5670 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:42:02.5670 INFO [amazon-ssm-agent] Stopping Core Agent
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal chronyd[1610]: chronyd exiting
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-final comm=systemd exe=/usr/lib
/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-config comm=systemd exe=/usr/li
b/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramps on shutdown...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=policy-routes@ens5 comm=systemd exe="/
usr/lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy\x2droutes.slice - Slice /system/policy-routes.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping serial-getty@ttyS0.service - Serial Getty on ttyS0...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping sshd.service - OpenSSH server daemon...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal sshd[1576]: Received signal 15; terminating.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1576]: CRYPTO_KEY_USER pid=1576 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
ile=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1576 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat comm=systemd exe="/usr/lib/sys
temd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Activating special unit exit.target...
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Removed slice background.slice - User Background Tasks Slice.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped target default.target - Main User Target.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped target basic.target - Basic System.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped target paths.target - Paths.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped target sockets.target - Sockets.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped target timers.target - Timers.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Closed dbus.socket - D-Bus User Message Bus Socket.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Removed slice app.slice - User Application Slice.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Reached target shutdown.target - Shutdown.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Finished systemd-exit.service - Exit the Session.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1926]: Reached target exit.target - Exit the Session.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=acpid comm=systemd exe="/usr/lib/syste
md/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=irqbalance comm=systemd exe="/usr/lib/
systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=libstoragemgmt comm=systemd exe="/usr/
lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:02 ip-172-31-31-123.ec2.internal audit[1]: sshd.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sshd comm=systemd exe="/usr/lib/system
d/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=atd comm=systemd exe="/usr/lib/systemd
/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=getty@tty1 comm=systemd exe="/usr/lib/
systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=serial-getty@ttyS0 comm=systemd exe="/
usr/lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=nginx comm=systemd exe="/usr/lib/syste
md/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=chronyd comm=systemd exe="/usr/lib/sys
temd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=UNLOAD
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm=systemd exe="/usr/lib/s
ystemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramps on shutdown.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dracut-shutdown comm=systemd exe="/usr
/lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: systemd-random-seed.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-random-seed comm=systemd exe="
/usr/lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target ssh-keygen.target.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-user-sessions.service - Permit User Sessions...
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-user-1000.mount - /run/user/1000.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: system-logind.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-logind.service - User Login Management.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-logind comm=systemd exe="/usr/
lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: system-user-sessions.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-user-sessions.service - Permit User Sessions.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-user-sessions comm=systemd exe
="/usr/lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm=systemd exe
="/usr/lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=57 op=UNLOAD
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: user-1000.slice: Consumed 2.153s CPU time.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-homed-activate.service - Home Area Activation...
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=gssproxy comm=systemd exe="/usr/lib/sy
stemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed-activate.service: Deactivated successfully.
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed-activate comm=systemd ex
e="/usr/lib/systemd/systemd? hostname=? addr=? terminal=? res=success'
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-homed.service - Home Area Manager...
Jun 01 05:42:03 ip-172-31-31-123.ec2.internal systemd[1]: system-homed.service: Deactivated successfully.
Jun 01 05:42:04 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-homed.service - Home Area Manager.
Jun 01 05:42:04 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed comm=systemd exe="/usr/l
ib/systemd/systemd? hostname=? addr=? terminal=? res=success'
```



```
Jun 01 05:42:04 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=UNLOAD
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:42:09.5684 INFO [CredentialRefresher] Sending credential refresher stop signal
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:42:09.5685 INFO [Registrar] Registrar is already stopped
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:42:09.5686 INFO [CredentialRefresher] Stopping credentials refresher
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1570]: 2026-06-01 05:42:09.5689 INFO [amazon-ssm-agent] Bye.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: user.slice: Consumed 2.373s CPU time.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.socket: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-networkd.socket - Network Service Netlink Socket.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal dbus-broker[1447]: Dispatched 2334 messages @ 6.181us / message.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: system-network-generator.service: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-network-generator.service - Generate network units from Kernel command line.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: user.slice: Consumed 2.373s CPU time.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.socket: Deactivated successfully.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-networkd.socket - Network Service Netlink Socket.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal dbus-broker[1447]: Dispatched 2334 messages @ 6.181us / message.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-resolved.service - Network Name Resolution...
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-resolved.service - Network Name Resolution.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 01 05:42:09 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt-misc.automount: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt-misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-ask-password-console.path: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-ask-password-wall.path: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-boot-update.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-boot-update.service - Automatic Boot Loader Update.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-resolved.service - Network Name Resolution...
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-resolved.service - Network Name Resolution.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-sysctl.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-sysctl.service - Apply Kernel Variables.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-coredump.socket: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-coredump.socket - Process Core Dump Socket.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd-x2dsysctl.service.mount: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd-x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-update-utmp.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=system-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: Stopping auditd.service - Security Auditing Service...
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1279]: The audit daemon is exiting.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=0 old=1279 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: auditd.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 118 callbacks suppressed
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780292530.254:505): op=set audit_pid=0 old=1279 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-tmpfiles-setup.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780292530.294:506): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780292530.294:507): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting boot-efi.mount - /boot/efi...
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd-x2dtmpfiles-x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd-x2dtmpfiles-x2dsetup-x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting tmp.mount - Temporary Directory /tmp...
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[2765]: umount: /run/credentials/systemd-tmpfiles-setup.service: no mount point specified.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd-x2dtmpfiles-x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd-x2dtmpfiles-x2dsetup.service.mount: failed with result 'exit-code'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd-x2dtmpfiles-x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd-x2dtmpfiles-x2dsetup-x2ddev.service.mount: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd-x2dtmpfiles-x2dsetup-x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount boot-efi.automount.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target swap.target - Swaps.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Reached target umount.target - Unmount All Filesystems.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-fsck@dev-disk-by\x2duuid-6084\x2d862A.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780292530.654:508): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-systemd-x2dfsck.slice - Slice /system/systemd-fsck.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs-pre.target - Preparation for Local File Systems.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-remount-fs.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-remount-fs.service - Remount Root and Kernel File Systems.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: system-fsck-root.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-fsck-root.service - File System Check on Root Device.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780292530.654:510): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780292530.654:511): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1130 audit(1780292530.654:512): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780292530.654:513): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: prog-id=49 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-poweroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Reached target shutdown.target - System Shutdown.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Reached target final.target - Late Shutdown Services.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: systemd-poweroff.service: Deactivated successfully.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-poweroff.service - System Power Off.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Reached target poweroff.target - System Power Off.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd[1]: Shutting down.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd-shutdown[1]: Syncing filesystems and block devices.
Jun 01 05:42:10 ip-172-31-31-123.ec2.internal systemd-journal[837]: Journal stopped
-- Boot a65ef81b08284af4987e0ffdfab21c99 --
Jun 01 05:52:16 local0: kernel: Linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SMP P PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
Jun 01 05:52:16 local0: kernel: Command line: BOOT_IMAGE=(hdb,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=ttty0 console=ttty50,115 200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 05:52:16 local0: kernel: KASLR enabled
Jun 01 05:52:16 local0: kernel: BIOS-provided physical RAM map:
Jun 01 05:52:16 local0: kernel: BIOS-e820: [mem 0x0000000000000000-0x00000000009fffff] usable
Jun 01 05:52:16 local0: kernel: BIOS-e820: [mem 0x0000000001000000-0x0000000039c00000] usable
Jun 01 05:52:16 local0: kernel: BIOS-e820: [mem 0x0000000039c00000-0x0000000039d00000] reserved
Jun 01 05:52:16 local0: kernel: BIOS-e820: [mem 0x0000000039d00000-0x0000000039f00000] ACPI data
Jun 01 05:52:16 local0: kernel: BIOS-e820: [mem 0x0000000039f00000-0x000000003a000000] ACPI NVS
Jun 01 05:52:16 local0: kernel: BIOS-e820: [mem 0x000000003a000000-0x000000003a37bfff] usable
Jun 01 05:52:16 local0: kernel: BIOS-e820: [mem 0x000000003a37bfff-0x000000003a400000] reserved
Jun 01 05:52:16 local0: kernel: NX (Execute Disable) protection: active
Jun 01 05:52:16 local0: kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 01 05:52:16 local0: kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 01 05:52:16 local0: kernel: extended physical RAM map:
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x0000000000000000-0x00000000009fffff] usable
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x0000000001000000-0x0000000037be017f] usable
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x0000000037be0180-0x0000000037c6e57f] usable
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x0000000037c6e580-0x0000000039c00000] usable
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x0000000039c00000-0x0000000039d00000] reserved
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x0000000039d00000-0x0000000039f00000] ACPI data
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x0000000039f00000-0x000000003a000000] ACPI NVS
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x000000003a000000-0x000000003a37bfff] usable
Jun 01 05:52:16 local0: kernel: reserve setup_data: [mem 0x000000003a37bfff-0x000000003a400000] reserved
Jun 01 05:52:16 local0: kernel: efi: EFI v2.70 by EDK II
Jun 01 05:52:16 local0: kernel: efi: SMBIOS=0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x39a4ba98
Jun 01 05:52:16 local0: kernel: SMBIOS 2.7 present.
Jun 01 05:52:16 local0: kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
Jun 01 05:52:16 local0: kernel: Hypervisor detected: KVM
Jun 01 05:52:16 local0: kernel: kvm-clock: Using msrs 4b564d01 and 4b564d00
Jun 01 05:52:16 local0: kernel: kvm-clock: using sched offset of 2668371385 cycles
Jun 01 05:52:16 local0: kernel: clocksource: kvm-clock: mask: 0xffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
Jun 01 05:52:16 local0: kernel: tsc: Detected 2500.000 MHz processor
Jun 01 05:52:16 local0: kernel: e820: update [mem 0x00000000-0x000000fff] usable ==> reserved
Jun 01 05:52:16 local0: kernel: e820: remove [mem 0x000a0000-0x0000ffff] usable
Jun 01 05:52:16 local0: kernel: last_pfn = 0x3d37c max_arch_pfn = 0x40000000
Jun 01 05:52:16 local0: kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
Jun 01 05:52:16 local0: kernel: Using GB pages for direct mapping
Jun 01 05:52:16 local0: kernel: Secure boot disabled
Jun 01 05:52:16 local0: kernel: RAMDISK: [mem 0x32850000-0x33c61fff]
Jun 01 05:52:16 local0: kernel: ACPI: Early table checksum verification disabled
Jun 01 05:52:16 local0: kernel: ACPI: RSDP 0x000000003935D014 000024 (v02 AMAZON)
Jun 01 05:52:16 local0: kernel: ACPI: XSDT 0x000000003935C0E8 00006C (v01 AMAZON AMZNIFACP 00000001 01000013)
Jun 01 05:52:16 local0: kernel: ACPI: FACP 0x0000000039355000 000114 (v01 AMAZON AMZNIFACP 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: DSDT 0x0000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: FACS 0x00000000393D0000 000040
Jun 01 05:52:16 local0: kernel: ACPI: WAET 0x000000003935B000 000028 (v01 AMAZON AMZNWAET 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: SLIT 0x000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: APIC 0x0000000039359000 000076 (v01 AMAZON AMZNAPIO 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: SRAT 0x0000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: HPET 0x0000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: SSDT 0x0000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: SSDT 0x0000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 01 05:52:16 local0: kernel: ACPI: BGRT 0x0000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
Jun 01 05:52:16 local0: kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving FACS table memory at [mem 0x39358000-0x3935803f]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving WAET table memory at [mem 0x39359000-0x3935907f]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520d0]
Jun 01 05:52:16 local0: kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
Jun 01 05:52:16 local0: kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
Jun 01 05:52:16 local0: kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
Jun 01 05:52:16 local0: kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffffff]
Jun 01 05:52:16 local0: kernel: NUMA: Initialized distance table, cnt=1
Jun 01 05:52:16 local0: kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
Jun 01 05:52:16 local0: kernel: Zone ranges:
Jun 01 05:52:16 local0: kernel: DMA [mem 0x0000000000001000-0x00000000000fffff]
Jun 01 05:52:16 local0: kernel: DMA32 [mem 0x0000000001000000-0x000000003d37bfff]
Jun 01 05:52:16 local0: kernel: Normal empty
Jun 01 05:52:16 local0: kernel: Device empty
Jun 01 05:52:16 local0: kernel: Movable zone start for each node
Jun 01 05:52:16 local0: kernel: Early memory node ranges
Jun 01 05:52:16 local0: kernel: node 0: [mem 0x0000000000001000-0x00000000009fffff]
Jun 01 05:52:16 local0: kernel: node 0: [mem 0x0000000001000000-0x0000000039c00000]
Jun 01 05:52:16 local0: kernel: node 0: [mem 0x0000000039c00000-0x000000003d37bfff]
Jun 01 05:52:16 local0: kernel: Initmem setup node 0 [mem 0x0000000000001000-0x000000003d37bfff]
Jun 01 05:52:16 local0: kernel: On node 0, zone DMA: 1 pages in unavailable ranges
Jun 01 05:52:16 local0: kernel: On node 0, zone DMA: 96 pages in unavailable ranges
Jun 01 05:52:16 local0: kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
Jun 01 05:52:16 local0: kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
Jun 01 05:52:16 local0: kernel: ACPI: PM-Timer IO Port: 0xb008
Jun 01 05:52:16 local0: kernel: ACPI: LAPIC_NMI (acpi_id[0xff] df1 df1 lint[0x1])
Jun 01 05:52:16 local0: kernel: IOAPIC[0]: apic_id=0, version=32, address 0xfec00000, GSI 0-23
Jun 01 05:52:16 local0: kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
Jun 01 05:52:16 local0: kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
Jun 01 05:52:16 local0: kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
Jun 01 05:52:16 local0: kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
Jun 01 05:52:16 local0: kernel: ACPI: Using ACPI (MADT) for SMP configuration information
Jun 01 05:52:16 local0: kernel: ACPI: HPET id: 0x0006a201 base: 0xfed00000
Jun 01 05:52:16 local0: kernel: TSC deadline timer available
Jun 01 05:52:16 local0: kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
Jun 01 05:52:16 local0: kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x000000fff]
Jun 01 05:52:16 local0: kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x0000ffff]
Jun 01 05:52:16 local0: kernel: PM: hibernation: Registered nosave memory: [mem 0x39c00000-0x393d0000]
Jun 01 05:52:16 local0: kernel: [mem 0x3d400000-0xfffffff] available for PCI devices
Jun 01 05:52:16 local0: kernel: Booting paravirtualized kernel on KVM
Jun 01 05:52:16 local0: kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
Jun 01 05:52:16 local0: kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
Jun 01 05:52:16 local0: kernel: percpu: Embedded 60 pages/cpu s208896 r192 d28672 u1848576
```

```
Jun 01 05:52:16 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1048576 alloc=1*2097152
Jun 01 05:52:16 localhost kernel: pcpu-alloc: [0] 0 1
Jun 01 05:52:16 localhost kernel: kvm-guest: PV spinlocks enabled
Jun 01 05:52:16 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
Jun 01 05:52:16 localhost kernel: Fallback order for Node 0: 0
Jun 01 05:52:16 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
Jun 01 05:52:16 localhost kernel: Policy zone: DMA32
Jun 01 05:52:16 localhost kernel: Kernel command line: BOOT_IMAGE=(hdb,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b6080de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
yS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 05:52:16 localhost kernel: random: crng init done
Jun 01 05:52:16 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Jun 01 05:52:16 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Jun 01 05:52:16 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
Jun 01 05:52:16 localhost kernel: Memory: 24060K/999468K available (14347K kernel code, 9305K rwdata, 8946K rodata, 2456K init, 6356K bss, 133548K reserved, 0K cma-reserved)
Jun 01 05:52:16 localhost kernel: SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
Jun 01 05:52:16 localhost kernel: Kernel/User page tables isolation: enabled
Jun 01 05:52:16 localhost kernel: ftrace: allocating 42099 entries in 165 pages
Jun 01 05:52:16 localhost kernel: ftrace: allocated 165 pages with 4 groups
Jun 01 05:52:16 localhost kernel: Dynamic Preempt: none
Jun 01 05:52:16 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
Jun 01 05:52:16 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
Jun 01 05:52:16 localhost kernel: rcu: Trampoline variant of Tasks RCU enabled.
Jun 01 05:52:16 localhost kernel: rcu: Rude variant of Tasks RCU enabled.
Jun 01 05:52:16 localhost kernel: rcu: Tracing variant of Tasks RCU enabled.
Jun 01 05:52:16 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
Jun 01 05:52:16 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
Jun 01 05:52:16 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
Jun 01 05:52:16 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
Jun 01 05:52:16 localhost kernel: Console: colour dummy device 80x25
Jun 01 05:52:16 localhost kernel: printk: console [tty0] enabled
Jun 01 05:52:16 localhost kernel: printk: console [ttyS0] enabled
Jun 01 05:52:16 localhost kernel: ACPI: Core revision 20220831
Jun 01 05:52:16 localhost kernel: clocksource: hpet: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
Jun 01 05:52:16 localhost kernel: APIC: Switch to symmetric I/O mode setup
Jun 01 05:52:16 localhost kernel: x2apic enabled
Jun 01 05:52:16 localhost kernel: Switched APIC routing to physical x2apic.
Jun 01 05:52:16 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x24093fa67c, max_idle_ns: 44079525209 ns
Jun 01 05:52:16 localhost kernel: Calibrating delay loop (skipped) preset value.. 5000.01 BogoMIPS (lpj=25000060)
Jun 01 05:52:16 localhost kernel: Last level ITLB entries: 4KB 64, 2MB 8, 4MB 8
Jun 01 05:52:16 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
Jun 01 05:52:16 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
Jun 01 05:52:16 localhost kernel: Spectre V2 : Mitigation: Retpolines
Jun 01 05:52:16 localhost kernel: Spectre V2 : Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
Jun 01 05:52:16 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
Jun 01 05:52:16 localhost kernel: RETbleed: Vulnerable
Jun 01 05:52:16 localhost kernel: Speculative Store Bypass: Vulnerable
Jun 01 05:52:16 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 05:52:16 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 05:52:16 localhost kernel: GDS: Unknown: Dependent on hypervisor status
Jun 01 05:52:16 localhost kernel: active return thunk: its_return_thunk
Jun 01 05:52:16 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
Jun 01 05:52:16 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
Jun 01 05:52:16 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
Jun 01 05:52:16 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
Jun 01 05:52:16 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
Jun 01 05:52:16 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
Jun 01 05:52:16 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
Jun 01 05:52:16 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
Jun 01 05:52:16 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
Jun 01 05:52:16 localhost kernel: x86/fpu: Enabled xstate features 0x2fff, context size is 2568 bytes, using 'compacted' format.
Jun 01 05:52:16 localhost kernel: Freeing SMP alternatives memory: 36K
Jun 01 05:52:16 localhost kernel: pid_max: default: 32768 minimum: 301
Jun 01 05:52:16 localhost kernel: LSM: Security Framework initializing
Jun 01 05:52:16 localhost kernel: landlock: Up and running.
Jun 01 05:52:16 localhost kernel: Yama: becoming mindful.
Jun 01 05:52:16 localhost kernel: SELinux: Initializing.
Jun 01 05:52:16 localhost kernel: LSM support for eBPF active
Jun 01 05:52:16 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 05:52:16 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 05:52:16 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8175M CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x4)
Jun 01 05:52:16 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 05:52:16 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 05:52:16 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 05:52:16 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 05:52:16 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 05:52:16 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 05:52:16 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
Jun 01 05:52:16 localhost kernel: signal: max sigframe size: 3632
Jun 01 05:52:16 localhost kernel: rcu: Hierarchical SRCU implementation.
Jun 01 05:52:16 localhost kernel: rcu: Max phase no-delay instances is 1000.
Jun 01 05:52:16 localhost kernel: smp: Bringing up secondary CPUs ...
Jun 01 05:52:16 localhost kernel: x86: Booting SMP configuration:
Jun 01 05:52:16 localhost kernel: ... node #0, CPUs: #1
Jun 01 05:52:16 localhost kernel: MDS CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
Jun 01 05:52:16 localhost kernel: MMIO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
Jun 01 05:52:16 localhost kernel: smp: Brought up 1 node, 2 CPUs
Jun 01 05:52:16 localhost kernel: smpboot: Max local packages: 1
Jun 01 05:52:16 localhost kernel: smpboot: Total of 2 processors activated (10000.02 BogoMIPS)
Jun 01 05:52:16 localhost kernel: node 0 deferred pages initialised in 0ms
Jun 01 05:52:16 localhost kernel: devtmpfs: initialized
Jun 01 05:52:16 localhost kernel: x86/mm: Memory block size: 128MB
Jun 01 05:52:16 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393ddfff] (524288 bytes)
Jun 01 05:52:16 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
Jun 01 05:52:16 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
Jun 01 05:52:16 localhost kernel: NET: Registered PF_INETLINK/PF_ROUTE protocol family
Jun 01 05:52:16 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 05:52:16 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 05:52:16 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 05:52:16 localhost kernel: audit: initializing netlink subsys (disabled)
Jun 01 05:52:16 localhost kernel: audit: type=2000 audit(1780293136.646:1): state=initialized audit_enabled=0 res=1
Jun 01 05:52:16 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
Jun 01 05:52:16 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
Jun 01 05:52:16 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
Jun 01 05:52:16 localhost kernel: cpuidle: using governor ladder
Jun 01 05:52:16 localhost kernel: cpuidle: using governor menu
Jun 01 05:52:16 localhost kernel: ef1: Freeing EFI boot services memory: 44696K
Jun 01 05:52:16 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
Jun 01 05:52:16 localhost kernel: PCI: Using configuration type 1 for base access
Jun 01 05:52:16 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
Jun 01 05:52:16 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
Jun 01 05:52:16 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
Jun 01 05:52:16 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
Jun 01 05:52:16 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
Jun 01 05:52:16 localhost kernel: cryptd: max_cpu_qlen set to 1000
Jun 01 05:52:16 localhost kernel: ACPI: Added _OSI(Module Device)
Jun 01 05:52:16 localhost kernel: ACPI: Added _OSI(Processor Device)
Jun 01 05:52:16 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
Jun 01 05:52:16 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
Jun 01 05:52:16 localhost kernel: ACPI: Interpreter enabled
Jun 01 05:52:16 localhost kernel: ACPI: PM: (supports S0 S4 S5)
Jun 01 05:52:16 localhost kernel: ACPI: Using IOAPIC for interrupt routing
Jun 01 05:52:16 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
Jun 01 05:52:16 localhost kernel: PCI: Using E820 reservations for host bridge windows
Jun 01 05:52:16 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
Jun 01 05:52:16 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
Jun 01 05:52:16 localhost kernel: acpi PNPA0A3:00 _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
Jun 01 05:52:16 localhost kernel: acpi PNPA0A3:00 _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
Jun 01 05:52:16 localhost kernel: acpi PNPA0A3:00 _fail: No add MMCONFIG information, can't access extended PCI configuration space under this bridge.
Jun 01 05:52:16 localhost kernel: acpihp: Slot [3] registered
Jun 01 05:52:16 localhost kernel: acpihp: Slot [4] registered
Jun 01 05:52:16 localhost kernel: acpihp: Slot [5] registered
Jun 01 05:52:16 localhost kernel: acpihp: Slot [6] registered
Jun 01 05:52:16 localhost kernel: acpihp: Slot [7] registered
Jun 01 05:52:16 localhost kernel: acpihp: Slot [8] registered
```



```
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [9] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [10] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [11] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [12] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [13] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [14] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [15] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [16] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [17] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [18] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [19] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [20] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [21] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [22] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [23] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [24] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [25] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [26] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [27] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [28] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [29] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [30] registered
Jun 01 05:52:16 localhost kernel: acpiphp: Slot [31] registered
Jun 01 05:52:16 localhost kernel: PCI host bridge to bus 0000:00
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00a0000-0x00bffff window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x8000000-0xfefbffff window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x10000000-0x200ffffff window]
Jun 01 05:52:16 localhost kernel: pci 0000:00:00.0: root bus resource [bus 00-ff]
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x000000
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at fff0-ffff
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc00000-ffffffff
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at fff0-ffff
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc00000-ffffffff
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at fff0-ffff
Jun 01 05:52:16 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at fff0-ffff
Jun 01 05:52:16 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
Jun 01 05:52:16 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x8000000-0x803ffff pref]
Jun 01 05:52:16 localhost kernel: pci 0000:00:03.0: ROM [mem 0xfffff0000-0xffffffff pref]
Jun 01 05:52:16 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x00c0000-0x00dffff]
Jun 01 05:52:16 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x040002
Jun 01 05:52:16 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x8040000-0x80407fff]
Jun 01 05:52:16 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
Jun 01 05:52:16 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x8040000-0x80403fff]
Jun 01 05:52:16 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
Jun 01 05:52:16 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
Jun 01 05:52:16 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
Jun 01 05:52:16 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
Jun 01 05:52:16 localhost kernel: ACPI: PCI: Interrupt link LNKs configured for IRQ 9
Jun 01 05:52:16 localhost kernel: iommu: Default domain type: Translated
Jun 01 05:52:16 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
Jun 01 05:52:16 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
Jun 01 05:52:16 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Jun 01 05:52:16 localhost kernel: PTP clock support registered
Jun 01 05:52:16 localhost kernel: EDAC MC: Ver: 3.0.0
Jun 01 05:52:16 localhost kernel: Registered efivars operations
Jun 01 05:52:16 localhost kernel: NetLabel: Initializing
Jun 01 05:52:16 localhost kernel: NetLabel: domain hash size = 128
Jun 01 05:52:16 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
Jun 01 05:52:16 localhost kernel: NetLabel: unlabeled traffic allowed by default
Jun 01 05:52:16 localhost kernel: PCI: Using ACPI for IRQ routing
Jun 01 05:52:16 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
Jun 01 05:52:16 localhost kernel: e820: reserve RAM buffer [mem 0x372be018-0x37ffffff]
Jun 01 05:52:16 localhost kernel: e820: reserve RAM buffer [mem 0x390ce000-0x3bffffff]
Jun 01 05:52:16 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3fffffff]
Jun 01 05:52:16 localhost kernel: hp0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
Jun 01 05:52:16 localhost kernel: hp0: 8 comparators, 32-bit 62.500000 Mhz counter
Jun 01 05:52:16 localhost kernel: clocksource: Switched to clocksource kvm-clock
Jun 01 05:52:16 localhost kernel: VFS: Disk quotas dquot_6.6.0
Jun 01 05:52:16 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Jun 01 05:52:16 localhost kernel: pnp: PnP ACPI init
Jun 01 05:52:16 localhost kernel: pnp: PnP ACPI: found 5 devices
Jun 01 05:52:16 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
Jun 01 05:52:16 localhost kernel: NET: Registered PF_INET protocol family
Jun 01 05:52:16 localhost kernel: IP idents hash table entries: 16384 (order: 5, 131072 bytes, linear)
Jun 01 05:52:16 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Jun 01 05:52:16 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
Jun 01 05:52:16 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Jun 01 05:52:16 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
Jun 01 05:52:16 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
Jun 01 05:52:16 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
Jun 01 05:52:16 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 05:52:16 localhost kernel: UDP-lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 05:52:16 localhost kernel: NET: Registered PF_INET6/PF_LOCAL protocol family
Jun 01 05:52:16 localhost kernel: NET: Registered PF_XDP protocol family
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x00a0000-0x00bffff window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x80000000-0xfefbffff window]
Jun 01 05:52:16 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffff window]
Jun 01 05:52:16 localhost kernel: pci 0000:00:00.0: limiting direct PCI/PCI transfers
Jun 01 05:52:16 localhost kernel: PCI: CLS 0 bytes, default 64
Jun 01 05:52:16 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x24093fa6a7c, max_idle_ns: 440795295209 ns
Jun 01 05:52:16 localhost kernel: Trying to unpack rootfs image as initramfs...
Jun 01 05:52:16 localhost kernel: clocksource: Switched to clocksource tsc
Jun 01 05:52:16 localhost kernel: Initialise system trusted keyrings
Jun 01 05:52:16 localhost kernel: Key type blacklist registered
Jun 01 05:52:16 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
Jun 01 05:52:16 localhost kernel: zbud: loaded
Jun 01 05:52:16 localhost kernel: XFS with ACLs, security attributes, quota, no debug enabled
Jun 01 05:52:16 localhost kernel: integrity: Platform Keyring initialized
Jun 01 05:52:16 localhost kernel: integrity: Machine keyring initialized
Jun 01 05:52:16 localhost kernel: Key type asymmetric registered
Jun 01 05:52:16 localhost kernel: Asymmetric key parser 'x509' registered
Jun 01 05:52:16 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
Jun 01 05:52:16 localhost kernel: io scheduler mq-deadline registered
Jun 01 05:52:16 localhost kernel: io scheduler kyber registered
Jun 01 05:52:16 localhost kernel: io scheduler bfq registered
Jun 01 05:52:16 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
Jun 01 05:52:16 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Jun 01 05:52:16 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
Jun 01 05:52:16 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
Jun 01 05:52:16 localhost kernel: nvme nvme0: pci function 0000:00:04.0
Jun 01 05:52:16 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
Jun 01 05:52:16 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
Jun 01 05:52:16 localhost kernel: rtc_cmos 00:00: registered as rtc0
Jun 01 05:52:16 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-06-01T05:52:15 UTC (1780293135)
Jun 01 05:52:16 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
Jun 01 05:52:16 localhost kernel: vmlockd AMZNK10C:00: vmlockd: registered miscdev
Jun 01 05:52:16 localhost kernel: intel_pstate: CPU model not supported
Jun 01 05:52:16 localhost kernel: pstore: Registered efi as persistent store backend
Jun 01 05:52:16 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
Jun 01 05:52:16 localhost kernel: NET: Registered PF_INET6 protocol family
Jun 01 05:52:16 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
Jun 01 05:52:16 localhost kernel: nvme0n1: p1 p127 p128
Jun 01 05:52:16 localhost kernel: Freeing initrd memory: 20340K
Jun 01 05:52:16 localhost kernel: Segment Routing with IPv6
Jun 01 05:52:16 localhost kernel: In-situ OAM (IOAM) with IPv6
Jun 01 05:52:16 localhost kernel: NET: Registered PF_PACKET protocol family
Jun 01 05:52:16 localhost kernel: IPI shorthand broadcast: enabled
Jun 01 05:52:16 localhost kernel: AVX2 version of gcm_enc/dec engaged.
Jun 01 05:52:16 localhost kernel: AES CTR mode by8 optimization enabled
Jun 01 05:52:16 localhost kernel: sched_clock: Marking stable (468990843, 5773727)-->(513933042, -39168472)
Jun 01 05:52:16 localhost kernel: registered taskstats version 1
Jun 01 05:52:16 localhost kernel: Loading compiled-in X.509 certificates
Jun 01 05:52:16 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b904a1ad84746a4'
Jun 01 05:52:16 localhost kernel: zswap: loaded using pool lzo/zbud
Jun 01 05:52:16 localhost kernel: Key type .fscrypt registered
Jun 01 05:52:16 localhost kernel: Key type fscrypt-provisioning registered
```

```
Jun 01 05:52:16 localhost kernel: pstore: Using crash dump compression: deflate
Jun 01 05:52:16 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
Jun 01 05:52:16 localhost kernel: ima: Allocated hash algorithm: sha256
Jun 01 05:52:16 localhost kernel: ima: No architecture policies found
Jun 01 05:52:16 localhost kernel: clk: Disabling unused clocks
Jun 01 05:52:16 localhost kernel: Freeing unused decrypted memory: 2036K
Jun 01 05:52:16 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
Jun 01 05:52:16 localhost kernel: Write protecting the kernel read-only data: 26624k
Jun 01 05:52:16 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
Jun 01 05:52:16 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
Jun 01 05:52:16 localhost kernel: Run /init as init process
Jun 01 05:52:16 localhost kernel:   with arguments:
Jun 01 05:52:16 localhost kernel:   /init
Jun 01 05:52:16 localhost kernel:   with environment:
Jun 01 05:52:16 localhost kernel:   HOME=/
Jun 01 05:52:16 localhost kernel:   TERM=linux
Jun 01 05:52:16 localhost systemd[1]: system 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIO2O +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 01 05:52:16 localhost systemd[1]: Detected architecture x86_64.
Jun 01 05:52:16 localhost systemd[1]: Running in initrd.
Jun 01 05:52:16 localhost systemd[1]: No hostname configured, using default hostname.
Jun 01 05:52:16 localhost systemd[1]: Hostname set to <localhost>.
Jun 01 05:52:16 localhost systemd[1]: Initializing machine ID from VM UUID.
Jun 01 05:52:16 localhost systemd[1]: Queued start job for default target initrd.target.
Jun 01 05:52:16 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 05:52:16 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
Jun 01 05:52:16 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd User File System.
Jun 01 05:52:16 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 01 05:52:16 localhost systemd[1]: Reached target paths.target - Path Units.
Jun 01 05:52:16 localhost systemd[1]: Reached target slices.target - Slice Units.
Jun 01 05:52:16 localhost systemd[1]: Reached target swap.target - Swaps.
Jun 01 05:52:16 localhost systemd[1]: Reached target timers.target - Timer Units.
Jun 01 05:52:16 localhost systemd[1]: Listening on systemd-journald-audit.socket - Journal Audit Socket.
Jun 01 05:52:16 localhost systemd[1]: Listening on systemd-journald-dev-log.socket - Journal Socket (/dev/log).
Jun 01 05:52:16 localhost systemd[1]: Listening on systemd-journald.socket - Journal Socket.
Jun 01 05:52:16 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 01 05:52:16 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 05:52:16 localhost systemd[1]: Reached target sockets.target - Socket Units.
Jun 01 05:52:16 localhost systemd[1]: xmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname).
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 05:52:16 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
Jun 01 05:52:16 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 01 05:52:16 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 05:52:16 localhost kernel: audit: type=1130 audit(1780293136.369:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
Jun 01 05:52:16 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
Jun 01 05:52:16 localhost kernel: audit: type=1130 audit(1780293136.369:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
Jun 01 05:52:16 localhost systemd-journald[346]: Journal started
Jun 01 05:52:16 localhost systemd-journald[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 01 05:52:16 localhost kernel: audit: type=1130 audit(1780293136.369:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost kernel: audit: type=1130 audit(1780293136.379:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 01 05:52:16 localhost systemd-tmpfiles[360]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
Jun 01 05:52:16 localhost dracut-cmdline[355]: dracut-102-3.amzn2023.0.2
Jun 01 05:52:16 localhost dracut-cmdline[355]: Using kernel command line parameters: BOOT_IMAGE=(hd,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d
e4a801 ro console=ttyS0 console=tty0 core.ktime_monotonic_offset=-4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 05:52:16 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost kernel: audit: type=1130 audit(1780293136.389:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
Jun 01 05:52:16 localhost audit: BPF prog-id=6 op=LOAD
Jun 01 05:52:16 localhost audit: BPF prog-id=7 op=LOAD
Jun 01 05:52:16 localhost kernel: audit: type=1130 audit(1780293136.469:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost kernel: audit: type=1334 audit(1780293136.469:8): prog-id=6 op=LOAD
Jun 01 05:52:16 localhost kernel: audit: type=1334 audit(1780293136.469:9): prog-id=7 op=LOAD
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 05:52:16 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
Jun 01 05:52:16 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
Jun 01 05:52:16 localhost kernel: audit: type=1130 audit(1780293136.579:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 05:52:16 localhost systemd[1]: Reached target sysinit.target - System Initialization.
Jun 01 05:52:16 localhost systemd[1]: Reached target basic.target - Basic System.
Jun 01 05:52:16 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
Jun 01 05:52:16 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 05:52:16 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 05:52:16 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
Jun 01 05:52:16 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 05:52:16 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:16 localhost rngd[774]: Disabling 7: PKCS11 Entropy generator (pkcs11)
Jun 01 05:52:16 localhost rngd[774]: Disabling 5: NIST Network Entropy Beacon (nist)
Jun 01 05:52:16 localhost rngd[774]: Initializing available sources
Jun 01 05:52:16 localhost rngd[774]: [hwng] : Initialization Failed
Jun 01 05:52:16 localhost rngd[774]: [rdrand]: Enabling ROSEED rng support
Jun 01 05:52:16 localhost rngd[774]: [rdrand]: Initialized
Jun 01 05:52:16 localhost rngd[774]: [jitter]: JITTER timeout set to 5 sec
Jun 01 05:52:16 localhost rngd[774]: [jitter]: Initializing AES buffer
Jun 01 05:52:16 localhost systemd[1]: Found device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
Jun 01 05:52:16 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
Jun 01 05:52:16 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
Jun 01 05:52:16 localhost kernel: XFS (nvme0n1p1): Mounting v5 Filesystem
Jun 01 05:52:17 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
Jun 01 05:52:17 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
Jun 01 05:52:17 localhost kernel: XFS (nvme0n1p1): Ending clean mount
Jun 01 05:52:17 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
Jun 01 05:52:17 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
Jun 01 05:52:17 localhost audit(1): SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost audit(1): SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
Jun 01 05:52:17 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
```

```
Jun 01 05:52:17 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
Jun 01 05:52:17 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
Jun 01 05:52:17 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
Jun 01 05:52:17 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
Jun 01 05:52:17 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
Jun 01 05:52:17 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
Jun 01 05:52:17 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
Jun 01 05:52:17 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 05:52:17 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 05:52:17 localhost systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 05:52:17 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
Jun 01 05:52:17 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: rngd.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Stopped target basic.target - Basic System.
Jun 01 05:52:17 localhost systemd[1]: Stopped target path.target - Path Units.
Jun 01 05:52:17 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 05:52:17 localhost systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 05:52:17 localhost systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 05:52:17 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 01 05:52:17 localhost systemd[1]: Stopped target swap.target - Swaps.
Jun 01 05:52:17 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 05:52:17 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Stopping systemd-udevd.service - Rule-based Manager for Device Events and Files...
Jun 01 05:52:17 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: systemd-udevd.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-udevd.service - Rule-based Manager for Device Events and Files.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-udevd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
Jun 01 05:52:17 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
Jun 01 05:52:17 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 05:52:17 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
Jun 01 05:52:17 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
Jun 01 05:52:17 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
Jun 01 05:52:17 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:17 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
Jun 01 05:52:17 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
Jun 01 05:52:17 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
Jun 01 05:52:17 localhost systemd[1]: Switching root.
Jun 01 05:52:17 localhost systemd-journal[346]: Journal stopped
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd-journal[346]: Received SIGTERM from PID 1 (systemd).
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability nnp_nosuid_transition=1
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioclt_skip_cloexec=0
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: bpflsm: LSM BPF program attached
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 218.546ms.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 54.109ms.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: system 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +LIBUTILS +FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PQNUITY +PIKIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: bpflsm: LSM BPF program attached
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal zram-generator: config[817]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket + /run/acpid.socket; please update the unit file accordingly.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Listening on system-coredump.socket - Process Core Dump Socket.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Listening on system-initctl.socket - initctl Compatibility Named Pipe.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udevd-control.socket - udev Control Socket.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udevd-kernel.socket - udev Kernel Socket.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccgs-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unmet condition check (ConditionPathExists=!etc/crb5.keytab).
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
```



```
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm.service - Load Kernel Module dm...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm.service - Load Kernel Module dm...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-converter.service - Preprocess NFS configuration conversion...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-fsck-root.service - File System Check on Root Device...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journald.service - Journal Service.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-generator.service - Generate network units from Kernel command line...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmmod-static-nodes.service - Create list of Static Device Nodes.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd-journald[839]: Journal started
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd-journald[839]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 05:52:17 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD audit=4294967295 ses=4294967295 lsm=selinux res=1
Jun 01 05:52:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
Jun 01 05:52:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
Jun 01 05:52:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
Jun 01 05:52:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
Jun 01 05:52:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-
```

```
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: nfs-convert.service: Deactivated successfully.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished nfs-convert.service - Preprocess NFS configuration conversion.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convert comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convert comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck-root.service - File System Check on Root Device.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-network-generator.service - Generate network units from Kernel command line.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-udev-trigger.service - Coldplug All udev Devices.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-remount-fs.service - Remount Root and Kernel File Systems.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd-journal[839]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d59b4fc48811fe is 135.284ms for 790 entries.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd-journal[839]: System Journal (/var/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 24.0M, max 811.6M, 787.5M free.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd-journal[839]: Received client request to flush runtime journal.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: BPF prog-id=6 op=UNLOAD
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
Jun 01 05:52:19 ip-172-31-31-123.ec2.internal systemd[1]: First-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi.automount.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/run/initramfs/state).
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-Aa67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIsMountPoint/etc/machine-id).
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1253 (bootctl)
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd%v2dfsc.slice - Slice /system/systemd-fsck.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by-x2duuid-6084x2d862a.device - /dev/disk/by-uuid/6084-862a...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd-udev[1254]: Using default interface naming scheme 'v252'.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 120 callbacks suppressed
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: audit: type=1330 audit(1780293140.379:129): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: audit: type=1334 audit(1780293140.399:130): prog-id=42 op=LOAD
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting auditd.service - Security Auditing Service...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/var).
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-tytS0.device - /dev/tytS0 being skipped.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1280]: No plugins found, not dispatching events
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1280]: SYSCALL arch=000003e syscall=44 success=yes exit=60 a0=3 a1=7ffcd40f2e00 a2=3c a3=0 items=0 ppid=1276 pid=1280 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=1280 old=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1280]: SYSCALL arch=000003e syscall=44 success=yes exit=60 a0=3 a1=7ffcd40f0ab0 a2=3c a3=0 items=0 ppid=1276 pid=1280 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780293140.479:131): op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1280]: Init complete, auditd 3.1.5 listening for events (startup state enable)
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: INPUT: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipefs.target.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: Positive Trust Anchors:
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: IN DS 20326 8 2 e06d44b08b8f1d39a95c0b0d7c65d08458e80409bbc683457104237cf8ecbd
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: Negative trust anchors: home.arpa 10.in-addr.arpa 16.172.in-addr.arpa 17.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRF]
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXLSPBN:00/input/input1
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: i8042: PNP: PS/2 Controller [PNP0303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: i8042: Warning: Keylock active
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: serio: i8042 KBD port at 0x60,0x64 irq 1
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: serio: i8042 AUX port at 0x60,0x64 irq 12
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd-resolved[1278]: Using system hostname 'ip-172-31-31-123.ec2.internal'.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-resolved.service - Network Name Resolution.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal augenrules[1283]: /sbin/augeenrules: No change
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) v2.16.1g
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA device version: 0.10
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA controller version: 0.0.1 implementation version 1
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ELQ is not supported fallback to host mode policy.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) found at mem 00400000, mac addr 0a:ffe4:df:2b:39
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule key=(null) list=1 res=1
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1327]: SYSCALL arch=000003e syscall=44 success=yes exit=1055 a0=3 a1=7ffe02642220 a2=420 a3=0 items=0 ppid=1327 pid=1327 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="2F7362696E2F617564697463746C00025082F6574632F61756469742F61756469742E72756C6573"
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1339]: SYSTEM_BOOT pid=1339 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=' comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: Started auditd.service - Security Auditing Service.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal augenrules[1327]: No rules
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0 ens5: renamed from eth0
Jun 01 05:52:20 ip-172-31-31-123.ec2.internal audit[1]: Reloading.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal zram_generator:config[1390]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: /usr/lib/systemd/system/acpid.socket: ListenStream references a path below legacy directory /var/run/, updating /var/run/acpid.socket -> /run/acpid.socket; please update the unit file accordingly.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862A.device - Amazon Elastic Block Store EFI\x20System\x20Partition being skipped
Empty/run/initramfs/state)
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=UNLOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=UNLOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=UNLOAD
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy-routes.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty/run/initramfs/state)
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Idconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-boot-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A...
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/var).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathExistsMountPoint=/etc/machine-id).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-fsck[1400]: fsck.fat 4.2 (2021-01-31)
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-fsck[1400]: /dev/nvme0n1p128: 5 files, 659/5101 clusters
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: modprobe@loop.service: Deactivated successfully.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Mounting boot-efi.mount - /boot/efi...
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Mounted boot-efi.mount - /boot/efi.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Reached target sysinit.target - System Initialization.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Started fstirm.timer - Discard unused blocks once a week.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Started logrotate.timer - Daily rotation of log files.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Started refresh-policy-routes@ens5.timer.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Reached target timers.target - Timer Units.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Listening on acpid.socket - ACPI Daemon Socket.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Reached target sockets.target - Socket Units.
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuild.db).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 05:52:21 ip-172-31-31-123.ec2.internal audit[1]: Reached target basic.target - Basic System.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Started acpid.service - ACPI Event Daemon.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1414]: removed '/var/lib/cloud/instance/boot-finished'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1414]: removed '/var/lib/cloud/instance'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Started irqbalance.service - irqbalance daemon.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: sshd-keygen@ecdsa.service - OpenSSH ecdsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Reached target sshd-keygen.target.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Reached target ns-user-lookup.target - User and Group Name Lookups.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Starting sysstat.service - Resets System Activity Logs...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=LOAD
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-homed.service - Home Area Manager...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=LOAD
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=LOAD
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=LOAD
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-logind.service - User Login Management...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1420]: Watching /home.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1418]: Starting configuration for ens5
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1426]: /lib/systemd/systemd-networkd-wait-online ens5
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1421]: Watching system buttons on /dev/input/event0 (Power Button)
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1421]: Watching system buttons on /dev/input/event1 (Sleep Button)
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1421]: New seat seat0.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: Finished sysstat.service - Resets System Activity Logs.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```



```
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=LOAD
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal dbus-broker-lau[1443]: Ready
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: lo: Link up
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: lo: Gained carrier
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: Enumeration completed
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Link UP
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Gained carrier
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: Local page cache is disabled for less than 16 channels
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd.service - Network Configuration.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=!tc/krb5.keytab).
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 05:52:22 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Gained IPv6LL
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: [get_meta] Querying IMDS for mac
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: [get_meta] Querying IMDS for mac
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/subnet-ipv4-cidr-block
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/interface-id
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: [get_meta] Querying IMDS for mac
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: [get_meta] Querying IMDS for network/interfaces/macs/0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: Called trap
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCP lease lost
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal ec2Net[1418]: Reloaded networkd
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv6 lease lost
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 05:52:23 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 05:52:24 ip-172-31-31-123.ec2.internal cloud-init[1531]: Cloud-init v. 22.2.2 running 'init' at Mon, 01 Jun 2026 05:52:24 +0000. Up 9.06 seconds.
Jun 01 05:52:24 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info: +-----Net device info-----+
Jun 01 05:52:24 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:


| Device | Up   | Address       | Mask          | Scope  | Hw-Address        |
|--------|------|---------------|---------------|--------|-------------------|
| ens5   | True | 172.31.31.123 | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
| lo     | True | 127.0.0.1     | 255.0.0.0     | host   | .                 |
|        | True | :::1/128      | .             | host   | .                 |


Jun 01 05:52:24 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info: +-----Route IPv4 info-----+
Jun 01 05:52:24 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:


| Route | Destination | Gateway     | Genmask         | Interface | Flags |
|-------|-------------|-------------|-----------------|-----------|-------|
| 0     | 0.0.0.0     | 172.31.16.1 | 0.0.0.0         | ens5      | UG    |
| 1     | 172.31.0.2  | 172.31.16.1 | 255.255.255.255 | ens5      | UGH   |
| 2     | 172.31.16.0 | 0.0.0.0     | 255.255.240.0   | ens5      | U     |
| 3     | 172.31.16.1 | 0.0.0.0     | 255.255.255.255 | ens5      | UH    |


Jun 01 05:52:24 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info: +-----Route IPv6 info-----+
Jun 01 05:52:24 ip-172-31-31-123.ec2.internal cloud-init[1531]: ci-info:


| Route | Destination | Gateway | Interface | Flags |
|-------|-------------|---------|-----------|-------|
| 0     | fe80::/64   | ::      | ens5      | U     |
| 2     | local       | ::      | ens5      | U     |
| 3     | multicast   | ::      | ens5      | U     |


Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - Amazon-SSM-agent.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-user-sessions.service - Permit User Sessions...
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal sm-notify[1568]: Version 2.5.4 starting
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal sshd[1569]: Server listening on 0.0.0.0 port 22.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal sshd[1569]: Server listening on *:port 22.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
Jun 01 05:52:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: Initializing new seelog logger
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: New Seelog Logger Creation Complete
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.0124 INFO Proxy environment variables:
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on Tty1.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal nginx[1572]: nginx: [emerg] cannot load certificate "/etc/nginx/ssl/nginx.crt": BIO_new_file() failed (SSL: error:80000002:system library::No such file or directory:calling fopen(/etc/nginx/ssl/nginx.crt, r) error:10000080:BIO routines:no such file)
```

```
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal nginx[1572]: nginx: configuration file /etc/nginx/nginx.conf test failed
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: nginx.service: Control process exited, code=exited, status=1/FAILURE
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: nginx.service: Failed with result 'exit-code'.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: Failed to start nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=nginx comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=failed
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.0132 INFO https_proxy:
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: chrony-config.service: Deactivated successfully
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=chrony-config comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=success
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=chrony-config comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=success
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: Starting chronyd.service - NTP client/server...
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.0132 INFO http_proxy:
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.0132 INFO no_proxy:
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.0132 INFO Checking if agent identity type OnPrem can be assumed
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal chronyd[1602]: chronyd version 4.3 starting (+CMMON +NTP +REFCLOCK +RTC +PRIVDROP +SCFILTER +SIGND +ASYNCDNS -NTS +SECHASH +IPV6 +DEBBUG)
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal chronyd[1602]: Frequency 1.077 +/- 0.071 ppm read from /var/lib/chrony/drift
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal chronyd[1602]: Loaded sourcecode filter (Level 2)
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: Started chronyd.service - NTP client/server.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=chronyd comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=success
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.0132 INFO Checking if agent identity type EC2 can be assumed
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3082 INFO Agent will take identity from EC2
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal cloud-init[1608]: Cloud-init v. 22.2.2 running 'modules:config' at Mon, 01 Jun 2026 05:52:26 +0000. Up 11.34 seconds.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3100 INFO Telemetry initialized
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3114 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4108.0
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=cloud-config comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=success
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3114 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=hbininit-agent comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=success
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: Starting cloud-final.service - Execute cloud user/final scripts...
Jun 01 05:52:26 ip-172-31-31-123.ec2.internal system[1]: Started hbininit-agent.service - Initial hibernation setup job.
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3114 INFO [amazon-ssm-agent] Starting Core Agent
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3114 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3115 INFO [Registrar] Starting registrar module
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3115 INFO [Registrar] Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/lib/hbininit-agent'}
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3115 INFO [Registrar] Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/lib/hbininit-agent'}
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal hbininit-agent[1611]: Requesting new IMDSv2 token.
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal hbininit-agent[1611]: Instance Launch has not enabled Hibernation Configured Flag. hbininit-agent exiting!!
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3150 INFO [EC2Identity] Checking disk for registration info
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal system[1]: hbininit-agent.service: Deactivated successfully.
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=hbininit-agent comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=success
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3179 INFO [EC2Identity] Registration info found for ec2 instance
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3179 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal cloud-init[1616]: Cloud-init v. 22.2.2 running 'modules:final' at Mon, 01 Jun 2026 05:52:27 +0000. Up 12.24 seconds.
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3180 INFO [CredentialRefresher] credentialRefresher has started
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal cloud-init[1616]: Cloud-init v. 22.2.2 finished at Mon, 01 Jun 2026 05:52:27 +0000. Datassource DataSourceEc2 Up 12.49 seconds
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3180 INFO [CredentialRefresher] Starting credentials refresher loop
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3259 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Error: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal system[1]: Finished cloud-final.service - Execute cloud user/final scripts.
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=cloud-final comm=systemd exe="/usr/lib/systemd/systemd" hostname= addr? terminal? res=success
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3798 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 05:52:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 05:52:26.3798 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrieved for ec2 identity. Default Host Management Error: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance
```

```
ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: CRYPTO_KEY_USER pid=1735 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=negotiate kind=auth-k
ey fp=SHA256:c9:af:5b:8d:f4:44:6f:61:a2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:c6:63:84:9e:52:16:ce:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: USER_ACCT pid=1735 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam
unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: Accepted publickey for ec2-user from 61.2.141.177 port 49443 ssh2: RSA SHA256:ya9b2PRE/WGiwW2TLQOkbW/xgS3JQxjhJSF56Lxt0
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: CRYPTO_KEY_USER pid=1735 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session
fp= direction=both spid=1736 suid=74 rport=49443 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: CRED_ACQ pid=1735 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env
,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: USER_ROLE_CHANGE pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='pam: default-context=unconfined_u:unco
nfinied_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: BPF prog-id=58 op=LOAD
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: BPF prog-id=58 op=LOAD
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: BPF prog-id=59 op=LOAD
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='units=systemd-userdbd comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd-logind[1421]: New session 1 of user ec2-user.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User Manager for UID 1000...
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1743]: USER_ACCT pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:accounting grantors=pam_unix acct="
ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1743]: CRED_ACQ pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='op=PAM:setcred grantors=? acct="ec2-user" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1743]: USER_ROLE_CHANGE pid=1743 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='pam: default-context=unconfined_u:u
nconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal (systemd[1743]: pam_unix(systemd-user:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1743]: USER_START pid=1743 uid=0 auid=1000 ses=2 subj=system_u:system_r:init_t:s0 msg='op=PAM:session_open grantors=pam_selinux,pam_selinu
x,pam_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Queued start job for default target default.target.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Created slice app.slice - User Application Slice.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1743]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Reached target paths.target - Paths.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Reached target timers.target - Timers.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Starting dbus.socket - D-Bus User Message Bus Socket...
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Listening on dbus.socket - D-Bus User Message Bus Socket.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Reached target sockets.target - Sockets.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Reached target basic.target - Basic System.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Reached target default.target - Main User Target.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1743]: Startup finished in 27ms.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal systemd[1]: Started session-1.scope - Session 1 of User ec2-user.
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal sshd[1735]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: USER_START pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam
_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: CRYPTO_KEY_USER pid=1752 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:c9:b7:bf:54:a2:9a:f2:a5:fe direction=? spid=1752 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1752]: CRED_ACQ pid=1752 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="
ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 05:55:28 ip-172-31-31-123.ec2.internal audit[1735]: USER_LOGIN pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal audit[1735]: USER_START pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal audit[1735]: CRYPTO_KEY_USER pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:c9:b7:bf:54:a2:9a:f2:a5:fe direction=? spid=1753 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal audit[1735]: BPF prog-id=60 op=LOAD
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal audit[1735]: BPF prog-id=61 op=LOAD
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal audit[1735]: BPF prog-id=62 op=LOAD
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-hostnamed.service - Hostname Service...
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:29 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hostnamed.service: Deactivated successfully.
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: Starting configuration refresh for ens5
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: Querying IMDS for mac
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: [get_meta] Querying IMDS for mac
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: [get_meta] Querying IMDS for mac
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: [get_meta] Querying IMDS for mac
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: Called trap
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal ec2net[1784]: No networkd reload needed
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=62 op=UNLOAD
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=61 op=UNLOAD
Jun 01 05:55:59 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=60 op=UNLOAD
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1839]: USER_ACCT pid=1839 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=? res=success'
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1839]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx ; USER=root ; COMMAND=/usr/bin/nano nginx.conf
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1839]: USER_CMD pid=1839 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd="/etc/nginx" cmd=6E61E6F
20E67696E782E636F6E66 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1839]: CRED_REFR pid=1839 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam
_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1839]: USER_START pid=1839 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1839]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal ec2net[1841]: Starting configuration refresh for ens5
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal ec2net[1841]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal ec2net[1841]: [get_meta] Querying IMDS for mac
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal ec2net[1841]: [get_meta] Querying IMDS for mac
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal ec2net[1841]: [get_meta] Querying IMDS for mac
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal ec2net[1841]: Called trap
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal ec2net[1841]: No networkd reload needed
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:57:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:57:58 ip-172-31-31-123.ec2.internal systemd[1743]: Starting grub-boot-success.service - Mark boot as successful...
Jun 01 05:57:58 ip-172-31-31-123.ec2.internal systemd[1743]: Finished grub-boot-success.service - Mark boot as successful.
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: Starting configuration refresh for ens5
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: [get_meta] Querying IMDS for mac
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: [get_meta] Querying IMDS for mac
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: [get_meta] Querying IMDS for mac
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39:local-ipv4s
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: Called trap
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal ec2net[1895]: No networkd reload needed
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 05:58:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```



```

Jun 01 05:59:03 ip-172-31-31-123.ec2.internal chryond[1602]: Selected source 169.254.169.123
Jun 01 05:59:04 ip-172-31-31-123.ec2.internal chryond[1602]: Source 54.210.225.72 replaced with 52.207.222.50 (time.aws.com)
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: Starting configuration refresh for ens5
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: Get IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: [get_meta] Querying IMDS for mac
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: [get_meta] Querying IMDS for mac
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: [get_meta] Querying IMDS for mac
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: [get_meta] Querying IMDS for mac
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/Local-ipv4s
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: Called trap
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal ec2net[1947]: No network reload needed
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:00:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:00:57 ip-172-31-31-123.ec2.internal systemd[1743]: Created slice background.slice - User Background Tasks Slice.
Jun 01 06:00:58 ip-172-31-31-123.ec2.internal systemd[1743]: Starting systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
Jun 01 06:00:58 ip-172-31-31-123.ec2.internal systemd[1743]: Finished systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories.
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: Starting configuration refresh for ens5
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: Get IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/Local-ipv4s
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: Called trap
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal ec2net[1999]: No network reload needed
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:01:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: Starting configuration refresh for ens5
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: Get IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: [get_meta] Querying IMDS for mac
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: [get_meta] Querying IMDS for mac
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: [get_meta] Querying IMDS for mac
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: [get_meta] Querying IMDS for mac
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/Local-ipv4s
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: Called trap
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal ec2net[2050]: No network reload needed
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:03:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: Starting configuration refresh for ens5
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: Get IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: [get_meta] Querying IMDS for mac
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: [get_meta] Querying IMDS for mac
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: [get_meta] Querying IMDS for mac
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: [get_meta] Querying IMDS for mac
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/Local-ipv4s
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: Called trap
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal ec2net[2101]: No network reload needed
Jun 01 06:05:58 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun
```

```
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: [get_meta] Querying IMDS for mac
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: [get_meta] Querying IMDS for mac
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: [get_meta] Querying IMDS for mac
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: Using existing cfnfile /run/systemd/network/70-ens5.network
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: [get_meta] Querying IMDS for mac
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: [get_meta] Querying IMDS for mac
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: [get_meta] Querying IMDS for mac
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:d:2b:39/local-ipv4s
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: Called trap
Jun 01 06:11:58 ip-172-31-123.ec2.internal ec2net[22665]: No network reload needed
Jun 01 06:11:58 ip-172-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:11:58 ip-172-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:11:58 ip-172-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:11:58 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:12:53 ip-172-31-123.ec2.internal audit[2313]: USER_ACCT pid=2313 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:12:53 ip-172-31-123.ec2.internal sudo[2313]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx ; USER=root ; COMMAND=/usr/bin/rm -rf ssl
Jun 01 06:12:53 ip-172-31-123.ec2.internal audit[2313]: USER_CMD pid=2313 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd=/etc/nginx cmd=72602020 72602073736C exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 06:12:53 ip-172-31-123.ec2.internal audit[2313]: CRED_REFR pid=2313 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:12:53 ip-172-31-123.ec2.internal audit[2313]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx ; USER=root ; COMMAND=/usr/bin/mkdir -p /etc/nginx/ssl
Jun 01 06:12:53 ip-172-31-123.ec2.internal audit[2313]: USER_CMD pid=2321 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd=/etc/nginx cmd=60686469 72202072026F74632F667696E782F73736C exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[2321]: CRED_REFR pid=2321 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[2321]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[2321]: USER_START pid=2321 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantor=s pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_system,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[2321]: USER_CMD pid=2321 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_system,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[2321]: CRED_DISP pid=2321 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[2321]: pam_unix(sudo:session): session closed for user root
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[2321]: pam_unix(sudo:session): session opened for user root
Jun 01 06:13:22 ip-172-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: Starting configuration refresh for ens5
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: [get_meta] Querying IMDS for mac
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: [get_meta] Querying IMDS for mac
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: [get_meta] Querying IMDS for mac
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: Using existing cfnfile /run/systemd/network/70-ens5.network
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: [get_meta] Querying IMDS for mac
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: [get_meta] Querying IMDS for mac
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: [get_meta] Querying IMDS for mac
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:d:2b:39/local-ipv4s
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: Called trap
Jun 01 06:13:22 ip-172-31-123.ec2.internal ec2net[2323]: No network reload needed
Jun 01 06:13:22 ip-172-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:13:22 ip-172-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:13:22 ip-172-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:14:58 ip-172-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: Starting configuration refresh for ens5
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: [get_meta] Querying IMDS for mac
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: [get_meta] Querying IMDS for mac
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: [get_meta] Querying IMDS for mac
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: Using existing cfnfile /run/systemd/network/70-ens5.network
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: [get_meta] Querying IMDS for mac
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: [get_meta] Querying IMDS for mac
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:d:2b:39/local-ipv4s
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: Called trap
Jun 01 06:14:58 ip-172-31-123.ec2.internal ec2net[2374]: No network reload needed
Jun 01 06:14:58 ip-172-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:14:58 ip-172-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:14:58 ip-172-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:14:58 ip-172-
```

```
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: [get_meta] Querying IMDS for mac
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: [get_meta] Querying IMDS for mac
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: [get_meta] Querying IMDS for mac
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: [get_meta] Querying IMDS for mac
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: Called trap
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal ec2net[2491]: No networkd reload needed
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:18:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal ec2net[2541]: Starting configuration refresh for ens5
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal ec2net[2541]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal ec2net[2541]: [get_meta] Querying IMDS for mac
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal ec2net[2541]: [get_meta] Querying IMDS for mac
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal ec2net[2541]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal ec2net[2541]: Called trap
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal ec2net[2541]: No networkd reload needed
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:20:41 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:21:00 ip-172-31-31-123.ec2.internal sudo[2486]: pam_unix(sudo:session): session closed for user root
Jun 01 06:21:00 ip-172-31-31-123.ec2.internal audit[2486]: USER_END pid=2486 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:00 ip-172-31-31-123.ec2.internal audit[2486]: CRED_DISP pid=2486 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal audit[2596]: USER_ACCT pid=2596 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal sudo[2596]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx/ssl ; USER=root ; COMMAND=/usr/bin/cat nginx.key
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal audit[2596]: USER_CMD pid=2596 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd=6361742065676967826b657978 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal audit[2596]: CRED_REFR pid=2596 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal audit[2596]: USER_START pid=2596 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor=s pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal sudo[2596]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal audit[2596]: USER_END pid=2596 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:31 ip-172-31-31-123.ec2.internal audit[2596]: CRED_DISP pid=2596 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:21:36.7899 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Err r: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
Jun 01 06:21:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:21:36.8378 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 06:21:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: status code: 400, request id: 19a22823-9e43-41c7-8d31-b898022e4b97
Jun 01 06:21:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:21:36.8379 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 06:21:36 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: status code: 400, request id: 19a22823-9e43-41c7-8d31-b898022e4b97
Jun 01 06:21:37 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:21:36.8379 INFO [CredentialRefresher] Sleeping for 28m46s before retrying retrieve credentials
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: USER_ACCT pid=2601 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx/ssl ; USER=root ; COMMAND=/usr/bin/nginx -t
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: USER_CMD pid=2601 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd=656769678202074 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: CRED_REFR pid=2601 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: USER_START pid=2601 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor=s pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: pam_unix(sudo:session): session closed for user root
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: USER_END pid=2601 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[2601]: CRED_DISP pid=2601 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: Starting configuration refresh for ens5
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: [get_meta] Querying IMDS for mac
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: [get_meta] Querying IMDS for mac
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: [get_meta] Querying IMDS for mac
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: Called trap
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal ec2net[2603]: No networkd reload needed
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:21:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: USER_ACCT pid=2653 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: ec2-user : TTY=pts/0 ; PWD=/etc/nginx/ssl ; USER=root ; COMMAND=/usr/bin/systemctl restart nginx
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: USER_CMD pid=2653 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cmd=7379747650637462087657374617274206567696E78 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: CRED_REFR pid=2653 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: USER_START pid=2653 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor=s pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal nginx[2659]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: pam_unix(sudo:session): session closed for user root
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: USER_END pid=2653 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:22:14 ip-172-31-31-123.ec2.internal audit[2653]: CRED_DISP pid=2653 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: Starting configuration refresh for ens5
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: [get_meta] Querying IMDS for mac
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: [get_meta] Querying IMDS for mac
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: [get_meta] Querying IMDS for mac
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: Called trap
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal ec2net[2664]: No networkd reload needed
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:22:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1735]: USER_END pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login uid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1735]: USER_LOGOUT pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=logout uid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=/dev/pts/0 res=success'
```



```
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal sshd[1752]: Received disconnect from 61.2.141.177 port 49443:11: disconnected by user
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1735]: CRYPTO_KEY_USER pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=
both spid=1752 uid=1000 rport=49443 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal sshd[1752]: Disconnected from user ec2-user 61.2.141.177 port 49443
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1735]: CRYPTO_KEY_USER pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:6e:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1752 uid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal sshd[1735]: pam_unix(sshd:session): session closed for user ec2-user
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1735]: USER_END pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam_
loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct=ec2-user' exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 termi
nal=ssh res=success'
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1735]: CRED_DISP pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct
=ec2-user' exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1735]: CRYPTO_KEY_USER pid=1735 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:6e:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1735 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Deactivated successfully.
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Consumed 1.847s CPU time.
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd-logind[421]: Session 1 logged out. Waiting for processes to exit.
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd-logind[421]: Removed session 1.
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: Starting configuration refresh for ens5
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: [get_meta] Querying IMDS for mac
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: [get_meta] Querying IMDS for mac
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: [get_meta] Querying IMDS for mac
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: [get_meta] Querying IMDS for mac
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: [get_meta] Querying IMDS for network/interfaces/macsof:ffe4:df:2b:39/local-ipv4s
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: Called trap
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal ec2net[2713]: No networkd reload needed
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:14 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd-logind[421]: Power key pressed short.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd-logind[421]: Powering off...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd-logind[421]: System is powering down.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh\x2dpolicy\x2droutes.slice - Slice /system/refresh-policy-routes.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: system-refresh\x2dpolicy\x2droutes.slice: Consumed 2.126s CPU time.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc.pipexfs.target
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: fstirm.timer: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstirm.timer - Discard unused blocks once a week.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:24:23.4535 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x56ea14a8900
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:24:23.4536 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:24:23.4538 INFO [amazon-ssm-agent] Stopping Core Agent
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal chronyd[1602]: chronyd exiting
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy\x2droutes.slice - Slice /system/policy-routes.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping serial-getty@ttyS0.service - Serial Getty on ttyS0...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping sshd.service - OpenSSH server daemon...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal sshd[1569]: Received signal 15; terminating.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1569]: CRYPTO_KEY_USER pid=1569 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server f
p=SHA256:22:c6:da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:6e:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1569 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/sys
temd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Activating special unit exit.target.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Removed slice background.slice - User Background Tasks Slice.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped target default.target - Main User Target.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped target basic.target - Basic System.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped target paths.target - Paths.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped target sockets.target - Sockets.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped target timers.target - Timers.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Closed dbus.socket - D-Bus User Message Bus Socket.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Removed slice app.slice - User Application Slice.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Reached target shutdown.target - Shutdown.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Finished systemd-exit.service - Exit the Session.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1743]: Reached target exit.target - Exit the Session.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-logind.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-logind.service - User Login Management.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
Jun 01 06:24:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=55 op=UNLOAD
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: system-random-seed.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-random-seed.service - Load/Save Random Seed.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serialx2dgetty.slice - Slice /system/serial-getty.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-user-sessions.service - Permit User Sessions...
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-user-1000.mount - /run/user/1000.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: system-user-sessions.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-user-sessions.service - Permit User Sessions.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: user-1000.slice: Consumed 2.082s CPU time.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed-activate.service - Home Area Activation...
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed-activate.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed.service - Home Area Manager...
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed.service: Deactivated successfully.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed.service - Home Area Manager.
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
Jun 01 06:24:24 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:24:30.4596 INFO [CredentialRefresher] Sending credential refresher stop signal
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:24:30.4596 INFO [Registrar] Registrar is already stopped
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:24:30.4597 INFO [amazon-ssm-agent] Bye.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1564]: 2026-06-01 06:24:30.4598 INFO [CredentialRefresher] Stopping credentials refresher
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd-wait-online.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-networkd.service - Network Configuration...
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv6 lease lost
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd.service - Network Configuration.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: user.slice: Consumed 2.082s CPU time.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPID Listen Socket.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.socket: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-networkd.socket - Network Service Netlink Socket.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal dbus-broker[1446]: Dispatched 2051 messages @ 6(±22)µs / message.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-network-generator.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-network-generator.service - Generate network units from Kernel command line.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target systemd-initrd.service - System Initialization.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=UNLOAD
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-wall.path: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-update.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-boot-update.service - Automatic Boot Loader Update.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-resolved.service - Network Name Resolution...
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-resolved.service - Network Name Resolution.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-resolved.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[2815]: SYSTEM_SHUTDOWN pid=2815 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=' comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-resolved.service - Network Name Resolution.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr
```

```
Jun 01 06:24:30 systemd[1]: hostname=addr? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitsystemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal system[1]: systemd-sysctl.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal system[1]: systemd-coredump.socket: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal system[1]: Closed systemd-coredump.socket - Process Core Dump Socket.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal system[1]: Unmounted run-credentials-systemd\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal system[1]: systemd-update-utmp.service: Deactivated successfully.
Jun 01 06:24:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitsystemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopping auditd.service - Security Auditing Service...
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal auditd[1280]: The audit daemon is exiting.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_pid=0 old=1280 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: auditd.service: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780295071.052:391): op=unset audit_pid=0 old=1280 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped auditd.service - Security Auditing Service.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitauditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitsystemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780295071.092:392): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitauditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780295071.092:393): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounting boot-efi.mount - /boot/efi...
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal umount[2820]: umount: /run/credentials/systemd-tmpfiles-setup.service: no mount point specified.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounting tmp.mount - Temporary Directory /tmp...
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounting tmp.mount - Temporary Directory /tmp...
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: boot-efi.mount: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounted boot-efi.mount - /boot/efi.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Failed with result: exit-code
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: tmp.mount: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unmounted tmp.mount - Temporary Directory /tmp.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: boot-efi.automount: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Unset automount boot-efi.automount.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped target swap.target - Swaps.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Reached target swap.target - Unmount All Filesystems.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a.service: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a.service - File System Check on /dev/disk/by-uuid/6084-862a.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitsystemd-fsck@dev-disk-by\x2duuid-6084\x2d862a comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780295071.372:394): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Removed slice systemd-slice.target - Slice /systemd-fsck.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped target local-fs-pre.target - Preparation for Local File Systems.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: systemd-remount-fs.service: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitsystemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-remount-fs.service - Remount Root and Kernel File Systems.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: systemd-fsck-root.service: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-fsck-root.service - File System Check on Root Device.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Reached target shutdown.target - System Shutdown.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Reached target final.target - Late Shutdown Services.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: systemd-poweroff.service: Deactivated successfully.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal system[1]: Finished systemd-poweroff.service - System Power Off.
Jun 01 06:24:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780295071.412:395): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unitsystemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal=? res=success'
Jun 01 06:24:31 ip-172-31-3
```



```
Jun 01 11:35:46 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
Jun 01 11:35:46 localhost kernel: Using GB pages for direct mapping
Jun 01 11:35:46 localhost kernel: Secure boot disabled
Jun 01 11:35:46 localhost kernel: RAMDISK: [mem 0x32885000-0x33c61fff]
Jun 01 11:35:46 localhost kernel: ACPI: Early table checksum verification disabled
Jun 01 11:35:46 localhost kernel: ACPI: RSDP 0x0000000003935D014 000024 (v02 AMAZON)
Jun 01 11:35:46 localhost kernel: ACPI: XSDT 0x0000000003935C0E8 00006C (v01 AMAZON AMZNFACP 00000001 01000013)
Jun 01 11:35:46 localhost kernel: ACPI: FACP 0x00000000039355000 000114 (v01 AMAZON AMZNFACP 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: DSDT 0x00000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: FACS 0x000000000393D0000 000040
Jun 01 11:35:46 localhost kernel: ACPI: WAET 0x0000000003935B000 000028 (v01 AMAZON AMZNWAET 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: SLIT 0x0000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: APIC 0x00000000039359000 000074 (v01 AMAZON AMZNAPIO 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: SRAT 0x00000000039358000 0000A0 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: HPET 0x00000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: SSDT 0x00000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: SSDT 0x00000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 01 11:35:46 localhost kernel: ACPI: BGRT 0x00000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
Jun 01 11:35:46 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x39358000-0x3935803F]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x39359000-0x39359027]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809F]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520d0]
Jun 01 11:35:46 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
Jun 01 11:35:46 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
Jun 01 11:35:46 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
Jun 01 11:35:46 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3fffffff]
Jun 01 11:35:46 localhost kernel: NUMA: Initialized distance table, cnt=1
Jun 01 11:35:46 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
Jun 01 11:35:46 localhost kernel: Zone ranges:
Jun 01 11:35:46 localhost kernel: DMA [mem 0x000000000001000-0x00000000000ffff]
Jun 01 11:35:46 localhost kernel: DMA32 [mem 0x0000000001000000-0x0000000003d37bfff]
Jun 01 11:35:46 localhost kernel: Normal empty
Jun 01 11:35:46 localhost kernel: Device empty
Jun 01 11:35:46 localhost kernel: Movable zone start for each node
Jun 01 11:35:46 localhost kernel: Early memory node ranges
Jun 01 11:35:46 localhost kernel: node 0: [mem 0x000000000001000-0x000000000009ffff]
Jun 01 11:35:46 localhost kernel: node 0: [mem 0x000000000100000-0x00000000039c0dfff]
Jun 01 11:35:46 localhost kernel: node 0: [mem 0x000000000393de000-0x0000000003d37bfff]
Jun 01 11:35:46 localhost kernel: Initmem setup node 0 [mem 0x000000000001000-0x0000000003d37bfff]
Jun 01 11:35:46 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
Jun 01 11:35:46 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
Jun 01 11:35:46 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
Jun 01 11:35:46 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
Jun 01 11:35:46 localhost kernel: ACPI: PM-Timer IO Port: 0xb008
Jun 01 11:35:46 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] dfl dfl lint[0x1])
Jun 01 11:35:46 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
Jun 01 11:35:46 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
Jun 01 11:35:46 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
Jun 01 11:35:46 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
Jun 01 11:35:46 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
Jun 01 11:35:46 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
Jun 01 11:35:46 localhost kernel: ACPI: HPET id: 0x8086a201 base: 0xfed00000
Jun 01 11:35:46 localhost kernel: TSC deadline timer available
Jun 01 11:35:46 localhost kernel: smptboot: Allowing 2 CPUs, 0 hotplug CPUs
Jun 01 11:35:46 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
Jun 01 11:35:46 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x000fffff]
Jun 01 11:35:46 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390c0000-0x393d0fff]
Jun 01 11:35:46 localhost kernel: [mem 0x3d400000-0xffffffff] available for PCI devices
Jun 01 11:35:46 localhost kernel: Booting paravirtualized kernel on KVM
Jun 01 11:35:46 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
Jun 01 11:35:46 localhost kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
Jun 01 11:35:46 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1848576
Jun 01 11:35:46 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1848576 alloc=1x2097152
Jun 01 11:35:46 localhost kernel: pcpu-alloc: [0] 0 1
Jun 01 11:35:46 localhost kernel: kvm-guest: PV qspinlocks enabled
Jun 01 11:35:46 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
Jun 01 11:35:46 localhost kernel: Fallback order for Node 0: 0
Jun 01 11:35:46 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
Jun 01 11:35:46 localhost kernel: Policy zone: DMA32
Jun 01 11:35:46 localhost kernel: Kernel command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
yS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 11:35:46 localhost kernel: random: crng init done
Jun 01 11:35:46 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1848576 bytes, linear)
Jun 01 11:35:46 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Jun 01 11:35:46 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
Jun 01 11:35:46 localhost kernel: Memory: 268860K/999468K available (14347K kernel code, 9305K rwdata, 8964K rodata, 2456K init, 6356K bss, 133548K reserved, 0K cma-reserved)
Jun 01 11:35:46 localhost kernel: SLUB: Hwalign=64, Order=0-3, MinObject=0, CPUs=2, Nodes=1
Jun 01 11:35:46 localhost kernel: Kernel/User page tables isolation: enabled
Jun 01 11:35:46 localhost kernel: ftrace: allocating 42099 entries in 165 pages
Jun 01 11:35:46 localhost kernel: ftrace: allocated 165 pages with 4 groups
Jun 01 11:35:46 localhost kernel: Dynamic Preempt: none
Jun 01 11:35:46 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
Jun 01 11:35:46 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
Jun 01 11:35:46 localhost kernel: Trampoline variant of Tasks RCU enabled.
Jun 01 11:35:46 localhost kernel: Rude variant of Tasks RCU enabled.
Jun 01 11:35:46 localhost kernel: Tracing variant of Tasks RCU enabled.
Jun 01 11:35:46 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
Jun 01 11:35:46 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
Jun 01 11:35:46 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
Jun 01 11:35:46 localhost kernel: rcu: sru_init: Setting sru_struct sizes based on contention.
Jun 01 11:35:46 localhost kernel: Console: colour dummy device 80x25
Jun 01 11:35:46 localhost kernel: printk: console [tty0] enabled
Jun 01 11:35:46 localhost kernel: printk: console [ttyS0] enabled
Jun 01 11:35:46 localhost kernel: ACPI: Core revision 20220331
Jun 01 11:35:46 localhost kernel: clocksource: hpert: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
Jun 01 11:35:46 localhost kernel: APIC: Switch to symmetric I/O mode setup
Jun 01 11:35:46 localhost kernel: x2apic enabled
Jun 01 11:35:46 localhost kernel: Switched APIC routing to physical x2apic.
Jun 01 11:35:46 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
Jun 01 11:35:46 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999960)
Jun 01 11:35:46 localhost kernel: Last level TLB entries: 4KB 64, 2MB 8, 4MB 8
Jun 01 11:35:46 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
Jun 01 11:35:46 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
Jun 01 11:35:46 localhost kernel: Spectre V2 : Mitigation: Retpolines
Jun 01 11:35:46 localhost kernel: Spectre V2 : Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
Jun 01 11:35:46 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
Jun 01 11:35:46 localhost kernel: RETbleed: Vulnerable
Jun 01 11:35:46 localhost kernel: Speculative Store Bypass: Vulnerable
Jun 01 11:35:46 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 11:35:46 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 11:35:46 localhost kernel: GDS: Unknown: Dependent on hypervisor status
Jun 01 11:35:46 localhost kernel: active return thunk: its_return_thunk
Jun 01 11:35:46 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM Hi256'
Jun 01 11:35:46 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
Jun 01 11:35:46 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
Jun 01 11:35:46 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
Jun 01 11:35:46 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
Jun 01 11:35:46 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
Jun 01 11:35:46 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
Jun 01 11:35:46 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
Jun 01 11:35:46 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
Jun 01 11:35:46 localhost kernel: x86/fpu: Enabled xstate features 0x2fff, context size is 2568 bytes, using 'compacted' format.
Jun 01 11:35:46 localhost kernel: Freeing SMP alternatives memory: 36K
Jun 01 11:35:46 localhost kernel: pid_max: default: 32768 minimum: 301
Jun 01 11:35:46 localhost kernel: LSM: Security Framework initializing
Jun 01 11:35:46 localhost kernel: landlock: Up and running.
Jun 01 11:35:46 localhost kernel: Yama: becoming mindful.
Jun 01 11:35:46 localhost kernel: SELinux: Initializing.
Jun 01 11:35:46 localhost kernel: LSM support for eBPF active
```

```
Jun 01 11:35:46 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 11:35:46 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 11:35:46 localhost kernel: smptboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
Jun 01 11:35:46 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 11:35:46 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 11:35:46 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 11:35:46 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 11:35:46 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 11:35:46 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 11:35:46 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
Jun 01 11:35:46 localhost kernel: signal: max sigframe size: 3632
Jun 01 11:35:46 localhost kernel: rcu: Hierarchical SRCU Implementation.
Jun 01 11:35:46 localhost kernel: rcu: Max phase no-delay instances is 1000.
Jun 01 11:35:46 localhost kernel: smp: Bringing up secondary CPUs ...
Jun 01 11:35:46 localhost kernel: x86: Booting SMP configuration:
Jun 01 11:35:46 localhost kernel: .... node #0, CPUs:      #1
Jun 01 11:35:46 localhost kernel: MDS CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
Jun 01 11:35:46 localhost kernel: MMIO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
Jun 01 11:35:46 localhost kernel: smp: Brought up 1 node, 2 CPUs
Jun 01 11:35:46 localhost kernel: smptboot: Max logical packages: 1
Jun 01 11:35:46 localhost kernel: smptboot: Total of 2 processors activated (9999.98 BogoMIPS)
Jun 01 11:35:46 localhost kernel: node 0 deferred pages initialised in 0ms
Jun 01 11:35:46 localhost kernel: devtmpfs: initialized
Jun 01 11:35:46 localhost kernel: x86/mm: Memory block size: 128MB
Jun 01 11:35:46 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393ddfff] (524288 bytes)
Jun 01 11:35:46 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
Jun 01 11:35:46 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
Jun 01 11:35:46 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
Jun 01 11:35:46 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 11:35:46 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 11:35:46 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 11:35:46 localhost kernel: audit: initializing netlink subsys (disabled)
Jun 01 11:35:46 localhost kernel: audit: type=2000 audit(1780313746.842:1): state=initialized audit_enabled=0 res=1
Jun 01 11:35:46 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
Jun 01 11:35:46 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
Jun 01 11:35:46 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
Jun 01 11:35:46 localhost kernel: cpuidle: using governor ladder
Jun 01 11:35:46 localhost kernel: cpuidle: using governor menu
Jun 01 11:35:46 localhost kernel: efi: Freeing EFI boot services memory: 44696K
Jun 01 11:35:46 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
Jun 01 11:35:46 localhost kernel: PCI: Using configuration type 1 for base access
Jun 01 11:35:46 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
Jun 01 11:35:46 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
Jun 01 11:35:46 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
Jun 01 11:35:46 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
Jun 01 11:35:46 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
Jun 01 11:35:46 localhost kernel: cryptd: max_cpu_qlen set to 1000
Jun 01 11:35:46 localhost kernel: ACPI: Added _OSI(Module Device)
Jun 01 11:35:46 localhost kernel: ACPI: Added _OSI(Processor Device)
Jun 01 11:35:46 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
Jun 01 11:35:46 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
Jun 01 11:35:46 localhost kernel: ACPI: Interpreter enabled
Jun 01 11:35:46 localhost kernel: ACPI: PM: (supports S0 S4 S5)
Jun 01 11:35:46 localhost kernel: ACPI: Using IOAPIC for interrupt routing
Jun 01 11:35:46 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
Jun 01 11:35:46 localhost kernel: PCI: Using E820 reservations for host bridge windows
Jun 01 11:35:46 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
Jun 01 11:35:46 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
Jun 01 11:35:46 localhost kernel: acpi PNPA0A3:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
Jun 01 11:35:46 localhost kernel: acpi PNPA0A3:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
Jun 01 11:35:46 localhost kernel: acpi PNPA0A3:00: fail to add MMCONFIG information, can't access extended PCI configuration space under this bridge.
Jun 01 11:35:46 localhost kernel: acpihp: Slot [3] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [4] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [5] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [6] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [7] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [8] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [9] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [10] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [11] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [12] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [13] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [14] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [15] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [16] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [17] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [18] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [19] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [20] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [21] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [22] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [23] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [24] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [25] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [26] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [27] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [28] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [29] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [30] registered
Jun 01 11:35:46 localhost kernel: acpihp: Slot [31] registered
Jun 01 11:35:46 localhost kernel: PCI host bridge to bus 0000:00
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x000a0000-0x000bffff window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0x7fbfffff window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x100000000-0x2000ffffff window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
Jun 01 11:35:46 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x000000
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at fff0-ffff
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc00000-ffffff
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at fff0-ffff
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc00000-ffffff
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at fff0-ffff
Jun 01 11:35:46 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at fff0-ffff
Jun 01 11:35:46 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
Jun 01 11:35:46 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x80000000-0x803fffff pref]
Jun 01 11:35:46 localhost kernel: pci 0000:00:03.0: ROM [mem 0xffff0000-0xfffffff pref]
Jun 01 11:35:46 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x000c0000-0x000dfff]
Jun 01 11:35:46 localhost kernel: pci 0000:00:04.0: [1d0f:0001] type 00 class 0x000002
Jun 01 11:35:46 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x80400000-0x80407fff]
Jun 01 11:35:46 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
Jun 01 11:35:46 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x80400000-0x80403fff]
Jun 01 11:35:46 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
Jun 01 11:35:46 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
Jun 01 11:35:46 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
Jun 01 11:35:46 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
Jun 01 11:35:46 localhost kernel: ACPI: PCI: Interrupt link LNKs configured for IRQ 9
Jun 01 11:35:46 localhost kernel: iommu: Default domain type: Translated
Jun 01 11:35:46 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
Jun 01 11:35:46 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
Jun 01 11:35:46 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Jun 01 11:35:46 localhost kernel: PTP clock support registered
Jun 01 11:35:46 localhost kernel: EDAC MC: Ver: 3.0.0
Jun 01 11:35:46 localhost kernel: Registered efivars operations
Jun 01 11:35:46 localhost kernel: NetLabel: Initializing
Jun 01 11:35:46 localhost kernel: NetLabel: domain hash size = 128
Jun 01 11:35:46 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
Jun 01 11:35:46 localhost kernel: NetLabel: unlabeled traffic allowed by default
Jun 01 11:35:46 localhost kernel: PCI: Using ACPI for IRQ routing
Jun 01 11:35:46 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
Jun 01 11:35:46 localhost kernel: e820: reserve RAM buffer [mem 0x372be018-0x377fffff]
Jun 01 11:35:46 localhost kernel: e820: reserve RAM buffer [mem 0x398ce000-0x3b3fffff]
Jun 01 11:35:46 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3fffffff]
Jun 01 11:35:46 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0
Jun 01 11:35:46 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 Mhz counter
Jun 01 11:35:46 localhost kernel: clocksource: Switched to clocksource kvm-clock
Jun 01 11:35:46 localhost kernel: VFS: Disk quotas dquot_6.6.0
Jun 01 11:35:46 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Jun 01 11:35:46 localhost kernel: pnp: PnP ACPI init
```

```
Jun 01 11:35:46 localhost kernel: pnp: PnP ACPI: found 5 devices
Jun 01 11:35:46 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
Jun 01 11:35:46 localhost kernel: NET: Registered PF_INET protocol family
Jun 01 11:35:46 localhost kernel: IP ids hash table entries: 16384 (order: 5, 131072 bytes, linear)
Jun 01 11:35:46 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 4192 bytes, linear)
Jun 01 11:35:46 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
Jun 01 11:35:46 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Jun 01 11:35:46 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
Jun 01 11:35:46 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
Jun 01 11:35:46 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
Jun 01 11:35:46 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 11:35:46 localhost kernel: UDP-lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 11:35:46 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
Jun 01 11:35:46 localhost kernel: NET: Registered PF_XDP protocol family
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x00a00000-0x00bffff window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x00000000-0xfefbffff window]
Jun 01 11:35:46 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffffff window]
Jun 01 11:35:46 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
Jun 01 11:35:46 localhost kernel: PCI: CLS 0 bytes, default 64
Jun 01 11:35:46 localhost kernel: integrity: Platform Keyring initialized
Jun 01 11:35:46 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
Jun 01 11:35:46 localhost kernel: clocksource: Switched to clocksource tsc
Jun 01 11:35:46 localhost kernel: Initialise system trusted keyrings
Jun 01 11:35:46 localhost kernel: Key type blacklist registered
Jun 01 11:35:46 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
Jun 01 11:35:46 localhost kernel: zbud: loaded
Jun 01 11:35:46 localhost kernel: SGX XFS with ACLs, security attributes, quota, no debug enabled
Jun 01 11:35:46 localhost kernel: integrity: Platform Keyring initialized
Jun 01 11:35:46 localhost kernel: integrity: Machine Keyring initialized
Jun 01 11:35:46 localhost kernel: Key type asymmetric registered
Jun 01 11:35:46 localhost kernel: Asymmetric key parser 'x509' registered
Jun 01 11:35:46 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
Jun 01 11:35:46 localhost kernel: io scheduler mq-deadline registered
Jun 01 11:35:46 localhost kernel: io scheduler kyber registered
Jun 01 11:35:46 localhost kernel: io scheduler bfq registered
Jun 01 11:35:46 localhost kernel: shpchp: Standby Hot Plug PCI Controller Driver version: 0.4
Jun 01 11:35:46 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Jun 01 11:35:46 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
Jun 01 11:35:46 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
Jun 01 11:35:46 localhost kernel: nvme nvme0: pci function 0000:00:04.0
Jun 01 11:35:46 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
Jun 01 11:35:46 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
Jun 01 11:35:46 localhost kernel: rtc_cmos 00:00: registered as rtc0
Jun 01 11:35:46 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-06-01T11:35:46 UTC (1780313746)
Jun 01 11:35:46 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
Jun 01 11:35:46 localhost kernel: vmclock AMZNK10C:00: vmclock0: registered miscdev
Jun 01 11:35:46 localhost kernel: intel_pstate: CPU model not supported
Jun 01 11:35:46 localhost kernel: pstore: Registered efi as persistent store backend
Jun 01 11:35:46 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
Jun 01 11:35:46 localhost kernel: NET: Registered PF_INET6 protocol family
Jun 01 11:35:46 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
Jun 01 11:35:46 localhost kernel: nvme0n1: p1 p127 p128
Jun 01 11:35:46 localhost kernel: Freeing initrd memory: 20340K
Jun 01 11:35:46 localhost kernel: Segment Routing with IPv6
Jun 01 11:35:46 localhost kernel: In-situ OAM (IOAM) with IPv6
Jun 01 11:35:46 localhost kernel: NET: Registered PF_PACKET protocol family
Jun 01 11:35:46 localhost kernel: IPI shorthand broadcast: enabled
Jun 01 11:35:46 localhost kernel: AVX2 version of gcm_enc/dec engaged.
Jun 01 11:35:46 localhost kernel: AES CTR mode by8 optimization enabled
Jun 01 11:35:46 localhost kernel: sched_clock: Marking stable (249250239, 2609563)-->(273140454, -21280652)
Jun 01 11:35:46 localhost kernel: sctp: L2/L3 Separation: v2.2.0
Jun 01 11:35:46 localhost kernel: Loading compiled-in X.509 certificates
Jun 01 11:35:46 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9049a1ad84746a4'
Jun 01 11:35:46 localhost kernel: zswap: loaded using pool lzo/zbud
Jun 01 11:35:46 localhost kernel: Key type .fscrypt registered
Jun 01 11:35:46 localhost kernel: Key type fscrypt-provisioning registered
Jun 01 11:35:46 localhost kernel: pstore: Using crash dump compression: deflate
Jun 01 11:35:46 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
Jun 01 11:35:46 localhost kernel: ima: Allocated hash algorithm: sha256
Jun 01 11:35:46 localhost kernel: ima: No architecture policies found
Jun 01 11:35:46 localhost kernel: clk: Disabling unused clocks
Jun 01 11:35:46 localhost kernel: Freeing unused decrypted memory: 2036K
Jun 01 11:35:46 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
Jun 01 11:35:46 localhost kernel: Write protecting the kernel read-only data: 26624k
Jun 01 11:35:46 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
Jun 01 11:35:46 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
Jun 01 11:35:46 localhost kernel: Run /init as init process
Jun 01 11:35:46 localhost kernel: with arguments:
Jun 01 11:35:46 localhost kernel: /init
Jun 01 11:35:46 localhost kernel: with environment:
Jun 01 11:35:46 localhost kernel: HOME=/
Jun 01 11:35:46 localhost kernel: TERM=linux
Jun 01 11:35:46 localhost systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIO202 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 01 11:35:46 localhost systemd[1]: Detected virtualization zvm.
Jun 01 11:35:46 localhost systemd[1]: Detected architecture x86_64.
Jun 01 11:35:46 localhost systemd[1]: Running in initrd.
Jun 01 11:35:46 localhost systemd[1]: No hostname configured, using default hostname.
Jun 01 11:35:46 localhost systemd[1]: Hostname set to <localhost>.
Jun 01 11:35:46 localhost systemd[1]: Initializing machine ID from VM UUID.
Jun 01 11:35:46 localhost systemd[1]: Queued start job for default target initrd.target.
Jun 01 11:35:46 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 11:35:46 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
Jun 01 11:35:46 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
Jun 01 11:35:46 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 01 11:35:46 localhost systemd[1]: Reached target paths.target - Path Units.
Jun 01 11:35:46 localhost systemd[1]: Reached target slices.target - Slice Units.
Jun 01 11:35:46 localhost systemd[1]: Reached target swap.target - Swaps.
Jun 01 11:35:46 localhost systemd[1]: Reached target timers.target - Timer Units.
Jun 01 11:35:46 localhost systemd[1]: Listening on systemd-journald-audit.socket - Journal Audit Socket.
Jun 01 11:35:46 localhost systemd[1]: Listening on systemd-journald-dev-log.socket - Journal Socket (/dev/log).
Jun 01 11:35:46 localhost systemd[1]: Listening on systemd-journald.socket - Journal Socket.
Jun 01 11:35:46 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 01 11:35:46 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 11:35:46 localhost systemd[1]: Reached target sockets.target - Socket Units.
Jun 01 11:35:46 localhost systemd[1]: kmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname).
Jun 01 11:35:46 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 11:35:46 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 11:35:46 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 11:35:46 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
Jun 01 11:35:46 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
Jun 01 11:35:46 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
Jun 01 11:35:46 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
Jun 01 11:35:46 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
Jun 01 11:35:46 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
Jun 01 11:35:46 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 01 11:35:46 localhost kernel: audit: type=1330 audit(1780313746.900:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost kernel: audit: type=1330 audit(1780313746.900:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 01 11:35:46 localhost kernel: audit: type=1330 audit(1780313746.910:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost systemd-journal[346]: Journal started
Jun 01 11:35:46 localhost systemd-journal[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4f4c48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 01 11:35:46 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
Jun 01 11:35:46 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
Jun 01 11:35:46 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
Jun 01 11:35:46 localhost systemd[1]: Start systemd-journald.service - Journal Service.
Jun 01 11:35:46 localhost kernel: audit: type=1330 audit(1780313746.910:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 11:35:46 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
```



```
Jun 01 11:35:46 localhost dracut-cmdline[353]: dracut-102-3.amzn2023.0.2
Jun 01 11:35:46 localhost systemd-tmpfiles[358]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
Jun 01 11:35:46 localhost dracut-cmdline[358]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d
e4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=?
addr=? terminal=? res=success'
Jun 01 11:35:46 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 11:35:46 localhost kernel: audit: type=1330 audit(1780313746.930:6): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost kernel: audit: type=1330 audit(1780313746.930:7): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 01 11:35:46 localhost audit: BPF prog-id=6 op=LOAD
Jun 01 11:35:46 localhost audit: BPF prog-id=7 op=LOAD
Jun 01 11:35:46 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
Jun 01 11:35:46 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
Jun 01 11:35:46 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 11:35:46 localhost kernel: audit: type=1330 audit(1780313746.960:8): pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:46 localhost kernel: audit: type=1334 audit(1780313746.960:9): prog-id=6 op=LOAD
Jun 01 11:35:46 localhost kernel: audit: type=1334 audit(1780313746.960:10): prog-id=7 op=LOAD
Jun 01 11:35:46 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
Jun 01 11:35:46 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 11:35:46 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
Jun 01 11:35:47 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 11:35:46 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr
=? terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 11:35:47 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 11:35:47 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? ad
dr=? terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Reached target sysinit.target - System Initialization.
Jun 01 11:35:47 localhost systemd[1]: Reached target basic.target - Basic System.
Jun 01 11:35:47 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
Jun 01 11:35:47 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 11:35:47 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 11:35:47 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
Jun 01 11:35:47 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 11:35:47 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=?
res=success'
Jun 01 11:35:47 localhost rngd[773]: Disabling 7: PKCS11 Entropy generator (pkcs11)
Jun 01 11:35:47 localhost rngd[773]: Disabling 5: NIST Network Entropy Beacon (nist)
Jun 01 11:35:47 localhost rngd[773]: Initializing available sources
Jun 01 11:35:47 localhost rngd[773]: [hwrng ]: Initialization Failed
Jun 01 11:35:47 localhost rngd[773]: [rdrand]: Enabling RDRAND rng support
Jun 01 11:35:47 localhost rngd[773]: [rdrand]: Initialized
Jun 01 11:35:47 localhost rngd[773]: [jitter]: JITTER timeout set to 5 sec
Jun 01 11:35:47 localhost systemd[1]: Found device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680d\x2de4a801.device - Amazon Elastic Block Store /.
Jun 01 11:35:47 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
Jun 01 11:35:47 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
Jun 01 11:35:47 localhost rngd[773]: [jitter]: Initializing AES buffer
Jun 01 11:35:47 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
Jun 01 11:35:47 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
Jun 01 11:35:47 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
Jun 01 11:35:47 localhost kernel: XFS (nvme0n1p1): Ending clean mount
Jun 01 11:35:47 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
Jun 01 11:35:47 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
Jun 01 11:35:47 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
Jun 01 11:35:47 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
Jun 01 11:35:47 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
Jun 01 11:35:47 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
Jun 01 11:35:47 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
Jun 01 11:35:47 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
Jun 01 11:35:47 localhost audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
Jun 01 11:35:47 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
Jun 01 11:35:47 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
Jun 01 11:35:47 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 11:35:47 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 11:35:47 localhost systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 11:35:47 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
Jun 01 11:35:47 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
Jun 01 11:35:47 localhost systemd[1]: rngd.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? r
es=success'
Jun 01 11:35:47 localhost systemd[1]: Stopped target basic.target - Basic System.
Jun 01 11:35:47 localhost systemd[1]: Stopped target paths.target - Path Units.
Jun 01 11:35:47 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 11:35:47 localhost systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 11:35:47 localhost systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 11:35:47 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 01 11:35:47 localhost systemd[1]: Stopped target swap.target - Swaps.
Jun 01 11:35:47 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 11:35:47 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? add
r=? terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr
=? terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 11:35:47 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? ter
minal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
Jun 01 11:35:47 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 11:35:47 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 11:35:47 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
```

```
Jun 01 11:35:47 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
Jun 01 11:35:47 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
Jun 01 11:35:47 localhost systemd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm=systemd exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:47 localhost audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm=systemd exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:47 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
Jun 01 11:35:47 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
Jun 01 11:35:47 localhost systemd[1]: Switching root.
Jun 01 11:35:47 localhost systemd-journald[346]: Journal stopped
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd-journald[346]: Received SIGTERM from PID 1 (systemd).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability mmp_nosuid_transition=1
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_closexec=0
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 135.196ms.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 21.787ms.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: system 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PQCRYPTO +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: bpflsm: LSM BPF program attached
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal zram-generator::config[815]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket; please update the unit file accordingly.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Scheduled restart job, restart counter is at 1.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/sshd-keygen.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swap.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unset condition check (ConditionPathExists=/etc/krb5.keytab).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@btrfs.mod.service - Load Kernel Module btrfs...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-convert.service - Preprocess NFS configuration conversion...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journald.service - Journal Service.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: system-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd-journald[837]: Journal started
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd-journald[837]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc4881fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD audit=4294967295 ses=4294967295 lsm=selinux res=1
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
Jun 01 11:35:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=4 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=5 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm=systemd exe="/usr
```

```
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=kmod-static-nodes comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:syslogd_t:s0 res=1
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[837]: SYSCALL arch=c000003c syscall=46 success=yes exit=60 a0=6 a1=7ffdf50314e90 a2=4000 a3=7ffdf50314f1c items=0 ppid=1 pid=837 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="systemd-journald" exe="/usr/lib/systemd/systemd-journald" subj=system_u:system_r:syslogd_t:s0 keys=(null)
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/usr/lib/systemd/systemd-journald"
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Queued start job for default target graphical.target.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd-fsck[847]: /usr/sbin/fsck.xfs: XFS file system.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-journald.service - Journal Service.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: modprobe@fuse.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: modprobe@fuse.service - Load Kernel Module fuse.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: modprobe@loop.service: Deactivated successfully.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: modprobe@loop.service - Preprocess NFS configuration conversion.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convert comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convert comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-fsck-root.service - File System Check on Root Device.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-network-generator.service - Generate network units from Kernel command line.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Starting system-repair.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-remount-fs.service - Remount Root and Kernel File Systems.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: system-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: system-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=etc/pstore).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: system-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd-journal[837]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d59b4fc48811fe is 83.647ms for 779 entries.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd-journal[837]: System Journal (/var/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 24.0M, max 811.6M, 787.5M free.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi.automount.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=run/initramfs/state).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=etc/firmware/efi/efivars/LoaderFeatures-4a67b082-8a6c-41cf-b6c7-440b29bb8c4f).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIsMountPoint=etc/machine-id).
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=LOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=6 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1250 (bootctl)
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd-x2dfsk.slice - Slice /system/systemd-fsck.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by-uuid=6084x2d862a.device - /dev/disk/by-uuid/6084-862a...
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd-udev[1253]: Using default interface naming scheme 'v252'.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
```



```
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal system[1]: Starting auditd.service - Security Auditing Service...
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal system[1]: Started journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=var).
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=LOAD
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal system[1]: Starting systemd-resolved.service - Network Name Resolution...
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal system[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal system[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal system[1]: Reached target rpc-pipefs.target.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit[1282]: No plugins found, not dispatching events
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE opset audit_enabled=1 oldid=auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: PROCTITLE arch=c0000003e syscall=44 success=yes exit=0 a0=31 al=7ffc2689090 a2=2c3c a3=0 items=0 ppid=1343 pid=1343 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE opset audit_pid=1282 oldid=auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit[1282]: SYSCALL arch=c0000003e syscall=144 success=yes exit=0 a0=31 al=7ffc26891a0 a2=2c3c a3=0 items=0 ppid=1275 pid=1282 uid=0 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 keys=(null)
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit[1282]: Init complete, auditd 3.1.5 listening for events (startup state enable)
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:00: Elastic Network Adapter (ENA) v2.16.1g
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:00: ENA device version: 0.10
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:00: ENA controller version: 0.0.1 implementation version 1
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: i8042: PNP: PS/2 Controller [PNP8303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: i8042: Warning: Keylock active
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: serio: i8042 KBD port at 0x60,0x64 irq 1
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: serio: i8042 AUX port at 0x60,0x64 irq 12
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRF]
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXLSPBN:00/input/input1
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:00: iIQ is not supported fallback to host mode policy.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:00: Elastic Network Adapter (ENA) found at mem 80400000, mac addr 0a:ff:4f:6d:72:39
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=systemd-resolved comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule key=(null) list=1 res=1
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit[1343]: SYSCALL arch=c0000003e syscall=44 success=yes exit=1056 a0=31 al=7ffea69d4e50 a2=420 a3=0 items=0 ppid=1286 pid=1343 uid=0 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/usr/lib/systemd/systemd"
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Positive Trust Anchors:
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal augenrules[1286]: /sbin/augeenrules: No change
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg="unit=auditd comm='systemd' exe='/usr/lib/systemd/systemd' hostname=? addr=? terminal=? res=success"
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: . IN DS 20326 8 2 e06444ab08b8f8d39a95c0b0d7c65d0845e880469bcb683457104237cf76ecdd
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal augenrules[1343]: No rules
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Negative trust anchors: home.arpa 20.172.in-addr.arpa 10.172.in-addr.arpa 16.172.in-addr.arpa 17.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 32.172.in-addr.arpa 33.172.in-addr.arpa 34.172.in-addr.arpa 35.172.in-addr.arpa 36.172.in-addr.arpa 37.172.in-addr.arpa 38.172.in-addr.arpa 39.172.in-addr.arpa 40.172.in-addr.arpa 41.172.in-addr.arpa 42.172.in-addr.arpa 43.172.in-addr.arpa 44.172.in-addr.arpa 45.172.in-addr.arpa 46.172.in-addr.arpa 47.172.in-addr.arpa 48.172.in-addr.arpa 49.172.in-addr.arpa 50.172.in-addr.arpa 51.172.in-addr.arpa 52.172.in-addr.arpa 53.172.in-addr.arpa 54.172.in-addr.arpa 55.172.in-addr.arpa 56.172.in-addr.arpa 57.172.in-addr.arpa 58.172.in-addr.arpa 59.172.in-addr.arpa 60.172.in-addr.arpa 61.172.in-addr.arpa 62.172.in-addr.arpa 63.172.in-addr.arpa 64.172.in-addr.arpa 65.172.in-addr.arpa 66.172.in-addr.arpa 67.172.in-addr.arpa 68.172.in-addr.arpa 69.172.in-addr.arpa 70.172.in-addr.arpa 71.172.in-addr.arpa 72.172.in-addr.arpa 73.172.in-addr.arpa 74.172.in-addr.arpa 75.172.in-addr.arpa 76.172.in-addr.arpa 77.172.in-addr.arpa 78.172.in-addr.arpa 79.172.in-addr.arpa 80.172.in-addr.arpa 81.172.in-addr.arpa 82.172.in-addr.arpa 83.172.in-addr.arpa 84.172.in-addr.arpa 85.172.in-addr.arpa 86.172.in-addr.arpa 87.172.in-addr.arpa 88.172.in-addr.arpa 89.172.in-addr.arpa 90.172.in-addr.arpa 91.172.in-addr.arpa 92.172.in-addr.arpa 93.172.in-addr.arpa 94.172.in-addr.arpa 95.172.in-addr.arpa 96.172.in-addr.arpa 97.172.in-addr.arpa 98.172.in-addr.arpa 99.172.in-addr.arpa 100.172.in-addr.arpa
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal systemd-resolved[1277]: Using system hostname 'ip-172-31-31-123.ec2.internal'.
Jun 01 11:35:49 ip-172-31-31-123.ec2.internal system[1]: Started systemd-resolved.service - Network Name Resolution.
Jun 01 11:35:
```

```
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb
).
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists
=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b882-0a4c-41cf-b0c7-440b29bb8c4f).
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=acpid comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=irqbalance comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=libstoragemgmt comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal rm[1411]: removed '/var/lib/cloud/instance/boot-finished'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal rm[1411]: removed '/var/lib/cloud/instance'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecdsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/ru
n/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=
/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/sy
stemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting systat.service - Resets System Activity Logs...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal ec2net[1415]: Starting configuration for ens5
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-init-local comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal ec2net[1423]: /lib/systemd/systemd-networkd-wait-online ens5
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-homed[1417]: Watching /home.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dracut-shutdown comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-logind[1418]: Watching system buttons on /dev/input/event0 (Power Button)
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-logind[1418]: Watching system buttons on /dev/input/event1 (Sleep Button)
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-logind[1418]: New seat seat0.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systat comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished systat.service - Resets System Activity Logs.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dnsmasq comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal dbus-broker-lau[1440]: Ready
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: lo: Link UP
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: lo: Gained carrier
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed-activate comm="systemd" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-logind comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: Enumeration completed
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: Link UP
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: Gained carrier
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: Local page cache is disabled for less than 16 channels
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: DHCPV4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@drm comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=modprobe@drm comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=gssproxy comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=gssproxy comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=/e
tc/rb5.keytab).
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 11:35:50 ip-172-31-31-123.ec2.internal systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi
/efivars/StubPcrKernelImage-4a67b882-0a4c-41cf-b0c7-440b29bb8c4f).
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: Gained IPv6LL
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd-wait-online comm="syst
em" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: [get_meta] Querying IMDS for mac
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: [get_meta] Querying IMDS for mac
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: [get_meta] Querying IMDS for macs/0a:ff:e4:df:2b:39/subnet-ipv4-cidr-block
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/interface-id
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: [get_meta] Querying IMDS for mac
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: [get_meta] Querying IMDS for mac
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: Called trap
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: DHCP lease lost
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal ec2net[1415]: Reloaded networkd
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=policy-routes@ens5 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: DHCPv6 lease lost
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 11:35:51 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: DHCPV4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: Cloud-init v. 22.2.2 running 'init' at Mon, 01 Jun 2026 11:35:52 +0000. Up 5.70 seconds.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: +-----Net device info+-----
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | Device | Up | Address | Mask | Scope | Hw-Address |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | ens5 | True | 172.31.31.123 | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | ens5 | True | fe80::8fff:e4ff:fedf:2b39/64 | . | link | 0a:ff:e4:df:2b:39 |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | lo | True | 127.0.0.1 | 255.0.0.0 | host | . |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | lo | True | ::1/128 | . | host | . |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: +-----+
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: +-----Route IPv4 info+-----
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | Route | Destination | Gateway | Genmask | Interface | Flags |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | 0 | 0.0.0.0 | 172.31.16.1 | 0.0.0.0 | ens5 | UG |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | 1 | 172.31.0.2 | 172.31.16.1 | 255.255.255.255 | ens5 | UGH |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | 2 | 172.31.16.0 | 0.0.0.0 | 255.255.240.0 | ens5 | U |
```

```
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | 3 | 172.31.16.1 | 0.0.0.0 | 255.255.255.255 | ens5 | UH |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: |-----|
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: +-----+Route IPv6 info+-----+
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: |-----|
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | Route | Destination | Gateway | Interface | Flags |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: |-----|
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | 0 | fe80::/64 | : | ens5 | U |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | 2 | local | : | ens5 | U |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: | 3 | multicast | : | ens5 | U |
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal cloud-init[1527]: ci-info: |-----|
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal sm-notify[1564]: Version 2.5.4 starting
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal sshd[1566]: Server listening on 0.0.0.0 port 22.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal sshd[1566]: Server listening on : port 22.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-user-sessions comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target Login Prompts.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: Initializing new seelog logger
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: New Seelog Logger Creation Complete
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:52.8716 INFO Proxy environment variables:
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal nginx[1575]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: chrony-config.service: Deactivated successfully.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal nginx[1575]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=LOAD
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony.service - NTP client/server...
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:52.8731 INFO https_proxy:
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:52.8731 INFO http_proxy:
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal chronyd[1601]: chronyd version 4.3 starting (+CMDDMON +NTP +REFCLOCK +RTC +PRIVDROP +SCFILTER +SIGND +ASYNCDNS +NTS +SECHASH +IPV6 +DEBUG)
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal chronyd[1601]: Frequency -3.742 +/- 0.568 ppm read from /var/lib/chrony/drift
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal chronyd[1601]: Loaded seccomp filter (level 2)
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:52.8731 INFO no_proxy:
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal systemd[1]: Started chronyd.service - NTP client/server.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal cloud-init[1605]: Cloud-init v. 22.2.2 running 'modules:config' at Mon, 01 Jun 2026 11:35:53 +0000. Up 6.81 seconds.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:52.8732 INFO Checking if agent identity type OnPrem can be assumed
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hbininit-agent comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:52.8733 INFO Checking if agent identity type EC2 can be assumed
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hbininit-agent comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal systemd[1]: Started hbininit-agent.service - Initial hibernation setup job.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0548 INFO Agent will take identity from EC2
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0580 INFO Telemetry initialized
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal hbininit-agent[1609]: Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/l
ib/hbininit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon (swapfile)', 'swapoff': 'swapoff (swapfile)'}
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal hbininit-agent[1609]: Requesting new IMDSv2 token.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal hbininit-agent[1609]: Instance Launch has not enabled Hibernation Configured Flag. hbininit-agent exiting!!
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal systemd[1]: hbininit-agent.service: Deactivated successfully.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hbininit-agent comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0588 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4108.0
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal cloud-init[1614]: Cloud-init v. 22.2.2 running 'modules:final' at Mon, 01 Jun 2026 11:35:53 +0000. Up 7.35 seconds.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0588 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal cloud-init[1614]: Cloud-init v. 22.2.2 finished at Mon, 01 Jun 2026 11:35:53 +0000. DataSourceEc2. Up 7.45 seconds
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0588 INFO [amazon-ssm-agent] Starting Core Agent
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=LOAD
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
Jun 01 11:35:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0588 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0588 INFO [Registrar] Starting registrar module
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0606 INFO [EC2Identity] Checking disk for registration info
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0616 INFO [EC2Identity] Registration info found for ec2 instance
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0616 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0617 INFO [CredentialRefresher] credentialRefresher has started
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0617 INFO [CredentialRefresher] Starting credentials refresher loop
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.0639 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Er
r: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.1255 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: status code: 400, request id: 9c8c9016-f865-4801-8cc6-dec66ddc70f3/
Jun 01 11:35:54 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.1255 INFO [CredentialRefresher] Sleeping for 27m34s before retrying retrieve credentials
Jun 01 11:35:55 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:35:53.1255 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid cre
dentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not confi
gured for account: 094337892911
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: status code: 400, request id: 9c8c9016-f865-4801-8cc6-dec66ddc70f3/
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal chronyd[1601]: Selected source 169.254.169.123
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 1.054s CPU time.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=update-motd comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal audit[1636]: SYSTEM_RUNLEVEL pid=1636 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='old-level=N new-level=5 comm="system
d-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp-runlevel.service: Deactivated successfully.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP.
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-update-utmp-runlevel comm="syst
emd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-update-utmp-runlevel comm="syste
md" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```



```
Jun 01 11:35:58 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 502ms (firmware) + 889ms (loader) + 409ms (kernel) + 887ms (initrd) + 10.774s (userspace) = 13.462s.
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh-x2dpolicy-x2droutes.slice - Slice /system/refresh-policy-routes.
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: Starting configuration refresh for ens5
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: [get_meta] Querying IMDS for mac
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: [get_meta] Querying IMDS for mac
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: [get_meta] Querying IMDS for mac
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: [get_meta] Querying IMDS for mac
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: [get_meta] Querying IMDS for mac
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: Called trap
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal ec2net[1637]: No networkd reload needed
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:36:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: Starting configuration refresh for ens5
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: [get_meta] Querying IMDS for mac
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: [get_meta] Querying IMDS for mac
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: [get_meta] Querying IMDS for mac
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: [get_meta] Querying IMDS for mac
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: [get_meta] Querying IMDS for network/interfaces/mac0:ff:e4:df:2b:39/local-ipv4s
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: Called trap
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal ec2net[1685]: No networkd reload needed
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:38:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:44 ip-172-31-31-123.ec2.internal audit[1734]: CRYPTO_SESSION pid=1733 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=start direction=from-s
erver cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1734 suid=74 rport=49976 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success
s'
Jun 01 11:39:44 ip-172-31-31-123.ec2.internal audit[1734]: CRYPTO_SESSION pid=1733 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=start direction=from-c
lient cipher=aes128-gcm@openssh.com ksize=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1734 suid=74 rport=49976 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success
s'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: USER_AUTH pid=1733 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=pubkey_auth grantors=auth-k
ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: CRYPTO_KEY_USER pid=1733 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=negotiate kind=auth-k
ey fp=SHA256:c9:af:5b:d8:f4:4d:61a2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:8b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: USER_ACCT pid=1733 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam
_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: Accepted publickey for ec2-user from 61.2.141.177 port 49976 sshd: RSA SHA256:ya9b2PRE/WgiW2tLOkQbw/zgX3JQxjhJ5Sf6Ltx0
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: CRYPTO_KEY_USER pid=1733 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=destroy kind=session
fp= direction=both spid=1734 suid=74 rport=49976 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: CRYPTO_KEY_USER pid=1733 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env
_pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: USER_ROLE_CHANGE pid=1733 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=pam: default-context=unconfined_u:unco
nfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=LOAD
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=LOAD
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=LOAD
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-user-runtime-dir@1000.service - User Database Manager...
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: Starting configuration refresh for ens5
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: [get_meta] Querying IMDS for mac
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: [get_meta] Querying IMDS for mac
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=systemd-userdbd comm=systemd exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: [get_meta] Querying IMDS for mac
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: [get_meta] Querying IMDS for mac
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: [get_meta] Querying IMDS for mac
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: [get_meta] Querying IMDS for network/interfaces/mac0:ff:e4:df:2b:39/local-ipv4s
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd-logind[1418]: New session 1 of user ec2-user.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: Called trap
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal ec2net[1736]: No networkd reload needed
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=user-runtime-dir@1000 comm=systemd ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=refresh-policy-routes@ens5 comm=systemd
d exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User Manager for UID 1000...
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: USER_ACCT pid=1789 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=op=PAM:accounting grantors=pam_unix acct="
ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: CRED_ACQ pid=1789 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=op=PAM:setcred grantors=? acct="ec2-user" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=failed'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: USER_ROLE_CHANGE pid=1789 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=pam: default-context=unconfined_u:u
nconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: CRYPTO_KEY_USER pid=1798 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:
da:2b:7a:b3:7b:c2:ee:39:7b:38:3a:93:ee:4b:ab:86:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1798 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: USER_START pid=1789 uid=0 auid=1000 ses=2 subj=system_u:system_r:init ts=0 msg=op=PAM:session_open grantors=pam_selinux,pam_selinux,pam
_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Queued start job for default target default.target.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=user@1000 comm=systemd exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1789]: Created slice ap.slice - User Application Slice.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1789]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1789]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1789]: Reached target paths.target - Paths.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: USER_START pid=1733 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=PAM:session_open grantors=pam_selinux,pam
_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Reached target timers.target - Timers.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Starting dbus.socket - D-Bus User Message Bus Socket...
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1798]: CRYPTO_KEY_USER pid=1798 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:
da:2b:7a:b3:7b:c2:ee:39:7b:38:3a:93:ee:4b:ab:86:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1798 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1798]: CRED_ACQ pid=1798 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="
ec2-user" exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Listening on dbus.socket - D-Bus User Message Bus Socket.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Reached target sockets.target - Sockets.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Reached target basic.target - Basic System.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Reached target default.target - Main User Target.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1789]: Startup finished in 173ms.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: USER_LOGIN pid=1733 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: USER_START pid=1733 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1733]: CRYPTO_KEY_USER pid=1733 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd ts=0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c6:
da:2b:7a:b3:7b:c2:ee:39:7b:38:3a:93:ee:4b:ab:86:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1799 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=systemd-hostnamed comm=systemd exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:39:48 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-collect.service - system activity accounting tool...
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit[1]: systemd-hostnamed.service: Deactivated successfully.
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init ts=0 msg=unit=systemd-hostnamed comm=systemd exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
```

```
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
Jun 01 11:40:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: USER_ACCT pid=1835 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: USER_CMD pid=1835 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd="/etc/nginx/ssl" cmd=726D
206E67696E7826E637274 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: CRED_REFR pid=1835 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam
_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: ec2-user : TTYpts/0 ; PWD=/etc/nginx/ssl ; USER=root ; COMMAND=/usr/bin/rm nginx.crt
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: USER_START pid=1835 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: USER_END pid=1835 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: CRED_DISP pid=1835 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam
_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1835]: pam_unix(sudo:session): session closed for user root
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: Starting configuration refresh for ens5
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: [get_meta] Querying IMDS for mac
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: [get_meta] Querying IMDS for mac
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: [get_meta] Querying IMDS for mac
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: [get_meta] Querying IMDS for mac
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: Called trap
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal ec2net[1837]: No network reload needed
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:40:59 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: USER_ACCT pid=1888 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: ec2-user : TTYpts/0 ; PWD=/etc/nginx/ssl ; USER=root ; COMMAND=/usr/bin/rm nginx.key
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: USER_CMD pid=1888 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd="/etc/nginx/ssl" cmd=726D
206E67696E7826E6B579 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: CRED_REFR pid=1888 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam
_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: USER_START pid=1888 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: pam_unix(sudo:session): session closed for user root
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: USER_END pid=1888 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:41:08 ip-172-31-31-123.ec2.internal audit[1888]: CRED_DISP pid=1888 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam
_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal systemd[1789]: Starting grub-boot-success.service - Mark boot as successful...
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal systemd[1789]: Finished grub-boot-success.service - Mark boot as successful.
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: Starting configuration refresh for ens5
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: [get_meta] Querying IMDS for mac
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: [get_meta] Querying IMDS for mac
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: [get_meta] Querying IMDS for mac
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: [get_meta] Querying IMDS for mac
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: Called trap
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal ec2net[1893]: No network reload needed
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:42:25 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1942]: USER_ACCT pid=1942 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1942]: ec2-user : TTYpts/0 ; PWD=/etc/nginx ; USER=root ; COMMAND=/usr/bin/openssl req -x509 -nodes -days 60 -newkey rsa:2048 -keyout /etc/nginx
x/ssl/nginx.key -out /etc/nginx/ssl/nginx.crt
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1942]: USER_CMD pid=1942 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd="/etc/nginx" cmd=6F70656E
73736C2072657128207835303920206E6F6465732020646177372836302020206E65776B657920727361332820382020206E65796F75747202F6574632F667696782F736C2F6E67696E7826E6B57928206F75747202F6574632F6E67696E782F73
36C2F6E67696E7826E6B579 exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1942]: CRED_REFR pid=1942 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam
_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1942]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1942]: USER_START pid=1942 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: Starting configuration refresh for ens5
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: [get_meta] Querying IMDS for mac
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: [get_meta] Querying IMDS for mac
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: [get_meta] Querying IMDS for mac
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: [get_meta] Querying IMDS for mac
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: Called trap
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal ec2net[1944]: No network reload needed
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:43:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:44:19 ip-172-31-31-123.ec2.internal audit[1942]: pam_unix(sudo:session): session closed for user root
Jun 01 11:44:19 ip-172-31-31-123.ec2.internal audit[1942]: USER_END pid=1942 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:44:19 ip-172-31-31-123.ec2.internal audit[1942]: CRED_DISP pid=1942 uid=1000 audit=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam
_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: USER_END pid=1733 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname
=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: USER_LOGOUT pid=1733 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostn
ame=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: CRYPTO_KEY_USER pid=1733 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=
both spid=1798 suid=1000 rport=49976 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: CRYPTO_KEY_USER pid=1733 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:e:c9:bf:b5:a2:9a:f2:a5:fe direction=? spid=1798 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: pam_unix(sshd:session): session closed for user ec2-user
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: USER_END pid=1733 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinux,pam
_loginuid,pam_selinux,pam_namepaces,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 termi
nal=ssh res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: CRED_DISP pid=1733 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct
="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1733]: CRYPTO_KEY_USER pid=1733 uid=0 audit=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:3b:a5:e:c9:bf:b5:a2:9a:f2:a5:fe direction=? spid=1733 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Deactivated successfully.
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal systemd-logind[1418]: Session 1 logged out. Waiting for processes to exit.
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal systemd-logind[1418]: Removed session 1.
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: Starting configuration refresh for ens5
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: [get_meta] Querying IMDS for mac
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: [get_meta] Querying IMDS for mac
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: [get_meta] Querying IMDS for mac
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: [get_meta] Querying IMDS for mac
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: Called trap
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal ec2net[1998]: No network reload needed
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
Jun 01 11:45:01 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Activating special unit exit.target...
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped target default.target - Main User Target.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped target basic.target - Basic System.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped target paths.target - Paths.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped target sockets.target - Sockets.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped target timers.target - Timers.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Closed dbus.socket - D-Bus User Message Bus Socket.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Removed slice app.slice - User Application Slice.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Reached target shutdown.target - Shutdown.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Finished systemd-exit.service - Exit the Session.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1789]: Reached target exit.target - Exit the Session.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:12 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd-logind[1418]: Power key pressed short.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd-logind[1418]: Powering off.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd-logind[1418]: System is powering down.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh-x2dpolicy-x2droues.slice - Slice /system/refresh-policy-routes.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-sshd-x2dkeygen.slice - Slice /system/sshd-keygen.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc-pipefs.target.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: fstirm.timer: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstirm.timer - Discard unused blocks once a week.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:45:23.1451 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x556a139b2900
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:45:23.1452 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:45:23.1452 INFO [amazon-ssm-agent] Stopping Core Agent
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal chronyd[1601]: chronyd exiting
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy-x2droues.slice - Slice /system/policy-routes.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping serial-getty@ttyS0.service - Serial Getty on ttyS0...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping sshd.service - OpenSSH server daemon...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal sshd[1566]: Received signal 15: terminating.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1566]: CRYPTO_KEY_USER pid=1566 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server f=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1566 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: system-logind.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-logind.service - User Login Management.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
Jun 01 11:45:23 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=49 op=UNLOAD
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: systemd-random-seed.service: Deactivated successfully.
```



```
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=UNLOAD
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-user-sessions.service - Permit User Sessions...
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: systemd-user-sessions.service: Deactivated successfully.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-user-sessions.service - Permit User Sessions.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed-activate.service - Home Area Activation...
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed-activate.service: Deactivated successfully.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed.service - Home Area Manager...
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed.service: Deactivated successfully.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed.service - Home Area Manager.
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:45:30.1511 INFO [CredentialRefresher] Sending credential refresher stop signal
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:45:30.1511 INFO [Registrar] Registrar is already stopped
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:45:30.1512 INFO [amazon-ssm-agent] Bye.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1560]: 2026-06-01 11:45:30.1512 INFO [CredentialRefresher] Stopping credentials refresher
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd-wait-online.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-networkd.service - Network Configuration...
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: DHCP lease lost
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd-networkd[1441]: ens5: DHCPv6 lease lost
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd.service - Network Configuration.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon Listen Socket.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.socket: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-networkd.socket - Network Configuration Socket.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-networkd.socket - Network Configuration Socket.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-network-generator.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-network-generator.service - Generate network units from Kernel command line.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=UNLOAD
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-wall.path: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-update.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-boot-update.service - Automatic Boot Loader Update.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-resolved.service - Network Name Resolution...
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-resolved.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[2102]: SYSTEM_SHUTDOWN pid=2102 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=' comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-resolved.service - Network Name Resolution.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-coredump.socket: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-coredump.socket - Process Core Dump Socket.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopping auditd.service - Security Auditing Service...
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[2102]: The audit daemon is exiting.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit: CONFD_CHANGE op=set audit_pid=0 old=1282 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: auditd.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 114 callbacks suppressed
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780314330.824:309): op=set audit_pid=0 old=1282 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780314330.854:310): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780314330.854:311): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting boot-efi.mount - /boot/efi.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal umount[2107]: umount: /run/credentials/systemd-tmpfiles-setup.service: no mount point specified.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting tmp.mount - Temporary Directory /tmp...
```

```
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
Jun 01 11:45:30 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount boot-efi.automount.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target swap.target - Swaps.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target umount.target - Unmount All Filesystems.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck-by\x2duuid-6084\x2d6862a.service: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsk0dev-disk-by\x2duuid-6084\x2d6862a.service - File System Check on /dev/disk/by-uuid/6084-862A.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-fsk0dev-disk-by\x2duuid-6084\x2d6862a comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780314331.154:312): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-fsk0dev-disk-by\x2duuid-6084\x2d6862a comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-systemd\x2dfsc.slice - Slice /system/systemd-fsc.slice
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs-pre.target - Preparation for Local File Systems.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-remount-fs.service: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-remount-fs.service - Remount Root and Kernel File Systems.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: system-fsck-root.service: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck-root.service - File System Check on Root Device.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: system-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target shutdown.target - System Shutdown.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target final.target - Late Shutdown Services.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: system-poweroff.service: Deactivated successfully.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-poweroff.service - System Power Off.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target poweroff.target - System Power Off.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd[1]: Shutting down.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780314331.194:313): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-remount-fs comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780314331.194:314): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-fsk-root comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780314331.194:315): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-tmpfiles-setup-dev comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1130 audit(1780314331.194:316): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-poweroff comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780314331.194:317): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-poweroff comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal kernel: audit: type=1334 audit(1780314331.194:318): prog-id=40 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-remount-fs comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-fsk-root comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-poweroff comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-poweroff comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t=s0 msg='unit=systemd-poweroff comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success'
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=40 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=39 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=38 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=46 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=45 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=42 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=41 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=52 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=51 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=27 op=UNLOAD
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd-shutdown[1]: Syncing filesystems and block devices.
Jun 01 11:45:31 ip-172-31-31-123.ec2.internal systemd-journal[837]: Journal stopped
-- Boot 6cf34927476b4a23a0ecce7c09b67a7cb --
Jun 01 12:02:27 localhost kernel: Linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SMP P PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
Jun 01 12:02:27 localhost kernel: Command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 12:02:27 localhost kernel: KASLR enabled
Jun 01 12:02:27 localhost kernel: BIOS-provided physical RAM map:
Jun 01 12:02:27 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x0000000000000fff] usable
Jun 01 12:02:27 localhost kernel: BIOS-e820: [mem 0x0000000000100000-0x0000000000390cdf] usable
Jun 01 12:02:27 localhost kernel: BIOS-e820: [mem 0x0000000000390ce000-0x00000000003934dfff] reserved
Jun 01 12:02:27 localhost kernel: BIOS-e820: [mem 0x00000000003934e000-0x00000000003935dfff] ACPI data
Jun 01 12:02:27 localhost kernel: BIOS-e820: [mem 0x00000000003935e000-0x0000000000393dfff] ACPI NVS
Jun 01 12:02:27 localhost kernel: BIOS-e820: [mem 0x0000000000393de000-0x0000000000397bfff] usable
Jun 01 12:02:27 localhost kernel: BIOS-e820: [mem 0x0000000000397c0000-0x0000000000397fffff] reserved
Jun 01 12:02:27 localhost kernel: NX (Execute Disable) protection: active
Jun 01 12:02:27 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 01 12:02:27 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 01 12:02:27 localhost kernel: extended physical RAM map:
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x0000000000000fff] usable
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x0000000000100000-0x000000000037be017] usable
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x0000000000372c6e57-0x0000000000372c6e57] usable
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x0000000000372c6e58-0x0000000000390cdf] usable
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x0000000000390ce000-0x00000000003934dfff] reserved
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x00000000003934e000-0x00000000003935dfff] ACPI data
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x00000000003935e000-0x0000000000393dfff] ACPI NVS
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x0000000000393de000-0x0000000000397bfff] usable
Jun 01 12:02:27 localhost kernel: reserve setup_data: [mem 0x0000000000397c0000-0x0000000000397fffff] reserved
Jun 01 12:02:27 localhost kernel: efi: EFI v2.70 by EDK II
Jun 01 12:02:27 localhost kernel: efi: SMBIOS-0x26a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x374ba98
Jun 01 12:02:27 localhost kernel: SMBIOS 2.7 present.
Jun 01 12:02:27 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
Jun 01 12:02:27 localhost kernel: Hypervisor detected: KVM
Jun 01 12:02:27 localhost kernel: kvm-clock: Using msrs 4b564d01 and 4b564d00
Jun 01 12:02:27 localhost kernel: kvm-clock: using sched offset of 1762825227 cycles
Jun 01 12:02:27 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
Jun 01 12:02:27 localhost kernel: tsc: Detected 2499.998 MHz processor
Jun 01 12:02:27 localhost kernel: e820: update [mem 0x00000000-0x00000fff] usable ==> reserved
Jun 01 12:02:27 localhost kernel: e820: remove [mem 0x00000000-0x00000fff] usable
Jun 01 12:02:27 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x40000000
Jun 01 12:02:27 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
Jun 01 12:02:27 localhost kernel: Using GB pages for direct mapping
Jun 01 12:02:27 localhost kernel: Secure boot disabled
Jun 01 12:02:27 localhost kernel: RAMDISK: [mem 0x32885000-0x33c61fff]
Jun 01 12:02:27 localhost kernel: ACPI: Early table checksum verification disabled
Jun 01 12:02:27 localhost kernel: ACPI: RSDP 0x00000000039350B14 000024 (v02 AMAZON)
Jun 01 12:02:27 localhost kernel: ACPI: XSDT 0x00000000039350E8 00006C (v01 AMAZON AMZNFACP 00000001 01000013)
Jun 01 12:02:27 localhost kernel: ACPI: FACP 0x00000000039355000 000114 (v01 AMAZON AMZNFACP 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: DSDT 0x00000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: FACS 0x000000000393D0000 000040 (v01 AMAZON AMZNWAEF 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: WAET 0x0000000003935B000 000028 (v01 AMAZON AMZNWAEF 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: SLIT 0x0000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: APIC 0x00000000039359000 000076 (v01 AMAZON AMZNAPIC 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: SRAT 0x00000000039358000 0000A8 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: HPET 0x00000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: SDTT 0x00000000039353000 000759 (v01 AMAZON AMZNSDST 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: SSDT 0x00000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 01 12:02:27 localhost kernel: ACPI: BGRT 0x00000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
Jun 01 12:02:27 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393d0000-0x393d003f]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x3935b000-0x3935b027]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving SDST table memory at [mem 0x39353000-0x39353758]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520d0]
Jun 01 12:02:27 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
Jun 01 12:02:27 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
Jun 01 12:02:27 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
Jun 01 12:02:27 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3ffffffffff]
Jun 01 12:02:27 localhost kernel: NUMA: Initialized distance table, cnt=1
Jun 01 12:02:27 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
Jun 01 12:02:27 localhost kernel: Zone ranges:
Jun 01 12:02:27 localhost kernel: DMA [mem 0x0000000000001000-0x0000000000000fffff]
Jun 01 12:02:27 localhost kernel: DMA32 [mem 0x0000000000000000-0x0000000000003d7bfff]
```

```
Jun 01 12:02:27 localhost kernel: Normal empty
Jun 01 12:02:27 localhost kernel: Device empty
Jun 01 12:02:27 localhost kernel: Movable zone start for each node
Jun 01 12:02:27 localhost kernel: Early memory node ranges
Jun 01 12:02:27 localhost kernel: node 0: [mem 0x0000000000001000-0x000000000000ffff]
Jun 01 12:02:27 localhost kernel: node 0: [mem 0x0000000001000000-0x00000000039cffff]
Jun 01 12:02:27 localhost kernel: node 0: [mem 0x00000000039de000-0x0000000003d37bff]
Jun 01 12:02:27 localhost kernel: Initmem setup node 0 [mem 0x0000000000001000-0x0000000003d37bff]
Jun 01 12:02:27 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
Jun 01 12:02:27 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
Jun 01 12:02:27 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
Jun 01 12:02:27 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
Jun 01 12:02:27 localhost kernel: ACPI: PM-Timer IO Port: 0x0000
Jun 01 12:02:27 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xfff] dfl dfl lint[0x1])
Jun 01 12:02:27 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
Jun 01 12:02:27 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
Jun 01 12:02:27 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
Jun 01 12:02:27 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
Jun 01 12:02:27 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
Jun 01 12:02:27 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
Jun 01 12:02:27 localhost kernel: ACPI: HPET id: 0x00000000 base: 0xfed00000
Jun 01 12:02:27 localhost kernel: TSC deadline timer available
Jun 01 12:02:27 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
Jun 01 12:02:27 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
Jun 01 12:02:27 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x0000a000-0x000fffff]
Jun 01 12:02:27 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393ddfff]
Jun 01 12:02:27 localhost kernel: [mem 0x3d400000-0xfffffff] available for PCI devices
Jun 01 12:02:27 localhost kernel: Booting paravirtualized kernel on KVM
Jun 01 12:02:27 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
Jun 01 12:02:27 localhost kernel: setup_percpu: NR_CPUS=8192 nr_cpumask_bits=2 nr_cpu_ids=2 nr_node_ids=1
Jun 01 12:02:27 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1048576
Jun 01 12:02:27 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1048576 alloc=1m207152
Jun 01 12:02:27 localhost kernel: pcpu-alloc: [0] 0 1
Jun 01 12:02:27 localhost kernel: kvm-guest: PV spinlocks enabled
Jun 01 12:02:27 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
Jun 01 12:02:27 localhost kernel: Fallback order for Node 0: 0
Jun 01 12:02:27 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
Jun 01 12:02:27 localhost kernel: Policy zone: DMA32
Jun 01 12:02:27 localhost kernel: Kernel command line: BOOT_IMAGE=(hdb,gpt1)/boot/vmlinuz-6.1.172-126.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b6608de4a891 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 12:02:27 localhost kernel: random: crng init done
Jun 01 12:02:27 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Jun 01 12:02:27 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Jun 01 12:02:27 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
Jun 01 12:02:27 localhost kernel: Memory: 2608608K/999468K available (14347K kernel code, 9305K rwdata, 8964K rodata, 2456K init, 6356K bss, 133548K reserved, 0K cma-reserved)
Jun 01 12:02:27 localhost kernel: SLUB: Walign=64, Order=0-3, MinObjectSize=0, CPUs=2, Nodes=1
Jun 01 12:02:27 localhost kernel: Kernel/User page tables isolation: enabled
Jun 01 12:02:27 localhost kernel: ftrace: allocating 42099 entries in 165 pages
Jun 01 12:02:27 localhost kernel: ftrace: allocated 165 pages with 4 groups
Jun 01 12:02:27 localhost kernel: Dynamic Preempt: none
Jun 01 12:02:27 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
Jun 01 12:02:27 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
Jun 01 12:02:27 localhost kernel: Trampoline variant of Tasks RCU enabled.
Jun 01 12:02:27 localhost kernel: Rude variant of Tasks RCU enabled.
Jun 01 12:02:27 localhost kernel: Tracing variant of Tasks RCU enabled.
Jun 01 12:02:27 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
Jun 01 12:02:27 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
Jun 01 12:02:27 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
Jun 01 12:02:27 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
Jun 01 12:02:27 localhost kernel: Console: colour dummy device 80x25
Jun 01 12:02:27 localhost kernel: printk: console [tty0] enabled
Jun 01 12:02:27 localhost kernel: printk: console [ttyS0] enabled
Jun 01 12:02:27 localhost kernel: ACPI: Core revision 2009331
Jun 01 12:02:27 localhost kernel: clocksource: hpet: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30500167144 ns
Jun 01 12:02:27 localhost kernel: APIC: Switch to symmetric I/O mode setup
Jun 01 12:02:27 localhost kernel: x2apic enabled
Jun 01 12:02:27 localhost kernel: Switched APIC routing to physical x2apic.
Jun 01 12:02:27 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x204937b9988, max_idle_ns: 440795218083 ns
Jun 01 12:02:27 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999980)
Jun 01 12:02:27 localhost kernel: Last level ITLB entries: 4KB 64, 2MB 8, 4MB 8
Jun 01 12:02:27 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
Jun 01 12:02:27 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
Jun 01 12:02:27 localhost kernel: Spectre V2 : Mitigation: Retpolines
Jun 01 12:02:27 localhost kernel: Spectre V2 : Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
Jun 01 12:02:27 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
Jun 01 12:02:27 localhost kernel: RETbleed: Vulnerable
Jun 01 12:02:27 localhost kernel: Speculative Store Bypass: Vulnerable
Jun 01 12:02:27 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 12:02:27 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 01 12:02:27 localhost kernel: GDS: Unknown: Dependent on hypervisor status
Jun 01 12:02:27 localhost kernel: active return thunk: its_return_thunk
Jun 01 12:02:27 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
Jun 01 12:02:27 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
Jun 01 12:02:27 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
Jun 01 12:02:27 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
Jun 01 12:02:27 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
Jun 01 12:02:27 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
Jun 01 12:02:27 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
Jun 01 12:02:27 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
Jun 01 12:02:27 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
Jun 01 12:02:27 localhost kernel: x86/fpu: Enabled xstate features 0x2ff, context size is 2568 bytes, using 'compact' format.
Jun 01 12:02:27 localhost kernel: Freeing SMP alternatives memory: 36K
Jun 01 12:02:27 localhost kernel: pid_max: default: 32768 minimum: 301
Jun 01 12:02:27 localhost kernel: LSM: Security Framework initializing
Jun 01 12:02:27 localhost kernel: landlock: Up and running.
Jun 01 12:02:27 localhost kernel: Yama: becoming mindful.
Jun 01 12:02:27 localhost kernel: SELinux: Initializing
Jun 01 12:02:27 localhost kernel: LSM support for eBPF active
Jun 01 12:02:27 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 12:02:27 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 01 12:02:27 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
Jun 01 12:02:27 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 12:02:27 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 12:02:27 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 12:02:27 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 12:02:27 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 01 12:02:27 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 01 12:02:27 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
Jun 01 12:02:27 localhost kernel: signal: max sigframe size: 3632
Jun 01 12:02:27 localhost kernel: rcu: Hierarchical SRCU implementation.
Jun 01 12:02:27 localhost kernel: rcu: Max phase no-delay instances is 1000.
Jun 01 12:02:27 localhost kernel: smp: Bringing up secondary CPUs ...
Jun 01 12:02:27 localhost kernel: x86: Booting SMP configuration:
Jun 01 12:02:27 localhost kernel: ... node #0 CPUs: #1
Jun 01 12:02:27 localhost kernel: MDS CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
Jun 01 12:02:27 localhost kernel: MMENTO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
Jun 01 12:02:27 localhost kernel: smp: Brought up 1 node, 2 CPUs
Jun 01 12:02:27 localhost kernel: smpboot: Max logical packages: 1
Jun 01 12:02:27 localhost kernel: smpboot: Total of 2 processors activated (9999.99 BogoMIPS)
Jun 01 12:02:27 localhost kernel: node 0 deferred pages initialised in 0ms
Jun 01 12:02:27 localhost kernel: devtmpfs: initialized
Jun 01 12:02:27 localhost kernel: x86/mm: Memory block size: 128MB
Jun 01 12:02:27 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393ddfff] (524288 bytes)
Jun 01 12:02:27 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
Jun 01 12:02:27 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
Jun 01 12:02:27 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
Jun 01 12:02:27 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 12:02:27 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 12:02:27 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 01 12:02:27 localhost kernel: audit: initializing netlink subsys (disabled)
Jun 01 12:02:27 localhost kernel: audit: type=2000 audit(1780315348.005:1): state=initialized audit_enabled=0 res=1
Jun 01 12:02:27 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
Jun 01 12:02:27 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
Jun 01 12:02:27 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
```



```
Jun 01 12:02:27 localhost kernel: cpuidle: using governor ladder
Jun 01 12:02:27 localhost kernel: cpuidle: using governor menu
Jun 01 12:02:27 localhost kernel: efci: Freeing EFI boot services memory: 44696K
Jun 01 12:02:27 localhost kernel: acpiphp: ACPI Hot Plug PCI Controller Driver version: 0.5
Jun 01 12:02:27 localhost kernel: PCI: Using configuration type 1 for base access
Jun 01 12:02:27 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
Jun 01 12:02:27 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
Jun 01 12:02:27 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
Jun 01 12:02:27 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
Jun 01 12:02:27 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
Jun 01 12:02:27 localhost kernel: cryptd: max_cpu_qlen set to 1000
Jun 01 12:02:27 localhost kernel: ACPI: Added _OSI(Module Device)
Jun 01 12:02:27 localhost kernel: ACPI: Added _OSI(Processor Device)
Jun 01 12:02:27 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
Jun 01 12:02:27 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
Jun 01 12:02:27 localhost kernel: ACPI: Interpreter enabled
Jun 01 12:02:27 localhost kernel: ACPI: PM: (supports S0 S4 S5)
Jun 01 12:02:27 localhost kernel: ACPI: Using IOAPIC for interrupt routing
Jun 01 12:02:27 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
Jun 01 12:02:27 localhost kernel: PCI: Using E820 reservations for host bridge windows
Jun 01 12:02:27 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
Jun 01 12:02:27 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
Jun 01 12:02:27 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
Jun 01 12:02:27 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
Jun 01 12:02:27 localhost kernel: acpi PNP0A03:00: fail to add MMCONFIO information, can't access extended PCI configuration space under this bridge.
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [3] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [4] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [5] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [6] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [7] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [8] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [9] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [10] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [11] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [12] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [13] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [14] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [15] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [16] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [17] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [18] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [19] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [20] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [21] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [22] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [23] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [24] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [25] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [26] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [27] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [28] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [29] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [30] registered
Jun 01 12:02:27 localhost kernel: acpiphp: Slot [31] registered
Jun 01 12:02:27 localhost kernel: PCI host bridge to bus 0000:00
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00a0000-0x00bffff window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x100000000-0x2000ffffff window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
Jun 01 12:02:27 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060000
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x060000
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at ffff-ffff
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc0000-ffffff
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at ffff-ffff
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc0000-ffffff
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at ffff-ffff
Jun 01 12:02:27 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at ffff-ffff
Jun 01 12:02:27 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
Jun 01 12:02:27 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x00000000-0x003fffff pref]
Jun 01 12:02:27 localhost kernel: pci 0000:00:03.0: ROM [mem 0xffff0000-0xffffffff pref]
Jun 01 12:02:27 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x00c00000-0x00dfffff]
Jun 01 12:02:27 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010002
Jun 01 12:02:27 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x00400000-0x0040ffff]
Jun 01 12:02:27 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
Jun 01 12:02:27 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x00400000-0x0040ffff]
Jun 01 12:02:27 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
Jun 01 12:02:27 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
Jun 01 12:02:27 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
Jun 01 12:02:27 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
Jun 01 12:02:27 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
Jun 01 12:02:27 localhost kernel: iommu: Default domain type: Translated
Jun 01 12:02:27 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
Jun 01 12:02:27 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
Jun 01 12:02:27 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Jun 01 12:02:27 localhost kernel: PTP clock support registered
Jun 01 12:02:27 localhost kernel: EDAC MC: Ver: 3.0.0
Jun 01 12:02:27 localhost kernel: Registered efivars operations
Jun 01 12:02:27 localhost kernel: NetLabel: Initializing
Jun 01 12:02:27 localhost kernel: NetLabel: domain hash size = 128
Jun 01 12:02:27 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
Jun 01 12:02:27 localhost kernel: NetLabel: unlabeled traffic allowed by default
Jun 01 12:02:27 localhost kernel: PCI: Using ACPI for IRQ routing
Jun 01 12:02:27 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
Jun 01 12:02:27 localhost kernel: e820: reserve RAM buffer [mem 0x372be018-0x37ffffff]
Jun 01 12:02:27 localhost kernel: e820: reserve RAM buffer [mem 0x390ce000-0x3bffffff]
Jun 01 12:02:27 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3ffffff]
Jun 01 12:02:27 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
Jun 01 12:02:27 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 MHz counter
Jun 01 12:02:27 localhost kernel: clocksource: Switched to clocksource kvm-clock
Jun 01 12:02:27 localhost kernel: VFS: Disk quotas dquot_6.6.0
Jun 01 12:02:27 localhost kernel: VFS: Quot-cache hash table entries: 512 (order 0, 4096 bytes)
Jun 01 12:02:27 localhost kernel: pnp: PnP ACPI: found 5 devices
Jun 01 12:02:27 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff, max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
Jun 01 12:02:27 localhost kernel: NET: Registered PF_INET protocol family
Jun 01 12:02:27 localhost kernel: IP idents hash table entries: 16384 (order: 5, 131072 bytes, linear)
Jun 01 12:02:27 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Jun 01 12:02:27 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
Jun 01 12:02:27 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Jun 01 12:02:27 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
Jun 01 12:02:27 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
Jun 01 12:02:27 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
Jun 01 12:02:27 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 12:02:27 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 01 12:02:27 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
Jun 01 12:02:27 localhost kernel: NET: Registered PF_XDP protocol family
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x00a0000-0x00bffff window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x00000000-0xfefbffff window]
Jun 01 12:02:27 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffff window]
Jun 01 12:02:27 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
Jun 01 12:02:27 localhost kernel: PCI: CLS 0 bytes, default 64
Jun 01 12:02:27 localhost kernel: Trying to unpack rootfs image as initramfs...
Jun 01 12:02:27 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x240937b9988, max_idle_ns: 440795218083 ns
Jun 01 12:02:27 localhost kernel: clocksource: Switched to clocksource tsc
Jun 01 12:02:27 localhost kernel: Initialise system trusted keyrings
Jun 01 12:02:27 localhost kernel: Key type blacklist registered
Jun 01 12:02:27 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
Jun 01 12:02:27 localhost kernel: zbud: loaded
Jun 01 12:02:27 localhost kernel: SGI XFS with ACLs, security attributes, quota, no debug enabled
Jun 01 12:02:27 localhost kernel: integrity: Platform Keyring initialized
Jun 01 12:02:27 localhost kernel: integrity: Machine keyring initialized
Jun 01 12:02:27 localhost kernel: Key type asymmetric registered
Jun 01 12:02:27 localhost kernel: Asymmetric key parser 'x509' registered
Jun 01 12:02:27 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
Jun 01 12:02:27 localhost kernel: io scheduler mq-deadline registered
Jun 01 12:02:27 localhost kernel: io scheduler kyber registered
Jun 01 12:02:27 localhost kernel: io scheduler bfq registered
```

```
Jun 01 12:02:27 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
Jun 01 12:02:27 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Jun 01 12:02:27 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
Jun 01 12:02:27 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
Jun 01 12:02:27 localhost kernel: nvme nvme0: pci function 0000:00:04:00
Jun 01 12:02:27 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
Jun 01 12:02:27 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
Jun 01 12:02:27 localhost kernel: rtc_cmos 00:00: registered as rtc0
Jun 01 12:02:27 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-06-01T12:02:27 UTC (1780315347)
Jun 01 12:02:27 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
Jun 01 12:02:27 localhost kernel: vmclock AMZN2C10C:00: vmclock0: registered miscdev
Jun 01 12:02:27 localhost kernel: intel_pstate: CPU model not supported
Jun 01 12:02:27 localhost kernel: pstore: Registered efi as persistent store backend
Jun 01 12:02:27 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
Jun 01 12:02:27 localhost kernel: NET: Registered PF_INET6 protocol family
Jun 01 12:02:27 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
Jun 01 12:02:27 localhost kernel: nvme0n1: p1 p127 p128
Jun 01 12:02:27 localhost kernel: Freeing initrd memory: 20340K
Jun 01 12:02:27 localhost kernel: Segment Routing with IPv6
Jun 01 12:02:27 localhost kernel: In-situ OAM (IOAM) with IPv6
Jun 01 12:02:27 localhost kernel: NET: Registered PF_PACKET protocol family
Jun 01 12:02:27 localhost kernel: IPI shorthand broadcast: enabled
Jun 01 12:02:27 localhost kernel: AVX2 version of gcm_enc/dec engaged.
Jun 01 12:02:27 localhost kernel: AES CTR mode by8 optimization enabled
Jun 01 12:02:27 localhost kernel: sched_clock: Marking stable (248585137, 2891132)-->(276468852, -24992583)
Jun 01 12:02:27 localhost kernel: registered taskstats version 1
Jun 01 12:02:27 localhost kernel: Loading compiled-in X.509 certificates
Jun 01 12:02:27 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9849a1ad8476a4'
Jun 01 12:02:27 localhost kernel: zswap: loaded using pool lzo/zbud
Jun 01 12:02:27 localhost kernel: Key type .fscrypt registered
Jun 01 12:02:27 localhost kernel: Key type fscrypt-provisioning registered
Jun 01 12:02:27 localhost kernel: pstore: Using crash dump compression: deflate
Jun 01 12:02:27 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
Jun 01 12:02:27 localhost kernel: ima: Allocated hash algorithm: sha256
Jun 01 12:02:27 localhost kernel: ima: No architecture policies found
Jun 01 12:02:27 localhost kernel: clk: Disabling unused clocks
Jun 01 12:02:27 localhost kernel: Freeing unused decrypted memory: 2036K
Jun 01 12:02:27 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
Jun 01 12:02:27 localhost kernel: Write protecting the kernel read-only data: 26624K
Jun 01 12:02:27 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
Jun 01 12:02:27 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
Jun 01 12:02:27 localhost kernel: Run /init as init process
Jun 01 12:02:27 localhost kernel:   with arguments:
Jun 01 12:02:27 localhost kernel:   /init
Jun 01 12:02:27 localhost kernel:   with environment:
Jun 01 12:02:27 localhost kernel:   HOME=/
Jun 01 12:02:27 localhost kernel:   TERM=linux
Jun 01 12:02:27 localhost systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM+AUDIT+SELINUX+APPARMOR+IMA+SMACK+SECCOMP+GCRYPT+GNUTLS+OPENSSL+ACL+BLKID+CURL+ELFUTILS+FIDO2+IDN2+IDN+IPTC+KMOD+LIBCRYPTSETUP+LIBFIDOIDS+PCRE2+PQQUALITY+P11KIT+QRENCODE+TPM2+BZIP2-LZ4+XZ+ZLIB+ZSTD+BPF_FRAMEWORK+XKBCOMMON+UTMP+SYSVINIT default=hierarchy=unified)
Jun 01 12:02:27 localhost systemd[1]: Detected virtualization amazon.
Jun 01 12:02:27 localhost systemd[1]: Detected architecture x86_64.
Jun 01 12:02:27 localhost systemd[1]: Running in initrd.
Jun 01 12:02:27 localhost systemd[1]: No hostname configured, using default hostname.
Jun 01 12:02:27 localhost systemd[1]: Hostname set to <localhost>.
Jun 01 12:02:27 localhost systemd[1]: Initializing machine ID from VM UUID.
Jun 01 12:02:27 localhost systemd[1]: Queued start job for default target initrd.target.
Jun 01 12:02:27 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 12:02:27 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db68e80de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
Jun 01 12:02:27 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
Jun 01 12:02:27 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 01 12:02:27 localhost systemd[1]: Reached target paths.target - Path Units.
Jun 01 12:02:27 localhost systemd[1]: Reached target slices.target - Slice Units.
Jun 01 12:02:27 localhost systemd[1]: Reached target swap.target - Swaps.
Jun 01 12:02:27 localhost systemd[1]: Reached target timers.target - Timer Units.
Jun 01 12:02:27 localhost systemd[1]: Listening on systemd-journald-audit.socket - Journal Audit Socket.
Jun 01 12:02:27 localhost systemd[1]: Listening on systemd-journald-dev-log.socket - Journal Socket (/dev/log).
Jun 01 12:02:27 localhost systemd[1]: Listening on systemd-journald.socket - Journal Socket.
Jun 01 12:02:27 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 01 12:02:27 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 12:02:27 localhost systemd[1]: Reached target sockets.target - Socket Units.
Jun 01 12:02:27 localhost systemd[1]: kmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21.6.329.amzn2023.x86_64/modules.devname)
Jun 01 12:02:27 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 12:02:27 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 12:02:27 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 12:02:27 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
Jun 01 12:02:27 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
Jun 01 12:02:27 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
Jun 01 12:02:27 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
Jun 01 12:02:27 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
Jun 01 12:02:27 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
Jun 01 12:02:27 localhost kernel: audit: type=1130 audit(1780315347.939:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 01 12:02:27 localhost systemd-journald[346]: Journal started
Jun 01 12:02:27 localhost systemd-journald[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 12:02:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
Jun 01 12:02:27 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
Jun 01 12:02:27 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
Jun 01 12:02:27 localhost systemd[1]: Started systemd-journald.service - Journal Service.
Jun 01 12:02:27 localhost kernel: audit: type=1130 audit(1780315347.959:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 01 12:02:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 12:02:27 localhost kernel: audit: type=1130 audit(1780315347.959:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 01 12:02:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
Jun 01 12:02:27 localhost systemd-tmpfiles[358]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
Jun 01 12:02:27 localhost kernel: audit: type=1130 audit(1780315347.969:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:27 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 01 12:02:27 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost kernel: audit: type=1130 audit(1780315347.979:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost audit: BPF prog-id=6 op=LOAD
Jun 01 12:02:28 localhost audit: BPF prog-id=7 op=LOAD
Jun 01 12:02:28 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
Jun 01 12:02:28 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
Jun 01 12:02:28 localhost kernel: audit: type=1130 audit(1780315348.009:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost kernel: audit: type=1334 audit(1780315348.009:8): prog-id=6 op=LOAD
Jun 01 12:02:28 localhost kernel: audit: type=1334 audit(1780315348.009:9): prog-id=7 op=LOAD
Jun 01 12:02:28 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 12:02:28 localhost systemd-udevdev[410]: Using default interface naming scheme 'v252'.
Jun 01 12:02:28 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-udevdev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
Jun 01 12:02:28 localhost kernel: audit: type=1130 audit(1780315348.049:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-udevdev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg=unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 12:02:28 localhost systemd[1]: Reached target sysinit.target - System Initialization.
Jun 01 12:02:28 localhost systemd[1]: Reached target basic.target - Basic System.
```

```
Jun 01 12:02:28 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
Jun 01 12:02:28 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 12:02:28 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 12:02:28 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 12:02:28 localhost rngd[774]: Disabling 7: PKCS11 Entropy generator (pkcs11)
Jun 01 12:02:28 localhost rngd[774]: Disabling 5: NIST Network Entropy Beacon (nist)
Jun 01 12:02:28 localhost rngd[774]: Initializing available sources
Jun 01 12:02:28 localhost rngd[774]: [hwrng ]: Initialization Failed
Jun 01 12:02:28 localhost rngd[774]: [rdrand]: Enabling RDRAND rng support
Jun 01 12:02:28 localhost rngd[774]: [rdrand]: Initialized
Jun 01 12:02:28 localhost rngd[774]: [jitter]: JITTER timeout set to 5 sec
Jun 01 12:02:28 localhost rngd[774]: [jitter]: Initializing AES buffer
Jun 01 12:02:28 localhost systemd[1]: Found device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
Jun 01 12:02:28 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
Jun 01 12:02:28 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
Jun 01 12:02:28 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
Jun 01 12:02:28 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
Jun 01 12:02:28 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
Jun 01 12:02:28 localhost kernel: XFS (nvme0n1p1): Ending clean mount
Jun 01 12:02:28 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
Jun 01 12:02:28 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
Jun 01 12:02:28 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
Jun 01 12:02:28 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
Jun 01 12:02:28 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
Jun 01 12:02:28 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
Jun 01 12:02:28 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
Jun 01 12:02:28 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
Jun 01 12:02:28 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
Jun 01 12:02:28 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 12:02:28 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 12:02:28 localhost systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 12:02:28 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Started dracut-cmdline.service - dracut cmdline hook.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
Jun 01 12:02:28 localhost systemd[1]: system-vconsole-setup.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped system-vconsole-setup.service - Setup Virtual Console.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: rngd.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Stopped target basic.target - Basic System.
Jun 01 12:02:28 localhost systemd[1]: Stopped target paths.target - Path Units.
Jun 01 12:02:28 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 12:02:28 localhost systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 12:02:28 localhost systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 12:02:28 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 01 12:02:28 localhost systemd[1]: Stopped target swap.target - Swaps.
Jun 01 12:02:28 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 12:02:28 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 12:02:28 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
Jun 01 12:02:28 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
Jun 01 12:02:28 localhost systemd[1]: system-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 12:02:28 localhost systemd[1]: system-sysusers.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
Jun 01 12:02:28 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
Jun 01 12:02:28 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:28 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
Jun 01 12:02:28 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
Jun 01 12:02:28 localhost systemd[1]: Switching root.
Jun 01 12:02:28 localhost systemd-journal[346]: Journal stopped
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability nnp_nosuid_transition=1
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_cloexec=1
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 157.415ms.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 21.983ms.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: system 252.23-1i.ama2023 running in system mode (+PAW +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +FID02 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PNQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD -BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: bpf-lsm: LSM BPF program attached
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal zram-generator:config[817]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream references a path below legacy directory /var/run/, updating /var/run/acpid.socket -> /run/acpid.socket; please update the unit file accordingly.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
```



```
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target udevkernels.target - Local Verity Protected Volumes.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpcsec-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unmet condition check (ConditionPathExists=/etc/krb5.keytab).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-converter.service - Preprocess NFS configuration conversion...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journald.service - Journal Service.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from kernel command line...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd-journald[838]: Journal started
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd-journald[838]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD audit=4294967295 ses=4294967295 ls=selinux res=1
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
Jun 01 12:02:29 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
Jun 01 1
```

```
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd-fsck[849]: /usr/sbin/fsck.xfs: XFS file system.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-journal.service - Journal Service.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@fuse.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@fuse.service - Load Kernel Module fuse.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: nfs-convertd.service: Deactivated successfully.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished nfs-convertd.service - Preprocess NFS configuration conversion.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: system-fsck-root.service - File System Check on Root Device.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-network-generator.service - Generate network units from Kernel command line.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-remount-fs.service - Remount Root and Kernel File Systems...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: system-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-remount-fs.service - Remount Root and Kernel File Systems.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: system-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: system-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd-journal[838]: Time spent on flushing to /var/log/journal/c828de2184d5710b93d59b4fc48811fe is 103.324ms for 790 entries.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd-journal[838]: System Journal (/var/log/journal/c828de2184d5710b93d59b4fc48811fe) is 24.0M, max 811.6M, 787.5M free.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi.automount.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/run/initramfs/state).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: lldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-Aa67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: system-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathExists=/etc/machine-id).
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=6 op=UNLOAD
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udevd[1254]: Using default interface naming scheme 'v252'.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1252 (bootctl)
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd-x2dfsk.slice - Slice /system/systemd-fsck.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862A.device - /dev/disk/by-uuid/6084-862A...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 01 12:02:30 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting auditd.service - Security Auditing Service...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=var).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) v2.16.1g
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRF]
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXLSPBN:00/input/input1
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA device version: 0.10
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA controller version: 0.0.1 implementation version 1
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: 18064: PNP: P5/2 Controller [PNP0303:KBD,PNP0f13:MOU] at 0x0,0x64 irq 1,12
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: 18042: Warning: Keylock active
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: serio: 18042 KBD port at 0x60,0x64 irq 1
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: serio: 18042 AUX port at 0x60,0x64 irq 12
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: LIO is not supported fallback to host mode policy.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) found at mem 80400000, mac addr 0a:ffe4:cdf:2b:39
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal audit[1289]: SYSCALL arch=000003e syscall=44 success=yes exit=60 a0=3 a1=7fff54386e0 a2=3c a3=0 items=0 ppid=1277 pid=1289 auid=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
```

```
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: CONFIG_CHANGE op=set audit_pid=1289 old=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1289]: SYSCALL arch=c000003e syscall=44 successes=0 exit=60 a0=3 a1=7fff54384b10 a2=3c a3=0 items=0 ppid=1277 pid=1289 audit=4294967295 uid=0 gid=0 audit=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: PROCTITLE proctitle="/sbin/auditd"
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1289]: Mounted var-lib-nfs-rpc-pipfs.mount - RPC Pipe File System.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1289]: No plugins found, not dispatching events
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipfs.target.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1289]: Init complete, auditd 3.1.5 listening for events (startup state enable)
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal augenrules[1298]: /sbin/augenrules: No change
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd-resolved[1284]: Positive Trust Anchors:
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd-resolved[1284]: . IN DS 20326 8 2 e6d44b80b8f1d39a5c0b0d7c65d08458e808409bbc683457104237c7f8ec8d
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd-resolved[1284]: Negative trust anchors: home.arpa 18.in-addr.arpa 16.172.in-addr.arpa 16.172.in-addr.arpa 18.172.in-addr.arpa 18.172.in-addr.arpa 21.172.in-addr.arpa 21.172.in-addr.arpa 23.172.in-addr.arpa 23.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 38.172.in-addr.arpa d.f.ip6.arpa corp home intranet lan local private test
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: CONFIG_CHANGE audit=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule key=(null) list=1 res=1
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1354]: SYSCALL arch=c000003e syscall=44 successes=0 exit=1065 a0=3 a1=7ffd6ff0ccb0 a2=420 a3=0 items=0 ppid=1298 pid=1354 audit=4294967295 uid=0 gid=0 audit=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditctl" exe="/usr/sbin/auditctl" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: PROCTITLE proctitle="2F7362696E2F617564697463746C0002052002F6574632F61756469742F61756469742F72766C6573"
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started auditd.service - Security Auditing Service.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd-resolved[1284]: Using system hostname 'ip-172-31-123.ec2.internal'.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMp...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-resolved.service - Network Name Resolution.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1358]: SYSTEM_BOOT pid=1358 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMp.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0 ens5: renamed from eth0
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal zram_generator:config[1389]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket: ListenStream references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket; please update the unit file accordingly.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862A.device - Amazon Elastic Block Store EFI\x20System\x20Partition being skipped
.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=43 op=LOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=42 op=UNLOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=44 op=LOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=45 op=LOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=40 op=UNLOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=41 op=UNLOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=46 op=LOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=37 op=UNLOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=47 op=LOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=48 op=LOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=38 op=UNLOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd: BPF prog-id=39 op=UNLOAD
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy-routes.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty/run/initramfs/state).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: ldoconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-8a4c-41cf-b6c7-44a0b29bb8cf).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/var).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathExistsMountPoint/etc/machine-id).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: fsck.fat 4.2 (2021-01-31)
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: /dev/nvme0n1p128: 5 files, 659/5101 clusters
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Mounting boot-efi.mount - /boot/efi...
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=/sys/fs/pstore).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Mounted boot-efi.mount - /boot/efi.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started fstirm.timer - Discard unused blocks once a week.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Daemon Socket.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuild).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-8a4c-41cf-b6c7-44a0b29bb8cf).
Jun 01 12:02:31 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Rescue /run/initramfs on shutdown...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal auditd[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecdsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
```



```
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat.service - Resets System Activity Logs...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=LOAD
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=LOAD
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=LOAD
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=LOAD
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance/boot-finished'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr/r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed[1419]: Watching /home.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal ec2net[1417]: Starting configuration for ens5
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal ec2net[1425]: /lib/systemd/systemd-networkd-wait-online.ens5
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event0 (Power Button)
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event1 (Sleep Button)
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-logind[1420]: New seat seat0.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat.service - Resets System Activity Logs.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=LOAD
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal dbus-broker-lau[1442]: Ready
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: lo: Link UP
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: lo: Gained carrier
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: Enumeration completed
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Link UP
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Gained carrier
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: Local page cache is disabled for less than 16 channels
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=/etc/krb5.keytab).
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 01 12:02:32 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Gained IPv6LL
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: Got IMDSv2 token from interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/subnet-ipv4-cidr-block
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/interface-id
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for mac
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: Called trap
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCP lease lost
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal ec2net[1417]: Reloaded networkd
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv6 lease lost
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPV4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal cloud-init[1530]: Cloud-init v. 22.2.2 running 'init' at Mon, 01 Jun 2026 12:02:33 +0000. Up 6.59 seconds.
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal cloud-init[1530]: ci-info: ++++++Net device info+++++
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal cloud-init[1530]: ci-info:


|                            | Device | Up   | Address                       | Mask          | Scope  | Hw-Address        |
|----------------------------|--------|------|-------------------------------|---------------|--------|-------------------|
| cloud-init[1530]: ci-info: | ens5   | True | 172.31.31.123                 | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
| cloud-init[1530]: ci-info: | ens5   | True | fe80::8ffe:e4:ff:fedf:2b39/64 | .             | link   | 0a:ff:e4:df:2b:39 |
| cloud-init[1530]: ci-info: | lo     | True | 127.0.0.1                     | 255.0.0.0     | host   | .                 |
| cloud-init[1530]: ci-info: | lo     | True | ::1/128                       | .             | host   | .                 |


Jun 01 12:02:33 ip-172-31-31-123.ec2.internal cloud-init[1530]: ci-info: ++++++Route IPv4 info+++++
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal cloud-init[1530]: ci-info:


|                            | Route | Destination | Gateway     | Genmask         | Interface | Flags |
|----------------------------|-------|-------------|-------------|-----------------|-----------|-------|
| cloud-init[1530]: ci-info: | 0     | 0.0.0.0     | 172.31.16.1 | 0.0.0.0         | ens5      | UG    |
| cloud-init[1530]: ci-info: | 1     | 172.31.0.2  | 172.31.16.1 | 255.255.255.255 | ens5      | UGH   |
| cloud-init[1530]: ci-info: | 2     | 172.31.16.0 | 0.0.0.0     | 255.255.240.0   | ens5      | U     |
| cloud-init[1530]: ci-info: | 3     | 172.31.16.1 | 0.0.0.0     | 255.255.255.255 | ens5      | UH    |


Jun 01 12:02:33 ip-172-31-31-123.ec2.internal cloud-init[1530]: ci-info: ++++++Route IPv6 info+++++
Jun 01 12:02:33 ip-172-31-31-123.ec2.internal cloud-init[1530]: ci-info:


|                            | Route | Destination | Gateway | Interface | Flags |
|----------------------------|-------|-------------|---------|-----------|-------|
| cloud-init[1530]: ci-info: | 0     | fe80::/64   | ::      | ens5      | U     |
| cloud-init[1530]: ci-info: | 2     | local       | ::      | ens5      | U     |
| cloud-init[1530]: ci-info: | 3     | multicast   | ::      | ens5      | U     |


Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting rps-stad-notify.service - Notify rps peers of a restart...
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal sm-notify[1567]: Version 2.5.4 starting
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal sshd[1569]: Server listening on 0.0.0.0 port 22.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal sshd[1569]: Server listening on :: port 22.
```

```
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: Initializing new seelog logger
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: New Seelog Logger Creation Complete
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:34.8388 INFO Proxy environment variables:
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal nginx[1571]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal nginx[1571]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: chorny-config.service: Deactivated successfully.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:34.8397 INFO https proxy:
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Finished chorny-config.service - Configures optimal endpoints for the chorny NTP client in AWS.
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chorny-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chorny-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Starting chornyd.service - NTP client/server...
Jun 01 12:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:34.8397 INFO https proxy:
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:34.8398 INFO no proxy:
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal cloud-init[1605]: Cloud-init v. 22.2.2 running 'modules:config' at Mon, 01 Jun 2026 12:02:35 +0000. Up 7.75 seconds.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal chornyd[1607]: chornyd version 4.3 starting (+CMDMON +NTP +REFCLOCK +RTC +PRIVDROP +SCFILTER +SIGND +ASYNCDNS +NTS +SECHASH +IPV6 +DEBUG)
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal chornyd[1607]: Frequency -0.558 +/- 0.280 ppm read from /var/lib/chorny/drift
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal chornyd[1607]: Loaded seccomp filter (level 2)
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Started chornyd.service - NTP client/server.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=chornyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:34.8398 INFO Checking if agent identity type OnPrem can be assumed
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:34.8399 INFO Checking if agent identity type EC2 can be assumed
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hbininit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Started hbininit-agent.service - Initial hibernation setup job.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.0979 INFO Agent will take identity from EC2
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.0991 INFO Telemetry initialized
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal hbininit-agent[1612]: Effective config: {'log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/lib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon {swapfile}', 'swaponoff': 'swaponoff {swapfile}'}
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal hbininit-agent[1612]: Requesting new IMDSv2 token.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal hbininit-agent[1612]: Instance Launch has not enabled Hibernation Configured Flag. hbininit-agent exiting!!
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal systemd[1]: hbininit-agent.service: Deactivated successfully.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.0999 INFO [amazon-ssm-agent] - v3.3.4.108.0
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal cloud-init[1617]: Cloud-init v. 22.2.2 running 'modules:final' at Mon, 01 Jun 2026 12:02:35 +0000. Up 8.32 seconds.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.0999 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal cloud-init[1617]: Cloud-init v. 22.2.2 finished at Mon, 01 Jun 2026 12:02:35 +0000. DataSource DataSourceEc2. Up 8.42 seconds
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.0999 INFO [amazon-ssm-agent] Starting Core Agent
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1000 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1000 INFO [Registrar] Starting registrar module
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1042 INFO [EC2Identity] Checking disk for registration info
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1056 INFO [EC2Identity] Registration info found for ec2 instance
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1056 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1057 INFO [CredentialRefresher] CredentialRefresher has started
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1057 INFO [CredentialRefresher] Starting credentials refresher loop
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.1083 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Error: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.4803 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: status code: 400, request id: e48f7551-9233-4b22-ad96-1ea9311eda3a
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.4804 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrieved for ec2 identity. Default Host Management Error: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: status code: 400, request id: e48f7551-9233-4b22-ad96-1ea9311eda3a
Jun 01 12:02:35 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.4804 INFO [CredentialRefresher] Sleeping for 27m28s before retrying retrieve credentials
Jun 01 12:02:37 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:02:35.4806 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid credentials could be retrieved for ec2 identity. Default Host Management Error: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 01 12:02:37 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: status code: 400, request id: e48f7551-9233-4b22-ad96-1ea9311eda3a</error>
Jun 01 12:02:37 ip-172-31-31-123.ec2.internal chornyd[1607]: Selected source 169.254.169.123
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 1.074s CPU time.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal audit[1639]: SYSTEM_RUNLEVEL pid=1639 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='old-level=N new-level=5 comm="systemd" d=update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp-runlevel.service: Deactivated successfully.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP.
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:02:40 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 529ms (firmware) + 909ms (loader) + 410ms (kernel) + 1.174s (initrd) + 11.576s (userspace) = 14.599s.
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh-x2dpolicy-x2dpolicy.slice - Slice /system/refresh-policy-routes.
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: Starting configuration refresh for ens5
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: [get_meta] Querying IMDS for mac
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: [get_meta] Querying IMDS for mac
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: [get_meta] Querying IMDS for mac
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: [get_meta] Querying IMDS for mac
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: Called trap
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal ec2net[1640]: No network reload needed
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:03:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2net[1688]: Starting configuration refresh for ens5
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2net[1688]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2net[1688]: [get_meta] Querying IMDS for mac
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2net[1688]: [get_meta] Querying IMDS for mac
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2net[1688]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2net[1688]: [get_meta] Querying IMDS for mac
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2net[1688]: [get_meta] Querying IMDS for mac
```

Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2Net[1688]: [get_meta] Querying IMDS for network/interfaces/macros/0a:ffe4:df:2b:39/local-ipv4s
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2Net[1688]: Called trap
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal ec2Net[1688]: No networkd reload needed
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd d=exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:05:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd e=exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:05:31 ip-172-31-31-123.ec2.internal audit[1737]: CRYPTO_KEY_USER pid=1737 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1737 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 12:05:31 ip-172-31-31-123.ec2.internal audit[1736]: CRYPTO_SESSION pid=1736 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-s erver cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1737 suid=74 rport=50049 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t ermal=? res=success'
Jun 01 12:05:31 ip-172-31-31-123.ec2.internal audit[1736]: CRYPTO_SESSION pid=1736 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-c lient cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1737 suid=74 rport=50049 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t ermal=? res=success'
Jun 01 12:05:37 ip-172-31-31-123.ec2.internal audit[1736]: CRYPTO_KEY_USER pid=1736 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1737 suid=74 rport=50049 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 12:05:37 ip-172-31-31-123.ec2.internal audit[1736]: Connection closed by authenticating user ec2-user 61.2.141.177 port 50049 [preauth]
Jun 01 12:05:37 ip-172-31-31-123.ec2.internal audit[1736]: CRYPTO_KEY_USER pid=1736 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1737 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succe ss'
Jun 01 12:05:37 ip-172-31-31-123.ec2.internal audit[1736]: USER_ERR pid=1736 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_ident grantors=? acc t=?? exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=failed'
Jun 01 12:05:37 ip-172-31-31-123.ec2.internal audit[1736]: CRYPTO_KEY_USER pid=1736 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1736 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success s'
Jun 01 12:05:37 ip-172-31-31-123.ec2.internal audit[1736]: USER_LOGIN pid=1736 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="ec2-user" exe= "/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=ssh res=failed'
Jun 01 12:05:46 ip-172-31-31-123.ec2.internal audit[1739]: CRYPTO_KEY_USER pid=1739 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1739 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success s'
Jun 01 12:05:46 ip-172-31-31-123.ec2.internal audit[1738]: CRYPTO_SESSION pid=1738 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-s erver cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1739 suid=74 rport=50050 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t ermal=? res=success'
Jun 01 12:05:46 ip-172-31-31-123.ec2.internal audit[1738]: CRYPTO_SESSION pid=1738 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-c lient cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1739 suid=74 rport=50050 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t ermal=? res=success'
Jun 01 12:05:48 ip-172-31-31-123.ec2.internal audit[1738]: CRYPTO_KEY_USER pid=1738 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1739 suid=74 rport=50050 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 12:05:48 ip-172-31-31-123.ec2.internal audit[1738]: Connection closed by authenticating user ec2-user 61.2.141.177 port 50050 [preauth]
Jun 01 12:05:48 ip-172-31-31-123.ec2.internal audit[1738]: CRYPTO_KEY_USER pid=1738 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1739 suid=74 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succe ss'
Jun 01 12:05:48 ip-172-31-31-123.ec2.internal audit[1738]: USER_ERR pid=1738 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:bad_ident grantors=? acc t=?? exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=failed'
Jun 01 12:05:48 ip-172-31-31-123.ec2.internal audit[1738]: CRYPTO_KEY_USER pid=1738 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1738 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success s'
Jun 01 12:05:48 ip-172-31-31-123.ec2.internal audit[1738]: USER_LOGIN pid=1738 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login acct="ec2-user" exe= "/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=ssh res=failed'
Jun 01 12:06:09 ip-172-31-31-123.ec2.internal audit[1741]: CRYPTO_KEY_USER pid=1741 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f p=SHA256:22:c6:da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1741 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success s'
Jun 01 12:06:09 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_SESSION pid=1740 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-s erver cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1741 suid=74 rport=50055 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t ermal=? res=success'
Jun 01 12:06:09 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_SESSION pid=1740 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-c lient cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1741 suid=74 rport=50055 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t ermal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: USER_AUTH pid=1740 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=pubkey_auth grantors=auth-k ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_KEY_USER pid=1740 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=negotiate kind=auth-k ey fp=SHA256:c9:af:5b:db:f4:44:fd:61a2:c1:6d:93:2e:84:0a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:cce:80b:b7:1d exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: USER_ACCT pid=1740 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam_env _pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: Accepted publickey for ec2-user from 61.2.141.177 port 50055 ssh2: RSA SHA256:ya9b2PRE/WGiww2TLQKbW/zgXJJQjh5JSF6tXt0
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_KEY_USER pid=1740 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session fpe? direction=both spid=1741 suid=74 rport=50055 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: CRED_ACQ pid=1740 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env _pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: USER_ROLE pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=pam: default-context=unconfined_u:unco nfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager..
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-userdbd comm=systemd exe="/us r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000..
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal systemd[1]: New session 1 of user ec2-user.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000..
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm=systemd ex e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1]: Starting user@1000.service - User Manager for UID 1000..
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: USER_ACCT pid=1748 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:accounting grantors=pam_unix acct=" ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: CRED_ACQ pid=1748 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:setcred grantors=? acct="ec2-user" e xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=failed'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: USER_ROLE_CHANGE pid=1748 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=pam: default-context=unconfined_u:u ncounfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: USER_START pid=1748 uid=0 auid=1000 ses=2 subj=system_u:system_r:init_t:s0 msg=op=PAM:session open grantors=pam_selinux,pam _loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Queued start job for default target default.target.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Created slice app.slice - User Application Slice.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Reached target paths.target - Paths.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Reached target timers.target - Timers.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Starting dbus.socket - D-Bus User Message Bus Socket..
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories..
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm=systemd exe="/usr/lib/ systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Listening on dbus.socket - D-Bus User Message Bus Socket.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Reached target sockets.target - Sockets.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Reached target basic.target - Basic System.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Reached target grub.target - Main User Target.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1748]: Startup finished in 127ms.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000..
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1]: Started session-1.scope - Session 1 of User ec2-user.
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1740]: USER_START pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:session open grantors=pam_selinux, pam _loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 t erminal=ssh res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1757]: CRYPTO_KEY_USER pid=1757 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fpe=SHA256:22:c6: da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1757 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:11 ip-172-31-31-123.ec2.internal audit[1757]: CRED_ACQ pid=1757 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=" ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit[1740]: USER_LOGIN pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit[1740]: USER_START pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_KEY_USER pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fpe=SHA256:22:c6: da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bf:54:a2:9a:f2:a5:fe direction=? spid=1758 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=LOAD
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=LOAD
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=LOAD
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service..
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm=systemd exe="/ us r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-hostnamed.service - Hostname Service.
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5..
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal audit[1]: systemd-hostnamed.service: Deactivated successfully.
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal ec2Net[1783]: Starting configuration refresh for ens5
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal ec2Net[1783]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal ec2Net[1783]: [get_meta] Querying IMDS for mac
Jun 01 12:06:12 ip-172-31-31-123.ec2.internal ec2Net[1783]: [get_meta] Querying IMDS for mac


```

Jun 01 12:06:42 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal ec2net[1783]: Using existing cffile /run/systemd/network/70-ens5.network
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal ec2net[1783]: [get_meta] Querying IMDS for mac
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal ec2net[1783]: [get_meta] Querying IMDS for mac
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal ec2net[1783]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal ec2net[1783]: Called trap
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal ec2net[1783]: No networkd reload needed
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal system[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=62 op=UNLOAD
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=61 op=UNLOAD
Jun 01 12:06:42 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=60 op=UNLOAD
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal system[1748]: Starting grub-boot-success.service - Mark boot as successful...
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal system[1748]: Finished grub-boot-success.service - Mark boot as successful.
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: Starting configuration refresh for ens5
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: [get_meta] Querying IMDS for mac
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: [get_meta] Querying IMDS for mac
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: [get_meta] Querying IMDS for mac
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: Called trap
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal ec2net[1841]: No networkd reload needed
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal system[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:08:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal system[1]: Starting sysstat-collect.service - system activity accounting tool...
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal system[1]: sysstat-collect.service: Deactivated successfully.
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: Starting configuration refresh for ens5
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: [get_meta] Querying IMDS for mac
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat-collect comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal system[1]: Finished sysstat-collect.service - system activity accounting tool.
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: [get_meta] Querying IMDS for mac
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: Using existing cffile /run/systemd/network/70-ens5.network
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: [get_meta] Querying IMDS for mac
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: [get_meta] Querying IMDS for mac
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: Called trap
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal ec2net[1892]: No networkd reload needed
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal system[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:10:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:11:26 ip-172-31-31-123.ec2.internal system[1748]: Created slice background.slice - User Background Tasks Slice.
Jun 01 12:11:26 ip-172-31-31-123.ec2.internal system[1748]: Starting systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
Jun 01 12:11:26 ip-172-31-31-123.ec2.internal system[1748]: Finished systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories.
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal audit[1963]: USER_ACCT pid=1963 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_system,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal audit[1963]: CRED_REFR pid=1963 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal audit[1963]: USER_START pid=1963 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_system,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal sudo[1963]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal ec2net[1965]: Starting configuration refresh for ens5
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal ec2net[1965]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal ec2net[1965]: [get_meta] Querying IMDS for mac
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal ec2net[1965]: [get_meta] Querying IMDS for mac
Jun 01 12:11:44 ip-172-31-31-123.ec2.internal ec2net[1965]: Using existing cffile /run/systemd/network/70-ens5.network
Jun 01 12:11
```

```
Jun 01 12:17:22 ip-172-31-31-123.ec2.internal audit[21]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-clean comm=""systemd' e
" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[2127]: USER_ACCT pid=2172 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal sudo[2172]: ec2-user : TTY=pts/0 ; PWD=/home/ec2-user/backend-app ; USER=root ; COMMAND=/usr/sbin/nginx -t
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[2172]: USER_CMD pid=2172 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd="/home/ec2-user/backend-a
pp" cmd="nginx" exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[2172]: CRED_REFR pid=2172 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[2172]: USER_START pid=2172 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal sudo[2172]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[2172]: USER_END pid=2172 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[2172]: CRED_DISP pid=2172 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal sudo[2172]: pam_unix(sudo:session): session closed for user root
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal system[1]: Starting systemd-tmpfiles-clean.service - Cleanup of Temporary Directories...
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal system[1]: systemd-tmpfiles-clean.service: Deactivated successfully.
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal system[1]: Finished systemd-tmpfiles-clean.service - Cleanup of Temporary Directories.
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-clean comm=""systemd' e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-clean comm=""systemd' ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:17:46 ip-172-31-31-123.ec2.internal system[1]: run-credentials-systemd\x2dtmpfiles\x2dclean.service.mount: Deactivated successfully.
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: Starting configuration refresh for ens5
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: [get_meta] Querying IMDS for mac
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: [get_meta] Querying IMDS for mac
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: [get_meta] Querying IMDS for mac
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: [get_meta] Querying IMDS for mac
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: [get_meta] Querying IMDS for network/interfaces/macsf8a:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: Called trap
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal ec2net[2178]: No network reload needed
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""system
d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:18:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""system
d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal system[1]: Starting sysstat-collect.service - system activity accounting tool...
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal system[1]: sysstat-collect.service: Deactivated successfully.
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: Starting configuration refresh for ens5
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: [get_meta] Querying IMDS for mac
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: [get_meta] Querying IMDS for mac
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: [get_meta] Querying IMDS for mac
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: [get_meta] Querying IMDS for network/interfaces/macsf8a:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: Called trap
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal ec2net[2228]: No network reload needed
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal system[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal system[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""system
d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:20:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm=""system
d' exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:21:29 ip-172-31-31-123.ec2.internal audit[2277]: USER_ACCT pid=2277 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:21:29 ip-172-31-31-123.ec2.internal sudo[2277]: ec2-user : TTY=pts/0 ; PWD=/home/ec2-user/backend-app ; USER=root ; COMMAND=/usr/bin/systemctl
pp" cmd="systemctl" exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 01 12:21:29 ip-172-31-31-123.ec2.internal audit[2277]: CRED_REFR pid=2277 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:21:29 ip-172-31-31-123.ec2.internal system[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:21:29 ip-172-31-31-123.ec2.internal audit[2277]: USER_START pid=2277 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:21:29 ip-172-31-31-123.ec2.internal sudo[2277]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 
```

```

Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: [get_meta] Querying IMDS for mac
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: [get_meta] Querying IMDS for mac
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: [get_meta] Querying IMDS for mac
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: [get_meta] Querying IMDS for mac
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: Called trap
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal ec2net[2396]: No network reload needed
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
Jun 01 12:24:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: Starting configuration refresh for ens5
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: [get_meta] Querying IMDS for mac
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: [get_meta] Querying IMDS for mac
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: [get_meta] Querying IMDS for mac
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: [get_meta] Querying IMDS for mac
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: Called trap
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal ec2net[2446]: No network reload needed
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
Jun 01 12:26:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: Starting configuration refresh for ens5
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: [get_meta] Querying IMDS for mac
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: [get_meta] Querying IMDS for mac
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: [get_meta] Querying IMDS for mac
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: [get_meta] Querying IMDS for mac
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: Called trap
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal ec2net[2497]: No network reload needed
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
Jun 01 12:28:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe=/usr/lib/systemd/systemd hostname=? addr=? terminal=? res=success
Jun 01 12:29:16 ip-172-31-31-123.ec2.internal sudo[2394]: pam_unix(sudo:session): session closed for user root
Jun 01 12:29:16 ip-172-31-31-123.ec2.internal audit[2394]: USER_END pid=2394 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:16 ip-172-31-31-123.ec2.internal audit[2394]: CRED_DISP pid=2394 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: USER_ACCT pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam_unix acct=ec2-user exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: USER_CMD pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd=/home/ec2-user/backend-app ; PPID=/home/ec2-user/backend-app ; USER=root ; COMMAND=/usr/bin/nginx -t
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: USER_CMD pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd=/home/ec2-user/backend-app ; PPID=/home/ec2-user/backend-app ; USER=root ; COMMAND=/usr/bin/nginx -t
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: CRED_REFR pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal sudo[2547]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: USER_START pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: USER_CMD pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: CRED_DISP pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal audit[2547]: CRED_DISP pid=2547 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success
Jun 01 12:29:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:29:35 ip-1
```



```
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal sudo[2707]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal audit[2707]: USER_START pid=2707 uid=0 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor
s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal nginx[2716]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal sudo[2707]: pam_unix(sudo:session): session closed for user root
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal audit[2707]: USER_END pid=2707 uid=0 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors
=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:33:09 ip-172-31-31-123.ec2.internal audit[2707]: CRED_DISP pid=2707 uid=0 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_
env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:33:18 ip-172-31-31-123.ec2.internal audit[2719]: AVC avc: denied { name_connect } for pid=2719 comm="nginx" dest=8000 scontext=system_u:system_r:httpd_t:s0 tcontext=system_u:object_r
:soundd_port_t:s0 tclass=socket_permisive=1
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal audit[1740]: USER_END pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostname
e=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal audit[1740]: USER_LOGOUT pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:ssh_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostn
ame=? addr=? terminal=/dev/pts/0 res=success'
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal sshd[1757]: Received disconnect from 61.2.141.177 port 50055:11: disconnected by user
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_KEY_USER pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:ssh_t:s0-s0:c0.c1023 msg='op=destroy kind=session fp=? direction=
both spid=1757 uid=1000 rport=50055 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_KEY_USER pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:ssh_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:78:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:65:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1740 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal audit[1740]: USER_END pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:ssh_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_selinu
x,pam_loginuid,pam_selinu
x,pam_namepass,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal audit[1740]: CRED_DISP pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:ssh_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct
="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal sshd[1757]: Disconnected from user ec2-user port 50055
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1740]: CRYPTO_KEY_USER pid=1740 uid=0 auid=1000 ses=1 subj=system_u:system_r:ssh_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:
da:28:7a:b3:78:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:65:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1740 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal sshd[1740]: pam_unix(sshd:session): session closed for user ec2-user
Jun 01 12:33:29 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Session 1 logged out. Waiting for processes to exit.
Jun 01 12:33:42 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Power key pressed short.
Jun 01 12:33:42 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Powering off...
Jun 01 12:33:42 ip-172-31-31-123.ec2.internal systemd-logind[1420]: System is powering down.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Starting session-1.scope - Session 1 of User ec2-user...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: Starting configuration refresh for ens5
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: [get_meta] Querying IMDS for mac
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-modprobe.slice - Slice /system/modprobe.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: [get_meta] Querying IMDS for mac
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: [get_meta] Querying IMDS for mac
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-sshdv2keygen.slice - Slice /system/ssh-keygen.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc.pipefs.target.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: fsrmim.timer: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fsrmim.timer - Discard unused blocks once a week.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: systemd-mpfiles-clean.timer: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-mpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/local-ipv4s
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: Called trap
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal ec2net[2728]: No networkd reload needed
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:33:43.1426 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x564af2df1900
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:33:43.1428 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:33:43.1428 INFO [amazon-ssm-agent] Stopping Core Agent
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal chronyd[1687]: chronyd exiting
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policyv2drouates.slice - Slice /system/policy-routes.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Starting serial-getty@ttyS0.service - Serial Getty on ttyS0...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal sshd[1569]: Received signal 15: terminating.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1569]: CRYPTO_KEY_USER pid=1569 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:ssh_t:s0-s0:c0.c1023 msg='op=destroy kind=server f
p=SHA256:22:c6:da:28:7a:b3:78:c2:ee:39:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:65:c9:bf:bf:54:a2:9a:f2:a5:f6 direction=? spid=1569 uid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/sys
temd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd
/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
```

```
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronydc comm="systemd" exe="/usr/lib/syste
nd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=55 op=UNLOAD
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipes.mount: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipes.mount - RPC Pipe File System.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:43 ip-172-31-31-123.ec2.internal systemd[1]: systemd-random-seed.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-random-seed.service - Load/Save Random Seed.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped session-1.scope - Session 1 of User ec2-user.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: session-1.scope: Consumed 1.658s CPU time.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh\x2dpolicy\x2droutes.slice - Slice /system/refresh-policy-routes.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: system-refresh\x2dpolicy\x2droutes.slice: Consumed 1.996s CPU time.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-logind.service - User Login Management...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-logind[1420]: Removed session 1.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Activating special unit exit.target...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Removed slice background.slice - User Background Tasks Slice.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped target default.target - Main User Target.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped target basic.target - Basic System.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped target paths.target - Paths.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped target sockets.target - Sockets.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped target timers.target - Timers.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Closed dbus.socket - D-Bus User Message Bus Socket.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Removed slice app.slice - User Application Slice.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Reached target shutdown.target - Shutdown.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Finished systemd-exit.service - Exit the Session.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1748]: Reached target exit.target - Exit the Session.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user@1000 comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: system-logind.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-logind.service - User Login Management.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=58 op=UNLOAD
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-user-sessions.service - Permit User Sessions...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-user-1000.mount - /run/user/1000.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: system-user-sessions.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-user-sessions.service - Permit User Sessions.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=user-runtime-dir@1000 comm="systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: user-1000.slice: Consumed 1.856s CPU time.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-homed-activate.service - Home Area Activation...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: system-homed-activate.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-homed-activate.service - Home Area Activation.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-homed.service - Home Area Manager...
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: system-homed.service: Deactivated successfully.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-homed.service - Home Area Manager.
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:44 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=49 op=UNLOAD
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:33:50.1489 INFO [CredentialRefresher] Sending credential refresher stop signal
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:33:50.1490 INFO [Registrar] Registrar is already stopped
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:33:50.1491 INFO [amazon-ssm-agent] Bye.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1563]: 2026-06-01 12:33:50.1491 INFO [CredentialRefresher] Stopping credentials refresher
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service - amazon-ssm-agent.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd-wait-online.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-networkd-wait-online.service - Wait for Network to be Configured.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="syste
md" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopping system-networkd.service - Network Configuration...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCP lease lost
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd-networkd[1444]: ens5: DHCPv6 lease lost
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-networkd.service - Network Configuration.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-pre.target - Preparation for Network.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: cloud-init-local.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=56 op=UNLOAD
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: user.slice: Consumed 1.856s CPU time.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon Listen Socket.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd.socket: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Closed system-networkd.socket - Network Service Netlink Socket.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=57 op=UNLOAD
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd"
exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: system-network-generator.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-network-generator.service - Generate network units from Kernel command line.
```

```
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integrity.target - Local Integrity Protected Volumes.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target proc-sys-fs-binfmt.misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-wall.path: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=53 op=UNLOAD
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integrity.target - Local Integrity Protected Volumes.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-update.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-boot-update.service - Automatic Boot Loader Update.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-resolved.service - Network Name Resolution...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-resolved.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[2797]: SYSTEM_SHUTDOWN pid=2797 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-resolved.service - Network Name Resolution.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-coredump.socket - Process Core Dump Socket.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=43 op=UNLOAD
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopping auditd.service - Security Auditing Service...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal auditd[1289]: The audit daemon is exiting.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: CONFIG_CHANGE op=set audit_pid=0 old=1289 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: auditd.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 125 callbacks suppressed
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal kernel: audit: type=1385 audit(1789317238.857:395): op=set audit_pid=0 old=1289 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1789317238.897:396): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1789317238.897:397): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? res=success'
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting boot-efi.mount - /boot/efi...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddevel.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting tmp.mount - Temporary Directory /tmp...
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd-tmpfiles-setup.service: no mount point specified.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Mount process exited, code=exited, status=32/n/a
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddevel.service.mount: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddevel.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Deactivated successfully.
Jun 01 12:33:50 ip-172-31-31-123.ec2.internal systemd[1]: Unset
```



```
Jun 02 05:37:44 localhost kernel: BIOS-e820: [mem 0x0000000001000000-0x00000000390cdfff] usable
Jun 02 05:37:44 localhost kernel: BIOS-e820: [mem 0x00000000390ce000-0x000000003934dfff] reserved
Jun 02 05:37:44 localhost kernel: BIOS-e820: [mem 0x000000003934e000-0x000000003935dfff] ACPI data
Jun 02 05:37:44 localhost kernel: BIOS-e820: [mem 0x000000003935e000-0x000000003936dfff] ACPI NVS
Jun 02 05:37:44 localhost kernel: BIOS-e820: [mem 0x000000003936e000-0x000000003937bfff] usable
Jun 02 05:37:44 localhost kernel: BIOS-e820: [mem 0x000000003937c000-0x000000003938dfff] reserved
Jun 02 05:37:44 localhost kernel: NX (Execute Disable) protection: active
Jun 02 05:37:44 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 02 05:37:44 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 02 05:37:44 localhost kernel: extended physical RAM map:
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x0000000000009ffff] usable
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x0000000000100000-0x00000000372be017] usable
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x00000000372be018-0x00000000372c6e57] usable
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x00000000372c6e58-0x00000000390cdfff] usable
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x00000000390ce000-0x000000003934dfff] reserved
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x000000003934e000-0x000000003935dfff] ACPI data
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x000000003935e000-0x000000003936dfff] ACPI NVS
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x000000003936e000-0x000000003937bfff] usable
Jun 02 05:37:44 localhost kernel: reserve setup_data: [mem 0x000000003937c000-0x000000003938dfff] reserved
Jun 02 05:37:44 localhost kernel: efi: EFI v2.70 by EDK II
Jun 02 05:37:44 localhost kernel: efi: SMBIOS-0x3926a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x374a7a98
Jun 02 05:37:44 localhost kernel: SMBIOS 2.7 present.
Jun 02 05:37:44 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
Jun 02 05:37:44 localhost kernel: Hypervisor detected: KVM
Jun 02 05:37:44 localhost kernel: kvm-clock: Using msrs 4b564d01 and 4b564d00
Jun 02 05:37:44 localhost kernel: kvm-clock: using sched offset of 1642804373 cycles
Jun 02 05:37:44 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
Jun 02 05:37:44 localhost kernel: tsc: Detected 2499.996 MHz processor
Jun 02 05:37:44 localhost kernel: e820: update [mem 0x00000000-0x00000000] usable ==> reserved
Jun 02 05:37:44 localhost kernel: e820: remove [mem 0x00000000-0x00000000] usable
Jun 02 05:37:44 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x400000000
Jun 02 05:37:44 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
Jun 02 05:37:44 localhost kernel: Using GB pages for direct mapping
Jun 02 05:37:44 localhost kernel: Secure boot disabled
Jun 02 05:37:44 localhost kernel: RAMDISK: [mem 0x32885000-0x33c61fff]
Jun 02 05:37:44 localhost kernel: ACPI: Early table checksum verification disabled
Jun 02 05:37:44 localhost kernel: ACPI: RSDP 0x00000000039350b14 000024 (v02 AMAZON)
Jun 02 05:37:44 localhost kernel: ACPI: XSDT 0x0000000039350b58 000060 (v01 AMAZON AMZNACFP 00000001 01000013)
Jun 02 05:37:44 localhost kernel: ACPI: FACP 0x0000000039355000 000114 (v01 AMAZON AMZNACFP 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: DSDT 0x0000000039356000 00115A (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: FACS 0x00000000393D0000 000040
Jun 02 05:37:44 localhost kernel: ACPI: WAET 0x000000003935B000 000028 (v01 AMAZON AMZNWAET 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: SLIT 0x000000003935A000 00006C (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: APIC 0x0000000039359000 000076 (v01 AMAZON AMZNAPIC 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: SRAT 0x0000000039358000 0000A8 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: HPET 0x0000000039354000 000038 (v01 AMAZON AMZNHPET 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: SSDT 0x0000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: SSDT 0x0000000039352000 0000D1 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 02 05:37:44 localhost kernel: ACPI: BGRT 0x0000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
Jun 02 05:37:44 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393d0000-0x393d003f]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x3935b000-0x3935b027]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39353000-0x39353758]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520d0]
Jun 02 05:37:44 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
Jun 02 05:37:44 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
Jun 02 05:37:44 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
Jun 02 05:37:44 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3ffffff]
Jun 02 05:37:44 localhost kernel: NUMA: initialized distance table, cnt=1
Jun 02 05:37:44 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
Jun 02 05:37:44 localhost kernel: Zone ranges:
Jun 02 05:37:44 localhost kernel: DMA [mem 0x0000000000001000-0x000000000ffffff]
Jun 02 05:37:44 localhost kernel: DMA32 [mem 0x0000000001000000-0x000000003d37bfff]
Jun 02 05:37:44 localhost kernel: Normal empty
Jun 02 05:37:44 localhost kernel: Device empty
Jun 02 05:37:44 localhost kernel: Movable zone start for each node
Jun 02 05:37:44 localhost kernel: Early memory node ranges
Jun 02 05:37:44 localhost kernel: node 0: [mem 0x0000000000010000-0x000000000009ffff]
Jun 02 05:37:44 localhost kernel: node 0: [mem 0x0000000000100000-0x0000000000390cdfff]
Jun 02 05:37:44 localhost kernel: node 0: [mem 0x00000000393de000-0x000000003d37bfff]
Jun 02 05:37:44 localhost kernel: Initmem setup node 0 [mem 0x0000000000010000-0x000000003d37bfff]
Jun 02 05:37:44 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
Jun 02 05:37:44 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
Jun 02 05:37:44 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
Jun 02 05:37:44 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
Jun 02 05:37:44 localhost kernel: ACPI: PM-Timer IO Port: 0xb008
Jun 02 05:37:44 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xff] dfl dfl lint[0x1])
Jun 02 05:37:44 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
Jun 02 05:37:44 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
Jun 02 05:37:44 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
Jun 02 05:37:44 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
Jun 02 05:37:44 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
Jun 02 05:37:44 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
Jun 02 05:37:44 localhost kernel: ACPI: HPET id: 0x0086a201 base: 0xfed00000
Jun 02 05:37:44 localhost kernel: TSC deadline timer available
Jun 02 05:37:44 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
Jun 02 05:37:44 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x00000fff]
Jun 02 05:37:44 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x000fffff]
Jun 02 05:37:44 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x390ce000-0x393ddfff]
Jun 02 05:37:44 localhost kernel: [mem 0x3d400000-0xfffffff] available for PCI devices
Jun 02 05:37:44 localhost kernel: Booting paravirtualized kernel on KVM
Jun 02 05:37:44 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
Jun 02 05:37:44 localhost kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_cpu_ids:2 nr_node_ids:1
Jun 02 05:37:44 localhost kernel: percpu: Embedded 60 pages/cpu s208896 r8192 d28672 u1048576
Jun 02 05:37:44 localhost kernel: pcpu-alloc: s208896 r8192 d28672 u1048576 alloc=1*2097152
Jun 02 05:37:44 localhost kernel: pcpu-alloc: [0] 0 1
Jun 02 05:37:44 localhost kernel: kvm-guest: PV spinlocks enabled
Jun 02 05:37:44 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
Jun 02 05:37:44 localhost kernel: fallback order for Node 0: 0
Jun 02 05:37:44 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
Jun 02 05:37:44 localhost kernel: Policy zone: DMA32
Jun 02 05:37:44 localhost kernel: Kernel command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-a78-b0680de4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 02 05:37:44 localhost kernel: random: crng init done
Jun 02 05:37:44 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Jun 02 05:37:44 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Jun 02 05:37:44 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
Jun 02 05:37:44 localhost kernel: Memory: 21165K/999468K available (14347K kernel code, 9305K rwdata, 8964K rodata, 2456K init, 6356K bss, 133544K reserved, 0K cma-reserved)
Jun 02 05:37:44 localhost kernel: SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
Jun 02 05:37:44 localhost kernel: Kernel/User page tables isolation: enabled
Jun 02 05:37:44 localhost kernel: ftrace: allocating 42099 entries in 165 pages
Jun 02 05:37:44 localhost kernel: ftrace: allocated 165 pages with 4 groups
Jun 02 05:37:44 localhost kernel: Dynamic Preempt: none
Jun 02 05:37:44 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
Jun 02 05:37:44 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
Jun 02 05:37:44 localhost kernel: rcu: Trampoline variant of Tasks RCU enabled.
Jun 02 05:37:44 localhost kernel: Rude variant of Tasks RCU enabled.
Jun 02 05:37:44 localhost kernel: Tracing variant of Tasks RCU enabled.
Jun 02 05:37:44 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
Jun 02 05:37:44 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
Jun 02 05:37:44 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
Jun 02 05:37:44 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
Jun 02 05:37:44 localhost kernel: Console: colour dummy device 80x25
Jun 02 05:37:44 localhost kernel: printk: console [tty0] enabled
Jun 02 05:37:44 localhost kernel: printk: console [ttyS0] enabled
Jun 02 05:37:44 localhost kernel: ACPI: Core revision 20220331
Jun 02 05:37:44 localhost kernel: clocksource: hpert: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
Jun 02 05:37:44 localhost kernel: APIC: Switch to symmetric I/O mode setup
Jun 02 05:37:44 localhost kernel: x2apic enabled
Jun 02 05:37:44 localhost kernel: Switched APIC routing to physical x2apic.
Jun 02 05:37:44 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 44079521220 ns
Jun 02 05:37:44 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999960)
Jun 02 05:37:44 localhost kernel: Last level ITLB entries: 4KB 64, 2MB 8, 4MB 8
Jun 02 05:37:44 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
Jun 02 05:37:44 localhost kernel: Spectre V1 : Mitigation: usercopy/swapgs barriers and __user pointer sanitization
Jun 02 05:37:44 localhost kernel: Spectre V2 : Mitigation: Retpolines
Jun 02 05:37:44 localhost kernel: Spectre V2 : Spectre v2 / SpectreRSB: Filling RSB on context switch and VMEXIT
Jun 02 05:37:44 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
```

```
Jun 02 05:37:44 localhost kernel: RETbleed: Vulnerable
Jun 02 05:37:44 localhost kernel: Speculative Store Bypass: Vulnerable
Jun 02 05:37:44 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 02 05:37:44 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 02 05:37:44 localhost kernel: GDS: Unknown: Dependent on hypervisor status
Jun 02 05:37:44 localhost kernel: active return thunk: its_return_thunk
Jun 02 05:37:44 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x008: 'MPX bounds registers'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x010: 'MPX CSR'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x020: 'AVX-512 opmask'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x040: 'AVX-512 Hi256'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x080: 'AVX-512 ZMM_Hi256'
Jun 02 05:37:44 localhost kernel: x86/fpu: Supporting XSAVE feature 0x200: 'Protection Keys User registers'
Jun 02 05:37:44 localhost kernel: x86/fpu: xstate_offset[2]: 576, xstate_sizes[2]: 256
Jun 02 05:37:44 localhost kernel: x86/fpu: xstate_offset[3]: 832, xstate_sizes[3]: 64
Jun 02 05:37:44 localhost kernel: x86/fpu: xstate_offset[4]: 896, xstate_sizes[4]: 64
Jun 02 05:37:44 localhost kernel: x86/fpu: xstate_offset[5]: 960, xstate_sizes[5]: 64
Jun 02 05:37:44 localhost kernel: x86/fpu: xstate_offset[6]: 1024, xstate_sizes[6]: 512
Jun 02 05:37:44 localhost kernel: x86/fpu: xstate_offset[7]: 1536, xstate_sizes[7]: 1024
Jun 02 05:37:44 localhost kernel: x86/fpu: xstate_offset[9]: 2560, xstate_sizes[9]: 8
Jun 02 05:37:44 localhost kernel: x86/fpu: Enabled xstate features 0x2ff, context size is 2568 bytes, using 'compacted' format.
Jun 02 05:37:44 localhost kernel: Freeing SMP alternatives memory: 36K
Jun 02 05:37:44 localhost kernel: pid_max: default: 32768 minimum: 301
Jun 02 05:37:44 localhost kernel: LSM: Security Framework initializing
Jun 02 05:37:44 localhost kernel: landlock: Up and running.
Jun 02 05:37:44 localhost kernel: Yama: becoming mindful.
Jun 02 05:37:44 localhost kernel: SELinux: Initializing
Jun 02 05:37:44 localhost kernel: LSM support for eBPF active
Jun 02 05:37:44 localhost kernel: Mount-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 02 05:37:44 localhost kernel: Mountpoint-cache hash table entries: 2048 (order: 2, 16384 bytes, linear)
Jun 02 05:37:44 localhost kernel: smpboot: CPU0: Intel(R) Xeon(R) Platinum 8259CL CPU @ 2.50GHz (family: 0x6, model: 0x55, stepping: 0x7)
Jun 02 05:37:44 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 02 05:37:44 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 02 05:37:44 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 02 05:37:44 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 02 05:37:44 localhost kernel: cblist_init_generic: Setting adjustable number of callback queues.
Jun 02 05:37:44 localhost kernel: cblist_init_generic: Setting shift to 1 and lim to 1.
Jun 02 05:37:44 localhost kernel: Performance Events: unsupported p6 CPU model 85 no PMU driver, software events only.
Jun 02 05:37:44 localhost kernel: signal: max sigframe size: 3632
Jun 02 05:37:44 localhost kernel: rcu: Hierarchical SRCU implementation.
Jun 02 05:37:44 localhost kernel: rcu: Max phase no-delay instances is 1000.
Jun 02 05:37:44 localhost kernel: smp: Bringing up secondary CPUs ...
Jun 02 05:37:44 localhost kernel: x86: Booting SMP configuration:
Jun 02 05:37:44 localhost kernel: ... node #0, CPUs: #1
Jun 02 05:37:44 localhost kernel: MDS CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/mds.html for more details.
Jun 02 05:37:44 localhost kernel: MMIO Stale Data CPU bug present and SMT on, data leak possible. See https://www.kernel.org/doc/html/latest/admin-guide/hw-vuln/processor_mmio_stale_data.html for more details.
Jun 02 05:37:44 localhost kernel: smp: Brought up 1 node, 2 CPUs
Jun 02 05:37:44 localhost kernel: smpboot: Max logical packages: 1
Jun 02 05:37:44 localhost kernel: smpboot: Total of 2 processors activated (9999.98 BogoMIPS)
Jun 02 05:37:44 localhost kernel: node 0 deferred pages initialised in 0ms
Jun 02 05:37:44 localhost kernel: devtmpfs: initialized
Jun 02 05:37:44 localhost kernel: x86/mm: Memory block size: 128MB
Jun 02 05:37:44 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393ddfff] (524288 bytes)
Jun 02 05:37:44 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 19112604462750000 ns
Jun 02 05:37:44 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
Jun 02 05:37:44 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
Jun 02 05:37:44 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 02 05:37:44 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL(GFP_DMA) pool for atomic allocations
Jun 02 05:37:44 localhost kernel: audit: initializing netlink subsys (disabled)
Jun 02 05:37:44 localhost kernel: audit: type=2000 audit(1788378665.127:1): state=initialized audit_enabled=0 res=1
Jun 02 05:37:44 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
Jun 02 05:37:44 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
Jun 02 05:37:44 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
Jun 02 05:37:44 localhost kernel: cpuidle: using governor ladder
Jun 02 05:37:44 localhost kernel: cpuidle: using governor menu
Jun 02 05:37:44 localhost kernel: efi: Freeing EFI boot services memory: 44696K
Jun 02 05:37:44 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
Jun 02 05:37:44 localhost kernel: PCI: Using configuration type 1 for base access
Jun 02 05:37:44 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
Jun 02 05:37:44 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
Jun 02 05:37:44 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
Jun 02 05:37:44 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
Jun 02 05:37:44 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
Jun 02 05:37:44 localhost kernel: cryptd: max_cpu_qlen set to 1000
Jun 02 05:37:44 localhost kernel: ACPI: Added _OSI(Module Device)
Jun 02 05:37:44 localhost kernel: ACPI: Added _OSI(Processor Device)
Jun 02 05:37:44 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
Jun 02 05:37:44 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
Jun 02 05:37:44 localhost kernel: ACPI: Interpreter enabled
Jun 02 05:37:44 localhost kernel: ACPI: PM: (supports S0 S4 S5)
Jun 02 05:37:44 localhost kernel: ACPI: Using IOAPIC for interrupt routing
Jun 02 05:37:44 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
Jun 02 05:37:44 localhost kernel: PCI: Using E820 reservations for host bridge windows
Jun 02 05:37:44 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
Jun 02 05:37:44 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
Jun 02 05:37:44 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
Jun 02 05:37:44 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
Jun 02 05:37:44 localhost kernel: acpi PNP0A03:00: fail to add MMCONFIG information, can't access extended PCI configuration space under this bridge.
Jun 02 05:37:44 localhost kernel: acpihp: Slot [3] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [4] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [5] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [6] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [7] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [8] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [9] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [10] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [11] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [12] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [13] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [14] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [15] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [16] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [17] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [18] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [19] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [20] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [21] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [22] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [23] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [24] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [25] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [26] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [27] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [28] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [29] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [30] registered
Jun 02 05:37:44 localhost kernel: acpihp: Slot [31] registered
Jun 02 05:37:44 localhost kernel: PCI host bridge to bus 0000:00
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x000a0000-0x000bffff window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x10000000-0x2000ffff window]
Jun 02 05:37:44 localhost kernel: pci_0000:00:00: root bus resource [bus 00-ff]
Jun 02 05:37:44 localhost kernel: pci 0000:00:00:0: [8086:1237] type 00 class 0x060000
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:0: [8086:7000] type 00 class 0x060100
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: [8086:7113] type 00 class 0x060000
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: PIIX4 devres E PIO at ffff-ffff
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: PIIX4 devres F MMIO at ffc00000-ffffff
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: PIIX4 devres G PIO at ffff-ffff
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: PIIX4 devres H MMIO at ffc00000-ffffff
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: PIIX4 devres I PIO at ffff-ffff
Jun 02 05:37:44 localhost kernel: pci 0000:00:01:3: PIIX4 devres J PIO at ffff-ffff
Jun 02 05:37:44 localhost kernel: pci 0000:00:03:0: [1d0f:1111] type 00 class 0x030000
Jun 02 05:37:44 localhost kernel: pci 0000:00:03:0: BAR 0 [mem 0x00000000-0x003fffff pref]
Jun 02 05:37:44 localhost kernel: pci 0000:00:03:0: ROM [mem 0xffff0000-0xfffffff pref]
Jun 02 05:37:44 localhost kernel: pci 0000:00:03:0: Video device with shadowed ROM at [mem 0x000c0000-0x000dffff]
```

```
Jun 02 05:37:44 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010802
Jun 02 05:37:44 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x80404000-0x80407fff]
Jun 02 05:37:44 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
Jun 02 05:37:44 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x80400000-0x80403fff]
Jun 02 05:37:44 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
Jun 02 05:37:44 localhost kernel: ACPI: PCI: Interrupt link LNKB configured for IRQ 10
Jun 02 05:37:44 localhost kernel: ACPI: PCI: Interrupt link LNKC configured for IRQ 11
Jun 02 05:37:44 localhost kernel: ACPI: PCI: Interrupt link LNKD configured for IRQ 11
Jun 02 05:37:44 localhost kernel: ACPI: PCI: Interrupt link LNKS configured for IRQ 9
Jun 02 05:37:44 localhost kernel: iommu: Default domain type: Translated
Jun 02 05:37:44 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
Jun 02 05:37:44 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
Jun 02 05:37:44 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Jun 02 05:37:44 localhost kernel: PTP clock support registered
Jun 02 05:37:44 localhost kernel: EDAC MC: Ver: 3.0.0
Jun 02 05:37:44 localhost kernel: Registered efivars operations
Jun 02 05:37:44 localhost kernel: NetLabel: Initializing
Jun 02 05:37:44 localhost kernel: NetLabel: domain hash size = 128
Jun 02 05:37:44 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
Jun 02 05:37:44 localhost kernel: NetLabel: unlabeled traffic allowed by default
Jun 02 05:37:44 localhost kernel: PCI: Using ACPI for IRQ routing
Jun 02 05:37:44 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
Jun 02 05:37:44 localhost kernel: e820: reserve RAM buffer [mem 0x372ba018-0x37ffffff]
Jun 02 05:37:44 localhost kernel: e820: reserve RAM buffer [mem 0x390ce000-0x3bffffff]
Jun 02 05:37:44 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3fffffff]
Jun 02 05:37:44 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
Jun 02 05:37:44 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 Mhz counter
Jun 02 05:37:44 localhost kernel: clocksource: Switched to clocksource kvm-clock
Jun 02 05:37:44 localhost kernel: VFS: Disk quotas dquot_6.6.0
Jun 02 05:37:44 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Jun 02 05:37:44 localhost kernel: pnp: PnP ACPI init
Jun 02 05:37:44 localhost kernel: pnp: PnP ACPI: found 5 devices
Jun 02 05:37:44 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff, max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
Jun 02 05:37:44 localhost kernel: NET: Registered PF_INET protocol family
Jun 02 05:37:44 localhost kernel: IP ids hash table entries: 16384 (order: 5, 131072 bytes, linear)
Jun 02 05:37:44 localhost kernel: tcp_listen_portaddr_hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Jun 02 05:37:44 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
Jun 02 05:37:44 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Jun 02 05:37:44 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
Jun 02 05:37:44 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
Jun 02 05:37:44 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
Jun 02 05:37:44 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 02 05:37:44 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 02 05:37:44 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
Jun 02 05:37:44 localhost kernel: NET: Registered PF_XDP protocol family
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0xfc7f window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0000-0xffff window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x00000000-0xfefbffff window]
Jun 02 05:37:44 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffffff window]
Jun 02 05:37:44 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
Jun 02 05:37:44 localhost kernel: PCI: CLS 0 bytes, default 64
Jun 02 05:37:44 localhost kernel: clocksource: tsc: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
Jun 02 05:37:44 localhost kernel: Trying to unpack rootfs image as initramfs...
Jun 02 05:37:44 localhost kernel: clocksource: Switched to clocksource tsc
Jun 02 05:37:44 localhost kernel: Initialise system trusted keyrings
Jun 02 05:37:44 localhost kernel: Key type blacklist registered
Jun 02 05:37:44 localhost kernel: workingset: timestamp_bits=36 max_order=18 bucket_order=0
Jun 02 05:37:44 localhost kernel: zbud: loaded
Jun 02 05:37:44 localhost kernel: SGI XFS with ACLs, security attributes, quota, no debug enabled
Jun 02 05:37:44 localhost kernel: integrity: Platform Keyring initialized
Jun 02 05:37:44 localhost kernel: integrity: Machine keyring initialized
Jun 02 05:37:44 localhost kernel: Key type asymmetric registered
Jun 02 05:37:44 localhost kernel: Asymmetric key parser 'x509' registered
Jun 02 05:37:44 localhost kernel: Block layer SCSI generic (bsg) driver version 0.4 loaded (major 248)
Jun 02 05:37:44 localhost kernel: io scheduler mq-deadline registered
Jun 02 05:37:44 localhost kernel: io scheduler kyber registered
Jun 02 05:37:44 localhost kernel: io scheduler bfq registered
Jun 02 05:37:44 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
Jun 02 05:37:44 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Jun 02 05:37:44 localhost kernel: 00:08:04: ttyS0 (L10 0x3f8 irq = 4, base_baud = 115200) is a 16550A
Jun 02 05:37:44 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
Jun 02 05:37:44 localhost kernel: nvme nvme0: pci function 0000:00:04.0
Jun 02 05:37:44 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
Jun 02 05:37:44 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
Jun 02 05:37:44 localhost kernel: rtc_cmos 00:00: registered as rtc0
Jun 02 05:37:44 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-06-02T05:37:44 UTC (1780378664)
Jun 02 05:37:44 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
Jun 02 05:37:44 localhost kernel: vmclock AM2NC18C:00: vmclock8: registered miscdev
Jun 02 05:37:44 localhost kernel: intel_pstate: CPU model not supported
Jun 02 05:37:44 localhost kernel: pstore: Registered efi as persistent store backend
Jun 02 05:37:44 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
Jun 02 05:37:44 localhost kernel: NET: Registered PF_INET6 protocol family
Jun 02 05:37:44 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
Jun 02 05:37:44 localhost kernel: nvme0n1: p1 p127 p128
Jun 02 05:37:44 localhost kernel: Freeing initrd memory: 20340K
Jun 02 05:37:44 localhost kernel: Segment Routing with IPv6
Jun 02 05:37:44 localhost kernel: In-situ OAM (IOAM) with IPv6
Jun 02 05:37:44 localhost kernel: NET: Registered PF_PACKET protocol family
Jun 02 05:37:44 localhost kernel: IPI shorthand broadcast: enabled
Jun 02 05:37:44 localhost kernel: AVX2 version of gcm_enc/dec engaged.
Jun 02 05:37:44 localhost kernel: AES CTR mode by8 optimization enabled
Jun 02 05:37:44 localhost kernel: sched_clock: Marking stable (243908626, 3364277)-->(274023222, -26750319)
Jun 02 05:37:44 localhost kernel: registered taskstats version 1
Jun 02 05:37:44 localhost kernel: Loading compiled-in X.509 certificates
Jun 02 05:37:44 localhost kernel: Loaded X.509 cert 'Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9049a1ad84746a4'
Jun 02 05:37:44 localhost kernel: zswap: loaded using pool lz4 zbud
Jun 02 05:37:44 localhost kernel: Key type .fscrypt registered
Jun 02 05:37:44 localhost kernel: Key type fscrypt-provisioning registered
Jun 02 05:37:44 localhost kernel: pstore: Using crash dump compression: deflate
Jun 02 05:37:44 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
Jun 02 05:37:44 localhost kernel: ima: Allocated hash algorithm: sha256
Jun 02 05:37:44 localhost kernel: ima: No architecture policies found
Jun 02 05:37:44 localhost kernel: clk: Disabling unused clocks
Jun 02 05:37:44 localhost kernel: Freeing unused decrypted memory: 2036K
Jun 02 05:37:44 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
Jun 02 05:37:44 localhost kernel: Write protecting the kernel read-only data: 26624k
Jun 02 05:37:44 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
Jun 02 05:37:44 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
Jun 02 05:37:44 localhost kernel: Run /init as init process
Jun 02 05:37:44 localhost kernel:   with arguments:
Jun 02 05:37:44 localhost kernel:   /init
Jun 02 05:37:44 localhost kernel:   with environment:
Jun 02 05:37:44 localhost kernel:   HOME=/
Jun 02 05:37:44 localhost kernel:   TERM=linux
Jun 02 05:37:44 localhost systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIOID2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default=hierarchy=unified)
Jun 02 05:37:44 localhost systemd[1]: Detected virtualization amazon.
Jun 02 05:37:44 localhost systemd[1]: Detected architecture x86_64.
Jun 02 05:37:44 localhost systemd[1]: Running in initrd.
Jun 02 05:37:44 localhost systemd[1]: No hostname configured, using default hostname.
Jun 02 05:37:44 localhost systemd[1]: Hostname set to <localhost>.
Jun 02 05:37:44 localhost systemd[1]: Initializing machine ID from VM UUID.
Jun 02 05:37:44 localhost systemd[1]: Queued start job for default target initrd.target.
Jun 02 05:37:44 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 02 05:37:44 localhost systemd[1]: Expecting device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b680de4a801...
Jun 02 05:37:44 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
Jun 02 05:37:44 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 02 05:37:44 localhost systemd[1]: Reached target paths.target - Path Units.
Jun 02 05:37:44 localhost systemd[1]: Reached target slices.target - Slice Units.
Jun 02 05:37:44 localhost systemd[1]: Reached target swap.target - Swaps.
Jun 02 05:37:44 localhost systemd[1]: Reached target timers.target - Timer Units.
Jun 02 05:37:44 localhost systemd[1]: Listening on systemd-journald-audit.socket - Journal Audit Socket.
Jun 02 05:37:44 localhost systemd[1]: Listening on systemd-journald-dev-log.socket - Journal Socket (/dev/log).
Jun 02 05:37:44 localhost systemd[1]: Listening on systemd-journald.socket - Journal Socket.
Jun 02 05:37:44 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 02 05:37:44 localhost systemd[1]: Listening on systemd-udevdev-kernel.socket - udev Kernel Socket.
Jun 02 05:37:44 localhost systemd[1]: Reached target sockets.target - Socket Units.
Jun 02 05:37:44 localhost systemd[1]: kmdd-static-nodes.service - Create List of Static Device Nodes was skipped because of an unmet condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname).
Jun 02 05:37:44 localhost systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 02 05:37:44 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 02 05:37:44 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
```



```
Jun 02 05:37:44 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
Jun 02 05:37:44 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
Jun 02 05:37:44 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
Jun 02 05:37:44 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
Jun 02 05:37:44 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
Jun 02 05:37:44 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
Jun 02 05:37:44 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 02 05:37:44 localhost kernel: audit: type=1130 audit(1780378664.940:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 02 05:37:44 localhost kernel: audit: type=1130 audit(1780378664.950:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost systemd-journal[346]: Journal started
Jun 02 05:37:44 localhost systemd-journal[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b64fc48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 02 05:37:44 localhost systemd[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journal comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
Jun 02 05:37:44 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
Jun 02 05:37:44 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
Jun 02 05:37:44 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 02 05:37:44 localhost dracut-cmdline[352]: dracut-102-3.amzn2023.0.2
Jun 02 05:37:44 localhost systemd[1]: Started systemd-journald.service - Journal Service.
Jun 02 05:37:44 localhost kernel: audit: type=1130 audit(1780378664.950:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost dracut-cmdline[352]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b08680d64801 ro console=tty0 console=ttyS0,115200n8 nvme core.io.timeout=4294967295 rd.emergency=powershell rd.shell=1 selinux=1 security=selinux quiet
Jun 02 05:37:44 localhost systemd-tmpfiles[364]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
Jun 02 05:37:44 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 02 05:37:44 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 02 05:37:44 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost kernel: audit: type=1130 audit(1780378664.970:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost kernel: audit: type=1130 audit(1780378664.970:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
Jun 02 05:37:44 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:44 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
Jun 02 05:37:44 localhost audit: BPF prog-id=6 op=LOAD
Jun 02 05:37:44 localhost audit: BPF prog-id=7 op=LOAD
Jun 02 05:37:45 localhost kernel: audit: type=1130 audit(1780378664.990:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost kernel: audit: type=1334 audit(1780378664.990:8): prog-id=6 op=LOAD
Jun 02 05:37:45 localhost kernel: audit: type=1334 audit(1780378664.990:9): prog-id=7 op=LOAD
Jun 02 05:37:45 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 02 05:37:45 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
Jun 02 05:37:45 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 02 05:37:45 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
Jun 02 05:37:45 localhost kernel: audit: type=1130 audit(1780378665.020:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 02 05:37:45 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 02 05:37:45 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 02 05:37:45 localhost systemd[1]: Reached target sysinit.target - System Initialization.
Jun 02 05:37:45 localhost systemd[1]: Reached target basic.target - Basic System.
Jun 02 05:37:45 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
Jun 02 05:37:45 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 02 05:37:45 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 02 05:37:45 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
Jun 02 05:37:45 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Started rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 02 05:37:45 localhost rngd[594]: Disabling 7: PKCS11 Entropy generator (pkcs11)
Jun 02 05:37:45 localhost rngd[594]: Disabling 5: NIST Network Entropy Beacon (nist)
Jun 02 05:37:45 localhost rngd[594]: Initializing available sources
Jun 02 05:37:45 localhost rngd[594]: [hwng] : Initialization Failed
Jun 02 05:37:45 localhost rngd[594]: [drand]: Enabling RDRAND rng support
Jun 02 05:37:45 localhost rngd[594]: [drand]: Initialized
Jun 02 05:37:45 localhost rngd[594]: [jitter]: JITTER timeout set to 5 sec
Jun 02 05:37:45 localhost rngd[594]: [jitter]: Initializing AES buffer
Jun 02 05:37:45 localhost systemd[1]: Found device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db08680de4a801.device - Amazon Elastic Block Store /.
Jun 02 05:37:45 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
Jun 02 05:37:45 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
Jun 02 05:37:45 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
Jun 02 05:37:45 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
Jun 02 05:37:45 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
Jun 02 05:37:45 localhost kernel: XFS (nvme0n1p1): Ending clean mount
Jun 02 05:37:45 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
Jun 02 05:37:45 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
Jun 02 05:37:45 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
Jun 02 05:37:45 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
Jun 02 05:37:45 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
Jun 02 05:37:45 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
Jun 02 05:37:45 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
Jun 02 05:37:45 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
Jun 02 05:37:45 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
Jun 02 05:37:45 localhost systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
Jun 02 05:37:45 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 02 05:37:45 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 02 05:37:45 localhost systemd[1]: Stopped target timers.target - Timer Units.
Jun 02 05:37:45 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
Jun 02 05:37:45 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: rngd.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Stopped target basic.target - Basic System.
Jun 02 05:37:45 localhost systemd[1]: Stopped target paths.target - Path Units.
Jun 02 05:37:45 localhost systemd[1]: system-ask-password-console.path: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped system-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 02 05:37:45 localhost systemd[1]: Stopped target slices.target - Slice Units.
Jun 02 05:37:45 localhost systemd[1]: Stopped target sockets.target - Socket Units.
Jun 02 05:37:45 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 02 05:37:45 localhost systemd[1]: Stopped target swap.target - Swaps.
Jun 02 05:37:45 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 02 05:37:45 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
```

```
Jun 02 05:37:45 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 02 05:37:45 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: run-cryptsetup\x2dsysctl.service.mount: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
Jun 02 05:37:45 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
Jun 02 05:37:45 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
Jun 02 05:37:45 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 02 05:37:45 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
Jun 02 05:37:45 localhost systemd[1]: run-cryptsetup\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: run-cryptsetup\x2dsysusers.service.mount: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
Jun 02 05:37:45 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
Jun 02 05:37:45 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:45 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
Jun 02 05:37:45 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
Jun 02 05:37:45 localhost systemd[1]: Switching root.
Jun 02 05:37:45 localhost systemd-journal[346]: Journal stopped
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Received SIGTERM from PID 1 (systemd).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability nnp_nosuid_transition=1
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability iocctl_skip_cloexec=0
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 146.659ms.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 21.963ms.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: System 252.23-11.amzn2023 running in system mode (+PAW +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PNQJQUITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: bpf-lsm: LSM BPF program attached
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal zram-generator: config[816]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket; please update the unit file accordingly.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal.service: Scheduled restart job, restart counter is at 1.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serial\x2dgetty.slice - Slice /system/serial-getty.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-ssh\x2dkeygen.slice - Slice /system/ssh-keygen.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt.misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root.target - Initrd Root File System.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service Netlink Socket.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: auth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unset condition check (ConditionPathExists=/etc/rpccss.keytab).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmmod-static-nodes.service - Create List of Static Device Nodes...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-convertd.service - Preprocess NFS configuration convention...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journal.service - Journal Service.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal.service - Journal Service...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd-journal[837]: Journal started
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd-journal[837]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc4881fe) is 2.2M, max 18.3M, 16.0M free.
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: MAC POLICY LOAD auid=4294967295 ses=4294967295 lsm=selinux res=1
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
```

```
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=3 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=4 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=5 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=LOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=UNLOAD
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=initrd-switch-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=LOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=LOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=LOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=UNLOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=UNLOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 audit=4294967295 ses=4294967295 subj=system_u:system_r:syslogd_t:s0 res=1
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[837]: SYSCALL arch=0000036 syscall=46 success=yes exit=60 a0=a1=7ffff17cae12 a2=4000 a3=7ffff17cae12 items=0 pid=837 audit=4294967295 uid=0 gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="systemd-journald" exe="/usr/lib/systemd/systemd-journald" subj=system_u:system_r:syslogd_t:s0 keys=(null)
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit[1]: systemd-journald.service: Queued start job for default target graphical.target.
Jun 02 05:37:46 ip-172-31-31-123.ec2.internal audit[1]: systemd-journald.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=kmodes-static-nodes comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: modprobe@configfs.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished kmodes-static-nodes.service Create List of Static Device Nodes.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Started systemd-journald.service - Journal Service.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit=fscck[869]: /usr/sbin/fscck.xfs: XFS file system.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: modprobe@dmr.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@dmr.service - Load Kernel Module dmr.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dmr comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dmr comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: modprobe@fuse.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@fuse.service - Load Kernel Module fuse.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: modprobe@loop.service: Deactivated successfully.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Starting system-remount-fs.service - Remount Root and Kernel File Systems...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: system-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Finished system-remount-fs.service - Remount Root and Kernel File Systems.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: system-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: system-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: systemd-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=yes)/pstore).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[837]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d59b4fc48811fe is 90.424ms for 790 entries.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[837]: System Journal (/var/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 24.0M, max 811.6M, 787.5M free.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[837]: Received client request to flush runtime journal.
```



```
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=UNLOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: First-boot-complete.target - First Boot Complete was skipped because of an unset condition check (ConditionFirstBoot=yes).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs-pre.target - Preparation for Local File Systems.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount automount-efi.automount.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unset condition check (ConditionDirectoryNotEmpty=run/initramfs/state).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unset condition check (ConditionSecurity=selinux).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unset condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unset condition check (ConditionPathIsMountPoint=/etc/machine-id).
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1252 (bootctl)
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862a.device - /dev/disk/by-uuid/6084-862A...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd-udev[1254]: Using default interface naming scheme 'v252'.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 02 05:37:47 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting auditd.service - Security Auditing Service...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unset condition check (ConditionNeedsUpdate=ver).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) v2.16.1g
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA device version: 0.10
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ENA controller version: 0.0.1 implementation version 1
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRF]
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXLSPBN:00/input/input1
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: i8042: PNP: PS/2 Controller [PNP0303:KBD,PNP0f13:MOU] at 0x60,0x64 irq 1,12
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: i8042: Warning: Keylock active
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: serio: i8042 KBD port at 0x60,0x64 irq 1
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: serio: i8042 AUX port at 0x60,0x64 irq 12
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Jd is not supported fallback to host mode policy.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: Elastic Network Adapter (ENA) found at mem 00400000, mac addr 0a:ffe4:dff:b2:39
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1297]: SYSCALL arch=000003e syscall=44 successes=5 exit=60 a0=3 a1=7ffdf3e03da0 a2=3c a3=0 items=0 ppid=1277 pid=1297 auid=4294967295 uid=0 gid=0 suid=0 suid=0 egid=0 egid=0 sgid=0 sgid=0 fsuid=0 fsuid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd:t:s0 key=(null)
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=set audit_enabled=1 old=1 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd:t:s0 res=1
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1297]: SYSCALL arch=000003e syscall=44 successes=5 exit=60 a0=3 a1=7ffdf3e01970 a2=3c a3=0 items=0 ppid=1277 pid=1297 auid=4294967295 uid=0 gid=0 suid=0 suid=0 egid=0 egid=0 sgid=0 sgid=0 fsuid=0 fsuid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd:t:s0 key=(null)
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1297]: No plugins found, not dispatching events
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1297]: Init complete, auditd 3.1.5 listening for events (startup state enable)
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipefs.target.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd-resolved[1279]: Positive Trust Anchors:
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd-resolved[1279]: . IN DS 20326 8 2 e06d44b808f8d39a59c0b0d7c65d08458e88049b9bc683457104237cf8ecbd
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd-resolved[1279]: Negative trust anchors: home.arpa 18.in-addr.arpa 16.172.in-addr.arpa 18.172.in-addr.arpa 18.172.in-addr.arpa 28.172.in-addr.arpa 28.172.in-addr.arpa 30.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 168.172.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd-resolved[1279]: Using system hostname 'ip-172-31-31-123.ec2.internal'.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-resolved.service - Network Name Resolution.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal augenrules[1307]: /sbin/auditd: No change
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1297]: CONFIG_CHANGE auid=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service:t:s0 op=add_rule key=(null) list=1 res=1
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1356]: SYSCALL arch=000003e syscall=44 successes=5 exit=1956 a0=3 a1=7ffe06cd7170 a2=420 a3=0 items=0 ppid=1307 pid=1356 auid=4294967295 uid=0 gid=0 suid=0 suid=0 fsuid=0 egid=0 sgid=0 sgid=0 fsuid=0 fsuid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:unconfined_service:t:s0 key=(null)
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="2F7362696E2F617564697463746C0025082F6574632F61756469742E272756C6573"
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1356]: No rules
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Started auditd.service - Security Auditing Service.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1260]: SYSTEM_BOOT pid=1360 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='comm="systemd-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0: ens5: renamed from eth0
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal zram-generator: config[1392]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1260]: /usr/lib/systemd/system/acpid.socket: ListenBsdMemory references a path below legacy directory /var/run/, updating /var/run/acpid.socket → /run/acpid.socket; please update the unit file accordingly.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862a.device - Amazon Elastic Block Store EFI\x20System\x20Partition being skipped
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=UNLOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=UNLOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=UNLOAD
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy-routes.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unset condition check (ConditionDirectoryNotEmpty=run/initramfs/state).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unset condition check (ConditionSecurity=selinux).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unset condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unset condition check (ConditionFirstBoot=yes).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unset condition check (ConditionFirstBoot=yes).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-dev-disk-by\x2duuid-6084\x2d862a.service - File System Check on /dev/disk/by-uuid/6084-862A...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unset condition check (ConditionNeedsUpdate=etc).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unset condition check (ConditionNeedsUpdate=ver).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unset condition check (ConditionPathIsMountPoint=/etc/machine-id).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
```

```
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: fsck.fat 4.2 (2021-01-31)
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd-fsck[1400]: /dev/nvme0n1p128: 5 files, 659/5101 clusters
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x
2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounting boot-efi.mount - /boot/efi...
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty
=sys/fs/pstore).
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 02 05:37:48 ip-172-31-31-123.ec2.internal systemd[1]: Mounted boot-efi.mount - /boot/efi.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-boot-update comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started fstirm.timer - Discard unused blocks once a week.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Daemon Socket.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: rpmdb-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb
).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists
=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-0a4c-41cf-b6c7-440b290bb0c4f).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/inittarfs on shutdown...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecdsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/ru
n/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=
/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/run/sy
stemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: sssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat.service - Resets System Activity Logs...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=49 op=LOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=LOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=LOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=LOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=LOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting logrotate.service - Rotate log files...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance/boot-finished'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal rm[1413]: removed '/var/lib/cloud/instance'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/inittarfs on shutdown.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-homed[1419]: Watching /home.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2net[1417]: Starting configuration for ens5
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2net[1427]: /lib/systemd/systemd-networkd-wait-online ens5
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=cloud-init-local comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event0 (Power Button)
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Watching system buttons on /dev/input/event1 (Sleep Button)
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-logind[1420]: New seat seat0.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat.service - Resets System Activity Logs.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal dbus-broker-lau[1421]: Ready
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=dbus-broker comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-homed-activate comm="systemd" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal sysctl[1447]: lo: Link up
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: lo: Gained carrier
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.service: Deactivated successfully.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: Enumeration completed
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: Link up
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ena5: Local page cache is disabled for less than 16 channels
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: Gained carrier
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished logrotate.service - Rotate log files.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=logrotate comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=logrotate comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg='unit=systemd-networkd comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
```

```
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/s
ysemtd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=
e
tc/krb5.keytab).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=sys/firmware/efi
/efivars/StubPcrKernelImage-4a67b082-0a4c-41cf-b0c7-440b29bb8c4f).
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: Gained IPv6LL
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-networkd-wait-online comm="syst
emd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: [get_meta] Querying IMDS for mac
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: [get_meta] Querying IMDS for mac
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/subnet-ipv4-cidr-block
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/interface-id
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: [get_meta] Querying IMDS for mac
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: [get_meta] Querying IMDS for network/interfaces/mac/0a:ff:e4:df:2b:39/local-ipv4s
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: Called trap
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: DHCP lease lost
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal ec2Net[1417]: Reloaded networkd
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: DHCPv6 lease lost
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:49 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: DHCPv4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal cloud-init[1542]: Cloud-init v. 22.2.2 running 'init' at Tue, 02 Jun 2026 05:37:50 +0000. Up 5.71 seconds.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal cloud-init[1542]: ci-info: ++++++Net device info+++++
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal cloud-init[1542]: ci-info:
+-----+
| Device | Up | Address | Mask | Scope | Hw-Address |
+-----+
| ens5 | True | 172.31.31.123 | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
| ens5 | True | fe80::8ff:e4ff:fedf:2b39/64 | . | link | 0a:ff:e4:df:2b:39 |
| lo | True | 127.0.0.1 | 255.0.0.0 | host | . |
| lo | True | ::1/128 | . | host | . |
+-----+
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal cloud-init[1542]: ci-info: ++++++Route IPv4 info+++++
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal cloud-init[1542]: ci-info:
+-----+
| Route | Destination | Gateway | Genmask | Interface | Flags |
+-----+
| 0 | 0.0.0.0 | 172.31.16.1 | 0.0.0.0 | ens5 | UG |
| 1 | 172.31.0.2 | 172.31.16.1 | 255.255.255.255 | ens5 | UH |
| 2 | 172.31.16.0 | 0.0.0.0 | 255.255.240.0 | ens5 | U |
| 3 | 172.31.16.1 | 0.0.0.0 | 255.255.255.255 | ens5 | UH |
+-----+
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal cloud-init[1542]: ci-info: ++++++Route IPv6 info+++++
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal cloud-init[1542]: ci-info:
+-----+
| Route | Destination | Gateway | Interface | Flags |
+-----+
| 0 | fe80::/64 | :: | ens5 | U |
| 2 | local | :: | ens5 | U |
| 3 | multicast | :: | ens5 | U |
+-----+
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-user-sessions.service - Permit User Sessions...
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal sm-notify[1579]: Version 2.5.4 starting
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal sshd[1581]: Server listening on 0.0.0.0 port 22.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal sshd[1581]: Server listening on :: port 22.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-user-sessions.service - Permit User Sessions.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=systemd-user-sessions comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=atd comm="systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Started atd.service - Deferred execution scheduler.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: chcrny-config.service: Deactivated successfully.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: Initializing new seelog logger
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: New Seelog Logger Creation Complete
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: the configuration file /etc/nginx/nginx.conf syntax is ok
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal nginx[1587]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:50.9275 INFO Proxy environment variables:
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=chrony-config comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=chrony-config comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=56 op=LOAD
Jun 02 05:37:50 ip-172-31-31-123.ec2.internal systemd[1]: Starting chronyd.service - NTP client/server...
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:50.9296 INFO no_proxy:
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:50.9297 INFO Checking if agent identity type EC2 can be assumed
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1293 INFO INFO Checking if agent identity type OnPrem can be assumed
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1309 INFO INFO Telemetry initialized
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal hibinit-agent[1623]: Effective config: ('log_to_syslog': True, 'grub_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/l
ib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4000, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon (swapfile)', 'swapoff': 'swapoff (swapfile)'}
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal hibinit-agent[1623]: Requesting new IMDSv2 token.
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal hibinit-agent[1623]: Instance Launch has not enabled Hibernation Configured Flag. hibinit-agent exiting!!
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal systemd[1]: hibinit-agent.service: Deactivated successfully.
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1318 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4108.0
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal cloud-init[1628]: Cloud-init v. 22.2.2 running 'modules:final' at Tue, 02 Jun 2026 05:37:51 +0000. Up 7.40 seconds.
```



```
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1318 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal cloud-init[1628]: Cloud-init v. 22.2.2 finished at Tue, 02 Jun 2026 05:37:51 +0000. DataSource DataSourceEc2. Up 7.51 seconds
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1318 INFO [amazon-ssm-agent] Starting Core Agent
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
Jun 02 05:37:51 ip-172-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
Jun 02 05:37:51 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1318 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1318 INFO [Registrar] Starting registrar module
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1333 INFO [EC2Identity] Checking disk for registration info
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1347 INFO [EC2Identity] Registration info found for ec2 instance
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1347 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1348 INFO [CredentialRefresher] CredentialRefresher has started
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1348 INFO [CredentialRefresher] Starting credentials refresher loop
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.1400 WARN EC2RoleProvider Failed to connect to Systems Manager with instance profile role credentials. Er
r: retrieved credentials failed to report to ssm. Error: EC2RoleRequestError: no EC2 instance role found
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.2161 ERROR EC2RoleProvider Failed to connect to Systems Manager with SSM role credentials. error calling
RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: status code: 400, request id: 3d3df134-634b-4e0d-b8a3-3a380c7b49e1
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.2161 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retri
eved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account:
094337892911
Jun 02 05:37:52 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: status code: 400, request id: 3d3df134-634b-4e0d-b8a3-3a380c7b49e1
Jun 02 05:37:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.2163 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid cre
dentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not
configured for account: 094337892911
Jun 02 05:37:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: status code: 400, request id: 3d3df134-634b-4e0d-b8a3-3a380c7b49e1</error>
Jun 02 05:37:53 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 05:37:51.2164 INFO [CredentialRefresher] Sleeping for 29m45s before retrying retrieve credentials
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal chronyd[1615]: Selected source 169.254.169.123
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=update-motd comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=update-motd comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 1.082s CPU time.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal ec2-user[1582]: Reached target multi-user.target - Multi-User System.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=UNLOAD
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal audit[1650]: SYSTEM_RUNLEVEL pid=1650 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=old-level=N new-level=5 comm="system
d-update-utmp" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: system-update-utmp-runlevel.service: Deactivated successfully.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: Finished system-update-utmp-runlevel.service - Record Runlevel Change in UTMP.
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp-runlevel comm="syst
emd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp-runlevel comm="syste
md" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:37:56 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 515ms (firmware) + 893ms (loader) + 406ms (kernel) + 1.143s (initrd) + 10.701s (userspace) = 13.659s.
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh-x2dpolicy-x2droues.slice - Slice /system/refresh-policy-routes.
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: Starting configuration refresh for ens5
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: [get_meta] Querying IMDS for mac
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: [get_meta] Querying IMDS for mac
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: [get_meta] Querying IMDS for mac
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: [get_meta] Querying IMDS for mac
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: [get_meta] Querying IMDS for mac
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: Called trap
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal ec2net[1651]: No networkd reload needed
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:38:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - System activity accounting tool...
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - System activity accounting tool...
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: Starting configuration refresh for ens5
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: [get_meta] Querying IMDS for mac
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: [get_meta] Querying IMDS for mac
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: [get_meta] Querying IMDS for mac
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: [get_meta] Querying IMDS for mac
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: [get_meta] Querying IMDS for mac
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat-collect comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat-collect comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39:local-ipv4s
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: Called trap
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal ec2net[1700]: No networkd reload needed
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:40:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 05:41:13 ip-172-31-31-123.ec2.internal audit[1750]: CRYPTO_KEY_USER pid=1750 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
pe=SHA256:22:c0:4e:20:7a:83:70:c2:ec:39:7b:38:3a:93:be:4b:a6:19:8d:5c:3b:ec:59:cf:bf:54:a2:9a:f2:a5:fe direction=? spid=1750 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 02 05:41:13 ip-172-31-31-123.ec2.internal audit[1749]: CRYPTO_SESSION pid=1749 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-s
erver cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1750 suid=74 rport=49634 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 02 05:41:13 ip-172-31-31-123.ec2.internal audit[1749]: CRYPTO_SESSION pid=1749 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-c
lient cipher=aes128-gcm@openssh.com kszie=128 mac=<implicit> pfs=ecdh-sha2-nistp256 spid=1750 suid=74 rport=49634 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 02 05:41:17 ip-172-31-31-123.ec2.internal audit[1749]: USER_AUTH pid=1749 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=pubkey_auth grantors=auth-k
ey acct=ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1749]: CRYPTO_KEY_USER pid=1749 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=negotiate kind=auth-k
ey fpe=SHA256:c9:af:5b:08:f4:4a:61:a2:c1:d9:32:8e:8a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:8b:71d exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1749]: USER_ACCT pid=1749 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam
_unix acct=ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1749]: CRYPTO_KEY_USER pid=1749 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantors=pam_unix acct=ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1749]: USER_ROLE_CHANGE pid=1749 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=pam: default-context=unconfined_u:unco
nfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=LOAD
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-userdbd comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User Manager for UID 1000...
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1757]: USER_ACCT pid=1757 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:accounting grantors=pam_unix acct=
ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1757]: CRED_ACQ pid=1757 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:setcred grantors=pam_unix acct=ec2-user" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=failed'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1757]: USER_ROLE_CHANGE pid=1757 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=pam: default-context=unconfined_u:u
nconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal (systemd[1757]: pam_unix(systemd-user:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1757]: USER_START pid=1757 uid=0 auid=1000 ses=2 subj=system_u:system_r:init_t:s0 msg=op=PAM:session_open grantors=pam_selinux,pam_selinux,pam
_loginid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Queued start job for default target default.target.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Created slice app.slice - User Application Slice.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
```

```
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal sshd[1749]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Reached target paths.target - Paths.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Reached target timers.target - Timers.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Starting dbus.socket - D-Bus User Message Bus Socket...
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1749]: USER_START pid=1749 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantors=pam_selinux,pam_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 term inal=ssh res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Starting systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories...
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Finished systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Listening on dbus.socket - D-Bus User Message Bus Socket.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1766]: CRYPTO_KEY_USER pid=1766 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:28:7a:b3:70:2:ee:c9:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bfbf:54:a2:9a:f2:a5:fe direction=? spid=1766 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Reached target sockets.target - Sockets.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal audit[1766]: CRED_ACQ pid=1766 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_env,pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Reached target basic.target - Basic System.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Reached target default.target - Main User Target.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1757]: Startup finished in 158ms.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
Jun 02 05:41:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting session-1.scope - Session 1 of User ec2-user.
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal audit[1749]: USER_LOGIN pid=1749 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal audit[1749]: USER_START pid=1749 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=login id=1000 exe="/usr/sbin/sshd" hostna me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal audit[1749]: CRYPTO_KEY_USER pid=1749 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg='op=destroy kind=server fp=SHA256:22:c6:da:28:7a:b3:70:2:ee:c9:7b:38:3a:93:ee:4b:ab:a6:19:8d:5c:3b:e5:c9:bf:bfbf:54:a2:9a:f2:a5:fe direction=? spid=1767 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=LOAD
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=LOAD
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=LOAD
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-hostnamed.service - Hostname Service...
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:19 ip-172-31-31-123.ec2.internal systemd[1]: Started system-hostnamed.service - Hostname Service.
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal systemd[1]: system-hostnamed.service: Deactivated successfully.
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: Starting configuration refresh for ens5
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: [get_meta] Querying IMDS for mac
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: [get_meta] Querying IMDS for mac
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-hostnamed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: [get_meta] Querying IMDS for mac
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: [get_meta] Querying IMDS for mac
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: Called trap
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal ec2net[1792]: No network reload needed
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" " exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=UNLOAD
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=UNLOAD
Jun 02 05:41:49 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=UNLOAD
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1884]: USER_ACCT pid=1884 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1884]: USER_CMD pid=1884 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=6C73 2020616202F7661722F606F672F6667696E78 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1884]: CRED_REFR pid=1884 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_ env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal sudo[1884]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/ls -al /var/log/nginx
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal sudo[1884]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1884]: USER_START pid=1884 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal sudo[1884]: pam_unix(sudo:session): session closed for user root
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1884]: USER_END pid=1884 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors =pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1884]: CRED_DISP pid=1884 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_ env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: Starting configuration refresh for ens5
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: [get_meta] Querying IMDS for mac
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: [get_meta] Querying IMDS for mac
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: [get_meta] Querying IMDS for mac
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: [get_meta] Querying IMDS for mac
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: Called trap
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal ec2net[1886]: No network reload needed
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:43:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:43:37 ip-172-31-31-123.ec2.internal systemd[1757]: Starting grub-boot-success.service - Mark boot as successful...
Jun 02 05:43:37 ip-172-31-31-123.ec2.internal systemd[1757]: Finished grub-boot-success.service - Mark boot as successful.
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: USER_ACCT pid=1938 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/ls -al /var/log/messages
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: USER_CMD pid=1938 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=6C73 2020616202F7661722F606F672F6667696E78 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: CRED_REFR pid=1938 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_ env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: USER_START pid=1938 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: pam_unix(sudo:session): session closed for user root
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: USER_END pid=1938 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors =pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:44:02 ip-172-31-31-123.ec2.internal audit[1938]: CRED_DISP pid=1938 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_ env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: Starting configuration refresh for ens5
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: [get_meta] Querying IMDS for mac
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: [get_meta] Querying IMDS for mac
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: [get_meta] Querying IMDS for mac
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: [get_meta] Querying IMDS for mac
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe4:df:2b:39/local-ipv4s
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: Called trap
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal ec2net[1942]: No network reload needed
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:44:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="system d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: USER_ACCT pid=1990 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/ls -al /var/log
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: USER_CMD pid=1990 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=6C73 2020616202F7661722F606F672F6667696E78 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: CRED_REFR pid=1990 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_ env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: USER_START pid=1990 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor s=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: pam_unix(sudo:session): session closed for user root
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: USER_END pid=1990 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors =pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:45:08 ip-172-31-31-123.ec2.internal audit[1990]: CRED_DISP pid=1990 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_ env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal audit[1997]: USER_ACCT pid=1997 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:accounting grantors=p am_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal audit[1997]: ec2-user : TTYpts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/cat /var/log/README
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal audit[1997]: USER_CMD pid=1997 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='cwd=/home/ec2-user' cmd=6361 74202F7661722F606F672F6667696E78 exe="/usr/bin/sudo" terminal=pts/0 res=success'
```

```
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal audit[1997]: CRED_REFR pid=1997 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_unix acct="root" exe="/usr/bin/sudo" hostname=addr? terminal=/dev/pts/0 res=success'
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal sudo[1997]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal audit[1997]: USER_START pid=1997 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_open grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=addr? terminal=/dev/pts/0 res=success'
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal sudo[1997]: pam_unix(sudo:session): session closed for user root
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal audit[1997]: USER_STOP pid=1997 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:session_close grantors=pam_unix acct="root" exe="/usr/bin/sudo" hostname=addr? terminal=/dev/pts/0 res=success'
Jun 02 05:46:02 ip-172-31-31-123.ec2.internal audit[1997]: CRED_DISP pid=1997 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg='op=PAM:setcred grantors=pam_unix acct="root" exe="/usr/bin/sudo" hostname=addr? terminal=/dev/pts/0 res=success'
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: Starting configuration refresh for ens5
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: Using existing cfile /run/systemd/network/70-ens5.network
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for mac
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: Called trap
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal ec2net[1999]: No network reload needed
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal= res=success'
Jun 02 05:46:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal= res=success'
Jun 02 05:46:37 ip-172-31-31-123.ec2.internal systemd[1757]: Created slice background.slice - User Background Tasks Slice.
Jun 02 05:46:37 ip-172-31-31-123.ec2.internal systemd[1757]: Starting systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories...
Jun 02 05:46:37 ip-172-31-31-123.ec2.internal systemd[1757]: Finished systemd-tmpfiles-clean.service - Cleanup of User's Temporary Files and Directories.
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: Starting configuration refresh for ens5
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: [get_meta] Querying IMDS for mac
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: [get_meta] Querying IMDS for mac
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: Using existing cfile /run/systemd/network/70-ens5.network
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: [get_meta] Querying IMDS for mac
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: [get_meta] Querying IMDS for mac
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: Called trap
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal ec2net[2055]: No network reload needed
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal= res=success'
Jun 02 05:47:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal= res=success'
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: Starting configuration refresh for ens5
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: [get_meta] Querying IMDS for mac
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: [get_meta] Querying IMDS for mac
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: Using existing cfile /run/systemd/network/70-ens5.network
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: [get_meta] Querying IMDS for mac
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: [get_meta] Querying IMDS for mac
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: Called trap
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal ec2net[2105]: No network reload needed
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal= res=success'
Jun 02 05:49:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=addr? terminal= res=success'
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service - system activity accounting tool...
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal ec2net[2153]: Starting configuration refresh for ens5
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal ec2net[2153]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal ec2net[2153]: [get_meta] Querying IMDS for mac
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal ec2net[2153]: [get_meta] Querying IMDS for mac
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal ec2net[2153]: [get_meta] Querying IMDS for network/interfaces/mac80a:ff:e4:df:2b:39/local-ipv4s
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal ec2net[2153]: Called trap
Jun 02 05:50:52 ip-172-31-31-123.ec2.internal ec2net[2153]: No network reload needed
Jun 02 05:50:52 ip
```



```
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: Starting configuration refresh for ens5
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: [get_meta] Querying IMDS for mac
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: [get_meta] Querying IMDS for mac
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: Using existing cffile /run/systemd/network/70-ens5.network
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: [get_meta] Querying IMDS for mac
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: [get_meta] Querying IMDS for mac
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: Called trap
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal ec2net[2272]: No network reload needed
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:53:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:53:46 ip-172-31-31-123.ec2.internal audit[2382]: USER_ACCT pid=2320 uid=1000 auid=1000 ses=1 subj=system_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam_unix acct="ec2-user" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:53:46 ip-172-31-31-123.ec2.internal sudo[2320]: ec2-user : TTY=pts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/journalctl -n 50
Jun 02 05:53:46 ip-172-31-31-123.ec2.internal audit[2382]: USER_CMD pid=2320 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd="/home/ec2-user" cmd=6d6f75726e616c63746c20207062020602030e exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 02 05:53:46 ip-172-31-31-123.ec2.internal audit[2320]: CRED_REFR pid=2320 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:53:46 ip-172-31-31-123.ec2.internal sudo[2320]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 02 05:53:46 ip-172-31-31-123.ec2.internal audit[2320]: USER_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:53:46 ip-172-31-31-123.ec2.internal audit[2320]: USER_START pid=2320 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantors=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: Starting configuration refresh for ens5
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: [get_meta] Querying IMDS for mac
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: [get_meta] Querying IMDS for mac
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: Using existing cffile /run/systemd/network/70-ens5.network
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: [get_meta] Querying IMDS for mac
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: [get_meta] Querying IMDS for mac
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: [get_meta] Querying IMDS for network/interfaces/mac80a:ffe4:df:2b:39/local-ipv4s
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: Called trap
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal ec2net[2327]: No network reload needed
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 02 05:55:37 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal sudo[2320]: pam_unix(sudo:session): session closed for user root
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal audit[2320]: USER_END pid=2320 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal audit[2320]: CRED_DISP pid=2320 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal audit[2378]: USER_CMD pid=2378 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd="/home/ec2-user" cmd=6d6f75726e616c63746c202070620206020206020206020706176572 exe="/usr/bin/sudo" terminal=pts/0 res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal audit[2378]: CRED_REFR pid=2378 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal sudo[2378]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal audit[2378]: USER_START pid=2378 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantors=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal audit[2378]: USER_END pid=2378 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal audit[2378]: CRED_DISP pid=2378 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="root" exe="/usr/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 02 05:55:47 ip-172-31-31-123.ec2.internal sudo[2378]: pam_unix(sudo:session): session closed for user root
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec2net[2381]: Starting configuration refresh for ens5
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec2net[2381]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec2net[2381]: [get_meta] Querying IMDS for mac
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec2net[2381]: [get_meta] Querying IMDS for mac
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec2net[2381]: Using existing cffile /run/systemd/network/70-ens5.network
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec2net[2381]: [get_meta] Querying IMDS for mac
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec2net[2381]: [get_meta] Querying IMDS for mac
Jun 02 05:55:49 ip-172-31-31-123.ec2.internal ec
```

```
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Removed session 1.
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: Starting configuration refresh for ens5
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: [get_meta] Querying IMDS for mac
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: [get_meta] Querying IMDS for mac
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: [get_meta] Querying IMDS for mac
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: [get_meta] Querying IMDS for mac
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: [get_meta] Querying IMDS for network/interfaces/mac0/0a:ff:e4:df:2b:39/local-ipv4s
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: Called trap
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal ec2net[2536]: No networkd reload needed
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service: Refresh policy routes for ens5.
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:03 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user@1000.service - User Manager for UID 1000...
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Activating special unit exit.target...
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Removed slice background.slice - User Background Tasks Slice.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped target default.target - Main User Target.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped target basic.target - Basic System.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped target paths.target - Paths.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped target sockets.target - Sockets.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped target timers.target - Timers.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Closed dbus.socket - D-Bus User Message Bus Socket.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Stopped systemd-tmpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Removed slice app.slice - User Application Slice.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Reached target shutdown.target - Shutdown.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Finished systemd-exit.service - Exit the Session.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1757]: Reached target exit.target - Exit the Session.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: user@1000.service: Deactivated successfully.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user@1000.service - User Manager for UID 1000.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=user@1000 comm=systemd" exe="/usr/lib/s
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopping user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: run-user-1000.mount: Deactivated successfully.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: user-runtime-dir@1000.service: Deactivated successfully.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: Stopped user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=user-runtime-dir@1000 comm=systemd" exe
="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:13 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user-1000.slice - User Slice of UID 1000.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Power key pressed short.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd-logind[1420]: Powering off...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd-logind[1420]: System is powering down.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice systemd-modprobe.slice - Slice /system/modprobe.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-refresh-x2dpolicy-x2droutes.slice - Slice /system/refresh-policy-routes.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: system-refresh-x2dpolicy-x2droutes.slice: Consumed 1.624s CPU time.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-sshd-x2dkeygen.slice - Slice /system/sshd-keygen.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-init.target - Cloud-init target.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target graphical.target - Graphical Interface.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target multi-user.target - Multi-User System.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target getty.target - Login Prompts.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target rpc.pipefs.target.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target timers.target - Timer Units.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: fstrim.timer: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped fstrim.timer - Discard unused blocks once a week.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: logrotate.timer: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped logrotate.timer - Daily rotation of log files.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.timer: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped refresh-policy-routes@ens5.timer.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.timer: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-summary.timer: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-clean.timer: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.timer: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping acpid.service - ACPI Event Daemon...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping amazon-ssm-agent.service - amazon-ssm-agent...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping atd.service - Deferred execution scheduler...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping chronyd.service - NTP client/server...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: cloud-final.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 06:02:27.1377 INFO [amazon-ssm-agent] amazon-ssm-agent got signal:terminated value:0x55de11f0900
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 06:02:27.1378 INFO [amazon-ssm-agent] Received stop/termination signal from main routine
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 06:02:27.1379 INFO [amazon-ssm-agent] Stopping Core Agent
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal chronyd[1615]: chronyd exiting
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-final.service - Execute cloud user/final scripts.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=cloud-final comm=systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: cloud-config.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-config.service - Apply the settings specified in cloud-config.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=cloud-config comm=systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cloud-config.target - Cloud-config availability.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping getty@tty1.service - Getty on tty1...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping irqbalance.service - irqbalance daemon...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping libstoragemgmt.service - libstoragemgmt plug-in server daemon...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping nginx.service - The nginx HTTP and reverse proxy server...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: policy-routes@ens5.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped policy-routes@ens5.service - Set up policy routes for ens5.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=policy-routes@ens5 comm=systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1581]: CRYPTO_KEY_USER pid=1581 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:sshd:t:s0-s0:c0:c1023 msg=op=destroy kind=server f
pe=SHA256:22:c6:da:20:7a:8d:3c:70:c2:ee:39:7b:38:3a:93:ee:4b:ab:ac:c6:5b:e5:c9:bfbf:5a:2a:9a:f2:a5:fc direction=? spid=1581 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=succes
s'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-policy-x2droutes.slice - Slice /system/policy-routes.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal sshd[1581]: Received signal 15: terminating.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: sysstat.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sysstat.service - Resets System Activity Logs.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=sysstat comm=systemd" exe="/usr/lib/sys
temd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-logind.service - User Login Management...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-random-seed.service - Load/Save Random Seed...
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: acpid.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=acpid comm=systemd" exe="/usr/lib/syste
md/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped acpid.service - ACPI Event Daemon.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: irqbalance.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped irqbalance.service - irqbalance daemon.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=irqbalance comm=systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: libstoragemgmt.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=libstoragemgmt comm=systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: systemd-logind.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-logind.service - User Login Management.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=systemd-logind comm=systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: sshd.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped sshd.service - OpenSSH server daemon.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=sshd comm=systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: atd.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped atd.service - Deferred execution scheduler.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=atd comm=systemd" exe="/usr/lib/system
d/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: getty@tty1.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped getty@tty1.service - Getty on tty1.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=getty@tty1 comm=systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: serial-getty@ttyS0.service: Deactivated successfully.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: Stopped serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init:t:s0 msg=unit=serial-getty@ttyS0 comm=systemd" exe="/
```

```
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:27 ip-172-31-31-123.ec2.internal systemd[1]: nginx.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped nginx.service - The nginx HTTP and reverse proxy server.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=nginx comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: chronyd.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped chronyd.service - NTP client/server.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: var-lib-nfs-rpc-pipefs.mount: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: dracut-shutdown.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: Stopped dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dracut-shutdown comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: system-random-seed.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped system-random-seed.service - Load/Save Random Seed.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-getty.slice - Slice /system/getty.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-serial-v2dgetty.slice - Slice /system/serial-getty.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-lookup.target - Host and Network Name Lookups.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sshd-keygen.target.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-user-sessions.service - Permit User Sessions...
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: systemd-user-sessions.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-user-sessions.service - Permit User Sessions.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nss-user-lookup.target - User and Group Name Lookups.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target nfs-client.target - NFS client services.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopping gssproxy.service - GSSAPI Proxy Daemon...
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation...
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: gssproxy.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped gssproxy.service - GSSAPI Proxy Daemon.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=gssproxy comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: system-homed-activate.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed-activate.service - Home Area Activation.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed-activate comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-homed.service - Home Area Manager...
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: systemd-homed.service: Deactivated successfully.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-homed.service - Home Area Manager.
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-homed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:28 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 06:02:34.1437 INFO [CredentialRefresher] Sending credential refresher stop signal
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 06:02:34.1437 INFO [Registrar] Registrar is already stopped
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 06:02:34.1438 INFO [amazon-ssm-agent] Bye.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1575]: 2026-06-02 06:02:34.1438 INFO [CredentialRefresher] Stopping credentials refresher
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: amazon-ssm-agent.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped amazon-ssm-agent.service - amazon-ssm-agent.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network-online.target - Network is Online.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target network.target - Network.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd-wait-online.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: system-networkd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=system-networkd-wait-online comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-networkd.service - Network Configuration...
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: DHCP lease lost
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd-networkd[1447]: ens5: DHCPv6 lease lost
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-networkd.service - Network Configuration.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-networkd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=cloud-init-local comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target basic.target - Basic System.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target paths.target - Path Units.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target slices.target - Slice Units.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice user.slice - User and Session Slice.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sockets.target - Socket Units.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: acpid.socket: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Closed acpid.socket - ACPI Daemon Socket.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: sssd-kcm.socket: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Closed sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-networkd.socket: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-networkd.socket - Network Service Netlink Socket.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal dbus-broker[1445]: Dispatched 1981 messages @ 71(28)us / message.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopping dbus-broker.service - D-Bus System Message Bus...
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-network-generator.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-network-generator.service - Generate network units from Kernel command line.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: dbus-broker.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped dbus-broker.service - D-Bus System Message Bus.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=dbus-broker comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: dbus.socket: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Closed dbus.socket - D-Bus System Message Bus Socket.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: proc-sys-fs-binfmt_misc.automount: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=UNLOAD
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount proc-sys-fs-binfmt_misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target cryptsetup.target - Local Encrypted Volumes.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-ask-password-wall.path: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target integritysetup.target - Local Integrity Protected Volumes.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target veritysetup.target - Local Verity Protected Volumes.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-update.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-boot-update.service - Automatic Boot Loader Update.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-boot-update comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-resolved.service - Network Name Resolution...
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopping systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-resolved.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SYSTEM_SHUTDOWN pid=2640 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-resolved.service - Network Name Resolution.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-resolved comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-coredump.socket: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Closed systemd-coredump.socket - Process Core Dump Socket.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd-v2dsysctl.service.mount: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd-v2dsysctl.service.mount - /run/credentials/systemd-sysctl.service.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-update-utmp comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopping auditd.service - Security Auditing Service...
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1297]: The audit daemon is exiting.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=aset audit_pid=0 old=1297 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: auditd.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal kernel: kauditd_printk_skb: 125 callbacks suppressed
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal kernel: audit: type=1305 audit(1780380154.844:378): op=aset audit_pid=0 old=1297 auid=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
```



```
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped auditd.service - Security Auditing Service.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmpfiles-setup comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780380156.894:379): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm
="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780380156.894:380): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmp
files-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting boot-efi.mount - /boot/efi.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal mount[2645]: umount: /run/credentials/systemd-tmpfiles-setup.service: no mount point specified.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting tmp.mount - Temporary Directory /tmp.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.mount: Deactivated successfully.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted boot-efi.mount - /boot/efi.
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service: Mount process exited, code=exited, status=32/n/a
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Failed with result 'exit-code'
Jun 02 06:02:34 ip-172-31-31-123.ec2.internal systemd[1]: Unmounting run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount - /run/credentials/systemd-tmpfiles-setup.service.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount - /run/credentials/systemd-tmpfiles-setup-dev.service.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: tmp.mount: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Unmounted tmp.mount - Temporary Directory /tmp.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Unset automount boot-efi.automount.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target swap.target - Swaps.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target umount.target - Unmount All Filesystems.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck@dev-disk-by\x2duuid-6084\x2d862A.service - File System Check on /dev/disk/by-uuid/6084-862A.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x2
d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780380155.174:381): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck
@dev-disk-by\x2duuid-6084\x2d862A comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Removed slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target local-fs.target - Preparation for Local File Systems.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780380155.214:382): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-rem
ount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780380155.214:383): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck
@root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780380155.214:384): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-tmp
files-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal kernel: audit: type=1138 audit(1780380156.214:385): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-pow
eroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal kernel: audit: type=1131 audit(1780380155.214:386): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-pow
eroff comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal kernel: audit: type=1334 audit(1780380155.214:387): prog-id=52 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-powerooff comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-remount-fs.service: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-remount-fs.service: Remount Root and Kernel File Systems.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-fsck-root.service: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-fsck-root.service - File System Check on Root Device.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target shutdown.target - System Shutdown.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target final.target - Late Shutdown Services.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: systemd-powerooff.service: Deactivated successfully.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-powerooff.service - System Power Off.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Reached target poweroff.target - System Power Off.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd[1]: Shutting down.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd-shutdown[1]: Syncing filesystems and block devices.
Jun 02 06:02:35 ip-172-31-31-123.ec2.internal systemd-journal[837]: Journal stopped
-- Boot c604c782e914ba29afc301aa625593e --
Jun 03 05:47:13 localhost kernel: Linux version 6.1.172-216.329.amzn2023.x86_64 (mockbuild@ip-10-0-63-99) (gcc (GCC) 11.5.0 20240719 (Red Hat 11.5.0-5), GNU ld version 2.41-50.amzn2023.0.5) #1 SM
P PREEMPT_DYNAMIC Wed May 20 06:31:34 UTC 2026
Jun 03 05:47:13 localhost kernel: BOOT_IMAGE=(h0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680de4a801 ro console=tty0 console=ttyS0,115
200n8 nvme_core.io_timeout=4294967295 rd.emergency=powerooff rd.shell=0 selinux=1 security=selinux quiet
Jun 03 05:47:13 localhost kernel: KASLR enabled
Jun 03 05:47:13 localhost kernel: BIOS-provided physical RAM map:
Jun 03 05:47:13 localhost kernel: BIOS-e820: [mem 0x0000000000000000-0x000000000009ffff] usable
Jun 03 05:47:13 localhost kernel: BIOS-e820: [mem 0x0000000000100000-0x000000000039cdfff] usable
Jun 03 05:47:13 localhost kernel: BIOS-e820: [mem 0x000000000039ce000-0x00000000003934dff] reserved
Jun 03 05:47:13 localhost kernel: BIOS-e820: [mem 0x00000000003934e000-0x00000000003935dff] ACPI data
Jun 03 05:47:13 localhost kernel: BIOS-e820: [mem 0x00000000003935e000-0x0000000000393ddff] ACPI NVS
Jun 03 05:47:13 localhost kernel: BIOS-e820: [mem 0x0000000000393de000-0x00000000003937fff] usable
Jun 03 05:47:13 localhost kernel: BIOS-e820: [mem 0x00000000003937c000-0x00000000003937fff] reserved
Jun 03 05:47:13 localhost kernel: NX (Execute Disable) protection: active
Jun 03 05:47:13 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 03 05:47:13 localhost kernel: e820: update [mem 0x372be018-0x372c6e57] usable ==> usable
Jun 03 05:47:13 localhost kernel: extended physical RAM map:
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x0000000000000000-0x000000000009ffff] usable
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x0000000000100000-0x0000000000372be017] usable
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x0000000000372be018-0x0000000000372c6e57] usable
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x0000000000372c6e58-0x000000000039cdfff] usable
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x000000000039ce000-0x00000000003934dff] reserved
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x00000000003934e000-0x00000000003935dff] ACPI data
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x00000000003935e000-0x0000000000393ddff] ACPI NVS
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x0000000000393de000-0x00000000003937bff] usable
Jun 03 05:47:13 localhost kernel: reserve setup_data: [mem 0x00000000003937c000-0x00000000003937fff] reserved
Jun 03 05:47:13 localhost kernel: ef1: EFI v2.70 by EDK II
Jun 03 05:47:13 localhost kernel: ef1: SMBIOS0x0326a000 ACPI=0x3935d000 ACPI 2.0=0x3935d014 MEMATTR=0x3744ba98
Jun 03 05:47:13 localhost kernel: SMBIOS 2.7 present.
Jun 03 05:47:13 localhost kernel: DMI: Amazon EC2 t3.micro/, BIOS 1.0 10/16/2017
Jun 03 05:47:13 localhost kernel: Hypervisor detected: KVM
Jun 03 05:47:13 localhost kernel: kvm-clock: Using msrs 4b564d01 and 4b564d00
Jun 03 05:47:13 localhost kernel: kvm-clock: using sched offset of 1621094166 cycles
Jun 03 05:47:13 localhost kernel: clocksource: kvm-clock: mask: 0xffffffffffffffff max_cycles: 0x1cd42e4dffb, max_idle_ns: 881590591483 ns
Jun 03 05:47:13 localhost kernel: tsc: Detected 2499.996 Mhz processor
Jun 03 05:47:13 localhost kernel: e820: update [mem 0x00000000-0x00000000] usable ==> reserved
Jun 03 05:47:13 localhost kernel: e820: remove [mem 0x00000000-0x00000000] usable
Jun 03 05:47:13 localhost kernel: last_pfn = 0x3d37c max_arch_pfn = 0x40000000
Jun 03 05:47:13 localhost kernel: x86/PAT: Configuration [0-7]: WB WC UC- UC WB WP UC- WT
Jun 03 05:47:13 localhost kernel: Using GB pages for direct mapping
Jun 03 05:47:13 localhost kernel: Secure boot disabled
Jun 03 05:47:13 localhost kernel: RAMDISK: [mem 0x32805000-0x33c61fff]
Jun 03 05:47:13 localhost kernel: ACPI: Early table checksum verification disabled
Jun 03 05:47:13 localhost kernel: ACPI: RSDP 0x00000000003935d014 000024 (v02 AMAZON)
Jun 03 05:47:13 localhost kernel: ACPI: XSDT 0x00000000003935c0e8 00006c (v01 AMAZON AMZNACAP 00000001 01000013)
Jun 03 05:47:13 localhost kernel: ACPI: FACS 0x00000000003935e000 000114 (v01 AMAZON AMZNACAP 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: DSDT 0x000000000039356000 001154 (v01 AMAZON AMZNDSDT 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: FACS 0x0000000000393d0000 000040
Jun 03 05:47:13 localhost kernel: ACPI: WAET 0x00000000003935b000 000028 (v01 AMAZON AMZNNAET 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: SLIT 0x00000000003935A000 00006c (v01 AMAZON AMZNSLIT 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: APIC 0x000000000039359000 000076 (v01 AMAZON AMZNAPIC 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: SRAT 0x000000000039358000 000040 (v01 AMAZON AMZNSRAT 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: MPFT 0x000000000039354000 000038 (v01 AMAZON AMZNMPFT 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: SSDT 0x000000000039353000 000759 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: SSDT 0x000000000039352000 000001 (v01 AMAZON AMZNSSDT 00000001 AMZN 00000001)
Jun 03 05:47:13 localhost kernel: ACPI: BGRT 0x000000000039351000 000038 (v01 AMAZON AMAZON 00000002 01000013)
Jun 03 05:47:13 localhost kernel: ACPI: Reserving FACP table memory at [mem 0x39355000-0x39355113]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving DSDT table memory at [mem 0x39356000-0x39357159]
```

```
Jun 03 05:47:13 localhost kernel: ACPI: Reserving FACS table memory at [mem 0x393d0000-0x393d003f]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving WAET table memory at [mem 0x3935b000-0x3935b027]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving SLIT table memory at [mem 0x3935a000-0x3935a06b]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving APIC table memory at [mem 0x39359000-0x39359075]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving SRAT table memory at [mem 0x39358000-0x3935809f]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving HPET table memory at [mem 0x39354000-0x39354037]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving SDDT table memory at [mem 0x39353000-0x39353768]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving SSDT table memory at [mem 0x39352000-0x393520e0]
Jun 03 05:47:13 localhost kernel: ACPI: Reserving BGRT table memory at [mem 0x39351000-0x39351037]
Jun 03 05:47:13 localhost kernel: SRAT: PXM 0 -> APIC 0x00 -> Node 0
Jun 03 05:47:13 localhost kernel: SRAT: PXM 0 -> APIC 0x01 -> Node 0
Jun 03 05:47:13 localhost kernel: ACPI: SRAT: Node 0 PXM 0 [mem 0x00000000-0x3ffffffffff]
Jun 03 05:47:13 localhost kernel: NUMA: Initialized distance table, cnt=1
Jun 03 05:47:13 localhost kernel: NODE_DATA(0) allocated [mem 0x3b2cb000-0x3b2f5fff]
Jun 03 05:47:13 localhost kernel: Zone ranges:
Jun 03 05:47:13 localhost kernel: DMA [mem 0x00000000000001000-0x0000000000000ffffff]
Jun 03 05:47:13 localhost kernel: DMA32 [mem 0x00000000010000000-0x0000000003d37bfff]
Jun 03 05:47:13 localhost kernel: Normal empty
Jun 03 05:47:13 localhost kernel: Device empty
Jun 03 05:47:13 localhost kernel: Movable zone start for each node
Jun 03 05:47:13 localhost kernel: Early memory node ranges
Jun 03 05:47:13 localhost kernel: node 0: [mem 0x00000000000001000-0x0000000000000ffff]
Jun 03 05:47:13 localhost kernel: node 0: [mem 0x00000000000100000-0x0000000000039cdff]
Jun 03 05:47:13 localhost kernel: node 0: [mem 0x0000000000039cdff-0x000000000003d37bfff]
Jun 03 05:47:13 localhost kernel: Initmem setup node 0 [mem 0x00000000000001000-0x0000000003d37bfff]
Jun 03 05:47:13 localhost kernel: On node 0, zone DMA: 1 pages in unavailable ranges
Jun 03 05:47:13 localhost kernel: On node 0, zone DMA: 96 pages in unavailable ranges
Jun 03 05:47:13 localhost kernel: On node 0, zone DMA32: 784 pages in unavailable ranges
Jun 03 05:47:13 localhost kernel: On node 0, zone DMA32: 11396 pages in unavailable ranges
Jun 03 05:47:13 localhost kernel: ACPI: PM-Timer IO Port: 0xb008
Jun 03 05:47:13 localhost kernel: ACPI: LAPIC_NMI (acpi_id[0xf] dfl dfl lint[0x1])
Jun 03 05:47:13 localhost kernel: IOAPIC[0]: apic_id 0, version 32, address 0xfec00000, GSI 0-23
Jun 03 05:47:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 5 global_irq 5 high level)
Jun 03 05:47:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 9 global_irq 9 high level)
Jun 03 05:47:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 10 global_irq 10 high level)
Jun 03 05:47:13 localhost kernel: ACPI: INT_SRC_OVR (bus 0 bus_irq 11 global_irq 11 high level)
Jun 03 05:47:13 localhost kernel: ACPI: Using ACPI (MADT) for SMP configuration information
Jun 03 05:47:13 localhost kernel: ACPI: HPET id: 0x8086a201 base: 0xfed00000
Jun 03 05:47:13 localhost kernel: TSC deadline timer available
Jun 03 05:47:13 localhost kernel: smpboot: Allowing 2 CPUs, 0 hotplug CPUs
Jun 03 05:47:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x00000000-0x000000ff]
Jun 03 05:47:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x000a0000-0x0000ffff]
Jun 03 05:47:13 localhost kernel: PM: hibernation: Registered nosave memory: [mem 0x393c0000-0x393d3fff]
Jun 03 05:47:13 localhost kernel: [mem 0x3d400000-0xffffffffff] available for PCI devices
Jun 03 05:47:13 localhost kernel: Booting paravirtualized kernel on KVM
Jun 03 05:47:13 localhost kernel: clocksource: refined-jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260446275000 ns
Jun 03 05:47:13 localhost kernel: setup_percpu: NR_CPUS:8192 nr_cpumask_bits:2 nr_node_ids:1
Jun 03 05:47:13 localhost kernel: percpu: Embedded 68 pages/cpu 208896 r8192 d28672 u1048576
Jun 03 05:47:13 localhost kernel: pcpu-alloc: 208896 r8192 d28672 u1048576 alloc=1w2097152
Jun 03 05:47:13 localhost kernel: pcpu-alloc: [0] 0 1
Jun 03 05:47:13 localhost kernel: kvm-guest: PV spinlocks enabled
Jun 03 05:47:13 localhost kernel: PV qspinlock hash table entries: 256 (order: 0, 4096 bytes, linear)
Jun 03 05:47:13 localhost kernel: fallback order for Node 0: 0
Jun 03 05:47:13 localhost kernel: Built 1 zonelists, mobility grouping on. Total pages: 245790
Jun 03 05:47:13 localhost kernel: Policy zone: DMA32
Jun 03 05:47:13 localhost kernel: Kernel command line: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680ede4a801 ro console=tty0 console=ttyS0,115200n8 no_timer_check rhel.acpid=poweroff rd.shell=s0 selinux=1 security=selinux quiet
Jun 03 05:47:13 localhost kernel: random: crng init done
Jun 03 05:47:13 localhost kernel: Dentry cache hash table entries: 131072 (order: 8, 1048576 bytes, linear)
Jun 03 05:47:13 localhost kernel: Inode-cache hash table entries: 65536 (order: 7, 524288 bytes, linear)
Jun 03 05:47:13 localhost kernel: mem auto-init: stack:off, heap alloc:off, heap free:off
Jun 03 05:47:13 localhost kernel: Memory: 268060K/999468K available (14347K kernel code, 9305K rwdata, 8964K rodata, 3456K init, 6356K bss, 133548K reserved, 0K cma-reserved)
Jun 03 05:47:13 localhost kernel: SLUB: HWalign=64, Order=0-3, MinObjects=0, CPUs=2, Nodes=1
Jun 03 05:47:13 localhost kernel: Kernel/User page tables isolation: enabled
Jun 03 05:47:13 localhost kernel: ftrace: allocating 42099 entries in 165 pages
Jun 03 05:47:13 localhost kernel: ftrace: allocated 165 pages with 4 groups
Jun 03 05:47:13 localhost kernel: Dynamic Preempt: none
Jun 03 05:47:13 localhost kernel: rcu: Preemptible hierarchical RCU implementation.
Jun 03 05:47:13 localhost kernel: rcu: RCU restricting CPUs from NR_CPUS=8192 to nr_cpu_ids=2.
Jun 03 05:47:13 localhost kernel: Trampoline variant of Tasks RCU enabled.
Jun 03 05:47:13 localhost kernel: Rude variant of Tasks RCU enabled.
Jun 03 05:47:13 localhost kernel: Tracing variant of Tasks RCU enabled.
Jun 03 05:47:13 localhost kernel: rcu: RCU calculated value of scheduler-enlistment delay is 10 jiffies.
Jun 03 05:47:13 localhost kernel: rcu: Adjusting geometry for rcu_fanout_leaf=16, nr_cpu_ids=2
Jun 03 05:47:13 localhost kernel: NR_IRQS: 524544, nr_irqs: 440, preallocated irqs: 16
Jun 03 05:47:13 localhost kernel: rcu: srcu_init: Setting srcu_struct sizes based on contention.
Jun 03 05:47:13 localhost kernel: Console: colour dummy device 80x25
Jun 03 05:47:13 localhost kernel: printk: console [tty0] enabled
Jun 03 05:47:13 localhost kernel: printk: console [ttyS0] enabled
Jun 03 05:47:13 localhost kernel: ACPI: Core revision 20220331
Jun 03 05:47:13 localhost kernel: clocksource: hpnet: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 30580167144 ns
Jun 03 05:47:13 localhost kernel: ACPI: Switched to symmetric I/O mode setup
Jun 03 05:47:13 localhost kernel: x2apic enabled
Jun 03 05:47:13 localhost kernel: Switched APIC routing to physical x2apic.
Jun 03 05:47:13 localhost kernel: clocksource: tsc-early: mask: 0xffffffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
Jun 03 05:47:13 localhost kernel: Calibrating delay loop (skipped) preset value.. 4999.99 BogoMIPS (lpj=24999960)
Jun 03 05:47:13 localhost kernel: Last level iTLB entries: 4KB 64, 2MB 8, 4MB 8
Jun 03 05:47:13 localhost kernel: Last level dTLB entries: 4KB 64, 2MB 32, 4MB 32, 1GB 4
Jun 03 05:47:13 localhost kernel: Spectre V1 : Mitigation: usercopy/swaps barriers and __user pointer sanitization
Jun 03 05:47:13 localhost kernel: Spectre V2 : Mitigation: Retpolines; Bypass and SpectreRSB: Filling RSB on context switch and WEXIT
Jun 03 05:47:13 localhost kernel: Spectre v2 / SpectreRSB: Filling RSB on context switch and WEXIT
Jun 03 05:47:13 localhost kernel: RETbleed: WARNING: Spectre v2 mitigation leaves CPU vulnerable to RETbleed attacks, data leaks possible!
Jun 03 05:47:13 localhost kernel: RETbleed: Vulnerable
Jun 03 05:47:13 localhost kernel: Speculative Store Bypass: Vulnerable
Jun 03 05:47:13 localhost kernel: MDS: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 03 05:47:13 localhost kernel: MMIO Stale Data: Vulnerable: Clear CPU buffers attempted, no microcode
Jun 03 05:47:13 localhost kernel: GDS: Unknown: Dependent on hypervisor status
Jun 03 05:47:13 localhost kernel: active return thunk: its_return_thunk
Jun 03 05:47:13 localhost kernel: ITS: Mitigation: Aligned branch/return thunks
Jun 03 05:47:13 localhost kernel: x86/fpu: Supporting XSAVE feature 0x001: 'x87 floating point registers'
Jun 03 05:47:13 localhost kernel: x86/fpu: Supporting XSAVE feature 0x002: 'SSE registers'
Jun 03 05:47:13 localhost kernel: x86/fpu: Supporting XSAVE feature 0x004: 'AVX registers'
Jun 03 05:47:13 localhost kernel: x86/fpu: Supporting
```

```
Jun 03 05:47:13 localhost kernel: smpboot: Max logical packages: 1
Jun 03 05:47:13 localhost kernel: smpboot: Total of 2 processors activated (9999.98 BogoMIPS)
Jun 03 05:47:13 localhost kernel: node 0 deferred pages initialised in 0ms
Jun 03 05:47:13 localhost kernel: devtmpfs: initialized
Jun 03 05:47:13 localhost kernel: x86/mm: Memory block size: 128MB
Jun 03 05:47:13 localhost kernel: ACPI: PM: Registering ACPI NVS region [mem 0x3935e000-0x393ddfff] (524288 bytes)
Jun 03 05:47:13 localhost kernel: clocksource: jiffies: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 1911260442750000 ns
Jun 03 05:47:13 localhost kernel: futex hash table entries: 512 (order: 3, 32768 bytes, linear)
Jun 03 05:47:13 localhost kernel: NET: Registered PF_NETLINK/PF_ROUTE protocol family
Jun 03 05:47:13 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL pool for atomic allocations
Jun 03 05:47:13 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL[GFP_DMA pool for atomic allocations
Jun 03 05:47:13 localhost kernel: DMA: preallocated 128 KiB GFP_KERNEL[GFP_DMA32 pool for atomic allocations
Jun 03 05:47:13 localhost kernel: audit: initializing netlink subsys (disabled)
Jun 03 05:47:13 localhost kernel: audit: type=2000 audit(1780465634.146:1): state=initialized audit_enabled=0 res=1
Jun 03 05:47:13 localhost kernel: thermal_sys: Registered thermal governor 'fair_share'
Jun 03 05:47:13 localhost kernel: thermal_sys: Registered thermal governor 'step_wise'
Jun 03 05:47:13 localhost kernel: thermal_sys: Registered thermal governor 'user_space'
Jun 03 05:47:13 localhost kernel: cpuidle: using governor ladder
Jun 03 05:47:13 localhost kernel: cpuidle: using governor menu
Jun 03 05:47:13 localhost kernel: efi: Freeing EFI boot services memory: 44696K
Jun 03 05:47:13 localhost kernel: acpihp: ACPI Hot Plug PCI Controller Driver version: 0.5
Jun 03 05:47:13 localhost kernel: PCI: Using configuration type 1 for base access
Jun 03 05:47:13 localhost kernel: kprobes: kprobe jump-optimization is enabled. All kprobes are optimized if possible.
Jun 03 05:47:13 localhost kernel: HugeTLB: registered 1.00 GiB page size, pre-allocated 0 pages
Jun 03 05:47:13 localhost kernel: HugeTLB: 16380 KiB vmemmap can be freed for a 1.00 GiB page
Jun 03 05:47:13 localhost kernel: HugeTLB: registered 2.00 MiB page size, pre-allocated 0 pages
Jun 03 05:47:13 localhost kernel: HugeTLB: 28 KiB vmemmap can be freed for a 2.00 MiB page
Jun 03 05:47:13 localhost kernel: cryptd: max_cpu_glen set to 1000
Jun 03 05:47:13 localhost kernel: ACPI: Added _OSI(Module Device)
Jun 03 05:47:13 localhost kernel: ACPI: Added _OSI(Processor Device)
Jun 03 05:47:13 localhost kernel: ACPI: Added _OSI(Processor Aggregator Device)
Jun 03 05:47:13 localhost kernel: ACPI: 3 ACPI AML tables successfully acquired and loaded
Jun 03 05:47:13 localhost kernel: ACPI: Interpreter enabled
Jun 03 05:47:13 localhost kernel: ACPI: PM: (supports S0 S4 S5)
Jun 03 05:47:13 localhost kernel: ACPI: Using IOAPIC for interrupt routing
Jun 03 05:47:13 localhost kernel: PCI: Using host bridge windows from ACPI; if necessary, use "pci=nocrs" and report a bug
Jun 03 05:47:13 localhost kernel: PCI: Using E820 reservations for host bridge windows
Jun 03 05:47:13 localhost kernel: ACPI: Enabled 2 GPEs in block 00 to 0F
Jun 03 05:47:13 localhost kernel: ACPI: PCI Root Bridge [PCI0] (domain 0000 [bus 00-ff])
Jun 03 05:47:13 localhost kernel: acpi PNP0A03:00: _OSC: OS supports [ASPM ClockPM Segments MSI HPX-Type3]
Jun 03 05:47:13 localhost kernel: acpi PNP0A03:00: _OSC: not requesting OS control; OS requires [ExtendedConfig ASPM ClockPM MSI]
Jun 03 05:47:13 localhost kernel: acpi PNP0A03:00: fail to add MMCONFIG information, can't access extended PCI configuration space under this bridge.
Jun 03 05:47:13 localhost kernel: acpihp: Slot [3] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [4] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [5] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [6] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [7] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [8] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [9] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [10] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [11] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [12] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [13] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [14] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [15] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [16] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [17] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [18] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [19] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [20] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [21] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [22] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [23] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [24] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [25] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [26] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [27] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [28] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [29] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [30] registered
Jun 03 05:47:13 localhost kernel: acpihp: Slot [31] registered
Jun 03 05:47:13 localhost kernel: PCI: host bridge to bus 0000:00
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0000-0x0cf7 window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: root bus resource [io 0x0d00-0xffff window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x000a0000-0x000bffff window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x00000000-0xfefbffff window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: root bus resource [mem 0x100000000-0x2000ffffffff window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: root bus resource [bus 00-ff]
Jun 03 05:47:13 localhost kernel: pci 0000:00:00.0: [8086:1237] type 00 class 0x060000
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.0: [8086:7000] type 00 class 0x060100
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: [8086:7113] type 00 class 0x060000
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: quirk: [io 0xb000-0xb03f] claimed by PIIX4 ACPI
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: PIIX4 devres E PIO at ffff-ffff
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: PIIX4 devres F MMIO at ffc00000-ffffffff
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: PIIX4 devres G PIO at ffff-ffff
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: PIIX4 devres H MMIO at ffc00000-ffffffff
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: PIIX4 devres I PIO at ffff-ffff
Jun 03 05:47:13 localhost kernel: pci 0000:00:01.3: PIIX4 devres J PIO at ffff-ffff
Jun 03 05:47:13 localhost kernel: pci 0000:00:03.0: [1d0f:1111] type 00 class 0x030000
Jun 03 05:47:13 localhost kernel: pci 0000:00:03.0: BAR 0 [mem 0x80000000-0x803fffff pref]
Jun 03 05:47:13 localhost kernel: pci 0000:00:03.0: ROM [mem 0xffff0000-0xffffffff pref]
Jun 03 05:47:13 localhost kernel: pci 0000:00:03.0: Video device with shadowed ROM at [mem 0x000c0000-0x000dffff]
Jun 03 05:47:13 localhost kernel: pci 0000:00:04.0: [1d0f:8061] type 00 class 0x010802
Jun 03 05:47:13 localhost kernel: pci 0000:00:04.0: BAR 0 [mem 0x80400000-0x80407fff]
Jun 03 05:47:13 localhost kernel: pci 0000:00:05.0: [1d0f:ec20] type 00 class 0x020000
Jun 03 05:47:13 localhost kernel: pci 0000:00:05.0: BAR 0 [mem 0x80400000-0x80403fff]
Jun 03 05:47:13 localhost kernel: ACPI: PCI: Interrupt link LNKA configured for IRQ 10
Jun 03 05:47:13 localhost kernel: ACPI: PCI: Interrupt link LNK8 configured for IRQ 10
Jun 03 05:47:13 localhost kernel: ACPI: PCI: Interrupt link LNK0 configured for IRQ 11
Jun 03 05:47:13 localhost kernel: ACPI: PCI: Interrupt link LNK5 configured for IRQ 9
Jun 03 05:47:13 localhost kernel: iommu: Default domain type: Translated
Jun 03 05:47:13 localhost kernel: iommu: DMA domain TLB invalidation policy: lazy mode
Jun 03 05:47:13 localhost kernel: pps_core: LinuxPPS API ver. 1 registered
Jun 03 05:47:13 localhost kernel: pps_core: Software ver. 5.3.6 - Copyright 2005-2007 Rodolfo Giometti <giometti@linux.it>
Jun 03 05:47:13 localhost kernel: PTP clock support registered
Jun 03 05:47:13 localhost kernel: EDAC MC: Ver: 3.0.0
Jun 03 05:47:13 localhost kernel: Registered efivars operations
Jun 03 05:47:13 localhost kernel: NetLabel: Initializing
Jun 03 05:47:13 localhost kernel: NetLabel: domain hash size = 128
Jun 03 05:47:13 localhost kernel: NetLabel: protocols = UNLABELED CIPSOv4 CALIPSO
Jun 03 05:47:13 localhost kernel: NetLabel: unlabeled traffic allowed by default
Jun 03 05:47:13 localhost kernel: PCI: Using ACPI for IRQ routing
Jun 03 05:47:13 localhost kernel: PCI: pci_cache_line_size set to 64 bytes
Jun 03 05:47:13 localhost kernel: e820: reserve RAM buffer [mem 0x372be018-0x37fffffff]
Jun 03 05:47:13 localhost kernel: e820: reserve RAM buffer [mem 0x390ce000-0x3bfffffff]
Jun 03 05:47:13 localhost kernel: e820: reserve RAM buffer [mem 0x3d37c000-0x3fffffff]
Jun 03 05:47:13 localhost kernel: hpet0: at MMIO 0xfed00000, IRQs 2, 8, 0, 0, 0, 0, 0, 0
Jun 03 05:47:13 localhost kernel: hpet0: 8 comparators, 32-bit 62.500000 MHz counter
Jun 03 05:47:13 localhost kernel: clocksource: Switched to clocksource kvm-clock
Jun 03 05:47:13 localhost kernel: VFS: Disk quotas dquot_6.6.0
Jun 03 05:47:13 localhost kernel: VFS: Dquot-cache hash table entries: 512 (order 0, 4096 bytes)
Jun 03 05:47:13 localhost kernel: pnp: PnP ACPI init
Jun 03 05:47:13 localhost kernel: pnp: PnP ACPI: found 5 devices
Jun 03 05:47:13 localhost kernel: clocksource: acpi_pm: mask: 0xffffffff max_cycles: 0xffffffff, max_idle_ns: 2085701024 ns
Jun 03 05:47:13 localhost kernel: NET: Registered PF_INET protocol family
Jun 03 05:47:13 localhost kernel: IP ident hash table entries: 16384 (order: 5, 131072 bytes, linear)
Jun 03 05:47:13 localhost kernel: tcp_listen_portaddr hash hash table entries: 512 (order: 1, 8192 bytes, linear)
Jun 03 05:47:13 localhost kernel: Table-perturb hash table entries: 65536 (order: 6, 262144 bytes, linear)
Jun 03 05:47:13 localhost kernel: TCP established hash table entries: 8192 (order: 4, 65536 bytes, linear)
Jun 03 05:47:13 localhost kernel: TCP bind hash table entries: 8192 (order: 6, 262144 bytes, linear)
Jun 03 05:47:13 localhost kernel: TCP: Hash tables configured (established 8192 bind 8192)
Jun 03 05:47:13 localhost kernel: MPTCP token hash table entries: 1024 (order: 3, 24576 bytes, linear)
Jun 03 05:47:13 localhost kernel: UDP hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 03 05:47:13 localhost kernel: UDP-Lite hash table entries: 512 (order: 2, 16384 bytes, linear)
Jun 03 05:47:13 localhost kernel: NET: Registered PF_UNIX/PF_LOCAL protocol family
Jun 03 05:47:13 localhost kernel: NET: Registered PF_XDP protocol family
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: resource 4 [io 0x0000-0x0cf7 window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: resource 5 [io 0x0d00-0xffff window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: resource 6 [mem 0x000a0000-0x000bffff window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: resource 7 [mem 0x00000000-0xfefbffff window]
Jun 03 05:47:13 localhost kernel: pci_bus 0000:00: resource 8 [mem 0x100000000-0x2000ffffffff window]
Jun 03 05:47:13 localhost kernel: pci 0000:00:00.0: Limiting direct PCI/PCI transfers
```



```
Jun 03 05:47:13 localhost kernel: PCI: CLS 0 bytes, default 64
Jun 03 05:47:13 localhost kernel: Trying to unpack rootfs image as initramfs...
Jun 03 05:47:13 localhost kernel: clocksource: tsc: mask: 0xffffffffffff max_cycles: 0x24093623c91, max_idle_ns: 440795291220 ns
Jun 03 05:47:13 localhost kernel: clocksource: Switched to clocksource tsc
Jun 03 05:47:13 localhost kernel: Initialise system trusted keyrings
Jun 03 05:47:13 localhost kernel: Key type blacklist registered
Jun 03 05:47:13 localhost kernel: workqueue: timestamp_bits=36 max_order=18 bucket_order=0
Jun 03 05:47:13 localhost kernel: zbud: loaded
Jun 03 05:47:13 localhost kernel: SGI XFS with ACLs, security attributes, quota, no debug enabled
Jun 03 05:47:13 localhost kernel: integrity: Platform Keyring initialized
Jun 03 05:47:13 localhost kernel: integrity: Machine Keyring initialized
Jun 03 05:47:13 localhost kernel: Key type asymmetric registered
Jun 03 05:47:13 localhost kernel: Asymmetric key parser 'x509' registered
Jun 03 05:47:13 localhost kernel: Block layer SCSI generic (sg) driver version 0.4 loaded (major 248)
Jun 03 05:47:13 localhost kernel: io scheduler mq-deadline registered
Jun 03 05:47:13 localhost kernel: io scheduler kyber registered
Jun 03 05:47:13 localhost kernel: io scheduler bfq registered
Jun 03 05:47:13 localhost kernel: shpchp: Standard Hot Plug PCI Controller Driver version: 0.4
Jun 03 05:47:13 localhost kernel: Serial: 8250/16550 driver, 4 ports, IRQ sharing disabled
Jun 03 05:47:13 localhost kernel: 00:04: ttyS0 at I/O 0x3f8 (irq = 4, base_baud = 115200) is a 16550A
Jun 03 05:47:13 localhost kernel: AMD-Vi: AMD IOMMUv2 functionality not available on this system - This is not a bug.
Jun 03 05:47:13 localhost kernel: nvme nvme0: pci function 0000:00:04.0
Jun 03 05:47:13 localhost kernel: rtc_cmos 00:00: RTC can wake from S4
Jun 03 05:47:13 localhost kernel: ACPI: \_SB_.LNKD: Enabled at IRQ 11
Jun 03 05:47:13 localhost kernel: rtc_cmos 00:00: registered as rtc0
Jun 03 05:47:13 localhost kernel: rtc_cmos 00:00: setting system clock to 2026-06-03T05:47:13 UTC (1780465633)
Jun 03 05:47:13 localhost kernel: rtc_cmos 00:00: alarms up to one day, 114 bytes nvram
Jun 03 05:47:13 localhost kernel: vmclock AMZNCI0C:00: vmclock0: registered miscdev
Jun 03 05:47:13 localhost kernel: intel_pstate: CPU model not supported
Jun 03 05:47:13 localhost kernel: pstore: Registered efi as persistent store backend
Jun 03 05:47:13 localhost kernel: hid: raw HID events driver (C) Jiri Kosina
Jun 03 05:47:13 localhost kernel: NET: Registered PF_INET6 protocol family
Jun 03 05:47:13 localhost kernel: nvme nvme0: 2/0/0 default/read/poll queues
Jun 03 05:47:13 localhost kernel: nvme0n1: p1 p127 p128
Jun 03 05:47:13 localhost kernel: Freeing initrd memory: 20340K
Jun 03 05:47:13 localhost kernel: Segment Routing with IPv6
Jun 03 05:47:13 localhost kernel: In-situ OAM (IOAM) with IPv6
Jun 03 05:47:13 localhost kernel: NET: Registered PF_PACKET protocol family
Jun 03 05:47:13 localhost kernel: IPI shorthand broadcast: enabled
Jun 03 05:47:13 localhost kernel: AVX2 version of gcm_enc/dec engaged.
Jun 03 05:47:13 localhost kernel: AES CTR mode by8 optimization enabled
Jun 03 05:47:13 localhost kernel: sched_clock: Marking stable (252952347, 2636317)-->(278714888, -23126224)
Jun 03 05:47:13 localhost kernel: registered taskstats version 1
Jun 03 05:47:13 localhost kernel: Loading compiled-in X.509 certificates
Jun 03 05:47:13 localhost kernel: Loaded X.509 cert 'Amazon.com: Amazon Linux Kernel Signing Key: f63d4c551094c40f52510678b9849a1ad84746a4'
Jun 03 05:47:13 localhost kernel: zswap: loaded using pool lz4/zbud
Jun 03 05:47:13 localhost kernel: Key type .fscrypt registered
Jun 03 05:47:13 localhost kernel: Key type fscrypt-provisioning registered
Jun 03 05:47:13 localhost kernel: pstore: Using crash dump compression: deflate
Jun 03 05:47:13 localhost kernel: ima: No TPM chip found, activating TPM-bypass!
Jun 03 05:47:13 localhost kernel: ima: Allocated hash algorithm: sha256
Jun 03 05:47:13 localhost kernel: ima: No architecture policies found
Jun 03 05:47:13 localhost kernel: clk: Disabling unused clocks
Jun 03 05:47:13 localhost kernel: Freeing unused decrypted memory: 2036K
Jun 03 05:47:13 localhost kernel: Freeing unused kernel image (initmem) memory: 2456K
Jun 03 05:47:13 localhost kernel: Write protecting the kernel read-only data: 26624k
Jun 03 05:47:13 localhost kernel: Freeing unused kernel image (text/rodata gap) memory: 2036K
Jun 03 05:47:13 localhost kernel: Freeing unused kernel image (rodata/data gap) memory: 1276K
Jun 03 05:47:13 localhost kernel: Run /init as init process
Jun 03 05:47:13 localhost kernel:   with arguments:
Jun 03 05:47:13 localhost kernel:   /init
Jun 03 05:47:13 localhost kernel:   with environment:
Jun 03 05:47:13 localhost kernel:   HOME=/
Jun 03 05:47:13 localhost kernel:   TERM=linux
Jun 03 05:47:13 localhost systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLKID +CURL +ELFUTILS +
FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PWQUALITY +P11KIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-hierarchy=unified)
Jun 03 05:47:13 localhost systemd[1]: Detected virtualization amazon.
Jun 03 05:47:13 localhost systemd[1]: Detected architecture x86_64.
Jun 03 05:47:13 localhost systemd[1]: Running in initrd.
Jun 03 05:47:13 localhost systemd[1]: No hostname configured, using default hostname.
Jun 03 05:47:13 localhost systemd[1]: Hostname set to 'localhost'.
Jun 03 05:47:13 localhost systemd[1]: Initializing machine ID from VM UUID.
Jun 03 05:47:13 localhost systemd[1]: Queued start job for default target initrd.target.
Jun 03 05:47:13 localhost systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 03 05:47:13 localhost systemd[1]: Expecting device dev-disk-by\x2duuid=6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - /dev/disk/by-uuid/6d980120-868a-45cd-aa78-b0680de4a801...
Jun 03 05:47:13 localhost systemd[1]: Reached target initrd-usr-fs.target - Initrd /usr File System.
Jun 03 05:47:13 localhost systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 03 05:47:13 localhost systemd[1]: Reached target paths.target - Path Units.
Jun 03 05:47:13 localhost systemd[1]: Reached target slices.target - Slice Units.
Jun 03 05:47:13 localhost systemd[1]: Reached target swap.target - Swaps.
Jun 03 05:47:13 localhost systemd[1]: Reached target timers.target - Timer Units.
Jun 03 05:47:13 localhost systemd[1]: Listening on systemd-journal-audit.socket - Journal Audit Socket.
Jun 03 05:47:13 localhost systemd[1]: Listening on systemd-journal-dev-log.socket - Journal Socket (/dev/log).
Jun 03 05:47:13 localhost systemd[1]: Listening on systemd-journal.socket - Journal Socket.
Jun 03 05:47:13 localhost systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 03 05:47:13 localhost systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 03 05:47:13 localhost systemd[1]: Reached target sockets.target - Socket Units.
Jun 03 05:47:13 localhost systemd[1]: kmod-static-nodes.service - Create List of Static Device Nodes was skipped because of an unset condition check (ConditionFileNotEmpty=/lib/modules/6.1.172-21
6.329.amzn2023.x86_64/modules.devname)
Jun 03 05:47:13 localhost systemd[1]: Starting systemd-journal.service - Journal Service...
Jun 03 05:47:13 localhost systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 03 05:47:13 localhost systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 03 05:47:13 localhost systemd[1]: Starting systemd-sysusers.service - Create System Users...
Jun 03 05:47:13 localhost systemd[1]: Starting systemd-vconsole-setup.service - Setup Virtual Console...
Jun 03 05:47:13 localhost systemd[1]: Finished systemd-vconsole-setup.service - Setup Virtual Console.
Jun 03 05:47:13 localhost systemd[1]: dracut-cmdline-ask.service - dracut ask for additional cmdline parameters was skipped because no trigger condition checks were met.
Jun 03 05:47:13 localhost systemd[1]: Starting dracut-cmdline.service - dracut cmdline hook...
Jun 03 05:47:13 localhost systemd[1]: Finished systemd-sysusers.service - Create System Users.
Jun 03 05:47:13 localhost kernel: audit: type=1130 audit(1780465633.970:2): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:13 localhost systemd[1]: Starting systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 03 05:47:13 localhost systemd-journal[346]: Journal started
Jun 03 05:47:13 localhost systemd-journal[346]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 03 05:47:13 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 03 05:47:13 localhost systemd-sysusers[348]: Creating group 'nobody' with GID 65534.
Jun 03 05:47:13 localhost systemd-sysusers[348]: Creating group 'users' with GID 100.
Jun 03 05:47:13 localhost systemd-sysusers[348]: Creating group 'systemd-journal' with GID 190.
Jun 03 05:47:13 localhost systemd[1]: Started systemd-journal.service - Journal Service.
Jun 03 05:47:13 localhost kernel: audit: type=1130 audit(1780465633.990:3): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journal comm="systemd" exe="/usr/lib/systemd/
systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:13 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-journal comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 03 05:47:13 localhost systemd[1]: Starting systemd-tmpfiles-setup.service - Create Volatile Files and Directories...
Jun 03 05:47:14 localhost dracut-cmdline[350]: dracut-102-3.amzn2023.0.2
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostna
me=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd-tmpfiles[361]: /usr/lib/tmpfiles.d/var.conf:14: Duplicate line for path "/var/log", ignoring.
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=?
addr=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 03 05:47:14 localhost systemd[1]: Finished systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 03 05:47:14 localhost systemd[1]: Finished systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 03 05:47:14 localhost dracut-cmdline[350]: Using kernel command line parameters: BOOT_IMAGE=(hd0,gpt1)/boot/vmlinuz-6.1.172-216.329.amzn2023.x86_64 root=UUID=6d980120-868a-45cd-aa78-b0680d
e4a801 ro console=tty0 console=ttyS0,115200n8 nvme_core.io_timeout=4294967295 rd.emergency=poweroff rd.shell=0 selinux=1 security=selinux quiet
Jun 03 05:47:14 localhost kernel: audit: type=1130 audit(1780465634.000:4): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost kernel: audit: type=1130 audit(1780465634.000:5): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost kernel: audit: type=1130 audit(1780465634.000:6): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Finished dracut-cmdline.service - dracut cmdline hook.
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: dracut-pre-udev.service - dracut pre-udev hook was skipped because no trigger condition checks were met.
Jun 03 05:47:14 localhost audit: BPF prog-id=6 op=LOAD
Jun 03 05:47:14 localhost audit: BPF prog-id=7 op=LOAD
Jun 03 05:47:14 localhost kernel: audit: type=1130 audit(1780465634.030:7): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost kernel: audit: type=1334 audit(1780465634.030:8): prog-id=6 op=LOAD
Jun 03 05:47:14 localhost kernel: audit: type=1334 audit(1780465634.030:9): prog-id=7 op=LOAD
```

```
Jun 03 05:47:14 localhost systemd[1]: Starting systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 03 05:47:14 localhost systemd-udev[410]: Using default interface naming scheme 'v252'.
Jun 03 05:47:14 localhost systemd[1]: Started systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Starting dracut-pre-trigger.service - dracut pre-trigger hook...
Jun 03 05:47:14 localhost kernel: audit: type=1130 audit(1780465634.090:10): pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/sy
stemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Finished dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr
=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? ad
dr=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 03 05:47:14 localhost systemd[1]: Reached target sysinit.target - System Initialization.
Jun 03 05:47:14 localhost systemd[1]: Reached target basic.target - Basic System.
Jun 03 05:47:14 localhost systemd[1]: dracut-initqueue.service - dracut initqueue hook was skipped because no trigger condition checks were met.
Jun 03 05:47:14 localhost systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 03 05:47:14 localhost systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 03 05:47:14 localhost systemd[1]: dracut-pre-mount.service - dracut pre-mount hook was skipped because no trigger condition checks were met.
Jun 03 05:47:14 localhost rngd[776]: [drand]: Initialized
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=?
res=success'
Jun 03 05:47:14 localhost rngd[776]: Disabling 7: PKCS11 Entropy generator (pkcs11)
Jun 03 05:47:14 localhost rngd[776]: Disabling 5: NIST Network Entropy Beacon (nist)
Jun 03 05:47:14 localhost rngd[776]: Initializing available sources
Jun 03 05:47:14 localhost rngd[776]: [hwrng ]: Initialization Failed
Jun 03 05:47:14 localhost rngd[776]: [drand]: Enabling RDSEED rng support
Jun 03 05:47:14 localhost rngd[776]: [drand]: Initialized
Jun 03 05:47:14 localhost rngd[776]: [jitter]: JITTER timeout set to 5 sec
Jun 03 05:47:14 localhost rngd[776]: [jitter]: Initializing AES buffer
Jun 03 05:47:14 localhost systemd[1]: Found device dev-disk-by\x2duuid-6d980120\x2d868a\x2d45cd\x2daa78\x2db0680de4a801.device - Amazon Elastic Block Store /.
Jun 03 05:47:14 localhost systemd[1]: Reached target initrd-root-device.target - Initrd Root Device.
Jun 03 05:47:14 localhost systemd[1]: Mounting sysroot.mount - /sysroot...
Jun 03 05:47:14 localhost kernel: XFS (nvme0n1p1): Mounting V5 Filesystem
Jun 03 05:47:14 localhost kernel: XFS (nvme0n1p1): Ending clean mount
Jun 03 05:47:14 localhost systemd[1]: Mounted sysroot.mount - /sysroot.
Jun 03 05:47:14 localhost systemd[1]: Reached target initrd-root-fs.target - Initrd Root File System.
Jun 03 05:47:14 localhost systemd[1]: Starting initrd-parse-etc.service - Mountpoints Configured in the Real Root...
Jun 03 05:47:14 localhost systemd[1]: initrd-parse-etc.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Finished initrd-parse-etc.service - Mountpoints Configured in the Real Root.
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-parse-etc comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Reached target initrd-fs.target - Initrd File Systems.
Jun 03 05:47:14 localhost systemd[1]: Reached target initrd.target - Initrd Default Target.
Jun 03 05:47:14 localhost systemd[1]: dracut-mount.service - dracut mount hook was skipped because no trigger condition checks were met.
Jun 03 05:47:14 localhost systemd[1]: dracut-pre-pivot.service - dracut pre-pivot and cleanup hook was skipped because no trigger condition checks were met.
Jun 03 05:47:14 localhost systemd[1]: Starting initrd-cleanup.service - Cleaning Up and Shutting Down Daemons...
Jun 03 05:47:14 localhost systemd[1]: Stopped target initrd.target - Initrd Default Target.
Jun 03 05:47:14 localhost systemd[1]: Stopped target initrd-root-device.target - Initrd Root Device.
Jun 03 05:47:14 localhost systemd[1]: Stopped target initrd-usr-fs.target - Initrd /usr File System.
Jun 03 05:47:14 localhost systemd[1]: Stopped target remote-fs.target - Remote File Systems.
Jun 03 05:47:14 localhost systemd[1]: Stopped target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 03 05:47:14 localhost systemd[1]: Stopped target timers.target - Timer Units.
Jun 03 05:47:14 localhost systemd[1]: dracut-cmdline.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped dracut-cmdline.service - dracut cmdline hook.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-cmdline comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Stopping rngd.service - Hardware RNG Entropy Gatherer Daemon...
Jun 03 05:47:14 localhost systemd[1]: systemd-vconsole-setup.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped systemd-vconsole-setup.service - Setup Virtual Console.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-vconsole-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=rngd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? r
es=success'
Jun 03 05:47:14 localhost systemd[1]: rngd.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped rngd.service - Hardware RNG Entropy Gatherer Daemon.
Jun 03 05:47:14 localhost systemd[1]: initrd-cleanup.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Finished initrd-cleanup.service - Cleaning Up and Shutting Down Daemons.
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? t
erminal=? res=success'
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-cleanup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Stopped target basic.target - Basic System.
Jun 03 05:47:14 localhost systemd[1]: Stopped target paths.target - Path Units.
Jun 03 05:47:14 localhost systemd[1]: systemd-ask-password-console.path: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 03 05:47:14 localhost systemd[1]: Stopped target slices.target - Slice Units.
Jun 03 05:47:14 localhost systemd[1]: Stopped target sockets.target - Socket Units.
Jun 03 05:47:14 localhost systemd[1]: Stopped target sysinit.target - System Initialization.
Jun 03 05:47:14 localhost systemd[1]: Stopped target swap.target - Swaps.
Jun 03 05:47:14 localhost systemd[1]: systemd-sysctl.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped systemd-sysctl.service - Apply Kernel Variables.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? te
rminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: systemd-tmpfiles-setup.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped systemd-tmpfiles-setup.service - Create Volatile Files and Directories.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? a
ddr=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Stopped target local-fs.target - Local File Systems.
Jun 03 05:47:14 localhost systemd[1]: systemd-udev-trigger.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? add
r=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: dracut-pre-trigger.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped dracut-pre-trigger.service - dracut pre-trigger hook.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=dracut-pre-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=
? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Stopping systemd-udev.service - Rule-based Manager for Device Events and Files...
Jun 03 05:47:14 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup.service.mount: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: run-credentials-systemd\x2dsysctl.service.mount: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: systemd-udev.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: systemd-udev.service - Rule-based Manager for Device Events and Files.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-udev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? ter
minal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: systemd-udev-control.socket: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Closed systemd-udev-control.socket - udev Control Socket.
Jun 03 05:47:14 localhost systemd[1]: systemd-udev-kernel.socket: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Closed systemd-udev-kernel.socket - udev Kernel Socket.
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-tmpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=systemd-sysusers comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=?
terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Starting initrd-udevadm-cleanup-db.service - Cleanup udev Database...
Jun 03 05:47:14 localhost systemd[1]: systemd-tmpfiles-setup-dev.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped systemd-tmpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 03 05:47:14 localhost systemd[1]: systemd-sysusers.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Stopped systemd-sysusers.service - Create System Users.
Jun 03 05:47:14 localhost systemd[1]: run-credentials-systemd\x2dtmpfiles\x2dsetup\x2ddev.service.mount: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: run-credentials-systemd\x2dsysusers.service.mount: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: initrd-udevadm-cleanup-db.service: Deactivated successfully.
Jun 03 05:47:14 localhost systemd[1]: Finished initrd-udevadm-cleanup-db.service - Cleanup udev Database.
Jun 03 05:47:14 localhost audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname
=? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=kernel msg='unit=initrd-udevadm-cleanup-db comm="systemd" exe="/usr/lib/systemd/systemd" hostname=
? addr=? terminal=? res=success'
Jun 03 05:47:14 localhost systemd[1]: Reached target initrd-switch-root.target - Switch Root.
Jun 03 05:47:14 localhost systemd[1]: Starting initrd-switch-root.service - Switch Root...
Jun 03 05:47:14 localhost systemd[1]: Switching root.
Jun 03 05:47:14 localhost systemd-journal[346]: Journal stopped
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd-journal[346]: Received SIGTERM from PID 1 (systemd).
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: Class user_namespace not defined in policy.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: the above unknown classes and permissions will be allowed
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability network_peer_controls=1
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability open_perms=1
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability extended_socket_class=1
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability always_check_network=0
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability cgroup_seclabel=1
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability nnp_nosuid_transition=1
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability genfs_seclabel_symlinks=1
```

```
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: SELinux: policy capability ioctl_skip_cloexec=0
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Successfully loaded SELinux policy in 144.858ms.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Relabelled /dev, /dev/shm, /run, /sys/fs/cgroup in 21.441ms.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: systemd 252.23-11.amzn2023 running in system mode (+PAM +AUDIT +SELINUX +APPARMOR +IMA +SMACK +SECCOMP -GCRYPT -GNUTLS +OPENSSL +ACL +BLK
ID +CURL +ELFUTILS +FIDO2 +IDN2 -IDN -IPTC +KMOD +LIBCRYPTSETUP +LIBFDISK +PCRE2 +PQQUALITY +PIKIT +QRENCODE +TPM2 -BZIP2 -LZ4 +XZ +ZLIB -ZSTD +BPF_FRAMEWORK +XKBCOMMON +UTMP +SYSVINIT default-h
ierarchy=unified)
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Detected virtualization amazon.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Detected architecture x86_64.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Hostname set to <ip-172-31-31-123.ec2.internal>.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: bpf-lsm: LSM BPF program attached
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal zram-generator: config[819]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket: ListenMemory references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the file accordingly.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: initrd-switch-root.service: Deactivated successfully.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped initrd-switch-root.service - Switch Root.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Scheduled restart job, restart counter is at 1.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-getty.slice - Slice /system/getty.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-modprobe.slice - Slice /system/modprobe.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-serialx2dgetty.slice - Slice /system/serial-getty.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-sshd\x2dkeygen.slice - Slice /system/ssh-keygen.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user.slice - User and Session Slice.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-console.path - Dispatch Password Requests to Console Directory Watch.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-ask-password-wall.path - Forward Password Requests to Wall Directory Watch.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount proc-sys-fs-binfmt-misc.automount - Arbitrary Executable File Formats File System Automount Point.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-ttyS0.device - /dev/ttyS0...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cryptsetup.target - Local Encrypted Volumes.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-switch-root.target - Switch Root.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-fs.target - Initrd File Systems.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped target initrd-root-fs.target - Initrd Root File System.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Reached target integritysetup.target - Local Integrity Protected Volumes.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Reached target paths.target - Path Units.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Reached target slices.target - Slice Units.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Reached target swap.target - Swaps.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Reached target veritysetup.target - Local Verity Protected Volumes.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-coredump.socket - Process Core Dump Socket.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-initctl.socket - initctl Compatibility Named Pipe.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-networkd.socket - Network Service NetLink Socket.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-control.socket - udev Control Socket.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-udev-kernel.socket - udev Kernel Socket.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Listening on systemd-userdbd.socket - User Database Manager Socket.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-hugepages.mount - Huge Pages File System...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounting dev-mqueue.mount - POSIX Message Queue File System...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-debug.mount - Kernel Debug File System...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-tracing.mount - Kernel Trace File System...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounting tmp.mount - Temporary Directory /tmp...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: aouth-rpccss-module.service - Kernel Module supporting RPCSEC_GSS was skipped because of an unmet condition check (ConditionPathExists=/et
c/rbcs.keytab).
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting kmod-static-nodes.service - Create List of Static Device Nodes...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@configfs.service - Load Kernel Module configfs...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@fuse.service - Load Kernel Module fuse...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting nfs-converter.service - Preprocess NFS configuration conversion...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck-root.service - File System Check on Root Device...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Stopped systemd-journald.service - Journal Service.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journald.service - Journal Service...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-network-generator.service - Generate network units from Kernel command line...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-sysctl.service - Apply Kernel Variables...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udev-trigger.service - Coldplug All udev Devices...
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-hugepages.mount - Huge Pages File System.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounted dev-mqueue.mount - POSIX Message Queue File System.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-debug.mount - Kernel Debug File System.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-tracing.mount - Kernel Trace File System.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Mounted tmp.mount - Temporary Directory /tmp.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: device-mapper: core: CONFIG_IMA_DISABLE_HTABLE is disabled. Duplicate IMA measurements will not be recorded in the IMA log.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: device-mapper: uevent: version 1.0.3
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: device-mapper: ioctl: 4.47.0-ioctl (2022-07-28) initialised: dm-devel@redhat.com
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Finished kmod-static-nodes.service - Create List of Static Device Nodes.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@configfs.service: Deactivated successfully.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd-journal[841]: Journal started
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd-journal[841]: Runtime Journal (/run/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 2.2M, max 18.3M, 16.0M free.
Jun 03 05:47:14 ip-172-31-31-123.ec2.internal audit: MAC_POLICY_LOAD audit=4294967295 ses=4294967295 lsm=selinux res=1
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=8 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=9 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=10 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=11 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=12 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=13 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=14 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=15 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=16 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=17 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=18 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=19 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=20 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=21 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=22 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=23 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=24 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=25 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=26 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=27 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=28 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=29 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=30 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=50 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=51 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=58 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=59 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=60 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=61 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=62 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=63 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=64 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=64 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=65 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=65 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=66 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=66 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=67 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=67 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=68 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=68 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=69 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=69 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=70 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=70 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=71 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=71 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=72 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=72 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=73 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=73 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=74 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=74 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=75 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=75 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=76 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=76 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=77 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=77 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=78 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=78 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=79 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=79 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=80 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=80 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=81 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=81 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=82 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=82 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=83 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=83 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=84 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=84 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=85 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=85 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=86 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=86 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=87 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=87 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=88 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=88 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=89 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=89 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=90 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=90 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=91 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=91 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=92 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=92 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=93 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=93 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=94 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=94 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=95 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=95 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=96 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=96 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=97 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=97 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=98 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=98 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=99 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=99 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=100 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=100 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=101 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=101 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=102 op=LOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=102 op=UNLOAD
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit: BPF prog-id=103 op=LOAD
Jun 03 05:47:15 ip-172-31-31-
```



```
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journald.service: Deactivated successfully.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd-fsck[851]: /usr/sbin/fsck.xfs: XFS file system.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: fuse: init (API version 7.38)
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal kernel: loop: module loaded
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@dm_mod.service: Deactivated successfully.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@configfs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journald comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@configfs.service - Load Kernel Module configfs.
Jun 03 05:47:15 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-journald.service - Journal Service.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@fuse.service: Deactivated successfully.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@fuse.service - Load Kernel Module fuse.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@fuse comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: nfs-convertd.service: Deactivated successfully.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished nfs-convertd.service - Preprocess NFS configuration conversion.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nfs-convertd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck-root.service - File System Check on Root Device.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck-root comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-network-generator.service - Generate network units from Kernel command line.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-network-generator comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-sysctl.service - Apply Kernel Variables.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-sysctl comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-udev-trigger.service - Coldplug All udev Devices.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udev-trigger comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-fs-fuse-connections.mount - FUSE Control File System...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting sys-kernel-config.mount - Kernel Configuration File System...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-remount-fs.service - Remount Root and Kernel File Systems...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-fs-fuse-connections.mount - FUSE Control File System.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounted sys-kernel-config.mount - Kernel Configuration File System.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-remount-fs.service - Remount Root and Kernel File Systems.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-remount-fs comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-journal-flush.service - Flush Journal to Persistent Storage...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=sys/fs/pstore).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-random-seed.service - Load/Save Random Seed...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-mpfiles-setup-dev.service - Create Static Device Nodes in /dev...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd-journal[841]: Time spent on flushing to /var/log/journal/ec28de2184d5710b93d59b4fc48811fe is 94.325ms for 778 entries.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd-journal[841]: System Journal (/var/log/journal/ec28de2184d5710b93d59b4fc48811fe) is 24.0M, max 811.6M, 787.5M free.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Preparation for Local File Systems.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-random-seed comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-mpfiles-setup-dev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-random-seed.service - Load/Save Random Seed.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: first-boot-complete.target - First Boot Complete was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-mpfiles-setup-dev.service - Create Static Device Nodes in /dev.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Preparation for Local File Systems.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Set up automount boot-efi.automount.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Reached target local-fs.target - Local File Systems.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=run/initramfs/state).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: ldconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecurity=selinux).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi/efivars/LoaderFeatures-aa67b082-0a6c-41cf-b6c7-440b29bb8caf).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-boot-update.service - Automatic Boot Loader Update...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathIsMountPoint=/etc/machine-id).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=LOAD
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=LOAD
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=6 op=UNLOAD
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=7 op=UNLOAD
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-udevdev.service - Rule-based Manager for Device Events and Files...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd-udevdev[1256]: Using default interface naming scheme 'v252'.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-journal-flush.service - Flush Journal to Persistent Storage.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-journal-flush comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: boot-efi.automount: Got automount request for /boot/efi, triggered by 1255 (bootctl)
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-systemd\x2dfsck.slice - Slice /system/systemd-fsck.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Expecting device dev-disk-by\x2duuid-6084\x2d862a.device - /dev/disk/by-uuid/6084-862a...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-mpfiles-setup.service - Create Volatile Files and Directories...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-udevdev comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-udevdev.service - Rule-based Manager for Device Events and Files.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-mpfiles-setup.service - Create Volatile Files and Directories.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-mpfiles-setup comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-ttyS0.device - /dev/ttyS0 being skipped.
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal kernel: input: Power Button as /devices/LNXSYSTM:00/LNXPWRBN:00/input/input0
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=LOAD
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Mounting var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting auditd.service - Security Auditing Service...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=/var).
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-resolved.service - Network Name Resolution...
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Power Button [PWRB]
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0: Elastic Network Adapter (ENA) v2.16.1g
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: input: Sleep Button as /devices/LNXSYSTM:00/LNXPSPRN:00/input/input1
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: ACPI: button: Sleep Button [SLPF]
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0: ENA device version: 0.10
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0: ENA controller version: 0.0.1 implementation version 1
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: 18042: PNP: PS/2 Controller [PNP0303:KBD,PNP0F13:MOU] at 0x60,0x64 irq 1,12
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: 18042: Warning: Keylock active
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: serio: 18042 KBD port at 0x60,0x64 irq 1
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: serio: 18042 AUX port at 0x60,0x64 irq 12
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered named UNIX socket transport module.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered udp transport module.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp transport module.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: RPC: Registered tcp NFSv4.1 backchannel transport module.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0: LLQ is not supported fallback to host mode policy.
```

```
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0: Elastic Network Adapter (ENA) found at mem 80400000, mac addr 0a:ff:e4:df:2b:39
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=setup audit_enabled=1 old=1 audit=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1297]: SYSCALL arch=c000003e syscall=44 success=yes exit=60 a0=3 a1=7ffef93eb270 a2=3c a3=0 items=0 ppid=1282 pid=1297 audit=4294967295 uid=0 gi
d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE op=setup audit_enabled=1 old=1 audit=4294967295 ses=4294967295 subj=system_u:system_r:auditd_t:s0 res=1
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1297]: SYSCALL arch=c000003e syscall=44 success=yes exit=60 a0=3 a1=7ffef93eb270 a2=3c a3=0 items=0 ppid=1282 pid=1297 audit=4294967295 uid=0 gi
d=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditd" exe="/usr/sbin/auditd" subj=system_u:system_r:auditd_t:s0 key=(null)
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="/sbin/auditd"
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1297]: No plugins found, not dispatching events
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-resolved[1284]: Positive Trust Anchors:
Jun 03 05:47:16 ip-172-31-31-123.ec2.internal audit[1297]: Init complete, auditd 3.1.5 listening for events (startup state enable)
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-resolved[1284]: IN 20326 8 2 e06d4b080bf1d395e5c0b0d7c05d08458eb08409b0c683457104237c7f8ecbd
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1284]: Negative trust anchors: home.arpa 18.in-addr.arpa 16.172.in-addr.arpa 17.172.in-addr.arpa 18.172.in-addr.arpa 19.172.in-addr.
arpa 20.172.in-addr.arpa 21.172.in-addr.arpa 22.172.in-addr.arpa 23.172.in-addr.arpa 24.172.in-addr.arpa 25.172.in-addr.arpa 26.172.in-addr.arpa 27.172.in-addr.arpa 28.172.in-addr.arpa 29.172.in-addr.arpa 30.172.in-addr.arpa 31.172.in-addr.arpa 168.192.in-addr.arpa d.f.ip6.arpa corp home internal intranet lan local private test
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Mounted var-lib-nfs-rpc-pipefs.mount - RPC Pipe File System.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target rpc-pipefs.target.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal augenrules[1300]: /sbin/augeenrules[1300]: No change
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-resolved[1284]: Using system hostname 'ip-172-31-31-123.ec2.internal'.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-resolved comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-resolved.service - Network Name Resolution.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-lookup.target - Host and Network Name Lookups.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal augenrules[1359]: No rules
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: CONFIG_CHANGE audit=4294967295 ses=4294967295 subj=system_u:system_r:unconfined_service_t:s0 op=add_rule key=(null) list=1 res=1
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1359]: SYSCALL arch=c000003e syscall=44 success=yes exit=1056 a0=3 a1=7ffefaf72030 a2=420 a3=0 items=0 ppid=1300 pid=1359 audit=4294967295 uid=0
gid=0 euid=0 suid=0 fsuid=0 egid=0 sgid=0 fsgid=0 tty=(none) ses=4294967295 comm="auditctl" exe="/usr/sbin/auditctl" subj=system_u:system_r:unconfined_service_t:s0 key=(null)
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: PROCTITLE proctitle="2f73626962f6175646974637a6c0082052082f6574632f61756469742e7275656c6573
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=auditd comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started auditd.service - Security Auditing Service.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp.service - Record System Boot/Shutdown in UTMP...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1363]: SYSTEM_BOOT pid=1363 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=' comm="systemd-update-utmp" exe="/usr/li
b/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05.0 ens5: renamed from eth0
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp.service - Record System Boot/Shutdown in UTMP.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reloading.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal zram-generator:config[1392]: zram0: system has too much memory (916MB), limit is 800MB, ignoring.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: /usr/lib/systemd/system/acpid.socket:6: ListenStream= references a path below legacy directory /var/run/, updating /var/run/acpid.socket
→ /run/acpid.socket; please update the unit file accordingly.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Condition check resulted in dev-disk-by\x2duuid-6084\x2d862a.device - Amazon Elastic Block Store EFI\x20System\x20Partition being skipped
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=37 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=36 op=UNLOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=38 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=31 op=UNLOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=39 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=40 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=32 op=UNLOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=33 op=UNLOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=41 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=42 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=34 op=UNLOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=35 op=UNLOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-policy\x2droutes.slice - Slice /system/policy-routes.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Import-state.service - Import network configuration from initramfs was skipped because of an unmet condition check (ConditionDirectoryNotE
mpty=run/initramfs/state).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: ldcconfig.service - Rebuild Dynamic Linker Cache was skipped because no trigger condition checks were met.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@dm_mod.service - Load Kernel Module dm_mod...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@efi_pstore.service - Load Kernel Module efi_pstore...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@loop.service - Load Kernel Module loop...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: selinux-autorelabel-mark.service - Mark the need to relabel after reboot was skipped because of an unmet condition check (ConditionSecuri
ty=selinux).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-binfmt.service - Set Up Additional Binary Formats was skipped because no trigger condition checks were met.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-system-token.service - Store a System Token in an EFI Variable was skipped because of an unmet condition check (ConditionPat
hExists=/sys/firmware/efi/efivars/LoaderFeatures-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-firstboot.service - First Boot Wizard was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-boot-complete.target - systemd-boot-complete.target was skipped because of an unmet condition check (ConditionFirstBoot=yes).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a.service - File System Check on /dev/disk/by-uuid/6084-862a...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hwdb-update.service - Rebuild Hardware Database was skipped because of an unmet condition check (ConditionNeedsUpdate=etc).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-journal-catalog-update.service - Rebuild Journal Catalog was skipped because of an unmet condition check (ConditionNeedsUpdate=v
ar).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-machine-id-commit.service - Commit a transient machine-id on disk was skipped because of an unmet condition check (ConditionPathI
sMountPoint=/etc/machine-id).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-modules-load.service - Load Kernel Modules was skipped because no trigger condition checks were met.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-sysusers.service - Create System Users was skipped because no trigger condition checks were met.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@dm_mod comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@dm_mod.service - Load Kernel Module dm_mod.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-fsck[1402]: fsck.fat 4.2 (2021-01-31)
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-fsck[1402]: /dev/vmmon1p128: 5 files, 659/5101 clusters
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@efi_pstore.service: Deactivated successfully.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@efi_pstore comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@efi_pstore.service - Load Kernel Module efi_pstore.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@loop.service: Deactivated successfully.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@loop.service - Load Kernel Module loop.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@loop comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-fsck@dev-disk-by\x2duuid-6084\x2d862a.service - File System Check on /dev/disk/by-uuid/6084-862a.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-fsck@dev-disk-by\x2duuid-6084\x
2d862a comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Mounting boot-efi.mount - /boot/efi...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: system-pstore.service - Platform Persistent Storage Archival was skipped because of an unmet condition check (ConditionDirectoryNotEmpty=
/sys/fs/pstore).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-repart.service - Repartition Root Disk was skipped because no trigger condition checks were met.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Mounted boot-efi.mount - /boot/efi.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-boot-update.service - Automatic Boot Loader Update.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-boot-update comm="systemd" exe=
"/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-done.service - Update is Completed was skipped because no trigger condition checks were met.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sysinit.target - System Initialization.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started fstrim.timer - Discard unused blocks once a week.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started logrotate.timer - Daily rotation of log files.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started refresh-policy-routes@ens5.timer.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-collect.timer - Run system activity accounting tool every 10 minutes.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started sysstat-summary.timer - Generate summary of yesterday's process accounting.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-tmpfiles-clean.timer - Daily Cleanup of Temporary Directories.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started update-motd.timer - Timer for Dynamically Generate Message Of The Day.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target timers.target - Timer Units.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Listening on acpid.socket - ACPI Event Daemon Socket.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Listening on dbus.socket - D-Bus System Message Bus Socket.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Listening on sssd-kcm.socket - SSSD Kerberos Cache Manager responder socket.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sockets.target - Socket Units.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: rpmdm-rebuild.service - RPM database rebuild was skipped because of an unmet condition check (ConditionPathExists=/var/lib/rpm/.rebuilddb
).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: systemd-perchase-sysinit.service - TPM2 PCR Barrier (Initialization) was skipped because of an unmet condition check (ConditionPathExists
=/sys/firmware/efi/efivars/StubPcrKernelImage-4a67b082-0a4c-41cf-b6c7-440b29bb8c4f).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target basic.target - Basic System.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=acpid comm="systemd" exe="/usr/lib/syst
emd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started acpid.service - ACPI Event Daemon.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init-local.service - Initial cloud-init job (pre-networking)...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting dracut-shutdown.service - Restore /run/initramfs on shutdown...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=irqbalance comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 audit=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=libstoragemgmt comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started irqbalance.service - irqbalance daemon.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Started libstoragemgmt.service - libstoragemgmt plug-in server daemon.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting policy-routes@ens5.service - Set up policy routes for ens5...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ecdsa.service - OpenSSH ecda Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=/ru
n/systemd/generator.early/multi-user.target.wants/cloud-init.target).
```

```
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@ed25519.service - OpenSSH ed25519 Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=
!/run/systemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: sshd-keygen@rsa.service - OpenSSH rsa Server Key Generation was skipped because of an unmet condition check (ConditionPathExists=!/run/sy
stemd/generator.early/multi-user.target.wants/cloud-init.target).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target sshd-keygen.target.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: ssd.service - System Security Services Daemon was skipped because no trigger condition checks were met.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nss-user-lookup.target - User and Group Name Lookups.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting syslogd.service - Resets System Activity Logs...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=43 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal rm[1415]: removed '/var/lib/cloud/instance/boot-finished'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal rm[1415]: removed '/var/lib/cloud/instance'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=44 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=45 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=46 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-homed.service - Home Area Manager...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-logind.service - User Login Management...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init-local.service - Initial cloud-init job (pre-networking).
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init-local comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=dracut-shutdown comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished dracut-shutdown.service - Restore /run/initramfs on shutdown.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-homed[1421]: Watching /home.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal ec2net[1419]: Starting configuration for ens5
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal ec2net[1427]: /lib/systemd/systemd-networkd-wait-online ens5
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-logind[1422]: Watching system buttons on /dev/input/event0 (Power Button)
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/lib/sy
stemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=47 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Watching system buttons on /dev/input/event1 (Sleep Button)
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Finished syslogd.service - Resets System Activity Logs.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-pre.target - Preparation for Network.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd-logind[1422]: New seat seat0.
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=48 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=LOAD
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting dbus-broker.service - D-Bus System Message Bus...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd.service - Network Configuration...
Jun 03 05:47:17 ip-172-31-31-123.ec2.internal systemd[1]: Starting logrotate.service - Rotate log files.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Started dbus-broker.service - D-Bus System Message Bus.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sysstat comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal dbus-broker-lau[1444]: Ready
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed comm="systemd" exe="/usr/
lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-logind comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-homed.service - Home Area Manager.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-logind.service - User Login Management.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: lo: Link UP
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal kernel: ena 0000:00:05:0 ens5: Local page cache is disabled for less than 16 channels
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-homed-activate comm="systemd" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: lo: Gained carrier
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: Enumeration completed
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Configuring with /usr/lib/systemd/network/80-ec2.network.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Link UP
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting modprobe@drm.service - Load Kernel Module drm...
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-homed-activate.service - Home Area Activation.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-networkd.service - Network Configuration.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Logrotate.service: Deactivated successfully.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=logrotate comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=logrotate comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished logrotate.service - Rotate log files.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: modprobe@drm.service: Deactivated successfully.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished modprobe@drm.service - Load Kernel Module drm.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPV4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network.target - Network is ready.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/l
ib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=modprobe@drm comm="systemd" exe="/usr/li
b/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit: BPF prog-id=49 op=UNLOAD
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting gssproxy.service - GSSAPI Proxy Daemon...
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-networkd-wait-online.service - Wait for Network to be Configured...
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Started gssproxy.service - GSSAPI Proxy Daemon.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=gssproxy comm="systemd" exe="/usr/lib/s
ystemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: rpc-gssd.service - RPC security service for NFS client and server was skipped because of an unmet condition check (ConditionPathExists=/e
tc/krb5.keytab).
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target nfs-client.target - NFS client services.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs-pre.target - Preparation for Remote File Systems.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-cryptsetup.target - Remote Encrypted Volumes.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Reached target remote-fs.target - Remote File Systems.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: systemd-pcrphase.service - TPM2 PCR Barrier (User) was skipped because of an unmet condition check (ConditionPathExists=/sys/firmware/efi
/efivars/StubPcrKernelImage-4a67b882-0a4c-41cf-b0c7-44a0b29bb04f).
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Gained IPv6LL
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-networkd-wait-online.service - Wait for Network to be Configured.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-networkd-wait-online comm="sys
temd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for metadata
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-init.service - Initial cloud-init job (metadata service crawler)...
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for mac
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: Linking /run/systemd/network/70-ens5.network to /usr/lib/systemd/network/80-ec2.network
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac80:ffe4:df:2b:39/subnet-ipv4-cidr-block
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac80:ffe4:df:2b:39/interface-id
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for mac
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for mac
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac80:ffe4:df:2b:39/local-ipv4s
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac80:ffe4:df:2b:39/local-ipv4s
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: [get_meta] Querying IMDS for network/interfaces/mac80:ffe4:df:2b:39/local-ipv4s
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: Reconfiguring with /run/systemd/network/70-ens5.network.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal ec2net[1419]: Reloaded networkd
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished policy-routes@ens5.service - Set up policy routes for ens5.
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=policy-routes@ens5 comm="systemd" exe="
/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:18 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPv6 lease lost
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal systemd-networkd[1445]: ens5: DHCPV4 address 172.31.31.123/20, gateway 172.31.16.1 acquired from 172.31.16.1
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: Cloud-init v. 22.2.2 running 'init' at Wed, 03 Jun 2026 05:47:19 +0000. Up 6.86 seconds.
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: ++++++Net device info+++++
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | Device | Up | Address | Mask | Scope | Hw-Address |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: |-----|-----|-----|-----|-----|-----|
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | ens5 | True | 172.31.31.123 | 255.255.240.0 | global | 0a:ff:e4:df:2b:39 |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | ens5 | True | fe80::8fff:fedf:2b39/64 | . | link | 0a:ff:e4:df:2b:39 |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | lo | True | 127.0.0.1 | 255.0.0.0 | host | . |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | lo | True | ::1/128 | . | host | . |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: |-----|-----|-----|-----|-----|-----|
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: ++++++Route IPv4 info+++++
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | Route | Destination | Gateway | Genmask | Interface | Flags |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: |-----|-----|-----|-----|-----|-----|
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | 0 | 0.0.0.0 | 172.31.16.1 | 0.0.0.0 | ens5 | UG |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | 1 | 172.31.0.2 | 172.31.16.1 | 255.255.255.255 | ens5 | UGH |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | 2 | 172.31.16.0 | 0.0.0.0 | 255.255.240.0 | ens5 | U |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | 3 | 172.31.16.1 | 0.0.0.0 | 255.255.255.255 | ens5 | UH |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: |-----|-----|-----|-----|-----|-----|
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: ++++++Route IPv6 info+++++
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | Route | Destination | Gateway | Interface | Flags |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: |-----|-----|-----|-----|-----|
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | 0 | fe80::/64 | :: | ens5 | U |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | 2 | ::1 | :: | ens5 | U |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: | 3 | multicast | :: | ens5 | U |
Jun 03 05:47:19 ip-172-31-31-123.ec2.internal cloud-init[1544]: ci-info: |-----|-----|-----|-----|-----|
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-init.service - Initial cloud-init job (metadata service crawler).
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-init comm="systemd" exe="/usr/lib
/systemd/systemd" hostname=? addr=? terminal=? res=success'
```



```
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-config.target - Cloud-config availability.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target network-online.target - Network is Online.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started amazon-ssm-agent.service - amazon-ssm-agent.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=amazon-ssm-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-config.service - Apply the settings specified in cloud-config...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting nginx.service - The nginx HTTP and reverse proxy server...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting rpc-statd-notify.service - Notify NFS peers of a restart...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting sshd.service - OpenSSH server daemon...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting system-user-sessions.service - Permit User Sessions...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal sm-notify[1581]: Version 2.5.4 starting
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started rpc-statd-notify.service - Notify NFS peers of a restart.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=rpc-statd-notify comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal sshd[1583]: Server listening on 0.0.0.0 port 22.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal sshd[1583]: Server listening on : port 22.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started sshd.service - OpenSSH server daemon.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=sshd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-user-sessions comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=atd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=getty@tty1 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: Started atd.service - Deferred execution scheduler.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started getty@tty1.service - Getty on tty1.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=serial-getty@ttyS0 comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started serial-getty@ttyS0.service - Serial Getty on ttyS0.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Reached target getty.target - Login Prompts.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: chrony-config.service: Deactivated successfully.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: Error occurred fetching the seelog config file path: open /etc/amazon/ssm/seelog.xml: no such file or directory
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: Initializing new seelog logger
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: New Seelog Logger Creation Complete
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.2924 INFO Proxy environment variables:
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chrony-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: Finished chrony-config.service - Configures optimal endpoints for the chrony NTP client in AWS.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting chronyd.service - NTP client/server...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: The configuration file /etc/nginx/nginx.conf syntax is ok
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal nginx[1592]: nginx: configuration file /etc/nginx/nginx.conf test is successful
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.2934 INFO https_proxy:
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=nginx comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started nginx.service - The nginx HTTP and reverse proxy server.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.2934 INFO http_proxy:
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal chronyd[1618]: Frequency -6.845 +/- 0.159 ppm read from /var/lib/chrony/drift
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.2934 INFO no proxy/
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal chronyd[1618]: Loaded seccomp filter (level 2)
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started chronyd.service - NTP client/server.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=chronyd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal cloud-init[1622]: Cloud-init v. 22.2.2 running 'modules:config' at Wed, 03 Jun 2026 05:47:20 +0000. Up 7.22 seconds.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.2934 INFO Checking if agent identity type OnPrem can be assumed
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-config.service - Apply the settings specified in cloud-config.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-config comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.2935 INFO Checking if agent identity type EC2 can be assumed
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Starting cloud-final.service - Execute cloud user/final scripts...
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal systemd[1]: Started hibinit-agent.service - Initial hibernation setup job.
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5385 INFO Agent will take identity from EC2
Jun 03 05:47:20 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5316 INFO Telemetry Initialized
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal hibinit-agent[1626]: Effective config: {'log_to_syslog': True, 'group_update': True, 'touch_swap': False, 'btrfs_enabled': False, 'state_dir': '/var/lib/hibinit-agent', 'swap_percentage': 100, 'swap_mb': 4096, 'mkswap': 'mkswap (swapfile)', 'swapon': 'swapon (swapfile)', 'swapoff': 'swapoff (swapfile)'}
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal hibinit-agent[1626]: Requesting new IMDSv2 token.
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal hibinit-agent[1626]: Instance Launch has not enabled Hibernation Configured Flag. hibinit-agent exiting!!
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal systemd[1]: hibinit-agent.service: Deactivated successfully.
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5331 INFO [amazon-ssm-agent] amazon-ssm-agent - v3.3.4108.0
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=hibinit-agent comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal cloud-init[1631]: Cloud-init v. 22.2.2 running 'modules:final' at Wed, 03 Jun 2026 05:47:21 +0000. Up 7.77 seconds.
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5332 INFO [amazon-ssm-agent] OS: linux, Arch: amd64
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal cloud-init[1631]: Cloud-init v. 22.2.2 finished at Wed, 03 Jun 2026 05:47:21 +0000. DataSource DataSourceEc2. Up 7.88 seconds
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5332 INFO [amazon-ssm-agent] Starting Core Agent
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal systemd[1]: Finished cloud-final.service - Execute cloud user/final scripts.
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=cloud-final comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=51 op=LOAD
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal systemd[1]: Starting update-motd.service - Dynamically Generate Message Of The Day...
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5332 INFO [amazon-ssm-agent] Registrar detected. Attempting registration
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5332 INFO [Registrar] Starting registrar module
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5613 INFO [EC2Identity] Checking disk for registration info
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5630 INFO [EC2Identity] Registration info found for ec2 instance
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5630 INFO [amazon-ssm-agent] Registration attempted. Resuming core agent startup.
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5631 INFO [CredentialRefresher] credentialRefresher has started
Jun 03 05:47:21 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5631 INFO [CredentialRefresher] Starting credentials refresher loop
Jun 03 05:47:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.5649 WARN [EC2RoleProvider] Failed to connect to Systems Manager with instance profile role credentials. Error: retrieved credentials failed to report to ssm. Error: EC2RoleProvider: no EC2 instance role found
Jun 03 05:47:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.6069 ERROR [EC2RoleProvider] Failed to connect to Systems Manager with SSM role credentials. error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 03 05:47:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: status code: 400, request id: b9223deb-7bc2-41ce-8413-b8b0b54fa49e
Jun 03 05:47:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.6069 ERROR [CredentialRefresher] Retrieve credentials produced error: no valid credentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 03 05:47:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: status code: 400, request id: b9223deb-7bc2-41ce-8413-b8b0b54fa49e
Jun 03 05:47:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: 2026-06-03 05:47:20.6072 INFO [SerialPort] Write to serial port: SSM Agent unable to acquire credentials: <error>no valid credentials could be retrieved for ec2 identity. Default Host Management Err: error calling RequestManagedInstanceRoleToken: AccessDeniedException: Systems Manager's instance management role is not configured for account: 094337892911
Jun 03 05:47:22 ip-172-31-31-123.ec2.internal amazon-ssm-agent[1577]: status code: 400, request id: b9223deb-7bc2-41ce-8413-b8b0b54fa49e</error>
Jun 03 05:47:25 ip-172-31-31-123.ec2.internal chronyd[1618]: Selected source 169.254.169.123
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Deactivated successfully.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished update-motd.service - Dynamically Generate Message Of The Day.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=update-motd comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: update-motd.service: Consumed 1.179s CPU time.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: Reached target multi-user.target - Multi-User System.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: Reached target cloud-init.target - Cloud-init target.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: Reached target graphical.target - Graphical Interface.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal audit[1]: BPF prog-id=51 op=UNLOAD
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP...
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal audit[1657]: SYSTEM_RUNLEVEL pid=1657 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='old-level=N new-level=5 comm="systemd" d=update-utmp exe="/usr/lib/systemd/systemd-update-utmp" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: systemd-update-utmp-runlevel.service: Deactivated successfully.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: Finished systemd-update-utmp-runlevel.service - Record Runlevel Change in UTMP.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal systemd[1]: Startup finished in 496ms (firmware) + 888ms (loader) + 417ms (kernel) + 1.079s (userspace) = 14.404s.
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:47:26 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg='unit=systemd-update-utmp-runlevel comm="systemd" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal systemd[1]: Created slice system-refresh-x2dpolicyx2droutes.slice - Slice /system/refresh-policy-routes.
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: Starting configuration refresh for ens5
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: [get_meta] Querying IMDS for mac
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: [get_meta] Querying IMDS for mac
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: Using existing cfnfile /run/systemd/network/78-ens5.network
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: [get_meta] Querying IMDS for mac
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: [get_meta] Querying IMDS for mac
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: [get_meta] Querying IMDS for network/interfaces/macsf0a:ffe0:4df:2b:39:local-ipv4s
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: Called trap
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal ec2net[1658]: No network reload needed
```

```
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:48:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:49 ip-172-31-31-123.ec2.internal audit[1707]: CRYPTO_KEY_USER pid=1707 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server f
p=SHA256:22:c0:a:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:b5:c9:bf:b5:4a:2a:9a:f2:a5:f6 direction=? spid=1707 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success
s'
Jun 03 05:49:49 ip-172-31-31-123.ec2.internal audit[1706]: CRYPTO_SESSION pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-s
erver cipher=aes128-gcm@openssh.com ksize=128 mac=cmllplicit" pfs=ecdh-sha2-nist256 spid=1707 suid=74 rport=50169 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: CRYPTO_SESSION pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=start direction=from-c
lient cipher=aes128-gcm@openssh.com ksize=128 mac=cmllplicit" pfs=ecdh-sha2-nistp256 spid=1707 suid=74 rport=50169 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 t
erminal=? res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: USER_AUTH pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=pubkey_auth grantors=auth-k
ey acct="ec2-user" exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: CRYPTO_KEY_USER pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=negotiate kind=auth-k
ey fp=SHA256:c9:af:5b:d8:f4:44:fd:a1:c2:16:d9:93:2e:84:0a:6d:6f:f3:81:74:89:25:0c:63:84:9e:52:16:ce:80:b7:1d exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: USER_ACCT pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam
_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: ACCEPTED_PUBLICKEY pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam
_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: CRYPTO_KEY_USER pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=session
fp=? direction=both spid=1707 suid=74 rport=50169 laddr=172.31.31.123 lport=22 exe="/usr/sbin/sshd" hostname=? addr=61.2.141.177 terminal=? res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: CRED_ACQ pid=1706 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env
_pam_unix acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1706]: USER_ROLE_CHANGE pid=1706 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=pam: default-context=unconfined_u:unco
nfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/sbin/sshd" hostname=61.2.141.177 laddr=61.2.141.177 terminal=ssh res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=52 op=LOAD
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=53 op=LOAD
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit: BPF prog-id=54 op=LOAD
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-userdbd.service - User Database Manager...
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: Starting configuration refresh for ens5
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: [get_meta] Querying IMDS for mac
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal systemd[1]: Started systemd-userdbd.service - User Database Manager.
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-userdbd comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: [get_meta] Querying IMDS for mac
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: [get_meta] Querying IMDS for mac
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: [get_meta] Querying IMDS for mac
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal systemd[1]: Created slice user-1000.slice - User Slice of UID 1000.
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal systemd-logind[422]: New session 1 of user ec2-user.
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal systemd[1]: Starting user-runtime-dir@1000.service - User Runtime Directory /run/user/1000...
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: [get_meta] Querying IMDS for network/interfaces/mac0/ff:e4:df:2b:39/local-ipv4s
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: Called trap
Jun 03 05:49:53 ip-172-31-31-123.ec2.internal ec2net[1709]: No network reload needed
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1]: Finished user-runtime-dir@1000.service - User Runtime Directory /run/user/1000.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user-runtime-dir@1000 comm="systemd" ex
e="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting user@1000.service - User Manager for UID 1000...
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1762]: USER_ACCT pid=1762 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:accounting grantors=pam_unix acct="
ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1762]: CRED_ACQ pid=1762 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=op=PAM:setcred grantors=? acct="ec2-user" e
xe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1762]: USER_ROLE_CHANGE pid=1762 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=pam: default-context=unconfined_u:u
nconfined_r:unconfined_t:s0-s0:c0.c1023 selected-context=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal (systemd)[1762]: pam_unix(systemd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1762]: USER_START pid=1762 uid=0 auid=1000 ses=2 subj=system_u:system_r:init_t:s0 msg=op=PAM:session_open grantors=pam_selinux,pam_selinux,pam
_loginuid,pam_keyinit,pam_namespace,pam_systemd_home,pam_keyinit,pam_limits,pam_systemd,pam_unix acct="ec2-user" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Queued start job for default target default.target.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=user@1000 comm="systemd" exe="/usr/lib/
systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Created slice app.slice - User Application Slice.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Started grub-boot-success.timer - Mark boot as successful after the user session has run 2 minutes.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Started systemd-mpfiles-clean.timer - Daily Cleanup of User's Temporary Directories.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal sshd[1706]: pam_unix(sshd:session): session opened for user ec2-user(uid=1000) by (uid=0)
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Reached target paths.target - Paths.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Reached target timers.target - Timers.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1706]: USER_START pid=1706 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantors=pam_selinux,pam
_loginuid,pam_selinux,pam_namespace,pam_keyinit,pam_keyinit,pam_limits,pam_systemd,pam_unix,pam_umask,pam_lastlog acct="ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 t
erminal=ssh res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Starting dbus.socket - D-Bus User Message Bus Socket...
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Starting systemd-mpfiles-setup.service - Create User's Volatile Files and Directories...
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1771]: CRYPTO_KEY_USER pid=1771 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c0:a:
da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:b5:c9:bf:b5:4a:2a:9a:f2:a5:f6 direction=? spid=1771 suid=0 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1771]: CRED_ACQ pid=1771 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct="
ec2-user" exe="/usr/sbin/sshd" hostname=61.2.141.177 addr=61.2.141.177 terminal=ssh res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Finished systemd-mpfiles-setup.service - Create User's Volatile Files and Directories.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Listening on dbus.socket - D-Bus User Message Bus Socket.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Reached target sockets.target - Sockets.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Reached target basic.target - Basic System.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Reached target default.target - Main User Target.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1762]: Startup finished in 101ms.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1]: Started user@1000.service - User Manager for UID 1000.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1]: Started session-1.scope - Session 1 of User ec2-user.
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1706]: USER_LOGIN pid=1706 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1706]: CRYPTO_KEY_USER pid=1706 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=login id=1000 exe="/usr/sbin/sshd" hostna
me=? addr=61.2.141.177 terminal=/dev/pts/0 res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1706]: CRYPTO_KEY_USER pid=1706 uid=0 auid=1000 ses=1 subj=system_u:system_r:sshd_t:s0-s0:c0.c1023 msg=op=destroy kind=server fp=SHA256:22:c0:a:
da:20:7a:b3:70:c2:ee:39:7b:38:3a:93:ee:4b:a6:19:8d:5c:b5:c9:bf:b5:4a:2a:9a:f2:a5:f6 direction=? spid=1772 suid=1000 exe="/usr/sbin/sshd" hostname=? addr=? terminal=? res=success'
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=LOAD
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=LOAD
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=LOAD
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal systemd[1]: Starting systemd-hostnamed.service - Hostname Service...
Jun 03 05:49:54 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm="systemd" exe="/
usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:50:18 ip-172-31-31-123.ec2.internal systemd[1]: Starting sysstat-collect.service - system activity accounting tool...
Jun 03 05:50:18 ip-172-31-31-123.ec2.internal systemd[1]: sysstat-collect.service: Deactivated successfully.
Jun 03 05:50:18 ip-172-31-31-123.ec2.internal systemd[1]: Finished sysstat-collect.service - system activity accounting tool.
Jun 03 05:50:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat-collect comm="systemd" exe="/us
r/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:50:18 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=sysstat-collect comm="systemd" exe="/usr
/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:50:24 ip-172-31-31-123.ec2.internal systemd[1]: systemd-hostnamed.service: Deactivated successfully.
Jun 03 05:50:24 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=systemd-hostnamed comm="systemd" exe="/u
sr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:50:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=57 op=UNLOAD
Jun 03 05:50:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=56 op=UNLOAD
Jun 03 05:50:24 ip-172-31-31-123.ec2.internal audit: BPF prog-id=55 op=UNLOAD
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal systemd[1]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: Starting configuration refresh for ens5
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: [get_meta] Querying IMDS for mac
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: [get_meta] Querying IMDS for mac
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: Using existing cfgfile /run/systemd/network/70-ens5.network
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: [get_meta] Querying IMDS for mac
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: [get_meta] Querying IMDS for mac
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: [get_meta] Querying IMDS for network/interfaces/mac0/ff:e4:df:2b:39/local-ipv4s
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: Called trap
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal ec2net[1809]: No network reload needed
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal systemd[1]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal systemd[1]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_START pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:51:31 ip-172-31-31-123.ec2.internal audit[1]: SERVICE_STOP pid=1 uid=0 auid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm="system
d" exe="/usr/lib/systemd/systemd" hostname=? addr=? terminal=? res=success'
Jun 03 05:51:42 ip-172-31-31-123.ec2.internal audit[1857]: USER_CMD pid=1857 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=p
am_unix acct="ec2-user" exe="/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:51:42 ip-172-31-31-123.ec2.internal audit[1857]: CRYPTO_KEY_USER pid=1857 uid=0 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=p
am_unix acct="ec2-user" exe="/bin/sudo" hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:51:42 ip-172-31-31-123.ec2.internal audit[1857]: CRED_REFR pid=1857 uid=1000 auid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_
```

```
Jun 03 05:51:42 ip-172-31-31-123.ec2.internal sudo[1857]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 03 05:51:42 ip-172-31-31-123.ec2.internal audit[1857]: USER_START pid=1857 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:51:50 ip-172-31-31-123.ec2.internal sudo[1857]: pam_unix(sudo:session): session closed for user root
Jun 03 05:51:50 ip-172-31-31-123.ec2.internal audit[1857]: USER_END pid=1857 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1857]: CRED_DISP pid=1857 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: USER_ACCT pid=1862 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam_unix acct=ec2-user* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: ec2-user : TTY=pts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/systemctl status nginx
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: USER_CMD pid=1862 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd="/home/ec2-user" cmd=7379737465063746C2073746174757320667696E78 exe=/usr/bin/sudo terminal=/dev/pts/0 res=success'
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: CRED_REFR pid=1862 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: USER_START pid=1862 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: pam_unix(sudo:session): session closed for user root
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: USER_END pid=1862 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:52:00 ip-172-31-31-123.ec2.internal audit[1862]: CRED_DISP pid=1862 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:52:31 ip-172-31-31-123.ec2.internal audit[1762]: Starting grub-boot-success.service - Mark boot as successful...
Jun 03 05:52:31 ip-172-31-31-123.ec2.internal audit[1762]: Finished grub-boot-success.service - Mark boot as successful...
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: Starting configuration refresh for ens5
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: [get_meta] Querying IMDS for mac
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: [get_meta] Querying IMDS for mac
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: [get_meta] Querying IMDS for mac
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: [get_meta] Querying IMDS for mac
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:fd:2b:39/local-ipv4s
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: Called trap
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: No network reload needed
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 03 05:53:31 ip-172-31-31-123.ec2.internal audit[1762]: SERVICE_STOP pid=1 uid=0 uid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: USER_ACCT pid=1921 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:accounting grantors=pam_unix acct=ec2-user* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: ec2-user : TTY=pts/0 ; PWD=/home/ec2-user ; USER=root ; COMMAND=/usr/bin/journalctl -u nginx -n 20 --no-pager
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: USER_CMD pid=1921 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=cwd="/home/ec2-user" cmd=6A6F75726E6C63746C2072025806E7696E7820206C20720206E7696E78206F7676572 exe=/usr/bin/sudo terminal=/dev/pts/0 res=success'
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: CRED_DISP pid=1921 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: USER_START pid=1921 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_open grantor=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: Starting refresh-policy-routes@ens5.service - Refresh policy routes for ens5...
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: pam_unix(sudo:session): session opened for user root(uid=0) by ec2-user(uid=1000)
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: pam_unix(sudo:session): session closed for user root
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: USER_END pid=1921 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:session_close grantors=s-pam_keyinit,pam_limits,pam_keyinit,pam_limits,pam_systemd,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1921]: CRED_DISP pid=1921 uid=1000 ses=1 subj=unconfined_u:unconfined_r:unconfined_t:s0-s0:c0.c1023 msg=op=PAM:setcred grantors=pam_env,pam_unix acct=root* exe=/usr/bin/sudo hostname=? addr=? terminal=/dev/pts/0 res=success'
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: Starting configuration refresh for ens5
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: Got IMDSv2 token for interface ens5 from http://169.254.169.254/latest via ens5
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: [get_meta] Querying IMDS for mac
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: [get_meta] Querying IMDS for mac
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: [get_meta] Querying IMDS for mac
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: [get_meta] Querying IMDS for network/interfaces/mac80:ff:e4:fd:2b:39/local-ipv4s
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: Called trap
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: No network reload needed
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: refresh-policy-routes@ens5.service: Deactivated successfully.
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: Finished refresh-policy-routes@ens5.service - Refresh policy routes for ens5.
Jun 03 05:55:00 ip-172-31-31-123.ec2.internal audit[1924]: SERVICE_START pid=1 uid=0 uid=4294967295 ses=4294967295 subj=system_u:system_r:init_t:s0 msg=unit=refresh-policy-routes@ens5 comm=systemd
Jun 03 05:56:31 ip-172-31-31-123.ec2.internal audit[1762]: Created slice background.slice - User Background Tasks Slice.
Jun 03 05:56
```