

Optical Switch Service Manual


manual-b | split=dev | page=01

Optical Switch Service Manual / calibration table
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-01 links the page image to OCR-like text.
Table signal: operating limit 21 psi and ΔT 4 C.
Figure signal: callout F1 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.

Optical Switch Service Manual

manual-b | split=dev | page=02


Optical Switch Service Manual / exploded component figure
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-02 links the page image to OCR-like text.
Table signal: operating limit 22 psi and ΔT 5 C.
Figure signal: callout F2 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.



Optical Switch Service Manual

manual-b | split=dev | page=03


Optical Switch Service Manual / startup flow diagram
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-03 links the page image to OCR-like text.
Table signal: operating limit 23 psi and ΔT 6 C.
Figure signal: callout F3 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.



Optical Switch Service Manual

manual-b | split=dev | page=04


Optical Switch Service Manual / torque specification
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-04 links the page image to OCR-like text.
Table signal: operating limit 24 psi and ΔT 7 C.
Figure signal: callout F4 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.



Optical Switch Service Manual

manual-b | split=dev | page=05


Optical Switch Service Manual / fault troubleshooting
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-05 links the page image to OCR-like text.
Table signal: operating limit 25 psi and ΔT 8 C.
Figure signal: callout F5 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.



Optical Switch Service Manual

manual-b | split=dev | page=06


Optical Switch Service Manual / control panel layout
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-06 links the page image to OCR-like text.
Table signal: operating limit 26 psi and ΔT 9 C.
Figure signal: callout F6 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.



Optical Switch Service Manual

manual-b | split=dev | page=07

Optical Switch Service Manual / faint scanned label
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-07 links the page image to OCR-like text.
Table signal: operating limit 27 psi and ΔT 10 C.
Figure signal: callout F7 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.



Optical Switch Service Manual

manual-b | split=dev | page=08

Optical Switch Service Manual / 中英 mixed checklist
Document family: manual-b; split: dev.
Technical domain: optical switch; bilingual signal: 光交换机.
Reference code MANUAL-B-08 links the page image to OCR-like text.
Table signal: operating limit 28 psi and ΔT 11 C.
Figure signal: callout F8 labels sensor, valve, and service port.
Layout signal: top-left panel, center warning band, and footer revision box.
OCR-failure-style signal: SOL-1 may be confused with SOL-I in scans.
中文/English mixed note: 检查 光交换机 before reset sequence.

