



MESSER CUTTING SYSTEMS GMBH
Otto-Hahn-Strasse 2-4
D-64823 Gross-Umstadt

cutting machine
GLOBAL CONTROL

operation voltage: 400V; 3/PE
frequency: 50/60Hz
control voltage: 24VDC

modification information

[illegible]

			Creation date 07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958 OmniMat L 6000 Maghreb Steel	modification information	Drawing number		Page 2
Doku	15.02.2021	Lehle	Printout date 15.02.2021					Plant = AAO	Location + S1	
Change	Date	Name	Revisor					Last page 2 Continuation page =AA1/1		
Previous page 1		Total pages 271		last editor IWU						

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
AA0	S1	1	cover sheet		19.10.2011	KRU	
AA0	S1	2	modification information	WUP1211D	07.12.2020	LAU	
AA1	S1	1	Table of content		15.02.2021	E4A	
AA1	S1	2	Table of content		15.02.2021	E4A	
AA1	S1	3	Table of content		15.02.2021	E4A	
AA1	S1	4	Table of content		15.02.2021	E4A	
AA1	S1	5	Table of content		15.02.2021	E4A	
AA1	S1	6	Table of content		15.02.2021	E4A	
AA1	S1	7	Table of content		15.02.2021	E4A	
AA1	S1	8	Table of content		15.02.2021	E4A	
AA1	S1	9	Table of content		15.02.2021	E4A	
AA1	S1	10	Table of content		15.02.2021	E4A	
AA2	S1	1	general remarks		13.02.2013	KRU	
AA2	S1	2	general remarks		19.10.2011	KRU	
AA2	S1	3	general remarks		19.10.2011	KRU	
AA2	S1	4	general remarks		13.09.2012	KRU	
AA3	S1	0	technology diagram legend		12.12.2013	KRU	
AA3	S1	1	assembly technology diagram		07.12.2020	KRU	
AA5	S0	1	mounting arrangement		09.12.2020	WUN	
AA5	S1	1	mounting arrangement		09.12.2020	IWU	
AA5	S2	1	mounting arrangement		09.12.2020	IWU	
AA6	S1	1	emc grounding		07.12.2020	KRU	
AA6	S1	2	connector coding		07.12.2020	KRU	
AA6	S1	3	color code		07.12.2020	KRU	
AB1	S1	1	block diagram feed in		08.12.2020	WIL	
AB1	S1	2	block diagram 1X-drives OmniMat FaceLift		07.12.2020	WIL	
AB1	S1	3	block diagram 1Y-drives OmniMat L / MultiTherm FaceLift		08.12.2020	WIL	
AB1	S1	4	block diagram 55V-supply		07.12.2020	WIL	
AB1	S1	5	block diagram		09.12.2020	MIK	
AB1	S1	6	block diagram gantry cooling with fans		08.12.2020	WIL	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
AB2	S2	1	block diagram 2x Omniflow		07.12.2020	KRU	
AB2	S2	2	block diagram		08.12.2020	WIL	
AB2	S2	3	block diagram actor-sensor-box VA0		15.02.2021	MIK	
AB2	S2	4	block diagram actor-sensor-box VA1		08.12.2020	MIK	
AB2	S2	5	block diagram actor-sensor-box VA3		08.12.2020	MIK	
AB2	S2	6	block diagram actor-sensor-box VNA1 VNA2		07.12.2020	MIK	
AB2	S2	7	block diagram height adjustment 2 liftermodule		08.12.2020	E1A	
AB2	S2	8	J7/J8 In/Out		07.12.2020	MIK	
AB2	S2	9	block diagram height adjustment 1 liftermodule		08.12.2020	E1A	
AB2	S2	10	J7/J8 In/Out		08.12.2020	MIK	
AB2	S2	11	block diagram end Y-axis		08.12.2020	MIK	
AB2	S2	12	block diagram operation desk GCplus USB ext. Ethercat		07.12.2020	ANO	
AB2	S2	13	block diagram DKS		09.12.2020	KRU	
AB2	S2	14	block diagram DKS gas addressing		08.12.2020	KRU	
AB2	S2	15	block diagram DKS		09.12.2020	KRU	
AB2	S2	16	block diagram DKS gas addressing		07.12.2020	KRU	
AB2	S2	17	block diagram emergency stop wheel housing		07.12.2020	ANO	
AC1	S1	1	bus configuration		08.12.2020	KRU	
AC1	S1	2	bus configuration		09.12.2020	KRU	
BA0	S1	1	infeed transformer		08.12.2020	KRU	
BA0	S1	2	infeed transformer		11.12.2020	KRU	
BA1	S0	1	infeed 400VAC		08.12.2020	KRU	
BA1	S1	1	infeed 400VAC		11.12.2020	KRU	
BA1	S1	2	infeed 400VAC		11.12.2020	KRU	
BA1	S1	3	supply 240VAC permanent		08.12.2020	KRU	
BA1	S1	4	24VAC control voltage		08.12.2020	KRU	
BA1	S1	5	24VDC control voltage		09.12.2020	KRU	
BA1	S1	6	24VDC control voltage buffered		08.12.2020	KRU	
BA1	S2	1	24VDC control voltage		08.12.2020	KRU	
BA1	P1	1	operation desk		08.12.2020	KRU	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
BA2	S1	1	Voltage distribution DC		08.12.2020	KRU	
BA2	S2	1	distribution 24VDC		08.12.2020	KRU	
BA2	S2	2	distribution 24VDC		08.12.2020	KRU	
BA2	S2	3	distribution 24VDC		08.12.2020	KRU	
BA2	S2	4	distribution 0VDC		08.12.2020	KRU	
BA2	S2	5	distribution 0VDC		08.12.2020	KRU	
BA2	S2	6	interface operation panel		08.12.2020	KRU	
BA3	S2	1	watchdog		08.12.2020	KRU	
BA4	S1	1	emergency stop loop		08.12.2020	KRU	
BA4	S2	1	emergency stop loop		08.12.2020	KRU	
BA4	S2	2	emergency stop loop		08.12.2020	KRU	
BA5	S2	1	emergency stop loop		08.12.2020	KRU	
BA5	S2	2	emergency stop loop		08.12.2020	KRU	
BA5	S2	3	emergency stop loop		08.12.2020	KRU	
CA0	S2	1	PLC USB/DVI		08.12.2020	KRU	
CA0	P1	1	operation desk USB/DVI		08.12.2020	KRU	
CA2	S2	1	bus terminal overview		08.12.2020	KRU	
CA2	S2	3	bus terminal overview		08.12.2020	KRU	
CA2	S2	4	bus terminal overview		08.12.2020	KRU	
CA2	S2	5	bus terminal overview		08.12.2020	KRU	
CA3	S2	1	bus terminal overview		08.12.2020	KRU	
CA3	S2	2	bus terminal overview		08.12.2020	KRU	
CA3	S2	3	bus terminal overview		08.12.2020	KRU	
CA81	S81	1	bus terminal overview		08.12.2020	KRU	
CA81	S81	2	bus terminal overview		08.12.2020	KRU	
CA81	S81	3	bus terminal overview		08.12.2020	KRU	
CA81	S81	4	bus terminal overview		08.12.2020	KRU	
CA81	S81	5	bus terminal overview		11.12.2020	KRU	
CA81	S81	6	bus terminal overview		08.12.2020	KRU	
CA82	S82	1	bus terminal overview		08.12.2020	KRU	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
CA82	S82	2	bus terminal overview		08.12.2020	KRU	
CA82	S82	3	bus terminal overview		08.12.2020	KRU	
CA82	S82	4	bus terminal overview		08.12.2020	KRU	
CA82	S82	5	bus terminal overview		11.12.2020	KRU	
CA82	S82	6	bus terminal overview		08.12.2020	KRU	
FRB4	F4	1	Liftermodule		08.12.2020	KRU	
FRB4	F4	2	Liftermodule		08.12.2020	KRU	
FRB4	F4	3	bus terminal overview		08.12.2020	KRU	
FRB4	F4	4	SENSOMAT ARKI		08.12.2020	KRU	
FRB4	F4	5	Liftermodule		08.12.2020	KRU	
FRN2	F2	1	Liftermodule		08.12.2020	KRU	
FRN2	F2	2	Liftermodule		08.12.2020	KRU	
FRN2	F2	3	bus terminal overview		08.12.2020	KRU	
FRN2	F2	4	SENSOMAT ARKI		08.12.2020	KRU	
FRN2	F2	5	PAN-calibration unit		08.12.2020	KRU	
FRN2	F2	6	Liftermodule		08.12.2020	KRU	
GA1	S2	1	OMNIFLOW interface		08.12.2020	KRU	
GA1	S2	2	OMNIFLOW interface		08.12.2020	KRU	
GA1	O1	1	OMNIFLOW		08.12.2020	KRU	
GA1	O1	2	OMNIFLOW		08.12.2020	KRU	
GA2	S2	1	OMNIFLOW interface		08.12.2020	KRU	
GA2	S2	2	OMNIFLOW interface		08.12.2020	KRU	
GA2	O1	1	OMNIFLOW		08.12.2020	KRU	
GA2	O1	2	OMNIFLOW		08.12.2020	KRU	
GB	S1	1	switch off gas		08.12.2020	MAA	
GG2	F2	1	gas addressing		08.12.2020	KRU	
GG2	F2	2	gas addressing		08.12.2020	KRU	
GG4	F4	1	gas addressing		08.12.2020	KRU	
GG4	F4	2	gas addressing		08.12.2020	KRU	
GI2	F2	1	ignition		08.12.2020	KRU	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
GI4	F4	1	ignition		08.12.2020	KRU	
HC1	S1	1	power component		08.12.2020	KRU	
HC1	S1	2	control component		08.12.2020	KRU	
HC3	S1	1	power component		08.12.2020	KRU	
HX1	S1	1	power component		08.12.2020	KRU	
HX1	S1	2	control component		08.12.2020	KRU	
HX2	S1	1	power component		08.12.2020	KRU	
HX2	S1	2	control component		08.12.2020	KRU	
HY1	S1	1	power component		08.12.2020	KRU	
HY1	S1	2	control component		08.12.2020	KRU	
HY3	S1	1	power component		08.12.2020	KRU	
HY3	F4	1	- overtravel Y		08.12.2020	KRU	
JB2	F2	1	Liftermodule		08.12.2020	KRU	
JK1	S1	1	interface DKS/DAFL		09.12.2020	KRU	
JK1	S2	1	DKS digi input abas		09.12.2020	KRU	
JK1	S81	1	DKS Versorgung 24VAC/24VDC		11.12.2020	KRU	
JK1	S81	2	DKS digi input		09.12.2020	KRU	
JK1	S81	3	DKS digi output		09.12.2020	KRU	
JK1	S81	4	DKS relay output		11.12.2020	KRU	
JK1	S81	5	DKS Motorregler 0L200/300		09.12.2020	KRU	
JK1	S81	6	DKS Motor, Tacho, Hoeohenverstellung		09.12.2020	KRU	
JK1	S81	7	DKS Schleifringe, SensoMat PAN		09.12.2020	KRU	
JK1	S81	8	DKS Schleifringe, Zuendgasventil		09.12.2020	KRU	
JK1	S81	9	DKS triac output		09.12.2020	KRU	
JK1	S81	10	DKS 24VDC/24VAC		09.12.2020	KRU	
JK3	S1	1	interface DKS/DAFL		09.12.2020	KRU	
JK3	S2	1	DKS digi input abas		09.12.2020	KRU	
JK3	S82	1	DKS Versorgung 24VAC/24VDC		11.12.2020	KRU	
JK3	S82	2	DKS digi input		09.12.2020	KRU	
JK3	S82	3	DKS digi output		09.12.2020	KRU	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
JK3	S82	4	DKS relay output		11.12.2020	KRU	
JK3	S82	5	DKS Motorregler OL200/300		09.12.2020	KRU	
JK3	S82	6	DKS Motor, Tacho, Hoeohenverstellung		09.12.2020	KRU	
JK3	S82	7	DKS Schleifringe, SensoMat PAN		09.12.2020	KRU	
JK3	S82	8	DKS Schleifringe, Zuendgasventil		09.12.2020	KRU	
JK3	S82	9	DKS triac output		09.12.2020	KRU	
JK3	S82	10	DKS 24VDC/24VAC		09.12.2020	KRU	
LD1	S81	1	laserpointer		09.12.2020	KRU	
LD3	S82	1	laserpointer		09.12.2020	KRU	
MA1	S1	1	gantry cooling with fans		09.12.2020	KRU	
MA1	O1	1	gantry cooling with fans		09.12.2020	MIK	
MB1	S2	1	exhaust		09.12.2020	KRU	
VA0	S2	1	actor-sensor-box		09.12.2020	KRU	
VA0	S2	2	actor-sensor-box		09.12.2020	KRU	
VA1	S2	1	actor-sensor-box		09.12.2020	KRU	
VA1	S2	2	actor-sensor-box		09.12.2020	KRU	
VA3	S2	1	actor-sensor-box		09.12.2020	KRU	
VA3	S2	2	actor-sensor-box		09.12.2020	KRU	
VA81	S81	1	actor-sensor-box		11.12.2020	KRU	
VA81	S81	2	actor-sensor-box		09.12.2020	KRU	
VA82	S82	1	actor-sensor-box		11.12.2020	KRU	
VA82	S82	2	actor-sensor-box		09.12.2020	KRU	
VNA1	M1	1	actor-sensor-box		09.12.2020	KRU	
VNA2	M2	1	actor-sensor-box		09.12.2020	KRU	
W1		1	cable overview		15.02.2021	MAA	X
W1		2	cable overview		15.02.2021	MAA	X
W1		3	cable overview		15.02.2021	MAA	X
W1		4	cable overview		15.02.2021	MAA	X
W1		5	cable overview		15.02.2021	MAA	X
X1		1	power infeed		15.02.2021	MAA	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
X1		2	power infeed		15. 02. 2021	MAA	
X1		3	infeed control panel		15. 02. 2021	MAA	
X1		4	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		5	distribution terminals		15. 02. 2021	MAA	
X1		6	infeed control panel		15. 02. 2021	MAA	
X1		7	infeed control panel		15. 02. 2021	MAA	
X1		8	distribution terminals		15. 02. 2021	MAA	
X1		9	voltage distribution		15. 02. 2021	MAA	
X1		10	24VAC distribution		15. 02. 2021	MAA	
X1		11	400VAC drives		15. 02. 2021	MAA	
X1		12	400VAC drives		15. 02. 2021	MAA	
X1		13	distribution 0VDC		15. 02. 2021	MAA	
X1		14	distribution 24VDC		15. 02. 2021	MAA	
X1		15	valve		15. 02. 2021	MAA	
X1		16	valve		15. 02. 2021	MAA	
X1		17	valve		15. 02. 2021	MAA	
X1		18	valve		15. 02. 2021	MAA	
X1		19	valve		15. 02. 2021	MAA	
X1		20	valve		15. 02. 2021	MAA	
X1		21	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		22	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		23	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		24	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		25	distribution 24VDC		15. 02. 2021	MAA	
X1		26	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		27	distribution 0VDC		15. 02. 2021	MAA	
X1		28	distribution 24VDC		15. 02. 2021	MAA	
X1		29	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		30	ST-COMBI pluggable terminals		15. 02. 2021	MAA	
X1		31	ST-COMBI pluggable terminals		15. 02. 2021	MAA	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
X1		32	COMBICON socket terminals		15.02.2021	MAA	
X1		33	COMBICON socket terminals		15.02.2021	MAA	
X1		34	ST-COMBI pluggable terminals		15.02.2021	MAA	
X1		35	ST-COMBI pluggable terminals		15.02.2021	MAA	
X1		36	ST-COMBI pluggable terminals		15.02.2021	MAA	
X1		37	ST-COMBI pluggable terminals		15.02.2021	MAA	
X1		38	ST-COMBI pluggable terminals		15.02.2021	MAA	
X1		39	switch off gas		15.02.2021	MAA	
X1		40	PAN connection 16 poles male		15.02.2021	MAA	
X1		41	terminals on spindle		15.02.2021	MAA	
X1		42	appliance plug		15.02.2021	MAA	
X1		43	ST-COMBI pluggable terminals		15.02.2021	MAA	
X1		44	distribution 24VAC		15.02.2021	MAA	
X1		45	distribution 24VAC		15.02.2021	MAA	
X1		46	distribution 24VDC		15.02.2021	MAA	
X1		47	appliance plug		15.02.2021	MAA	
X1		48	appliance plug		15.02.2021	MAA	
X1		49	distribution 0VDC		15.02.2021	MAA	
X1		50	distribution 24VDC		15.02.2021	MAA	
X1		51	slip ring contact		15.02.2021	MAA	
X1		52	terminals on spindle		15.02.2021	MAA	
X1		53	terminals on spindle		15.02.2021	MAA	
X1		54	PAN connection 16 poles male		15.02.2021	MAA	
X1		55	terminals on spindle		15.02.2021	MAA	
X1		56	appliance plug		15.02.2021	MAA	
X1		57	ST-COMBI pluggable terminals		15.02.2021	MAA	
X1		58	distribution 24VAC		15.02.2021	MAA	
X1		59	distribution 24VAC		15.02.2021	MAA	
X1		60	distribution 24VDC		15.02.2021	MAA	
X1		61	appliance plug		15.02.2021	MAA	

TABLE OF CONTENT

Column x: created autom. but modified manually

= PLANT	+ LOCATION	PAGE	PAGE DESIGNATION	SUPPLEMENTARY FIELD	DATE	USER	X
X1		62	appliance plug		15. 02. 2021	MAA	
X1		63	distribution 0VDC		15. 02. 2021	MAA	
X1		64	distribution 24VDC		15. 02. 2021	MAA	
X1		65	slip ring contact		15. 02. 2021	MAA	
X1		66	terminals on spindle		15. 02. 2021	MAA	
X1		67	terminals on spindle		15. 02. 2021	MAA	
X1		68	plug 5 poles		15. 02. 2021	MAA	
X1		69	connection terminals		15. 02. 2021	MAA	
X1		70	PAN connection 16 poles male		15. 02. 2021	MAA	
X1		71	plug 5 poles		15. 02. 2021	MAA	
X1		72	PAN connection 16 poles male		15. 02. 2021	MAA	
X1		73	appliance plug		15. 02. 2021	MAA	
X1		74	plug connection		15. 02. 2021	MAA	
X1		75	plug connection		15. 02. 2021	MAA	
X1		76	plug connection		15. 02. 2021	MAA	
X1		77	plug connection		15. 02. 2021	MAA	
X1		78	plug connection		15. 02. 2021	MAA	
X1		79	plug connection		15. 02. 2021	MAA	
X1		80	appliance plug		15. 02. 2021	MAA	
X1		81	appliance plug		15. 02. 2021	MAA	
X1		82	appliance plug		15. 02. 2021	MAA	
X1		83	appliance plug		15. 02. 2021	MAA	
X1		84	terminal strip		15. 02. 2021	MAA	
X1		85	plug connection		15. 02. 2021	MAA	
Z1		1	equipment listing		15. 02. 2021	TL	X
Z1		2	equipment listing		15. 02. 2021	TL	X
Z1		3	equipment listing		15. 02. 2021	TL	X
Z1		4	equipment listing		15. 02. 2021	TL	X
Z1		5	equipment listing		15. 02. 2021	TL	X
Z1		6	equipment listing		15. 02. 2021	TL	X

TABLE OF CONTENT

Column x: created autom. but modified manually

[illegible]

function categories


=AA0	cover sheet	=ED1...	Sensomat ALFA with =FA1	=HA1...	a-axis
=AA1	table of contents			=HB1...	b-axis
=AA2	general remarks	=EE1...	water level control		
=AA3	location plan and designations			=HC1...	c-axis
=AA4	lightbus topography	=EF1...	WIPC set control		
=AA5	mounting arrangement			=HLL1	lateral adjustment
=AA6	technical data			=HLR1	lateral adjustment
=AB1...	block diagrams	=FA1...	height adjustment OL200/300	=HWL1	bevel adjustment
				=HWR1	bevel adjustment
		=FB1...	height adjustment TL 170		
=BA0	power infeed			=HX1	x-axis 1
=BA1	distribution 400, 230, 24VAC	=FC1...	PL1 lifter	=HX2	x-axis 2
=BA2	distribution 24VDC				
=BA3	power on, watchdog	=FD1...	height adjustment OL 200 with ALFA	=HY1	y-axis 1
=BA4	emergency stop			=HY2	y-axis 2
=BA5	interface emergency stop periphery	=FE1...	height adjustment OL200 without sensing	=HY3...	y-axis 3
=BA6	safety loop monitoring				
		=FF1...	lifting cylinder	=HZ1...	z-axis 1
=BA9	interface external voltages				
		=FG1...	height adjustment OL200 with encoder		
=BB1	production data aquisition	=FH1...	height adjustment TL 170 with ALFA	=IA1...	interlock HD 4070
=CA0	PC/central processor, touch screen	=FI1...	height adjustment TL 170 PAN/ALFA combination	=IB1...	interlock HiFocus 160i/280i/360i/440i
=CA1...	bus coupler & bus terminals			=IC1...	interlock HT 4500
		=GA1...	main gas regulation with OMNIFLOW		
=DA0	keyboard extension			=ID1...	interlock HT 4400
=DA1...	auxiliary control panel	=GB1...	gas addressing	=IE1...	interlock FineFocus 800
=DA8	mobile stage	=GC1...	powder addressing	=IF1...	interlock FineFocus 450
		=GD1...	band clamp	=IG1...	interlock HT 2000
=EA1	Sensomat PAN with =FA1...			=IH1...	interlock HD 3070
		=GF1...	hydra		
=EB1...	torch touch modul			=IK1...	interlock MAX 200
=EC1...	Sensomat Global Libo	=GG1...	valve addressing	=IL1...	interlock MAX 100/PowerMax 1650
		=GZ1...	common valve control	=IM1...	interlock HPR 130/260


function categories


=JA1... felt marker	=LA1 laser unit	=W1... cable listing
=JB1... punch marking	=LA2 distance control	=X1... terminal strips
=JC1... plasma-marker/ArcWriter	=LA3 light beam compensation	=Z1... equipment listing
=JD1... OMNISCRIP T/Technifor	=LA4 gas pressure control	
	=LA5 PRECITEC distance control	
	=LA6 focus adjustment	
	=LA7 piercing monitoring	
=JE1... REA INKJET 7 jets		
=JF1... REA INKJET 1 jet	=LB4 add. gas pressure control	
=JG1... INKJET IMAGE	=LB6 ADOPTIC focus adjustment	
=JH1... SkewRotator	=LD1... laserpointer	
=JI1... DKS-MGI	=LL1... line laser	
=JK1... DKS-MCW	=MA1... cooler unit	
=JL1... DKS-DAFL	=MB1... exhaust	
=KA1... changeover table	=NA1... air spray	
=KB1... plate position scanning	=RA1... pipe cutter	
=KC1... camera	=UA1... surface grinder	
=KS1... interface external plants	=UB1... drilling unit	
	=VA1... actor-sensor-box	


locations


+A	site periphery	+01	gantry	+T1...	workbench
+A1	exhaust 1	+P1...	operation desk	+U1	partition wall, fences
+A2	exhaust 2	+P8	mobile stage	+U2	light barrier framework
		+P9	additional customer specified panels	+U3...	additional operation areas
+A8	charging gear			+W1...	changeover table
+A9	discharging gear				
+F1...	height adjustment		housings		
+I1...	plasma current source	+S0	power infeed		
		+S1	drive regulators and additional units		
+J1...	marker tool	+S2	control component		
		+S3	mobile box		
+K1...	cooler unit	+S41...	interlock housing		
		+S51...	special tools and units		
+L1...	laser unit	+S61...	interface housing		
		+S71...	additional functions		
+M1	wheel housing left	+S81...	additional functions		
+M2	wheel housing right	+S9	auxiliary control panel		












			Creation date	07. 12. 2020
			Editor	I. Wunderle
Doku	15. 02. 2021	Lehle	Printout date	15. 02. 2021
Change	Date	Name	Revisor	
Previous page	+S0/1	Total pages	271	last editor IWU



260. 001. 958
OmniMat L 6000
Maghreb Steel


mounting arrangement

Drawing number		Page	1
Plant	=	AA5	Location + S1
Last page	1	Continuation page	+S2/1



			Creation date	07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	OmniMat L 6000	Maghreb Steel	mounting arrangement	Drawing number		Page	1		
Doku	15.02.2021	Lehle	Printout date	15.02.2021							Plant	=	AA5	Location	+	S2
Change	Date	Name	Revisor								Last page		1	Continuation page =AA6+S1/1		
Previous page		+S1/1		Total pages	271						last editor		IWU			

emc
housing links



The total contact area of the contact point at the housing wall has to be bare
Between bare metal and ring tongue pole contact lubricant is allowed only...
bare !

assembly and mounting:

The housing needs a hole dimensioned to the wire gauge.
(For minimum gauge 4mm²/AWG 12 a 6 mm bolt for bigger gauges see hole of ring tongue !) !)

The surroundings of drill-hole and the contact area have to be clean of painting and corrosion

Outside housing the bolt will be fastened with washer and safety washer..


Inside housing thr tongue pole has to be contacted directly with lubricant to the blank metal of the housing and will be screwed up solid with washer, safety washer and nut..

When required assign for a contrary nut.


wire dimension of grounding: black or bare
minimum gauge 4 mm² / AWG 12

connector coding

connectors or pluggable terminals have to be
change-proof coded, if required !



PHOENIX CONTACT ST-COMBI
Typ STTB 2, 5/2P



at pluggable part of
PHOENIX CONTACT ST-COMBI
the lead nibs can be broken off to
pocket as lock into the terminal
base.

for function-relevant allocation of pluggable items
the numbering attached to terminals and cables has primarily
importance.

non-committal recommendation (※)

socket connector module		upper level pin/number	lower level pin/number	
Revision Januar 2009	-X40	2	9	
	-X41	2	3	
	-X42	4	1	
	-X81	1	3	
	-X82	2	4	
	-X91	3	5	
	-XBS		3	
	=GA1-XIO	10	13	
	=GA2-XIO	8	11	
	=VA0	4 + 18	5 + 9	
	=VA1...-Xn	4	5	(+17 bei AC/DC) (+19 bei DC/DC)
	=VB...-Xn etc.	6	7	(+17 bei AC/DC) (+19 bei DC/DC)


(※ plugs of identical function
cvan get same coding.

extract of DIN 47100 colour-code

(without colour-repeat after wire 44))

pair No.:	a wire	b wire
1	white	brown
2	green	yellow
3	grey	pink
4	blue	red
5	black	violet
6	grey/pink	red/blue
7	white/green	brown/green
8	white/yellow	yellow/brown
9	white/grey	grey/brown
10	white/pink	pink/brown
11	white/blue	brown/blue
12	white/red	brown/red
13	white/black	brown/black
14	grey/green	yellow/grey
15	pink/green	yellow/pink
16	green/blue	yellow/blue
17	green/red	yellow/red
18	green/black	yellow/black
19	grey/blue	pink/blue
20	grey/red	pink/red
21	grey/black	pink/black
22	blue/black	red/black
23-44	1st repetition of color coding from pair 23	
45-66	2st repetition of color coding from pair 45	

for further information see shedule DIN 47100



continuation

=HX1-A1
=HX1/1.0


AX5112
77011273
-X13/14 channel 1



=HX2-A1
=HX2/1.0



AX5112
77011273
-X13/14 channel 1

+ S1

continuation








continuation

+S1

=GB1-X230

continuation





continuation



+S1


=MA1-X69

continuation






















Fortsetzung

+S2

Fortsetzung







Fortsetzung

Fortsetzung


+


$$= \text{FRB4} + \text{F4}$$



			Creation date 07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	J7/J8 In/Out	Drawing number		Page 10	
			Editor I. Wunderle					Plant = AB2		Location + S2	
Doku	15.02.2021	Lehle	Printout date 15.02.2021					Last page 17		Continuation page 11	
Change	Date	Name	Revisor								
Previous page 9		Total pages 271		last editor IWU							




77005916(15m)











=JK1
+F1








=JK3
+F3





















			Creation date	07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	infeed 400VAC	Drawing number		Page		1	
			Editor	I. Wunderle					Plant	=	BA1	Location	+	SO
Doku	15.02.2021	Lehle	Printout date	15.02.2021										
Change	Date	Name	Revisor											
Previous page =BA0+S1/2		Total pages		271	last editor				IWU					































options


periphery line protection














main
contactor

3RT20 26-1BB40
3RH29 11-1HA31

- 1 → 2 =BA1/2.2
- 3 → 4 =BA1/2.2
- 5 → 6 =BA1/2.2
- 13 → 14
- 21 → 22 +S2/1.0
- 31 → 32
- 43 → 44
- 53 → 54
- 63 → 64

main
contactor

3RT20 26-1BB40
3RH29 11-1HA31

- 1 → 2 =BA1/2.2
- 3 → 4 =BA1/2.2
- 5 → 6 =BA1/2.2
- 13 → 14
- 21 → 22 +S2/1.0
- 31 → 32
- 43 → 44
- 53 → 54
- 63 → 64

main
contactor


3RT20 26-1BB40
3RH29 11-1HA31


- 1 → 2 =BA1/2.5
- 3 → 4 =BA1/2.5
- 5 → 6 =BA1/2.5
- 13 → 14
- 21 → 22 +S2/1.0
- 31 → 32
- 43 → 44
- 53 → 54
- 63 → 64


main
contactor


3RT20 26-1BB40
3RH29 11-1HA31


- 1 → 2 =BA1/2.5
- 3 → 4 =BA1/2.5
- 5 → 6 =BA1/2.5
- 13 → 14
- 21 → 22 +S2/1.0
- 31 → 32
- 43 → 44
- 53 → 54
- 63 → 64














-CA0
=AC1+S1/1.3
PC6930-11111-0050
G10000757
PLC central unit


Beckhoff C6930-1111-0050






EtherCAT - Panel





-C101
=BA3/1. 2
KL2692
24VDC



=BA3/1. 2

=BA3/1. 2

=BA3/1. 3

=BA3/1. 3

=BA3/1. 3

=BA3/1. 4

KL2692

KL2692

KL2692

KL2692


KL2692

KL2692

watchdog enable

watchdog enable

-C102
=BA4/1. 6
KL1408
24VDC



=HX1+S1/2. 7

=HY1+S1/2. 4

=HY1+S1/2. 5

=BA4/1. 7

KL1408

KL1408

KL1408

KL1408


home switch

+ overtravel

- overtravel

power is on

-C103
=BA3/1. 6
KL1408
24VDC



=GA1/2. 8

=GA1/2. 9

=JK1/1. 5

=JK3/1. 5

=BA3/1. 7

=MB1/1. 1

=GA2/2. 8

=GA2/2. 9

KL1408

KL1408

KL1408

KL1408

KL1408

KL1408

KL1408

KL1408

omniflow fault A

omniflow fault B

work zone y A1


work zone y C3

pressure ok


exhaust

omniflow fault A

omniflow fault B




-C108
=BA3/1.0
KL2408
24VDC




=HX1+S1/2.2	KL2408	regulator enable
=BA3/1.1	KL2408	watchdog
=MA1+S1/1.1	KL2408	gantry cooling

-C114
1.2
KL2408
24VDC





=GA1/2.1	KL2408	cut oxygen low
=GA1/2.2	KL2408	cut oxygen vent
=GA1/2.3	KL2408	cut oxygen high
=GA1/2.4	KL2408	fuel gas low
=GA1/2.5	KL2408	heat oxygen high
=GA1/2.6	KL2408	heat oxygen low
=GA1/2.7	KL2408	fuel gas high


-C115
1.3
KL2408
24VDC







=GA2/2.1	KL2408	cut oxygen low
=GA2/2.2	KL2408	cut oxygen vent
=GA2/2.3	KL2408	cut oxygen high
=GA2/2.4	KL2408	fuel gas low
=GA2/2.5	KL2408	heat oxygen high
=GA2/2.6	KL2408	heat oxygen low
=GA2/2.7	KL2408	fuel gas high














stationary part





rotating part






=JK1/1.7/ -C800L1

=JK1/1.5/ -C800L01




- RJ45: 1 /4.1
- RJ45: 2 /4.1
- RJ45: 3 /4.1
- RJ45: 4 /4.1
- RJ45: 5 /4.1
- RJ45: 6 /4.1
- RJ45: 7 /4.1
- RJ45: 8 /4.1






stationary part




-C815
2. 2
KL2722
12...230VAC



ignition


-C816
2. 2
KL2722
12...230VAC



cut oxygen high A

heat oxygen low A


-C817
2. 2
KL2722
12...230VAC



cut oxygen high B

heat oxygen low B


-C818
2. 3
KL2722
12...230VAC




cut oxygen high C

heat oxygen low C


rotating part





-C800	bus coupler
3.0	
-C801	DIGITAL INPUT
5.1	
-C802	DIGITAL OUTPUT
5.5	
-C805	RELAY OUTPUT
5.1	
-C809	K-Bus extension
3.6	



stationary part





rotating part







=JK3/1.7/ -C800L1

=JK3/1.5/ -C800L01




- RJ45: 1 /4.1
- RJ45: 2 /4.1
- RJ45: 3 /4.1
- RJ45: 4 /4.1
- RJ45: 5 /4.1
- RJ45: 6 /4.1
- RJ45: 7 /4.1
- RJ45: 8 /4.1





stationary part

-C815
2. 2
KL2722
12...230VAC




=JK3/8. 6
=JK3/8. 6
=JK3/8. 6
=JK3/8. 7
=JK3/8. 7
=JK3/8. 7

KL2722
KL2722
KL2722
KL2722
KL2722
KL2722

ignition

-C816
2. 2
KL2722
12...230VAC




=JK3/9. 1
=JK3/9. 1
=JK3/9. 1
=JK3/9. 2
=JK3/9. 2
=JK3/9. 2

KL2722
KL2722
KL2722
KL2722
KL2722
KL2722

cut oxygen high A
cut oxygen high A
cut oxygen high A
heat oxygen low A
heat oxygen low A
heat oxygen low A

-C817
2. 2
KL2722
12...230VAC




=JK3/9. 4
=JK3/9. 4
=JK3/9. 4
=JK3/9. 5
=JK3/9. 5
=JK3/9. 5

KL2722
KL2722
KL2722
KL2722
KL2722
KL2722

cut oxygen high B
cut oxygen high B
cut oxygen high B
heat oxygen low B
heat oxygen low B
heat oxygen low B

-C818
2. 3
KL2722
12...230VAC





=JK3/9. 6
=JK3/9. 7
=JK3/9. 7
=JK3/9. 7
=JK3/9. 8
=JK3/9. 8

KL2722
KL2722
KL2722
KL2722
KL2722
KL2722

cut oxygen high C
cut oxygen high C
cut oxygen high C
heat oxygen low C
heat oxygen low C
heat oxygen low C




rotating part






-LM
=AB2+S2/9. 3


MCS LIFTERMODUL



Farben prüfen



-ARK I
=AB2+S2/9. 5



-XMS

-WXMS

8 core system cable


MS ALFA-3455

-A1

=AB2+S2/9. 6
magnetic sensing


=FRB4

-C100.1
3.1




-WB11
INITIATOR
3x0,34mm²

bn bu bk





-B11
=AB2+S2/10.3
work zone y D4




-LM
=AB2+S2/7. 3

MCS LIFTERMODUL




-C100.1
=AB2+S2/8.0



=JB2/1.4 Liftermodul Punch mark
=GG2/1.6 Liftermodul cut oxygen
=GG2/1.8 Liftermodul fuel gas


/6.8 Liftermodul work zone y B2

-C100.2
=AB2+S2/8.5



=GG2/2.2 Liftermodul gas flow
=GG2/2.4 Liftermodul heat oxygen
=GI2/1.6 Liftermodul ignition
=GI2/1.8 Liftermodul ignition valve

-ARK I
=AB2+S2/7.5



-XMS

-WXMS

8 core system cable


MS ALFA-3455

-A1
=AB2+S2/7.5
magnetic sensing




=FRN2

-C100.1
3.1





-WB11
INITIATOR
3x0,34mm²




-B11
=AB2+S2/8.3
work zone y B2

=CA3



=BA2/4. 2/ -0VDC



-XIO: 6 /=BA2/4. 4
0VDC

emergency stop cut off
-XIO: 10 /=BA2/3.1

emergency stop cut off
-XIO: 19 /=BA2/3.1
24VDC

+01/2. 7/ -XRS: 1

+01/2. 7/ -XRS: 2

+01/2. 7/ -XRS: 4

+01/2. 8/ -XRS: 5

+01/2. 7/ -XRS: 3

+01/1. 3/ -XIOA: 1

+01/1. 4/ -XIOA: 4

+01/1. 4/ -XIOA: 6

+01/1. 4/ -XIOA: 8

+01/1. 5/ -XIOA: 10

+01/1. 5/ -XIOA: 13


+01/1. 6/ -XIOA: 14



+01/1. 6/ -XIOA: 18


+01/1. 7/ -XIOA: 19

+01/1. 5/ -XIOA: 12



+01







=CA3



+01/2. 7/ -XRS: 1

+01/2. 7/ -XRS: 2

+01/2. 7/ -XRS: 4

+01/2. 8/ -XRS: 5

+01/2. 7/ -XRS: 3

+01/1. 3/ -XIOA: 1

+01/1. 4/ -XIOA: 4

+01/1. 4/ -XIOA: 6

+01/1. 4/ -XIOA: 8

+01/1. 5/ -XIOA: 10


+01/1. 5/ -XIOA: 13

+01/1. 6/ -XIOA: 14

+01/1. 6/ -XIOA: 18



+01/1. 7/ -XIOA: 19


+01/1. 5/ -XIOA: 12





+01





























=CA2
+S2

←--X06: 0 /=HY1/2. 8

-A1
1. 0
AX5203

BECKHOFF
AX5203
AC DRIVE REGULATOR
77011217

X06 0

24 0V

1

2

5


7


regulator enable


PSTOP

NSTOP

Connect only outer shield
with plug housing !
Do not connect internal
shields at motors side ! ! !







=CA2
+S2



-A1
1. 0
AX5206

BECKHOFF

AX5112

AC DRIVE REGULATOR

77011273

1 channel

servo amplifire

X060

regulator enable

24 0V

2


N STOP


1

P STOP

5


7






			Creation date 07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	control component	Drawing number		Page 2
			Editor I. Wunderle					Plant = HY1		Location + S1
Doku	15.02.2021	Lehle	Printout date 15.02.2021					Last page 2		Continuation page =HY3/1
Change	Date	Name	Revisor							
Previous page 1		Total pages 271		last editor IWU						


+S2



ST-COMBI
pluggable -XB52 1 3 2 4 PE PE

-WB52
INITIATOR
5x0,34mm²










			Creation date 07.12.2020		 MESSER CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958 OmniMat L 6000 Maghreb Steel	interface DKS/DAFL	Drawing number		Page	1
			Editor I. Wunderle					Plant = JK1		Location + S1	
Doku	15.02.2021	Lehle	Printout date 15.02.2021					Last page 1		Continuation page +S2/1	
Change	Date	Name	Revisor								
Previous page = JB2+F2/1		Total pages 271	last editor IWU								

=CA2










=CA81



1. 7/-24VDC

Anschluß
vor
NOT-AUS

=VA81/1. 3/ =VA81-X1: 1

-MR

drive regulator
OL 200/300



6. 3/

6. 3/

6. 8/

6. 8/

6. 8/

6. 7/

6. 8/

6. 8/

6. 9/

6. 5/

6. 5/

6. 6/

6. 6/

6. 6/

6. 9/

6. 9/

6. 6/

-X3: A1

-X3: C1

-X3: A6

-X3: A7

-X3: A5

-X3: B6

-X3: B5

-X3: C6

-X3: C5

-X3: A3

-X3: C3

-X3: A4


-X3: B4

-X3: C4

-X3: C8

-X3: B8


-X3: PE





nominal value



-WX1
Konfektion


-X1














			Creation date 07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	interface DKS/DAFL	Drawing number		Page 1	
			Editor I. Wunderle					Plant = JK3		Location + S1	
Doku	15.02.2021	Lehle	Printout date 15.02.2021					Last page 1		Continuation page +S2/1	
Change	Date	Name	Revisor								
Previous page UK1+S81/10		Total pages 271		last editor IWU							

=CA2

-C103
=CA2/4.1
KL1408




=VA3/2.6/ =VA3-X1:14




			Creation date 07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	DKS Versorgung 24VAC/24VDC	Drawing number		Page 1			
Doku	15.02.2021	Lehle	Editor I. Wunderle					Plant = JK3		Location + S82			
Change	Date	Name	Printout date 15.02.2021										
			Revisor										
Previous page +S2/1		Total pages 271		last editor IWU				Last page 10		Continuation page 2			





=CA82



1. 7/-24VDC

Anschluß
vor
NOT-AUS

=VA82/1. 3/ =VA82-X1: 1

-MR

drive regulator
OL 200/300



6. 3/

6. 3/

6. 8/

6. 8/

6. 8/

6. 7/

6. 8/

6. 8/

6. 9/

6. 5/

6. 5/

6. 6/

6. 6/

6. 6/

6. 9/

6. 9/

6. 6/

-X3: A1

-X3: C1

-X3: A6

-X3: A7

-X3: A5

-X3: B6

-X3: B5

-X3: C6

-X3: C5

-X3: A3

-X3: C3

-X3: A4


-X3: B4

-X3: C4

-X3: C8

-X3: B8


-X3: PE





nominal value



-WX1
Konfektion

-X1










			Creation date	07. 12. 2020
			Editor	I. Wunderle
Doku	15. 02. 2021	Lehle	Printout date	15. 02. 2021
Change	Date	Name	Revisor	
Previous page	7	Total pages	271	last editor IWU




260. 001. 958
OmniMat L 6000
Maghreb Steel


DKS Schleifringe, Zuendgasventil

Drawing number		Page	8
Plant	= JK3	Location	+ S82
Last page	10	Continuation page	9





=CA81



=VA81/2.8/ =VA81-X1: 8

Option



connected via
actor-sensor-box

=CA82

-C802

=CA82/5.5

KL2408

digital output terminals
24VDC 0,5A

DIGITAL OUTPUT

laserpointer

=CA82/5.6


07:4

=VA82/2.8/ =VA82-X1:8


Option





connected via
actor-sensor-box






































Cable overview

GC_KAB_DEF 12.10.11 Wil

CABLE NAME CABLE DESIGNATION	SOURCE FROM	DESTINATION TO	TYPE OF CABLE	CORES total view	DIAMETER mm²	NOTES PART NUMBER	PAGE PATH
=AC1+S1-NET4	=HX1+S1-A1	=HX2+S1-A1		1	-	77011020	=AC1+S1/1.7
=AC1+S1-NET5	=HX2+S1-A1	=HY1+S1-A1		1	-	77011020	=AC1+S1/1.5
=AC1+S1-NET6	=HC1+S1-A1	=HY1+S1-A1		1	-	77011020 0,5m	=AC1+S1/1.2
=AC1+S1-NET7	=AC1+S2-A1	=HC1+S1-A1		1	-	77004808 3m	=AC1+S1/1.0
=AC1+S1-NET8	=AC1+S2-A1	=FRN2+F2-LM		1	-	77071112 15m	=AC1+S1/2.3
=AC1+S1-NET9	=AC1+S2-A1	=FRB4+F4-LM		1	-	77071112 15m	=AC1+S1/2.3
=AC1+S1-NET10	=AC1+S2-A1	=CA81+S81-C800		1	-	610000256 15m	=AC1+S1/2.3
=AC1+S1-NET11	=AC1+S2-A1	=CA82+S82-C800		1	-	610000256 15m	=AC1+S1/2.6
=AC1+S1-NET12	=AC1+S2-A1	=CA0+P1-P1		2	-	77005730 20m	=AC1+S1/2.6
=AC1+S2-NET1	=CA0+S2-CA0	=CA3+S2-C300		1	-	77004809 1m	=AC1+S1/1.4
=AC1+S2-NET2	=CA2+S2-C100	=CA3+S2-C300		1	-	77004809 1m	=AC1+S1/1.6
=AC1+S2-NET3	=CA2+S2-C100	=HX1+S1-A1		1	-	77011117 2m	=AC1+S1/1.9
=BA1+S0-WX00	=BA1+S0-X00	=BA1+S1-X00	OELFLEX	4	1.5		=BA1+S0/1.4
=BA1+S0-WX01	=BA1+S0-X01	=BA1+S1-X0	OELFLEX	5	6		=BA1+S0/1.7
=BA1+P1-WX40	=BA2+S2-X40	=BA1+P1-X40	PVC/C/FD	21	-	5x0,75+16x0,34	=BA1+P1/1.1
=BA5+M1-WNA1	=BA5+S2-XNA	=BA5+M1-XNA1	INITIATOR	5	0.34		=BA5+S2/3.2
=CA0+P1-WX10	=CA0+S2-CA0	=CA0+S2-USBTX		1	-		=CA0+P1/1.5
=CA0+P1-WX101	=CA0+P1-X101	=CA0+S2-CA0		1	-		=CA0+P1/1.8
=CA0+P1-WX103	=CA0+P1-X103	=CA0+S2-USBTX		1	-		=CA0+P1/1.9
=CA81+S81-WROT03	=JK1+S81-XSR	=CA81+S81-C810	4X2AWG26	4x2	-		=CA81+S81/4.3
=CA81+S81-WSTAT3	=JK1+S81-XSR	=CA81+S81-C809-RJ45	4X2AWG26	4x2	-		=CA81+S81/4.2
=CA82+S82-WROT03	=JK3+S82-XSR	=CA82+S82-C810	4X2AWG26	4x2	-		=CA82+S82/4.3
=CA82+S82-WSTAT3	=JK3+S82-XSR	=CA82+S82-C809-RJ45	4X2AWG26	4x2	-		=CA82+S82/4.2
=FRB4+F4-WARKI	=FRB4+F4-LM-ARKI	=FRB4+F4-ARKI-X1	(5x2x0,25+4x0,5+(2x0,25))	16	-		=FRB4+F4/4.5
=FRB4+F4-WB11	=FRB4+F4-C100.1-IN11	=FRB4+F4-B11	INITIATOR	3	0.34		=FRB4+F4/5.8
=FRB4+F4-WJ3	=FRB4+S2-XJ3	=FRB4+F4-LM-J3	LIF9YH	4	0.75		=FRB4+F4/1.6
=FRB4+F4-WX1	=BA0+S1-XT	=FRB4+F4-LM-X1	OELFLEX	3	1		=FRB4+F4/1.5
=FRB4+F4-WXMS	=FRB4+F4-XMS	=FRB4+F4-A1		1	-		=FRB4+F4/4.5
=FRN2+F2-WARKI	=FRN2+F2-LM-ARKI	=FRN2+F2-ARKI-X1	(5x2x0,25+4x0,5+(2x0,25))	16	-		=FRN2+F2/4.5
=FRN2+F2-WB11	=FRN2+F2-C100.1-IN11	=FRN2+F2-B11	INITIATOR	3	0.34		=FRN2+F2/6.8
=FRN2+F2-WJ3	=FRN2+S2-XJ3	=FRN2+F2-LM-J3	LIF9YH	4	0.75		=FRN2+F2/1.6
=FRN2+F2-WPAN	=FRN2+F2-X1	=FRN2+F2-LM-PAN	OELFLEX	7	0.5		=FRN2+F2/5.7
=FRN2+F2-WX1	=BA0+S1-XT	=FRN2+F2-LM-X1	OELFLEX	3	1		=FRN2+F2/1.5
=FRN2+F2-WXMS	=FRN2+F2-XMS	=FRN2+F2-A1		1	-		=FRN2+F2/4.5
=GA1+01-WXDN	=GA1+01-XDN	=CA3+S2-C301	INITIATOR2	5	0.34		=GA1+01/2.7

Cable overview

GC_KAB_DEF 12.10.11 Wil

CABLE NAME CABLE DESIGNATION	SOURCE FROM	DESTINATION TO	TYPE OF CABLE	CORES total view	DIAMETER mm²	NOTES PART NUMBER	PAGE PATH
=GA1+01-WXIO	=GA1+S2-XIO	=GA1+01-XIO	OMNIFLOW	19	3		=GA1+01/1.3
=GA2+01-WXDN	=GA2+01-XDN	=CA3+S2-C302	INITIATOR2	5	0.34		=GA2+01/2.7
=GA2+01-WXIO	=GA2+S2-XIO	=GA2+01-XIO	OMNIFLOW	19	3		=GA2+01/1.3
=GB+S1-WX230	=GB+S1-X230	=GB+S34-X230	OELFLEX	3	1.5		=GB+S1/1.1
=GB+S1-WY11	=GB+S1-Y11	=GB+S34-X230	OELFLEX	3	0.75		=GB+S1/1.2
=GB+S1-WY12	=GB+S1-Y12	=GB+S34-X230	OELFLEX	3	0.75		=GB+S1/1.3
=GB+S1-WY21	=GB+S1-Y21	=GB+S34-X230	OELFLEX	3	0.75		=GB+S1/1.4
=GB+S1-WY22	=GB+S1-Y22	=GB+S34-X230	OELFLEX	3	0.75		=GB+S1/1.6
=GB+S1-WY31	=GB+S1-Y31	=GB+S34-X230	OELFLEX	3	0.75		=GB+S1/1.7
=GB+S1-WY32	=GB+S1-Y32	=GB+S34-X230	OELFLEX	3	0.75		=GB+S1/1.8
=GG2+F2-WH12	=FRN2+F2-C100.2-OUT12	=GG2+F2-H12	INITIATOR	3	0.34		=GG2+F2/2.1
=GG2+F2-WY10	=FRN2+F2-C100.1-OUT10	=GG2+F2-Y10	INITIATOR	3	0.34		=GG2+F2/1.6
=GG2+F2-WY11	=FRN2+F2-C100.1-OUT11	=GG2+F2-Y11	INITIATOR	3	0.34		=GG2+F2/1.8
=GG2+F2-WY13	=FRN2+F2-C100.2-OUT13	=GG2+F2-Y13	INITIATOR	3	0.34		=GG2+F2/2.4
=GG4+F4-WH12	=FRB4+F4-C100.2-OUT12	=GG4+F4-H12	INITIATOR	3	0.34		=GG4+F4/2.1
=GG4+F4-WY10	=FRB4+F4-C100.1-OUT10	=GG4+F4-Y10	INITIATOR	3	0.34		=GG4+F4/1.6
=GG4+F4-WY11	=FRB4+F4-C100.1-OUT11	=GG4+F4-Y11	INITIATOR	3	0.34		=GG4+F4/1.8
=GG4+F4-WY13	=FRB4+F4-C100.2-OUT13	=GG4+F4-Y13	INITIATOR	3	0.34		=GG4+F4/2.4
=GI2+F2-WY15	=FRN2+F2-C100.2-OUT15	=GI2+F2-Y15	INITIATOR	3	0.34		=GI2+F2/1.8
=GI2+F2-WZ14	=FRN2+F2-C100.2-OUT14	=GI2+F2-Z14	INITIATOR	3	0.25		=GI2+F2/1.6
=GI4+F4-WY15	=FRB4+F4-C100.2-OUT15	=GI4+F4-Y15	INITIATOR	3	0.34		=GI4+F4/1.8
=GI4+F4-WZ14	=FRB4+F4-C100.2-OUT14	=GI4+F4-Z14	INITIATOR	3	0.25		=GI4+F4/1.6
=HC1+F1-WXM1			ZK4500-8022-zzzz	8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	
	=HC1+S1-X13	=HC1+F1-M1-XM1		8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HC1+S1/1.1
	=HC1+S1-X14	=HC1+F1-M1-XM1		4x2	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HC1+S1/1.1
=HC3+F3-WXM1			ZK4500-8022-zzzz	8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	
	=HC3+S1-X23	=HC3+F3-M1-XM1		8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HC3+S1/1.1
	=HC3+S1-X24	=HC3+F3-M1-XM1		4x2	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HC3+S1/1.1
=HX1+M1-WXM1			ZK4500-8023-zzzz	8	-	4x1, 5mm²+2x0, 75mm²+2xAWG22	
	=HX1+S1-X13	=HX1+M1-M1-XM1		8	-	4x1, 5mm²+2x0, 75mm²+2xAWG22	=HX1+S1/1.1
	=HX1+S1-X14	=HX1+M1-M1-XM1		4x2	-	4x1, 5mm²+2x0, 75mm²+2xAWG22	=HX1+S1/1.1
=HX2+M2-WXM1			ZK4500-8023-zzzz	8	-	4x1, 5mm²+2x0, 75mm²+2xAWG22	
	=HX2+S1-X13	=HX2+M2-M1-XM1		8	-	4x1, 5mm²+2x0, 75mm²+2xAWG22	=HX2+S1/1.1
	=HX2+S1-X14	=HX2+M2-M1-XM1		4x2	-	4x1, 5mm²+2x0, 75mm²+2xAWG22	=HX2+S1/1.1
=HY1+F1-WXM1			ZK4500-8022-zzzz	8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	

Cable overview

GC_KAB_DEF 12.10.11 Wil

CABLE NAME CABLE DESIGNATION	SOURCE FROM	DESTINATION TO	TYPE OF CABLE	CORES total view	DIAMETER mm²	NOTES PART NUMBER	PAGE PATH
	=HY1+S1-X13	=HY1+F1-M1-XM1		8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HY1+S1/1. 1
	=HY1+S1-X14	=HY1+F1-M1-XM1		4x2	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HY1+S1/1. 1
=HY3+F3-WXM1			ZK4500-8022-zzzz	8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	
	=HY3+S1-X23	=HY3+F3-M1-XM1		8	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HY3+S1/1. 1
	=HY3+S1-X24	=HY3+F3-M1-XM1		4x2	-	4x1, 0mm²+2x0, 75mm²+2xAWG22	=HY3+S1/1. 1
=HY3+F4-WB52	=HY3+S2-XB52	=HY3+F4-B52	INITIATOR	5	0.34		=HY3+F4/1. 5
=JB2+F2-WY11	=FRN2+F2-C100. 1-OUT9	=JB2+F2-Y9	INITIATOR	5	0.34		=JB2+F2/1. 4
=JK1+S81-W1JK	=JK1+S1-X80	=JK1+S81-X80	OELFLEX	5	1.5		=JK1+S81/1. 0
=JK1+S81-W2JK	=JK1+S1-X80	=JK1+S81-X80	OELFLEX	5	1.5		=JK1+S81/1. 5
=JK1+S81-W3JK	=JK1+S1-X80	=JK1+S81-X80	OELFLEX	5	1		=JK1+S81/1. 7
=JK1+S81-WROT01	=JK1+S81-XSR	=JK1+S81-XW	Farbkabel	7	0.75		=JK1+S81/8. 3
=JK1+S81-WROT02			LIYCY	10	0.34		
	=JK1+S81-XSR	=JK1+S81-XW		10	0.34		=JK1+S81/7. 4
	=JK1+S81-XSR	=JK1+S81-FREI		10	0.34		=JK1+S81/7. 4
=JK1+S81-WSTAT1			Farbkabel	7	0.75		
	=JK1+S81-XAC1	=JK1+S81-XSR		7	0.75		=JK1+S81/8. 2
	=JK1+S81-XL0	=JK1+S81-XSR		7	0.75		=JK1+S81/8. 2
	=JK1+S81-XL24	=JK1+S81-XSR		7	0.75		=JK1+S81/8. 2
=JK1+S81-WSTAT2			LIYCY	10	0.34		
	=JK1+S81-X2	=JK1+S81-XSR		10	0.34		=JK1+S81/7. 2
	=JK1+S81-FREI	=JK1+S81-XSR		10	0.34		=JK1+S81/7. 2
=JK1+S81-WX1			Konfektion	12	-		
	=JK1+S81-X1	=JK1+S81-XB		10	-		=JK1+S81/5. 5
	=JK1+S81-X1	=JK1+S81-XL0		10	-		=JK1+S81/5. 5
	=JK1+S81-X1	=CA81+S81-C802		10	-		=JK1+S81/5. 5
	=JK1+S81-X1	=CA81+S81-C801		10	-		=JK1+S81/5. 5
=JK1+S81-WX4	=JK1+S81-X2	=JK1+S81-X4		3	-		=JK1+S81/5. 4
=JK1+S81-WXHV	=BA0+S1-XT1	=JK1+S81-XHV	OELFLEX	5	1.5		=JK1+S81/6. 1
=JK1+S81-WXM	=JK1+S81-X3	=JK1+S81-MR	OELFLEX	26	0.5		=JK1+S81/6. 3
=JK1+F1-	=JK1+S81-XW	=JK1+F1-X1		5	-	analog +/-10V	=JK1+S81/7. 6
=JK1+F1-WM1	=JK1+F1-XM	=JK1+F1-M1	OELFLEX	5	1		=JK1+S81/6. 5
=JK3+S82-W1JK	=JK3+S1-X80	=JK3+S82-X80	OELFLEX	5	1.5		=JK3+S82/1. 0
=JK3+S82-W2JK	=JK3+S1-X80	=JK3+S82-X80	OELFLEX	5	1.5		=JK3+S82/1. 5
=JK3+S82-W3JK	=JK3+S1-X80	=JK3+S82-X80	OELFLEX	5	1		=JK3+S82/1. 7
=JK3+S82-WROT01	=JK3+S82-XSR	=JK3+S82-XW	Farbkabel	7	0.75		=JK3+S82/8. 3

Cable overview

GC_KAB_DEF 12.10.11 Wil

CABLE NAME CABLE DESIGNATION	SOURCE FROM	DESTINATION TO	TYPE OF CABLE	CORES total view	DIAMETER mm²	NOTES PART NUMBER	PAGE PATH
=JK3+S82-WROT02			LIYCY	10	0.34		
	=JK3+S82-XSR	=JK3+S82-XW		10	0.34		=JK3+S82/7.4
	=JK3+S82-XSR	=JK3+S82-FREI		10	0.34		=JK3+S82/7.4
=JK3+S82-WSTAT1			Farbkabel	7	0.75		
	=JK3+S82-XAC1	=JK3+S82-XSR		7	0.75		=JK3+S82/8.2
	=JK3+S82-XL0	=JK3+S82-XSR		7	0.75		=JK3+S82/8.2
	=JK3+S82-XL24	=JK3+S82-XSR		7	0.75		=JK3+S82/8.2
=JK3+S82-WSTAT2			LIYCY	10	0.34		
	=JK3+S82-X2	=JK3+S82-XSR		10	0.34		=JK3+S82/7.2
	=JK3+S82-FREI	=JK3+S82-XSR		10	0.34		=JK3+S82/7.2
=JK3+S82-WX1			Konfektion	12	-		
	=JK3+S82-X1	=JK3+S82-XB		10	-		=JK3+S82/5.5
	=JK3+S82-X1	=JK3+S82-XL0		10	-		=JK3+S82/5.5
	=JK3+S82-X1	=CA82+S82-C802		10	-		=JK3+S82/5.5
	=JK3+S82-X1	=CA82+S82-C801		10	-		=JK3+S82/5.5
=JK3+S82-WX4	=JK3+S82-X2	=JK3+S82-X4		3	-		=JK3+S82/5.4
=JK3+S82-WXHV	=BA0+S1-XT1	=JK3+S82-XHV	OELFLEX	5	1.5		=JK3+S82/6.1
=JK3+S82-WXM	=JK3+S82-X3	=JK3+S82-MR	OELFLEX	26	0.5		=JK3+S82/6.3
=JK3+F3-	=JK3+S82-XW	=JK3+F3-X1		5	-	analog +/-10V	=JK3+S82/7.6
=JK3+F3-WM1	=JK3+F3-XM	=JK3+F3-M1	OELFLEX	5	1		=JK3+S82/6.5
=MA1+01-WM1	=MA1+01-XM1	=MA1+01-A1-X1	Steuerleitung TPE	5	1		=MA1+01/1.1
=MA1+01-WM2	=MA1+01-XM2	=MA1+01-A1-X1	Steuerleitung TPE	5	1		=MA1+01/1.3
=MA1+01-WM3	=MA1+01-XM3	=MA1+01-A1-X1	Steuerleitung TPE	5	1		=MA1+01/1.4
=MA1+01-WM4	=MA1+01-XM4	=MA1+01-A1-X1	Steuerleitung TPE	5	1		=MA1+01/1.6
=MA1+01-WX1	=MA1+S1-X69	=MA1+01-A1-X1	OELFLEX	3	1.5		=MA1+01/1.1
=MB1+A1-WX36	=MB1+S2-X36	=MB1+A1-S4	OELFLEX	3	1		=MB1+S2/1.1
=VA0+M1-WB5	=VA0+01-X1-P5	=VA0+M1-B5	INITIATOR	5	0.34		=VA0+S2/1.5
=VA0+01-WSP8	=VA0+01-X1-P8	=VA0+01-SP8	INITIATOR	5	0.34		=VA0+S2/2.7
=VA0+01-WX1	=VA0+S2-X1	=VA0+01-X1	PVC/C/FD 16x0,34+3x0,75	19	-		=VA0+S2/1.1
=VA1+F1-WB4	=VA1+F1-X1-P4	=VA1+F1-B4	INITIATOR	5	0.34		=VA1+S2/2.3
=VA1+F1-WB6	=VA1+F1-X1-P6	=VA1+F1-B6	INITIATOR	5	0.34		=VA1+S2/2.5
=VA1+F1-WX1	=VA1+S2-X1	=VA1+F1-X1	77004655	21	-	PVC/C/FD 16x0,34+5x0,75	=VA1+S2/1.1
=VA3+F3-WB6	=VA3+F3-X1-P6	=VA3+F3-B6	INITIATOR	5	0.34		=VA3+S2/2.5
=VA3+F3-WX1	=VA3+S2-X1	=VA3+F3-X1	77004655	21	-	PVC/C/FD 16x0,34+5x0,75	=VA3+S2/1.1
=VA81+S81-WB4	=VA81+S81-X1-P4	=VA81+S81-B4	Konfektion	4	-		=VA81+S81/2.4

Cable overview

GC_KAB_DEF 12.10.11 Wil

[illegible]

			Creation date 07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	OmniMat L 6000	Maghreb Steel	cable overview	Drawing number		Page 5
Doku	15.02.2021	Lehle	Printout date 15.02.2021							Plant =	W1	Location +
Change	Date	Name	Revisor							Last page 5	Continuation page =X1/1	
Previous page 4		Total pages 271		last editor MAA								

GC_KLE_DEF 12.10.11 Wil																		CABLE DESIGNATION					TERMINAL STRIP OR PIN ALLOCATION =BA1+S0-X00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
DESCRIPTION																			DEL FLEX	TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL			NAME	DESTINATION	CONNECTION POINT																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

[illegible]

GC_KLE_DEF 12.10.11 Wil																		CABLE DESIGNATION =BA1+S0-WX01					TERMINAL STRIP OR PIN ALLOCATION =BA1+S0-X01															
DESCRIPTION																			DEL FLEX	TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper	NAME	DESTINATION	CONNECTION POINT								PAGE / PATH			
																			1	POINT	=BA1+S1-X0	1		o		=BA1+S0-Q163	2		X					=BA1+S0/1.7				
																		2	=BA1+S1-X0		2		o		=BA1+S0-Q163	4		X					=BA1+S0/1.7					
																		3	=BA1+S1-X0		3		o		=BA1+S0-Q163	6		X					=BA1+S0/1.7					
																		4	=BA1+S1-X0		4		o		=BA1+S0-Q163				X				=BA1+S0/1.8					
																		PE	=BA1+S1-X0		PE		o	PE										=BA1+S0/1.8				

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																		TERMINAL STRIP OR PIN ALLOCATION =BA1+S1-X0															
DESCRIPTION																			CABLE DESIGNATION		CABLE DESIGNATION												

GC_KLE_DEF 12.10.11 Wil																		CABLE DESIGNATION					TERMINAL STRIP OR PIN ALLOCATION =BA1+S1-X00																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
DESCRIPTION																				CABLE DESIGNATION		TYPE OF CABLE		DESTINATION		CONNECTION POINT		NUMBER		CONNECTOR LEVEL		NAME		DESTINATION		CONNECTION POINT		TYPE OF CABLE		PAGE / PATH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																			TERMINAL STRIP OR PIN ALLOCATION =GB+S1-Y21														
DESCRIPTION																			CABLE DESIGNATION	TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper	NAME	DESTINATION	CONNECTION POINT	DEL FLEX					PAGE / PATH
																										5	1					=GB+S1/1.5	
																										6	2					=GB+S1/1.5	
																											PE					=GB+S1/1.5	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																			TERMINAL STRIP OR PIN ALLOCATION =BA2+S2-XL24																	
DESCRIPTION																			DESTINATION		CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper			NAME	DESTINATION		CONNECTION POINT						PAGE / PATH	
																		X	=CA2+S2-C107	1_2	1					=BA1+S1-F4	2	X					=BA2+S2/1.0			
																		X	=CA3+S2-C300	2_2						=BA4+S2-KNA	1A1	X					=BA2+S2/1.1			
																				2												=BA2+S2/1.1				
																		X	=MB1+S2-X36	1														=BA2+S2/1.2		
																		X	=VA0+S2-X1	17	3													=BA2+S2/1.2		
																		X	=VA1+S2-X1	17														=BA2+S2/1.3		
																		X	=VA1+S2-X1	19	4													=BA2+S2/1.3		
																		X	=VA3+S2-X1	17														=BA2+S2/1.4		
																		X	=VA3+S2-X1	19	5													=BA2+S2/1.4		
																		X	=FRN2+S2-F1	1														=BA2+S2/1.5		
																		X	=FRB4+S2-F1	1	6													=BA2+S2/1.5		
																		X	=HY3+S2-XB52	1														=BA2+S2/1.6		
																				7													=BA2+S2/1.6			
																																		=BA2+S2/1.7		

GC_KLE_DEF 12.10.11 Wil																	CABLE DESIGNATION										TERMINAL STRIP OR PIN ALLOCATION =BA5+S2-XNA																
DESCRIPTION																	INITIATOR	OELFLEX	OELFLEX	TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL	NAME	DESTINATION	CONNECTION POINT	TYPE OF CABLE						PAGE / PATH									
																									2		X					=BA5+S2/1. 2											
																									4		X					=BA5+S2/1. 3											
																															=BA5+S2/1. 2												
																															=BA5+S2/1. 3												
																															=BA5+S2/1. 3												
																															=BA5+S2/1. 3												
																															=BA5+S2/1. 4												
																															=BA5+S2/1. 4												
																															=BA5+S2/1. 5												
																															=BA5+S2/1. 4												
																															=BA5+S2/1. 5												
																															=BA5+S2/1. 5												
																															=BA5+S2/1. 6												
																															=BA5+S2/1. 6												
																															=BA5+S2/1. 7												
																															=BA5+S2/1. 6												
																															=BA5+S2/1. 7												
																															=BA5+S2/1. 7												
																															=BA5+S2/1. 7												
																															=BA5+S2/2. 0												
																															=BA5+S2/2. 1												
																											X				=BA5+S2/2. 1												
																											X				=BA5+S2/2. 1												
																															=BA5+S2/2. 1												
																															=BA5+S2/2. 2												

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

			Creation date	07.12.2020	MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	OmniMat L 6000	Maghreb Steel	ST-COMBI pluggable terminals	Drawing number		Page	38	
			Editor	I. Wunderle						Plant	=	X1	Location	+
Doku	15.02.2021	Lehle	Printout date	15.02.2021										
change	Date	Name	Revisor											
Previous page		37	Total pages	271	last editor	MAA	Last page		85	Continuation page		39		

GC_KLE_DEF 12.10.11 Wil										TERMINAL STRIP OR PIN ALLOCATION =GB+S34-X230									
CABLE DESIGNATION										CABLE DESIGNATION									
=GB+S1-MY11										=GB+S1-MY32									
=GB+S1-MY21										=GB+S1-MY22									
=GB+S1-MY31										=GB+S1-MX230									
DEL FLEX										DEL FLEX									
DEL FLEX										DEL FLEX									
DEL FLEX										DEL FLEX									
TYPE OF CABLE										TYPE OF CABLE									
DESTINATION										DESTINATION									
CONNECTION POINT										CONNECTION POINT									
NUMBER										NUMBER									
CONNECTOR LEVEL										CONNECTOR LEVEL									
NAME										NAME									
DESTINATION										DESTINATION									
CONNECTION POINT										CONNECTION POINT									
PAGE / PATH										PAGE / PATH									

GC_KLE_DEF 12.10.11 Wil																		CABLE DESIGNATION =JK1+S81-MX1	TERMINAL STRIP OR PIN ALLOCATION = JK1+S81-X1							CABLE DESIGNATION													
DESCRIPTION																			Konfektion	TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL			NAME	DESTINATION	CONNECTION POINT	TYPE OF CABLE						PAGE / PATH			
0VDC																		1	=JK1+S81-XL0	2	1		°											=JK1+S81/5.6					
creep speed																		2	=CA81+S81-C802	05:3	2		°	05:3											=JK1+S81/5.8				
analog signal																				3		°													=JK1+S81/5.9				
auto hight																		3	=CA81+S81-C802	03:2	4		°	03:2											=JK1+S81/5.7				
down																		4	=CA81+S81-C802	02:5	5		°	02:5											=JK1+S81/5.7				
height found																		5	=CA81+S81-C801	I1:1	6		°	I1:1											=JK1+S81/5.7				
24VDC																		6	=JK1+S81-XB	2	7		°													=JK1+S81/5.5			
analog signal ground																					8		°														=JK1+S81/5.9		
upper limit																					9		°														=JK1+S81/5.7		
ignition valve																					10		°														=JK1+S81/5.6		
N24VAC																					11		°														=JK1+S81/5.6		
collision																		7	=CA81+S81-C801	I3:2	12		°	I3:2													=JK1+S81/5.8		
set height																		8	=CA81+S81-C802	04:6	13		°	04:6													=JK1+S81/5.9		
switch over set value																		9	=CA81+S81-C802	08:8	14		°	08:8												=JK1+S81/5.9			
up																		10	=CA81+S81-C802	01:1	15		°	01:1												=JK1+S81/5.7			
ignitor on																					16		°														=JK1+S81/5.8		

GC_KLE_DEF 12.10.11 Wil										TERMINAL STRIP OR PIN ALLOCATION = JK1+S81-X2									
CABLE DESIGNATION										CABLE DESIGNATION									
= JK1+S81-WSTAT2										= JK1+S81-WX4									

[illegible]

GC_KLE_DEF 12.10.11 Wil																		TERMINAL STRIP OR PIN ALLOCATION = JK1+S81-X80																
DESCRIPTION																DEL FLEX	DEL FLEX	DEL FLEX	CABLE DESIGNATION															
																			</															

[illegible]

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																			TERMINAL STRIP OR PIN ALLOCATION = JK1+S81-XDN																				
DESCRIPTION																			DESTINATION		CONNECTION POINT		NUMBER		CONNECTOR LEVEL above below Jumper		NAME		DESTINATION		CONNECTION POINT							PAGE / PATH	
																			= JK1+S81-XHV		1		1				°								= JK1+S81/6. 1				
																			= JK1+S81-XHV		2		2				°								= JK1+S81/6. 1				
																			= JK1+S81-XHV		3		3				°								= JK1+S81/6. 1				
																			= JK1+S81-X3		C1		4				°								= JK1+S81/6. 3				
																			= JK1+S81-PE				5				°								= JK1+S81/6. 1				
																			= JK1+S81-X3		A1		6				°								= JK1+S81/6. 3				
																							7				°								= JK1+S81/6. 3				
																							8				°		= JK1+S81-XDN		9				= JK1+S81/6. 5				
																			= JK1+S81-XDN		8		9				°								= JK1+S81/6. 5				
																							10				°								= JK1+S81/6. 4				
																							11				°								= JK1+S81/6. 3				
																							12				°								= JK1+S81/6. 4				
																			= JK1+S81-X3		A3		13				°								= JK1+S81/6. 5				
																							14				°		= JK1+F1-XM		2				= JK1+S81/6. 5				

GC_KLE_DEF 12.10.11 Wil																				TERMINAL STRIP OR PIN ALLOCATION = JK1+S81-XHV																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
DESCRIPTION																						DESTINATION	CONNECTION	NUMBER	CONNECTOR LEVEL	NAME	DESTINATION	CONNECTION																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								</

[illegible]

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																				TERMINAL STRIP OR PIN ALLOCATION = JK1+S81-XW														
DESCRIPTION																				DESTINATION		CONNECTION POINT	NUMBER	CONNECTOR LEVEL	NAME	DESTINATION		CONNECTION POINT	Farbkabel		LITCY	PAGE / PATH		
																				POINT	1				= JK1+S81-XSR	D3	gn/gn				= JK1+S81/10. 0			
																																= JK1+S81/10. 0		
																																= JK1+S81/10. 0		
																																= JK1+S81/10. 1		
																																		= JK1+S81/10. 1
																																		= JK1+S81/10. 1
																																		= JK1+S81/10. 2
																																		= JK1+S81/10. 2
																																		= JK1+S81/10. 2
																																		= JK1+S81/10. 2
																																		= JK1+S81/10. 3
																																		= JK1+S81/10. 3
																																		= JK1+S81/10. 3
																																		= JK1+S81/10. 3
																																		= JK1+S81/10. 3
																																		= JK1+S81/10. 4
																																		= JK1+S81/10. 4
																																		= JK1+S81/10. 4
																																		= JK1+S81/10. 4
																																		= JK1+S81/10. 5
																																		= JK1+S81/10. 5
																																		= JK1+S81/10. 5
																																		= JK1+S81/10. 5
																																		= JK1+S81/10. 6
																																		= JK1+S81/10. 6
																																		= JK1+S81/10. 6
																																		= JK1+S81/10. 6
																																		= JK1+S81/10. 7
																																		= JK1+S81/10. 7
																																		= JK1+S81/10. 7
																																		= JK1+S81/10. 7

GC_KLE_DEF 12.10.11 Wil																			TERMINAL STRIP OR PIN ALLOCATION = JK1+S81-XW																		
DESCRIPTION																				DESTINATION		CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper		NAME	DESTINATION		CONNECTION POINT						PAGE / PATH		
																																				= JK1+S81/10. 8	
																																				= JK1+S81/10. 8	
																					19															= JK1+S81/10. 8	
																																				= JK1+S81/10. 8	
																					20																= JK1+S81/10. 8
																																				= JK1+S81/10. 9	
																					21																= JK1+S81/10. 9
</																																					

[illegible]

GC_KLE_DEF 12.10.11 Wil										TERMINAL STRIP OR PIN ALLOCATION = JK3+S82-X2									
DESCRIPTION										PAGE / PATH									
										= JK3+S82/7. 2									
										= JK3+S82/7. 2									
										= JK3+S82/7. 2									
										= JK3+S82/7. 2									
										= JK3+S82/7. 2									

GC_KLE_DEF 12.10.11 Wil																			TERMINAL STRIP OR PIN ALLOCATION = JK3+S82-X3																
DESCRIPTION																			DESTINATION		CONNECTION	NUMBER	CONNECTOR LEVEL	NAME	DESTINATION		CONNECTION							PAGE / PATH	
										1	CABLE DESIGNATION = JK3+S82-MR	= JK3+S82-MR	POINT	G	A1	above	below	Jumper			= JK3+S82-XDN	POINT	6								= JK3+S82/6. 3				
														A2																					
										2		= JK3+S82-MR	K	A3							= JK3+S82-XDN	13								= JK3+S82/6. 6					
										3		= JK3+S82-MR	E	A4							= JK3+F3-XM	4									= JK3+S82/6. 8				
										4		= JK3+S82-MR	C	A5																	= JK3+S82/6. 8				
										5		= JK3+S82-MR	A	A6							= VA82+S82-X1	12									= JK3+S82/6. 8				
										6		= JK3+S82-MR	M	A7																	= JK3+S82/6. 8				
													A8																						
													A9																						
													B2																						
													B3																						
										7		= JK3+S82-MR	F	B4							= JK3+F3-XM	5									= JK3+S82/6. 6				
										8		= JK3+S82-MR	24VDC	B5																	= JK3+S82/6. 8				
										9		= JK3+S82-MR	B	B6							= VA82+S82-X1	14									= JK3+S82/6. 7				
													B7																						
										10		= JK3+S82-MR	u4/16ac	B8																	= JK3+S82/6. 9				
										11		= JK3+S82-MR	H	C1							= JK3+S82-XDN	4									= JK3+S82/6. 3				
												C2																							
										12	= JK3+S82-MR	L	C3							= JK3+F3-XM	3									= JK3+S82/6. 5					
										13	= JK3+S82-MR	F1	C4																	= JK3+S82/6. 6					
										14	= JK3+S82-MR	D	C5																	= JK3+S82/6. 9					
										15	= JK3+S82-MR	A1	C6																	= JK3+S82/6. 8					
												C7																							
										16	= JK3+S82-MR	u4/8a	C8																	= JK3+S82/6. 9					
												C9																							
										17	= JK3+S82-MR	PE	PE						PE	PE										= JK3+S82/6. 6					

GC_KLE_DEF 12.10.11 Wil																	TERMINAL STRIP OR PIN ALLOCATION = JK3+S82-X80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
DESCRIPTION																		CABLE DESIGNATION		TYPE OF CABLE		DESTINATION		CONNECTION POINT		NUMBER		CONNECTOR LEVEL above below Jumper		NAME		DESTINATION		CONNECTION POINT							PAGE / PATH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

[illegible]

GC_KLE_DEF 12.10.11 Wil																				TERMINAL STRIP OR PIN ALLOCATION = JK3+S82-XAC2																
DESCRIPTION																				DESTINATION		CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper		NAME	DESTINATION		CONNECTION POINT						PAGE / PATH	
																				= JK3+S82-X80		8	1												= JK3+S82/1. 6	
																																			= JK3+S82/1. 7	

GC_KLE_DEF 12.10.11 Wil																				TERMINAL STRIP OR PIN ALLOCATION = JK3+S82-XB																	
DESCRIPTION																				DESTINATION		CONNECTION	NUMBER	CONNECTOR LEVEL		NAME	DESTINATION		CONNECTION	Konfektion		PAGE / PATH					
																				= JK3+S82-X80		POINT 12	1				= CA82+S82-L1		POINT 1					= JK3+S82/1.7			
																				= JK3+S82-KB1		POINT 12					= JK3+S82-X2		1						= JK3+S82/1.7		
																					2	2			01: 1	= CA82+S82-C805		01: 1						= JK3+S82/1.7			
																										= JK3+S82-X1		7	6						= JK3+S82/1.8		
																				= VA82+S82-X1		2+P	3				= VA82+S82-X1		1+P							= JK3+S82/1.8	

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																				TERMINAL STRIP OR PIN ALLOCATION = JK3+S82-XW															
DESCRIPTION																				DESTINATION		CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper	NAME	DESTINATION		CONNECTION POINT	Farbkabel					PAGE / PATH	
																																			= JK3+S82/10. 0
																																			= JK3+S82/10. 0
																																			= JK3+S82/10. 0
																																			= JK3+S82/10. 1
																																			= JK3+S82/10. 1
																																			= JK3+S82/10. 1
																																			= JK3+S82/10. 1
																																			= JK3+S82/10. 2
																																			= JK3+S82/10. 2
																																			= JK3+S82/10. 2
																																			= JK3+S82/10. 2
																																			= JK3+S82/10. 2
																																			= JK3+S82/10. 3
																																			= JK3+S82/10. 3
																																			= JK3+S82/10. 3
																																			= JK3+S82/10. 3
																																			= JK3+S82/10. 3
																																			= JK3+S82/10. 3
																																			= JK3+S82/10. 3
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4
																																			= JK3+S82/10. 4

GC_KLE_DEF 12.10.11 Wil																			TERMINAL STRIP OR PIN ALLOCATION = JK 3 + S 8 2 - X W																	
DESCRIPTION																			DESTINATION		CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper		NAME	DESTINATION		CONNECTION POINT						PAGE / PATH		
																					18														= JK 3 + S 8 2 / 10. 8	
																																			= JK 3 + S 8 2 / 10. 8	
																				19															= JK 3 + S 8 2 / 10. 8	
																																			= JK 3 + S 8 2 / 10. 8	
																				20															= JK 3 + S 8 2 / 10. 8	
																																			= JK 3 + S 8 2 / 10. 9	
																				21															= JK 3 + S 8 2 / 10. 9	
																																			= JK 3 + S 8 2 / 10. 9	

[illegible]

GC_KLE_DEF 12.10.11 Wil																		CABLE DESIGNATION					TERMINAL STRIP OR PIN ALLOCATION =FRN2+F2-X1												
DESCRIPTION																			DEL FLEX	TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL		NAME	DESTINATION	CONNECTION POINT						PAGE / PATH	
24VDC																		1	=FRN2+F2-LM-PAN	POINT	15	1			°			POINT						=FRN2+F2/5.7	
collision																2		11			2			°							=FRN2+F2/5.7				
GND																3		7			3			°							=FRN2+F2/5.8				
analog signal ground																4		2			4			°							=FRN2+F2/5.8				
																5		9			5			°							=FRN2+F2/5.8				
analog signal																6		1			6			°							=FRN2+F2/5.8				

[illegible]

[illegible]

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																			TERMINAL STRIP OR PIN ALLOCATION =GA1+01-XCAN																
DESCRIPTION																			DESTINATION		CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper		NAME	DESTINATION		CONNECTION POINT						PAGE / PATH	
														1			°															=GA1+01/2. 3			
														2			°															=GA1+01/2. 4			
														3			°														=GA1+01/2. 4				
														4			°														=GA1+01/2. 4				
														5			°														=GA1+01/2. 4				

[illegible]

GC_KLE_DEF 12.10.11 Wil																			CABLE DESIGNATION	TERMINAL STRIP OR PIN ALLOCATION =GA1+01-XIO							CABLE DESIGNATION	=GA1+01-MXIO																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
DESCRIPTION																				TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper	NAME	DESTINATION		CONNECTION POINT	TYPE OF CABLE	ONNIFLOW					PAGE / PATH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

GC_KLE_DEF 12.10.11 Wil																			CABLE DESIGNATION	TERMINAL STRIP OR PIN ALLOCATION =GA2+01-XCAN						CABLE DESIGNATION							
DESCRIPTION																				TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL above below Jumper	NAME		DESTINATION	CONNECTION POINT	TYPE OF CABLE				
																																=GA2+01/2. 3	
																														=GA2+01/2. 4			
																														=GA2+01/2. 4			
																														=GA2+01/2. 4			
																														=GA2+01/2. 4			
																						</											

[illegible]

[illegible]

			Creation date	07.12.2020	 MESSER CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958 OmniMat L 6000 Maghreb Steel	plug connection	Drawing number		Page	79
			Editor	I. Wunderle				Plant = X1		Location +	
Doku	15.02.2021	Lehle	Printout date	15.02.2021				Last page 85		Continuation page 80	
Change	Date	Name	Revisor								
Previous page 78		Total pages 271		Last editor	MAR						

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

GC_KLE_DEF 12.10.11 Wil																			CABLE DESIGNATION	TERMINAL STRIP OR PIN ALLOCATION =BA1+P1-X40							CABLE DESIGNATION	=BA1+P1-WX40																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
DESCRIPTION																				TYPE OF CABLE	DESTINATION	CONNECTION POINT	NUMBER	CONNECTOR LEVEL		NAME		DESTINATION	CONNECTION POINT	PVC/C/FD					PAGE / PATH																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

EQUIPMENT LIST

ITEM DESTINATION	AMOUNT	DESIGNATION	PART DESCRIPTION	MANUFACTURER	MESSER ARTICLE NUMBER	PAGE PATH	FUNCTION TEXT
=AC1+S2-A1	1	EtherCAT Sternverteiler	CU1128	Beckhoff	610000188	=AC1+S1/2. 3	CU1128 610000188
=BA0+S1-F11	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA0+S1/1. 2	fuse
=BA0+S1-F11	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=BA0+S1/1. 2	fuse
=BA0+S1-F14	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA0+S1/1. 2	
=BA0+S1-F14	1	Glasrohrsicherung 5X20 T4A	5X20 T4A	DISTRIBUTOR	541021	=BA0+S1/1. 2	
=BA0+S1-F15	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA0+S1/1. 3	
=BA0+S1-F15	1	Glasrohrsicherung 5X20 T4A	5X20 T4A	DISTRIBUTOR	541021	=BA0+S1/1. 3	
=BA0+S1-F21	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA0+S1/2. 3	fuse
=BA0+S1-F21	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=BA0+S1/2. 3	fuse
=BA0+S1-F24	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA0+S1/2. 3	
=BA0+S1-F24	1	Glasrohrsicherung 5X20 T10A	5X20 T10A	DISTRIBUTOR	0583943	=BA0+S1/2. 3	
=BA0+S1-T1	1	230/36 VAC 4x100VA	TRAF0 230/4X36 VAC	Tecnocablaggi	77070862	=BA0+S1/1. 2	
=BA0+S1-T2	1	230-24/55VAC-3,95/-6,25/12,73	B0508013	BLOCK	77004835	=BA0+S1/2. 3	
=BA0+S1-XT	3	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=BA0+S1/1. 2	ST-COMBI pluggable terminals
=BA0+S1-XT1	6	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=BA0+S1/2. 3	distribution terminals
=BA1+S0-F001	3	Einzelelement bis 63A	NEOZED ELEMENT <63A	LINDNER		=BA1+S0/1. 2	pre fuse
=BA1+S0-F001	3	SI-Schmelzeinsatz 35A	D02 EINSATZ 35A	LINDNER	77005159	=BA1+S0/1. 2	pre fuse
=BA1+S0-F001	3	Schraubkappe 63A	NEOZED SCHRAUBKAPPE	LINDNER	77002782	=BA1+S0/1. 2	pre fuse
=BA1+S0-F001	3	Passring 35A	PASSRING 35A	LINDNER	77002783	=BA1+S0/1. 2	pre fuse
=BA1+S0-OF1	1	Einzelelement bis 63A	NEOZED ELEMENT <63A	LINDNER		=BA1+S0/1. 4	
=BA1+S0-OF1	1	SI-Schmelzeinsatz 10A	D02 EINSATZ 10A	LINDNER		=BA1+S0/1. 4	
=BA1+S0-OF1	1	Passring 10A	PASSRING 10A	LINDNER		=BA1+S0/1. 4	
=BA1+S0-OF1	1	Schraubkappe 63A	NEOZED SCHRAUBKAPPE	LINDNER	77002782	=BA1+S0/1. 4	
=BA1+S0-Q163	1	Hauptschalter P3-63/EA/SVB-SW/N	P3-63/EA/SVB-SW/N	MÖLLER	77005160	=BA1+S0/1. 7	main switch
=BA1+S0-X00	6	Durchgangsklemme <25qmm	DURCHGANGSKLEMME			=BA1+S0/1. 2	power infeed
=BA1+S0-X00	4	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA1+S0/1. 2	power infeed
=BA1+S0-X01	5	Durchgangsklemme <16qmm	DURCHGANGSKLEMME			=BA1+S0/1. 7	infeed control panel
=BA1+S1-A1	1	Kühlgerät 230VAC/500W	SK 3382.100	RITTAL	77004461	=BA1+S1/1. 2	cooling unit
=BA1+S1-F0	1	SI-Schmelzeinsatz 10A	D02 EINSATZ 10A	LINDNER		=BA1+S1/2. 7	
=BA1+S1-F0	1	Passring 10A	PASSRING 10A	LINDNER		=BA1+S1/2. 7	
=BA1+S1-F0	1	Schraubkappe 63A	NEOZED SCHRAUBKAPPE	LINDNER	77002782	=BA1+S1/2. 7	
=BA1+S1-F0	1	Einzelelement bis 63A	NEOZED ELEMENT <63A	LINDNER		=BA1+S1/2. 7	
=BA1+S1-F1	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA1+S1/5. 1	

EQUIPMENT LIST

ITEM DESTINATION	AMOUNT	DESIGNATION	PART DESCRIPTION	MANUFACTURER	MESSER ARTICLE NUMBER	PAGE PATH	FUNCTION TEXT
=BA1+S1-F1	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=BA1+S1/5.1	
=BA1+S1-F002	3	Einzelelement bis 63A	NEOZED ELEMENT <63A	LINDNER		=BA1+S1/2.2	
=BA1+S1-F002	3	SI-Schmelzeinsatz 25A	D02 EINSATZ 25A	LINDNER	72270517	=BA1+S1/2.2	
=BA1+S1-F002	3	Schraubkappe 63A	NEOZED SCHRAUBKAPPE	LINDNER	77002782	=BA1+S1/2.2	
=BA1+S1-F002	3	Passring 25A	PASSRING 25A	LINDNER	77004031	=BA1+S1/2.2	
=BA1+S1-F003	3	Einzelelement bis 63A	NEOZED ELEMENT <63A	LINDNER		=BA1+S1/2.5	
=BA1+S1-F003	3	SI-Schmelzeinsatz 16A	D02 EINSATZ 16A	LINDNER	77004858	=BA1+S1/2.5	
=BA1+S1-F003	3	Schraubkappe 63A	NEOZED SCHRAUBKAPPE	LINDNER	77002782	=BA1+S1/2.5	
=BA1+S1-F003	3	Passring 16A	PASSRING 16A	LINDNER		=BA1+S1/2.5	
=BA1+S1-F4	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA1+S1/5.8	
=BA1+S1-F4	1	Glasrohrsicherung 5X20 T10A	5X20 T10A	DISTRIBUTOR	0583943	=BA1+S1/5.8	
=BA1+S1-F5	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA1+S1/5.8	
=BA1+S1-F5	1	Glasrohrsicherung 5X20 T10A	5X20 T10A	DISTRIBUTOR	0583943	=BA1+S1/5.8	
=BA1+S1-F81	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA1+S1/4.5	
=BA1+S1-F82	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA1+S1/4.6	
=BA1+S1-G1	1	Stromversorgung 230VAC/24VDC/20A	TRIO-PS/1AC/24DC/20	PHOENIX	77005217	=BA1+S1/5.5	24VDC 20A
=BA1+S1-P1	1	Betriebsstundenzähler 230VAC	Z 99999,9H	Bauser	77002169	=BA1+S1/1.5	
=BA1+S1-X00	3	Durchgangsklemme <6qmm	DURCHGANGSKLEMME			=BA1+S1/3.2	infeed control panel
=BA1+S1-X0	5	Durchgangsklemme <16qmm	DURCHGANGSKLEMME			=BA1+S1/1.0	infeed control panel
=BA1+S1-X0F	4	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA1+S1/3.2	distribution terminals
=BA1+S1-X0F	2	PE-Durchgangsklemme 2,5qmm	PE-DURCHGANGSKLEMME			=BA1+S1/3.2	distribution terminals
=BA1+S1-X02	1	230V/16A Steckdose m. LED	67901	Murrelektronik	77006125	=BA1+S1/3.0	service socket
=BA1+S1-X24N	3	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA1+S1/4.7	24VAC distribution
=BA1+S1-X230	5	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=BA1+S1/1.2	voltage distribution
=BA1+S1-X400	3	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=BA1+S1/2.2	400VAC drives
=BA1+S1-X401	3	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=BA1+S1/2.5	400VAC drives
=BA1+S1-XL0	4	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA1+S1/5.4	distribution 0VDC
=BA1+S1-XP24	3	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA1+S1/6.1	distribution 24VDC
=BA1+S2-XP24	3	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA1+S2/1.1	distribution 24VDC
=BA2+S1-F20	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA2+S1/1.2	
=BA2+S1-F20	1	Glasrohrsicherung 5X20 T4A	5X20 T4A	DISTRIBUTOR	541021	=BA2+S1/1.2	
=BA2+S1-G2	1	Stromversorgung 230VAC/24VDC/5A	TRIO-PS/1AC/24DC/5	PHOENIX	77005215	=BA2+S1/1.2	230VAC 24VDC 5A
=BA2+S1-K1	1	Relais 2 Wechsler	PLC-RSC-230UC/21-21AU	PHOENIX		=BA2+S1/1.4	

EQUIPMENT LIST

ITEM DESTINATION	AMOUNT	DESIGNATION	PART DESCRIPTION	MANUFACTURER	MESSER ARTICLE NUMBER	PAGE PATH	FUNCTION TEXT
=BA2+S1-K2	1	Hilfsschütz 2S / ZÖ 24VDC	3RH21 22-1BB40	Siemens	77070597	=BA2+S1/1. 7	
=BA2+S1-K2	1	DIODENKOMBINATION, DC 12..250V, S00	3RT29 16-1EH00	Siemens	77070641	=BA2+S1/1. 7	
=BA2+S2-F1	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA2+S2/2. 1	
=BA2+S2-F1	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=BA2+S2/2. 1	
=BA2+S2-F7	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA2+S2/3. 1	
=BA2+S2-F7	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=BA2+S2/3. 1	
=BA2+S2-F8	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=BA2+S2/3. 2	
=BA2+S2-F8	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=BA2+S2/3. 2	
=BA2+S2-KP01	1	Relais 2 Wechsler	PLC-BSC-24VDC/21-21	PHOENIX	77002894	=BA2+S2/6. 2	power is on
=BA2+S2-U1	1	Batterie Pack 24V 3,4Ah	C9900-U330	Beckhoff	77004856	=BA2+S1/1. 5	
=BA2+S2-X40	11	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=BA2+S2/6. 4	ST-COMBI pluggable terminals
=BA2+S2-XL0	9	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA2+S2/4. 0	distribution 0VDC
=BA2+S2-XL24	7	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=BA2+S2/1. 0	distribution 24VDC
=BA4+S1-K1	1	S0 Schütz 11kW	3RT20 26-1BB40	Siemens	77070578	=BA4+S1/1. 1	main contactor
=BA4+S1-K1	1	S00 Hilfsschalterblock 3S+1Ö	3RH29 11-1HA31	Siemens	77070596	=BA4+S1/1. 1	main contactor
=BA4+S1-K1	1	DIODENKOMBINATION, DC 24V, S0	3RT19 26-1ER00	Siemens	77070580	=BA4+S1/1. 1	
=BA4+S1-K2	1	S0 Schütz 11kW	3RT20 26-1BB40	Siemens	77070578	=BA4+S1/1. 3	main contactor
=BA4+S1-K2	1	S00 Hilfsschalterblock 3S+1Ö	3RH29 11-1HA31	Siemens	77070596	=BA4+S1/1. 3	main contactor
=BA4+S1-K2	1	DIODENKOMBINATION, DC 24V, S0	3RT19 26-1ER00	Siemens	77070580	=BA4+S1/1. 3	
=BA4+S1-K3	1	S0 Schütz 11kW	3RT20 26-1BB40	Siemens	77070578	=BA4+S1/1. 5	main contactor
=BA4+S1-K3	1	S00 Hilfsschalterblock 3S+1Ö	3RH29 11-1HA31	Siemens	77070596	=BA4+S1/1. 5	main contactor
=BA4+S1-K3	1	DIODENKOMBINATION, DC 24V, S0	3RT19 26-1ER00	Siemens	77070580	=BA4+S1/1. 5	
=BA4+S1-K4	1	S0 Schütz 11kW	3RT20 26-1BB40	Siemens	77070578	=BA4+S1/1. 7	main contactor
=BA4+S1-K4	1	S00 Hilfsschalterblock 3S+1Ö	3RH29 11-1HA31	Siemens	77070596	=BA4+S1/1. 7	main contactor
=BA4+S1-K4	1	DIODENKOMBINATION, DC 24V, S0	3RT19 26-1ER00	Siemens	77070580	=BA4+S1/1. 7	
=BA4+S1-K22	1	S00 Schütz 5,5kW +1Ö 24VDC	3RT20 17-1BB42	Siemens	77070594	=BA4+S2/2. 7	
=BA4+S1-K22	1	S00 Hilfsschalterblock 3S+1Ö	3RH29 11-1HA31	Siemens	77070596	=BA4+S2/2. 7	
=BA4+S1-K22	1	DIODENKOMBINATION, DC 12..250V, S00	3RT29 16-1EH00	Siemens	77070641	=BA4+S2/2. 7	
=BA4+S2-K11	1	S00 Schütz 5,5kW +1Ö 24VDC	3RT20 17-1BB42	Siemens	77070594	=BA4+S2/2. 1	height adjustments
=BA4+S2-K11	1	S00 Hilfsschalterblock 3S+1Ö	3RH29 11-1HA31	Siemens	77070596	=BA4+S2/2. 1	height adjustments
=BA4+S2-K11	1	DIODENKOMBINATION, DC 12..250V, S00	3RT29 16-1EH00	Siemens	77070641	=BA4+S2/2. 1	
=BA4+S2-K12	1	S00 Schütz 5,5kW +1Ö 24VDC	3RT20 17-1BB42	Siemens	77070594	=BA4+S2/2. 3	cut off gas
=BA4+S2-K12	1	S00 Hilfsschalterblock 3S+1Ö	3RH29 11-1HA31	Siemens	77070596	=BA4+S2/2. 3	cut off gas

EQUIPMENT LIST

ITEM DESTINATION	AMOUNT	DESIGNATION	PART DESCRIPTION	MANUFACTURER	MESSER ARTICLE NUMBER	PAGE PATH	FUNCTION TEXT
=BA4+S2-K12	1	DIODENKOMBINATION, DC 12..250V, S00	3RT29 16-1EH00	Siemens	77070641	=BA4+S2/2. 3	
=BA4+S2-KNA	1	NOT-AUS Auswertgerät	MSR138DP	ALLEN-BRADLEY	77004457	=BA4+S2/1. 5	emergency stop
=BA5+M1-NA1	1	NOT-AUS-TASTER mit M12 Anschluss	77005151	Murrelektronik	77005151	=BA5+S2/3. 2	emergency stop
=BA5+S2-XNA	12	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=BA5+S2/1. 2	ST-COMBI pluggable terminals
=CA0+S2-CA0	1	PC-System EthertCAT	C6930-1111-0050	Beckhoff	610000757	=CA0+S2/1. 1	PLC central unit
=CA0+S2-USBTX	1	USB-Extender-Tx		Beckhoff	77011199	=CA0+P1/1. 4	
=CA2+S2-C100	1	Buskoppler ETHERCAT	BK 1120	Beckhoff	77011101	=CA2+S2/3. 1	BK1120
=CA2+S2-C101	1	Watchdog Relaisklemme	KL 2692	Beckhoff	77011063	=CA2+S2/4. 55	KL2692
=CA2+S2-C102	1	Eingang 8 x positiv	KL 1408	Beckhoff	77011006	=CA2+S2/4. 215	KL1408
=CA2+S2-C103	1	Eingang 8 x positiv	KL 1408	Beckhoff	77011006	=CA2+S2/4. 55	KL1408
=CA2+S2-C107	1	Einspeiseklemme 6,3A 24VDC	KL 9200	Beckhoff	77011011	=CA2+S2/3. 3	
=CA2+S2-C108	1	Ausgang 8 x positiv 500mA	KL 2408	Beckhoff	77011009	=CA2+S2/5. 55	KL2408
=CA2+S2-C114	1	Ausgang 8 x positiv 500mA	KL 2408	Beckhoff	77011009	=CA2+S2/5. 55	KL2408
=CA2+S2-C115	1	Ausgang 8 x positiv 500mA	KL 2408	Beckhoff	77011009	=CA2+S2/5. 215	KL2408
=CA2+S2-EK1	1	Busendklemme	KL 9010	Beckhoff	77011014	=CA2+S2/1. 3	
=CA3+S2-C300	1	Buskoppler ETHERCAT	BK 1120	Beckhoff	77011101	=CA3+S2/2. 0	BK1120
=CA3+S2-C301	1	Schnittstelle RS 422 (RS485)	KL 6021	Beckhoff	77011031	=CA3+S2/3. 55	KL6021
=CA3+S2-C302	1	Schnittstelle RS 422 (RS485)	KL 6021	Beckhoff	77011031	=CA3+S2/3. 215	KL6021
=CA3+S2-EK3	1	Busendklemme	KL 9010	Beckhoff	77011014	=CA3+S2/1. 2	KL9010
=CA81+S81-C800	1	Buskoppler ETHERCAT	BK 1120	Beckhoff	77011101	=CA81+S81/3. 0	BK1120
=CA81+S81-C801	1	Eingang 8 x positiv	KL 1408	Beckhoff	77011006	=CA81+S81/5. 60	KL1408
=CA81+S81-C802	1	Ausgang 8 x positiv 500mA	KL 2408	Beckhoff	77011009	=CA81+S81/5. 220	KL2408
=CA81+S81-C805	1	Ausgang 2 x Relais 2A 230VAC	KL 2622	Beckhoff	77011036	=CA81+S81/5. 60	KL2622
=CA81+S81-C809	1	Busendklemme f. K-Bus-Verl.	KL 9020	Beckhoff	77011018	=CA81+S81/3. 6	
=CA81+S81-C810	1	Kopplerklemme K-Bus-Verl.	KL 9050	Beckhoff	77011019	=CA81+S81/4. 5	KL9050
=CA81+S81-C815	1	Ausgang 2 x TRIAC 1A 12...230VAC	KL 2722	Beckhoff	77011062	=CA81+S81/6. 55	KL2722
=CA81+S81-C816	1	Ausgang 2 x TRIAC 1A 12...230VAC	KL 2722	Beckhoff	77011062	=CA81+S81/6. 214	KL2722
=CA81+S81-C817	1	Ausgang 2 x TRIAC 1A 12...230VAC	KL 2722	Beckhoff	77011062	=CA81+S81/6. 55	KL2722
=CA81+S81-C818	1	Ausgang 2 x TRIAC 1A 12...230VAC	KL 2722	Beckhoff	77011062	=CA81+S81/6. 214	KL2722
=CA81+S81-EK1	1	Busendklemme	KL 9010	Beckhoff	77011014	=CA81+S81/2. 3	
=CA81+S81-L1	1	Schaffner T 9609 B	RZ 20-1-02	Messer	0535029	=CA81+S81/3. 1	
=CA81+S81-L2	1	Schaffner T 9609 B	RZ 20-1-02	Messer	0535029	=CA81+S81/4. 6	
=CA81+S81-L51	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=CA81+S81/3. 7	

EQUIPMENT LIST

ITEM DESTINATION	AMOUNT	DESIGNATION	PART DESCRIPTION	MANUFACTURER	MESSER ARTICLE NUMBER	PAGE PATH	FUNCTION TEXT
=CA81+S81-L52	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=CA81+S81/4. 4	
=CA82+S82-C800	1	Buskoppler ETHERCAT	BK 1120	Beckhoff	77011101	=CA82+S82/3. 0	BK1120
=CA82+S82-C801	1	Eingang 8 x positiv	KL 1408	Beckhoff	77011006	=CA82+S82/5. 60	KL1408
=CA82+S82-C802	1	Ausgang 8 x positiv 500mA	KL 2408	Beckhoff	77011009	=CA82+S82/5. 220	KL2408
=CA82+S82-C805	1	Ausgang 2 x Relais 2A 230VAC	KL 2622	Beckhoff	77011036	=CA82+S82/5. 60	KL2622
=CA82+S82-C809	1	Busendklemme f. K-Bus-Verl.	KL 9020	Beckhoff	77011018	=CA82+S82/3. 6	
=CA82+S82-C810	1	Kopplerklemme K-Bus-Verl.	KL 9050	Beckhoff	77011019	=CA82+S82/4. 5	KL9050
=CA82+S82-C815	1	Ausgang 2 x TRIAC 1A 12... 230VAC	KL 2722	Beckhoff	77011062	=CA82+S82/6. 55	KL2722
=CA82+S82-C816	1	Ausgang 2 x TRIAC 1A 12... 230VAC	KL 2722	Beckhoff	77011062	=CA82+S82/6. 214	KL2722
=CA82+S82-C817	1	Ausgang 2 x TRIAC 1A 12... 230VAC	KL 2722	Beckhoff	77011062	=CA82+S82/6. 55	KL2722
=CA82+S82-C818	1	Ausgang 2 x TRIAC 1A 12... 230VAC	KL 2722	Beckhoff	77011062	=CA82+S82/6. 214	KL2722
=CA82+S82-EK1	1	Busendklemme	KL 9010	Beckhoff	77011014	=CA82+S82/2. 3	
=CA82+S82-L1	1	Schaffner T 9609 B	RZ 20-1-02	Messer	0535029	=CA82+S82/3. 1	
=CA82+S82-L2	1	Schaffner T 9609 B	RZ 20-1-02	Messer	0535029	=CA82+S82/4. 6	
=CA82+S82-L51	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=CA82+S82/3. 7	
=CA82+S82-L52	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=CA82+S82/4. 4	
=FRB4+S2-F1	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=FRB4+F4/1. 6	
=FRB4+S2-F1	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=FRB4+F4/1. 6	
=FRB4+S2-XJ3	3	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=FRB4+F4/1. 6	ST-COMBI pluggable terminals
=FRN2+S2-F1	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=FRN2+F2/1. 6	
=FRN2+S2-F1	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=FRN2+F2/1. 6	
=FRN2+S2-XJ3	3	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=FRN2+F2/1. 6	ST-COMBI pluggable terminals
=GA1+01-XCAN	1					=GA1+01/2. 3	5 pol M12
=GA1+01-XDN	1					=GA1+01/2. 7	5 pol M12
=GA1+01-XIO	1	Flansch-Steckbuchse 19 pol	RC-19 S1N12 600	CONINVERS	77002793	=GA1+01/1. 3	OMNIFLOW
=GA1+S2-XIO	11	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=GA1+S2/1. 6	COMBICON socket terminals
=GA2+01-XCAN	1					=GA2+01/2. 3	5 pol M12
=GA2+01-XDN	1					=GA2+01/2. 7	5 pol M12
=GA2+01-XIO	1	Flansch-Steckbuchse 19 pol	RC-19 S1N12 600	CONINVERS	77002793	=GA2+01/1. 3	OMNIFLOW
=GA2+S2-XIO	11	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=GA2+S2/1. 6	COMBICON socket terminals
=GB+S1-F1	1	Sicherungsklemnme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=GB+S1/1. 1	
=GB+S1-F1	1	Glasrohrsicherung 5X20 T6,3A	5X20 T6,3A	DISTRIBUTOR	65541022	=GB+S1/1. 1	
=GB+S1-X230	3	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=GB+S1/1. 1	ST-COMBI pluggable terminals

EQUIPMENT LIST

ITEM DESTINATION	AMOUNT	DESIGNATION	PART DESCRIPTION	MANUFACTURER	MESSER ARTICLE NUMBER	PAGE PATH	FUNCTION TEXT
=HC1+S1-A1	1	2 Kanal EtherCAT Servoverstärker 3A	AX5203-0000	Beckhoff	77011217	=HC1+S1/1.0	
=HX1+S1-A1	1	1 Kanal EtherCAT Servoverstärker 12A	AX5112-0000	Beckhoff	77011273	=HX1+S1/1.0	
=HX2+S1-A1	1	1 Kanal EtherCAT Servoverstärker 12A	AX5112-0000	Beckhoff	77011273	=HX2+S1/1.0	
=HY1+S1-A1	1	2 Kanal EtherCAT Servoverstärker 3A	AX5203-0000	Beckhoff	77011217	=HY1+S1/1.0	
=HY3+S2-XB52	3	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=HY3+F4/1.5	ST-COMBI pluggable terminals
=JK1+F1-LZ5	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=JK1+S81/8.7	
=JK1+F1-M1	1					=JK1+S81/6.5	
=JK1+F1-WM1	1					=JK1+S81/6.5	
=JK1+S1-F9	1	Sicherungsklemme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=JK1+S1/1.7	
=JK1+S1-X80	8	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=JK1+S1/1.1	ST-COMBI pluggable terminals
=JK1+S81-KB1	1	Relais 1 Wechsler	PLC-BSC-24VDC/21	PHOENIX	77002771	=JK1+S81/2.1	
=JK1+S81-L5	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=JK1+S81/8.7	
=JK1+S81-S1	1	Näherungsschalter	3RG4013-3AP33	Siemens	77002697	=JK1+S81/2.6	
=JK1+S81-X2	3	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=JK1+S81/7.2	terminals on spindle
=JK1+S81-X80	8	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=JK1+S81/1.1	ST-COMBI pluggable terminals
=JK1+S81-XAC1	1	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=JK1+S81/1.6	distribution 24VAC
=JK1+S81-XAC2	1	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=JK1+S81/1.6	distribution 24VAC
=JK1+S81-XB	3	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=JK1+S81/1.7	distribution 24VDC
=JK1+S81-XL0	6	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=JK1+S81/1.2	distribution 0VDC
=JK1+S81-XL24	2	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=JK1+S81/1.1	distribution 24VDC
=JK1+S81-XW	21	Durchgangsklemme 2,5qmm	DURCHGANGSKLEMME			=JK1+S81/10.0	terminals on spindle
=JK3+F3-LZ5	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=JK3+S82/8.7	
=JK3+F3-M1	1					=JK3+S82/6.5	
=JK3+F3-WM1	1					=JK3+S82/6.5	
=JK3+S1-F9	1	Sicherungsklemme 5x20 <10A	DT 6/2,5 DREHSI	PHOENIX	77005164	=JK3+S1/1.7	
=JK3+S1-X80	8	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=JK3+S1/1.1	ST-COMBI pluggable terminals
=JK3+S82-KB1	1	Relais 1 Wechsler	PLC-BSC-24VDC/21	PHOENIX	77002771	=JK3+S82/2.1	
=JK3+S82-L5	1	Ferrit-Ringschelle	FERRITRING	DISTRIBUTOR	77004659	=JK3+S82/8.7	
=JK3+S82-S1	1	Näherungsschalter	3RG4013-3AP33	Siemens	77002697	=JK3+S82/2.6	
=JK3+S82-X2	3	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=JK3+S82/7.2	terminals on spindle
=JK3+S82-X80	8	Steckbare Durchgangsklemme <2,5qmm	DURCHGANGSKLEMME			=JK3+S82/1.1	ST-COMBI pluggable terminals
=JK3+S82-XAC1	1	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=JK3+S82/1.6	distribution 24VAC
=JK3+S82-XAC2	1	Durchgangsklemme <4qmm	DURCHGANGSKLEMME			=JK3+S82/1.6	distribution 24VAC

EQUIPMENT LIST

[illegible]

			Creation date 07.12.2020		MESSER  CUTTING SYSTEMS 64823 GROSS-UMSTADT GERMANY	260.001.958	equipment listing	Drawing number		Page 7	
			Editor I. Wunderle					Plant = Z1		Location +	
Doku	15.02.2021	Lehle	Printout date 15.02.2021					Last page 7		Continuation page	
Change	Date	Name	Revisor								
Previous page 6		Total pages 271	last editor MAA								