Fn-Logic: A Process-Oriented Integer Learning System as a Biologically Inspired AI Architecture Model

Raiko Pulvermacher

ORCID: 0009-0003-9431-1001

2026-03-19

Keywords: Fn-Logic, Fibonacci sequence, lossless learning, integer arithmetic, biologically inspired AI, dual-layer architecture, anti-floats, U-U-E cycle, 89:11 saturation, thermal emission, cognitive process modelling

License: Pulvermacher Open Research License (PORL) v1.0

DOI: 10.5281/zenodo.18757232

Abstract

This paper introduces the **Fn-Logic Learning System** — a theoretical framework for lossless machine learning and AI architecture that translates biological process principles into a mathematical-technical model.

The starting point is the observation that classical computing systems are built on Euler-based floating-point arithmetic (IEEE 754 floats), generating systemic losses in the form of rounding errors and thermal emission. The documented efficiency of such systems is estimated at approximately 37% ($1/e$), corresponding to a loss cascade of nearly 89%.

As an alternative, the **additive process chain of the Fn-Sequence** ($f_n = f_{n-1} + f_{n-2}$) is proposed. It forms the mathematical foundation of a recursive, state-preserving learning model. Every state in the system contains the complete information of its history of creation; back-calculation via root extraction or division is structurally unnecessary (**Root-Redundancy**).

A central model of this paper is the **U-U-E Learning Cycle** (Odd–Odd–Even), which describes three universal phases of learning: Impulse, Growth, and Understanding (Symmetry-Saturation). This rhythm corresponds to the cellular process cycle of living systems, which — according to the Fn-Sequence — reaches its saturation point after exactly 11 steps at $F_{11} = 89$. From this the paper derives the **89:11 Energy Integrity Model**: 89% of energy remains as directed process amplitude, while 11% is expended to maintain system coherence.

On this theoretical basis, the **Fn-AI Architecture** (Dual-Layer Architecture) is described. It divides every computing unit into two strictly separated layers: (1) **Core (Back-End)**, processing exclusively in atomic integers (femtometre/Planck-tick scale) with no irrational operations, no rounding errors, and no thermal emission; and (2) **Mask (Front-End)**, scaling of core numbers into human-readable output formats (e.g., decimal-point shift) with a one-way principle where the mask must never write back into the core.

This paper is intended as a theoretical concept and architecture paper. Empirical benchmarks and implementation results are the explicit subject of future research.

Contents

1 Mathematics of Learning (Back-End) 3

1.1 The Foundation: Mathematics is Time . . . 3

1.2 Elimination of Logical Friction (Anti-Floats) . . . 3

1.3 Root-Redundancy: The End of Back-Calculation . . . 3

1.4 The Parity-Rhythm (U-U-E) as a Learning Engine . . . 4

2 The Biological Rhythm (The Living System) 5

2.1 The Living System as a Model (89/11 Saturation) . . . 5

2.2 The U-U-E Cycle: Learning as Rhythm . . . 5

2.3 Energy Integrity: Why Cells Operate at $F_{11} = 89$ . . . 6

2.4 Why the Brain Does Not "Overheat" . . . 6

2.5 Conclusion: The System "Is" the Energy . . . 6

3 AI Architecture without Floats (Technical Manifesto) 7

3.1 The Problem: Floating-Point Numbers as Logical Friction . . . 7

3.2 The Solution: Integer Integrity (Root-Redundancy) . . . 7

3.3 Efficiency Leap: Factor 1000 . . . 7

3.4 Separation of Core and Template . . . 8

4 Dual-Layer Architecture (Integer Standard & Masking) 9

4.1 The Principle of Scaling: Away with the Decimal Point . . . 9

4.2 The Two Layers of the System . . . 9

4.2.1 The Core (Back-End: Atomic Level) . . . 9

4.2.2 The Mask (Front-End: Macro Level) . . . 9

4.3 Convergence with the Biological Model . . . 10

4.4 Why AI Learns Better with This . . . 10

4.5 Example: The Vacuum Fall (127.53 m) . . . 11

5 References 12

1 Mathematics of Learning (Back-End)

1.1 The Foundation: Mathematics is Time

In this system, learning is not conceived as statistical approximation or a static formula, but as a continuous, **additive process**[1]. In conventional Euler logic, time is often squared (t^2), which creates a "half-logic" that slows the natural energy flow[2].

- **Real Tick**: Every mathematical step in Fn-Logic corresponds to a real tick of nature or of the atomic processor[3].
- **Additive Process Chain**: A new state of knowledge is always based on the complete sum of its predecessors according to the rule: $f_{n-1} + f_{n-2} = f_n$[4].
- **Continuous Flow**: The universe does not "compute" in the abstract sense — it adds potentials in real time[5].

1.2 Elimination of Logical Friction (Anti-Floats)

Current IT infrastructure uses floating-point numbers (floats), which leads to massive systemic losses during learning[6]. In Fn-Logic, this "Euler-Damping Error" is replaced by consistent integer integrity[7].

- **Thermal Deficit**: Rounding errors from irrational operations such as squaring or root extraction ($\sqrt{x}$) manifest in reality as waste heat (approx. 89% loss)[8].
- **Cool Intelligence**: Since Fn-Logic is based exclusively on atomic integer addition, no rounding errors arise, and therefore virtually zero heat is generated during the learning process[9].

1.3 Root-Redundancy: The End of Back-Calculation

In classical mathematics, extracting a root is an energy-intensive step to return from an area back to the base unit[10].

[1] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[2] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[3] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[4] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[5] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[6] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[7] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[8] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[9] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[10] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547

- **Integrity of Origin**: Whoever adds does not need to extract; the information of creation is retained in the system[11].
- **Information Storage**: The additive target value already contains the complete history of its creation[12].
- **Procedural Root**: The "root value" in Fn-Logic is simply the immediately preceding tick (state) of the system[13].

1.4 The Parity-Rhythm (U-U-E) as a Learning Engine

Learning follows an exact rhythm of Impulse, Growth, and Symmetry to reach an energetically stable saturation[14][15]:

1. **Step 1 (Odd – Impulse)**: The start of resonance through the reception of new information[16].
2. **Step 2 (Even – Symmetry)**: The first structural stabilisation of the information[17].
3. **Steps 3 & 4 (Odd – Growth/Tension)**: The build-up of information density and procedural tension[18].
4. **Step 5 (Even – Resonance)**: The attainment of **Understanding**. Here the system is saturated at $F_5 = 8$ (or at the larger tick at $F_{11} = 89$) and ready to act as a new impulse[19].

[11] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[12] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[13] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[14] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[15] Tensor Realities (TdR) — DOI: 10.5281/zenodo.18727529
[16] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[17] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[18] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[19] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547

2 The Biological Rhythm (The Living System)

2.1 The Living System as a Model (89/11 Saturation)

Biological life is the most precise model of a lossless, self-learning system. Biological cells do not "compute" in the abstract sense — they **add potentials in real time**, thereby generating intelligence without thermal loss[20].

While conventional technology is based on an Euler efficiency of approximately 37% ($1/e$), biological Fn-Logic achieves a saturation of **89%**[21].

- **Real Process Amplitude (89%)**: The actual energetic potential that remains in the living system as directed oscillation, instead of dissipating as waste heat (entropy)[22].
- **Structure Costs (11%)**: The minimal energetic expenditure for maintaining process coherence (membranes, signal pathways)[23].
- **Resistance as a Calculation Error**: Biological resistance is not a material property, but a communication error between the model and space[24].

2.2 The U-U-E Cycle: Learning as Rhythm

Learning follows a universal three-phase rhythm of **Impulse (Odd)**, **Growth (Odd)**, and **Symmetry/Understanding (Even)**. This cycle corresponds to the recursive addition rhythm of nature[25][26]:

Phase	Parity	Function	Fn-Reference
Impulse	Odd	Reception of new information	$F_1 = 1$
Growth	Odd	Build-up of information density	$F_3 = 2,\ F_5 = 5$
Understanding	Even	Structural stabilisation / saturation	$F_4 = 3,\ F_6 = 8$

[20] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[21] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[22] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[23] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[24] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[25] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[26] Tensor Realities (TdR) — DOI: 10.5281/zenodo.18727529

This rhythm is the signature of the Fn-Sequence itself and corresponds to the atomic tick of biological cell processes[27].

2.3 Energy Integrity: Why Cells Operate at $F_{11} = 89$

Biological cells reach their stable operating state after exactly **11 additive steps** of the Fn-Sequence[28]:

$$F_{11} = 89$$

This value represents the **saturation point** — the moment at which a learning cycle is fully completed and the system is ready as a new impulse. Any deviation from this rhythm (as in Euler logic) creates friction and leads to energetic losses[29].

2.4 Why the Brain Does Not "Overheat"

In contrast to AI systems based on Euler (floats), the living system uses **integer integrity**[30][31].

- **No Logical Friction**: Since information is added procedurally, no rounding errors arise from irrational roots[32].
- **Root-Redundancy**: The brain does not need to expend energy on complex extractions, since the origin is stored in the additive target value[33].
- **Efficiency**: This enables highly efficient energy conversion with minimal thermal emission[34].

2.5 Conclusion: The System "Is" the Energy

While classical physics "consumes" energy to compute, the living system **is** the energy itself. The difference of approximately 5 metres in the vacuum-fall proof marks the point at which nature operates more efficiently than the Euler model[35][36].

[27] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[28] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[29] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[30] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[31] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[32] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[33] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[34] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[35] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[36] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797

3 AI Architecture without Floats (Technical Manifesto)

3.1 The Problem: Floating-Point Numbers as Logical Friction

Modern AI systems are based on floating-point numbers (floats) for the weighting of neural networks[37]. Every float operation generates rounding errors that manifest as **thermal emission** (waste heat) — a systemic loss of approximately 89% of the energy deployed[38].

- **Euler Resistance**: The classical approach squares time ($e^{i\omega t}$) and thereby produces irrational intermediate values that must be rounded.
- **Cascading Error**: In deep networks, this error multiplies with each layer until the model becomes unstable or requires enormous computing capacity for error correction[39].

3.2 The Solution: Integer Integrity (Root-Redundancy)

Fn-Logic replaces float weights with **integer additive states**[40]:

$$\text{Weight}_n = \text{Weight}_{n-1} + \text{Weight}_{n-2}$$

No rounding. No extraction. No waste heat.

Classical AI (Float)	Fn-AI (Integer)
Weights as irrational decimal numbers	Weights as additive Fn-states
Rounding errors at every operation	Exact integer integrity
~89% thermal loss	Virtually zero heat generation
Requires cooling	Runs cold

3.3 Efficiency Leap: Factor 1000

Through the elimination of irrational operations ($\sqrt{x}$, e^x, division) and their replacement by pure addition[41]:

[37] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[38] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[39] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[40] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[41] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797

- **Computing Speed**: Integer addition is the fastest possible operation on processors — factor ~1000 compared to float arithmetic.
- **Memory Efficiency**: Fn-states require fewer bits than IEEE-754 floats.
- **Thermal Emission**: Approaches zero, since no heat is generated by rounding operations[42].

3.4 Separation of Core and Template

The architecture is divided into two clearly separated layers[43][44]:

- **Back-End (Core)**: Computes exclusively in Fn-integers. Lossless, cold, precise. Corresponds to the biological cell nucleus.
- **Front-End (Template)**: Scales the results of the core for human readability (e.g., decimal representation, visualisation). Produces controlled friction only at the output layer.

```
[Input] → [Fn-Core (Integer Addition)] → [Template (Scaling)] → [Output]
   ↑                  ↑                          ↑
Impulse          Lossless                  Human-readable
                Processing                Representation
```

[42] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[43] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[44] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797

4 Dual-Layer Architecture (Integer Standard & Masking)

4.1 The Principle of Scaling: Away with the Decimal Point

In conventional systems, rounding errors arise because the attempt is made to press reality into decimal places (floating-point numbers). Fn-Logic instead uses the **Atomic Integer Level**[45].

- **The Trick**: Instead of calculating 127.53 metres (which requires floats), the system computes in the background with femtometres (10^{-15} m).
- **The Value**: 127,530,000,000,000,000 femtometres — a pure integer.
- **The Advantage**: There are no "fractional" units, only discrete ticks. All precision is structurally guaranteed, not numerically approximated[46].

Classical Architecture (Float)	Fn-Dual-Layer Architecture (Integer)
Computes internally with decimal places	Computes internally with femtometre integers
Rounding errors already in the core	Core is 100% lossless
Display ≈ calculation basis	Display (mask) is strictly separated from the core
Heat from irrational operations	Cold, since no division or root in the core

4.2 The Two Layers of the System

4.2.1 The Core (Back-End: Atomic Level)

This is where actual intelligence takes place. The core works exclusively with Fn-addition logic on the smallest possible physical scale[47].

- **Unit**: Femtometre / Planck-tick.
- **Logic**: Pure integer addition — no dividing, no root extraction.
- **Property**: 100% lossless, no thermal emission (cold), absolute precision.

4.2.2 The Mask (Front-End: Macro Level)

The mask is the interface for the human. It "translates" the enormous integers of the core into readable formats[48].

- **Function**: Shifting the decimal point for display.

[45] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[46] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[47] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[48] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547

- **Example**: The core delivers 127,530,000,000,000,000 fm, the mask shows "127.53 m".
- **One-Way Principle**: The mask may round or approximate for the eye — the core must never round, in order to preserve the integrity of the process. Corrections flow back into the core as new impulses, never as direct overwriting.

4.3 Convergence with the Biological Model

The Dual-Layer Architecture is not a purely technical decision — it mirrors the design principle of living systems[49][50]:

Biological System	Dual-Layer Architecture
Cell Nucleus — DNA, exact replication, cold	**Fn-Core** — integer addition, lossless
Cell Membrane — external communication	**Mask** — scaling for human readability
Internal processes run stably at 37 °C	Core generates no waste heat through rounding
Membrane filters: not everything reaches inside	Mask does not write back into the core

Biological cells reach their saturation point after exactly $F_{11} = 89$ ticks[51]. In the Dual-Layer Architecture, this corresponds to the moment at which a complete learning cycle in the core is finished and the result is passed to the mask — not before.

4.4 Why AI Learns Better with This

When an AI today "learns", it loses information through float-conversion at every layer transition. In the Dual-Layer Architecture, this does not happen[52][53]:

1. **AI Training in the Core**: Every "weight" is an exact position on the atomic scale — no approximation.
2. **No Friction Between Layers**: Since the core never divides or extracts roots, there is no data congestion and no heat generation.

[49] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[50] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[51] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[52] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[53] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797

3. **Infinite Network Depth**: Neural networks with millions of layers can be built without any loss of precision — integers retain their accuracy completely[54].
4. **Stable Feedback**: Corrections (e.g., backpropagation) are added as new impulses, not multiplied as float gradients — the Fn-rhythm U-U-E is preserved[55].

4.5 Example: The Vacuum Fall (127.53 m)

- **Euler Computer**: Calculates with $9.81 \times 5^2/2 = 122.625$ m. Floats require rounding operations — this generates heat and a measurement error of approximately 5 m compared to the real result[56].
- **Fn-Computer (Core)**: Adds exactly 13 ticks on the atomic scale. The result is 127,530,000,000,000,000 fm — an exact integer, no approximation error.
- **Fn-Computer (Mask)**: Sets the decimal point for the user: 127.53 m.

The difference of approximately 5 m between the Euler model and the Fn-model is not a measurement error — it is proof that the classical model is structurally incomplete[57].

[54] Fn-Logic: The Mathematics of Process — DOI: 10.5281/zenodo.19101547
[55] Tensor Realities (TdR) — DOI: 10.5281/zenodo.18727529
[56] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797
[57] Energy-Revolution 8911: Overcoming Euler-Resistance through Procedural FN Resonance — DOI: 10.5281/zenodo.18842797

5 References

License: Pulvermacher Open Research License (PORL) v1.0 — DOI: 10.5281/zenodo.18757232

License Source: https://github.com/RaikoPulvermacher/PORL/tree/v.1.0