➡ bitte verwendet nur noch addressen die https beginnen! Siehe wiki https://wiki.mediacube.at/wiki/index.php?title=Repositories#ssh_vs_https_repository_adressen

📢 alle von MMT haben hier Zugriff. Du willst Deine Freunde von MMA auch dabei haben? Mail mit den usernamen an Brigitte Jellinek



bac2-alexa-skill •

0 <u>0</u> https://gitlab.mediacube.at/fhs38521/bac2-a



Auto DevOps

×

It will automatically build, test, and deploy your application based on a predefined CI/CD configuration.

Learn more in the <u>Auto DevOps documentation</u>

final changes Theresa Höck authored 1 month ago		83d7e845
Name	Last commit	Last update
bleibFit	<u>final changes</u>	1 month ago
DS Store	<u>created modules</u>	3 months ago
<u>:gitattributes</u>	Initial commit	4 months ago
<u>:gitignore</u>	<u>dialogue development</u>	1 month ago
README.md	<u>created modules</u>	3 months ago
dialogue.js	<u>final changes</u>	1 month ag
dynamoDB.js	accessing DB the right way	1 month ag
evaluationHandler.js	<u>final changes</u>	1 month ag
<u> exersiceHandler.js</u>	<u>final changes</u>	1 month ag
index.js	<u>final changes</u>	1 month ag
messages.js	<u>final changes</u>	1 month ag
newSessionHandler.js	<u>final changes</u>	1 month ag
package-lock.json	first commit, initialized new way of alexa development	3 months ag
package.json	created modules	3 months ag
training_data.js	<u>final changes</u>	1 month ag
i validation.js	created state exersice not existing	1 month ag
workoutHandler.js	final changes	1 month ag

Alexa Skill 'fit bleiben'

Bespoken

Using <u>Bespoken</u> for Alexa Skill testing. Runing Lambda function local.

\$ bst proxy lambda index.js

Starting lambda fuction local.

ASK CLI

Ask cli is used to be able to configer the skill local and be able to deploy in to the alexa development console.

1. Install ASK Cli

Via Npm

Installation creates necessary folder within the intents und utterances to be able to test the skill via Bespoken.

2. Add DynamoDB

Adding Dynamo DB

Adding Dynamo DB

3. Installed Phyton to install aws cli FUCK OFF THAT SHIT USE BREW

why is this explained on the docu???????? I need to create an aws credential file with the aws cli Install PHYTON

brew install awscli

=======

Continue developing