



My github URL Vercel URL

W06-P1: Create categories dynamically from data\_xx.js



7c247ef Rain211410856 Fri Mar 29 18:56:40 2024 +0800 W06-P1: Create categories dynamically from data\_xx.js

W06-P2: Display Menu buttons from categories array



a12ebcf Rain211410856 Sat Mar 30 01:22:56 2024 +0800 W06-P2: Display Menu buttons from categories array


## W06-P3: implement filter buttons

=> choose breakfast


The screenshot displays a web development environment with three main components:

- Code Editor (Left):** Shows JavaScript code for displaying and filtering menu items. Key lines include:
  - Line 54: `let menuButtons = categories.map((category) => { ... })`
  - Line 65: `const filterBtns = document.querySelectorAll('.filter-btn');`
  - Line 66: `console.log('filterBtns', filterBtns);`
  - Line 67: `filterBtns.forEach(btn => {`
  - Line 68:  `btn.addEventListener('click', (e) => {`
  - Line 69:  `console.log('data-id', e.currentTarget.dataset.id);`
  - Line 70:  `const category = e.currentTarget.dataset.id;`
  - Line 71:  `const filterMenu = menu.filter(item => item.category === category);`
  - Line 72:  `if (category === 'all') {`
  - Line 73:  `displayMenuItems(menu);`
  - Line 74:  `} else {`
  - Line 75:  `displayMenuItems(filterMenu);`
  - Line 76:  `}`
  - Line 77:  `});`
  - Line 78: `});`
- Browser Preview (Middle):** Shows a web page titled "Our Menu" with a navigation bar containing buttons for "All", "Breakfast", "Lunch", "Shakes", and "Dinner". The "Breakfast" button is highlighted with a red box. Below the navigation bar, three menu items are displayed: "Buttermilk Pancakes", "Oreo Dream", and "Bison Steak".
- Console (Right):** Shows the output of the code. The first log shows the `filterBtns` array, which is an empty array. The second log shows the `menu` array, which contains 10 items. The `category` property for each item is highlighted in red, showing values like "breakfast", "lunch", "shakes", and "breakfast".

=> choose shakes




**=> choose all**



c4ed848 Rain211410856 Sat Mar 30 02:26:26 2024 +0800 W06-P3: implement filter buttons

W06-P4: implement open modals



f2e9f9a htchung Thu Mar 28 21:27:00 2024 +0800 W06-P4: implement open modals

W06-P5: implement close modals

W06-P6: git logs for W6

it log --pretty=format:"%h%x09%an%x09%ad%x09%" --after="2024-03-27"  
71dd876 Rain211410856 Sat Mar 30 03:26:38 2024 +0800 W06-P4: implement open modals  
c4ed848 Rain211410856 Sat Mar 30 02:26:26 2024 +0800 W06-P3: implement filter buttons  
a12ebcf Rain211410856 Sat Mar 30 01:22:56 2024 +0800 W06-P2: Display Menu buttons from categories array  
7c247ef Rain211410856 Fri Mar 29 18:56:40 2024 +0800 W06-P1: Create categories dynamically from data\_xx.js