
Windows setup. Start to finish.

Tailscale and Jellyfin already work. These first ten pages cover Windows only. Mac users: jump straight to page 11.



Setup diagram. “Server” and “party host” are different jobs; they can run on different computers.

Download these two packages

Computer	What to download
Main Windows PC 100.76.133.88	`LumaLatch-0.2.0-Windows-x64.zip` Contains **LumaLatch.exe** and its runtime.
Windows laptop	`LumaLatch-0.2.0-Guest.zip` Contains the Chrome extension. Laptop 1 can still create the party using this ZIP.


Use **Google Chrome**. Keep Tailscale connected. Choose one laptop as the **party host (Laptop 1)**; the other is the **guest (Laptop 2)**, whatever its operating system. No Node.js installation needed.

Windows pages

2 · Extract the ZIP
3 · Start on the main PC
4 · Add to Chrome
5 · Enable on Jellyfin
6 · Open media and connect
7 · Create and invite
8 · Join the party
9 · Test, watch and finish
10 · Optional controls and help


Extract the ZIP first.

1. Open **File Explorer** (the folder icon). Click **Downloads**. Find the ZIP from page 1: Windows-x64 on the main PC; Guest on a Windows laptop.
2. **Right-click the ZIP → Extract All…**. Click **Browse…**, choose **Documents**, then click **Select Folder → Extract**. If a LumaLatch folder already exists, choose a new folder name to avoid replacing it.



Windows illustration. The laptop ZIP is named Guest; the extraction buttons are the same.

3. Open the extracted **LumaLatch** folder. If there is another LumaLatch folder inside it, open that too. On the main PC, double-click **LumaLatch.exe**. On a laptop, continue to page 4; the Guest ZIP has no executable.




Windows main PC folder illustration. Keep all these files together.

> **Keep the extracted folder in Documents.** Do not run from inside the ZIP. Chrome will continue using its extension folder after installation.

Start LumaLatch on the main PC.

Open the extracted **LumaLatch.exe** on the Windows PC with address **100.76.133.88**. This PC can relay the party while both people watch on their laptops.



Actual Windows launcher, cropped to the relevant controls. Pictured before clicking Start server.

1. Find the green **Status** line. It should say **Ready to start on 100.76.133.88**. If needed, scroll up in the launcher to its step 2 and click **Recheck readiness**.
2. Leave **Port** at **8787**. Click **Start server** (launcher step 4). Wait for the status/log to report that it is running. The **Stop server** button becomes available.
3. Click **Copy signaling address**. Both laptops will use this exact address:

```
ws://100.76.133.88:8787/party
```


> **Keep this app open and the main PC awake.** Closing it or clicking Stop server disconnects all parties.

Skip the launcher's installation buttons: Tailscale is already ready. Its step 3 installs Chrome's extension only if someone also watches on this main PC; laptop extension installation happens on page 4.

The portable Windows launcher is unsigned. If Windows blocks it, verify the supplied ZIP checksum and consult your administrator or trusted organizer. Keep Windows protection enabled.


Add LumaLatch to Chrome.

Open **Chrome**. Click the top address bar. Type `chrome://extensions`, then press **Enter**.



Actual Chromium Extensions screen; Chrome uses the same controls. This picture already shows LumaLatch installed.

1. Turn on **Developer mode** at the top right.
2. Click **Load unpacked** at the top left.
3. In the folder window, open **Documents** → **LumaLatch** → **extension**. Select the **extension** folder, then click **Select Folder**.



Folder-picker illustration. Select extension, not the ZIP or the outer LumaLatch folder.


Success: a LumaLatch card appears; its on/off switch is on. Repeat on the other Windows laptop if needed.

Allow LumaLatch on Jellyfin.

In Chrome, open the dashboard you already use:

> http://100.76.133.88:8096/web/index.html#/home

Stay on the Jellyfin tab. Sign in with your usual Jellyfin account if asked.



Toolbar illustration. Extensions normally looks like a puzzle piece; its position can vary.

1. Click Chrome's **Extensions** puzzle icon near the top right. Click **LumaLatch** in its list.
2. In the popup below, click **Enable on this Jellyfin site**. Approve Chrome's site-access prompt if shown.




Actual extension popup. The numbered button grants access to the Jellyfin site currently open.

Success: "Enabled here. Open a video to start."

If needed, refresh Jellyfin once with Chrome's reload button. Repeat on the other laptop. You normally only grant site access once per Chrome profile.

Open the same video. Connect.

1. Agree on the exact **movie or episode**. On each laptop, open that item in Jellyfin and click its **Play** button to enter the video player.
2. Use the same version if Jellyfin offers several. Pause while setting up. The **LumaLatch panel** appears near the bottom right.



Actual controls with local test media. Jellyfin's surrounding player varies.

1 · Check this address


Signaling server must read:

`ws://100.76.133.88:8787/party`

Replace it if different.

2 · Click Connect

Do this on **both laptops**. The main PC's server must already be running.




After connecting, the badge says Connected. Only Laptop 1 clicks Create Party next.

> **The addresses have different jobs. http://…:8096** opens Jellyfin. **ws://…:8787/party** goes in LumaLatch's Signaling server field.

Create the party. Share the invite.

After connecting on page 6, click **Create Party**. Laptop 1 is now the party host; the main PC continues running the server.



Actual host controls after creating a party. The Party ID shown is from a closed demonstration session.

1 · Check Host

The badge says **Host**. The status says “Party created. Share the invite.”

2 · Copy invite

Click **Copy invite**. Paste the whole link into your private chat with the person on Laptop 2.

Paste with **Ctrl+V**.

3 · Leave permissions off

Keep all three boxes unticked for your first session. Laptop 1 controls play, pause and seeking.

You can grant controls later; see page 10.


> **Keep Laptop 1’s Jellyfin player tab open.** Leaving the party, closing that tab or disconnecting ends this party. A new session needs a fresh invite.

If copying the invite fails

Privately send Laptop 2 the **Signaling server** address and the complete **Party ID** displayed in your panel. They can enter both fields manually. Do not reuse the example ID in this guide.

Open the invite. Join Party.

1. Copy the **whole invite link** from your chat. Paste it into Chrome’s address bar, then press Enter. Sign in to Jellyfin if asked.
2. Open the **same exact movie or episode** as Laptop 1. Click Play to enter the player. If Chrome blocks playback, press Play once yourself.
3. The invite should fill **Signaling server** and **Party ID**. Click **Connect** if not already connected.



Actual panel before joining. This ID is an example; use the current invite from Laptop 1.

1 · Check Party ID

Use Laptop 1’s full ID. The invite usually fills it.

2 · Click Join Party

Do not click Create Party. That would make a different room.

If fields are blank


Login or navigation may lose the invite. Open the original invite again after signing in, then reopen the same media.

Or ask Laptop 1 for the server address and Party ID. Paste them into the matching fields, then Connect and Join Party.

Success: the badge changes to Guest and the status says “Joined party.” The next page shows that result.

> **Laptop 2 does not start a server.** The main PC runs that. Each laptop streams its own copy from Jellyfin.

Check Guest. Test a pause.



Actual guest panel. The demonstration party shown has been closed.

3 · Check Guest

Laptop 2 says **Guest**. Laptop 1 says **Host**.

4 · Check Joined party

Laptop 2's status confirms it joined.

Try this together

1. On Laptop 1, press Jellyfin's **Play**.
2. Check Laptop 2 starts too. If autoplay is blocked, press Play once there.
3. On Laptop 1, press **Pause**. Check both players pause.
4. Resume on Laptop 1.

Finish: Laptop 1 clicks **Leave Party**. When everyone is done, click **Stop server** on the main PC. Next time, start the server and create a new party.

If a step gets stuck.

Connection check: on the laptop, open http://100.76.133.88:8787/health in Chrome while the main PC's server is running.


Connection check · URL and expected response

http://100.76.133.88:8787/health

```
{"ok":true}
```

Expected-response illustration; this response was checked against the local signaling server when making the guide.

Let your friend control playback, if wanted



Optional: Laptop 1 ticks Guest playback to let Laptop 2 play, pause, seek and change speed.

Untick a permission to remove it. Subtitles and quality are separate permissions; support depends on Jellyfin's native menus.

Jellyfin works, but LumaLatch cannot connect

They use different ports. Confirm the main PC's LumaLatch server is running on **8787**. Try the health address above. If it fails, ask the network administrator to check access to that port; keep firewalls enabled.

No LumaLatch card or player panel

At `chrome://extensions`, confirm LumaLatch is enabled. Load the extracted **extension** folder. Enable it from the Jellyfin tab (page 5), refresh and open a video. The dashboard alone has no player panel.

Chrome or Windows blocks installation


Managed devices may block unpacked extensions. The Windows launcher is unsigned. Verify the download checksum and ask your administrator or trusted organizer if blocked; keep protection enabled.

Pictures: actual app controls and labelled OS illustrations. Demo controls use local test media. Network latency and buffering affect synchronization.

Every ZIP includes this PDF and START-HERE.html. Keep the extracted files together. SHA256SUMS.txt supplies ZIP integrity hashes; host packages include third-party licenses.

Mac setup. Start here.

Your Mac already reaches Jellyfin through Tailscale. Follow these pages in order; no Windows setup steps on your Mac.



Setup diagram. The main PC runs the server. Your Mac can create or join a party in Chrome.

Download only this ZIP on your Mac

```
LumaLatch-0.2.0-Guest.zip
```

Despite its filename, this ZIP lets your Mac **create or join** a party. It includes the Chrome extension and this guide. No Mac server runtime, Terminal commands or .exe needed.

Choose one laptop as the **party host (Laptop 1)**. The other is the **guest (Laptop 2)**. Either may be a Mac or a Windows computer.

> **Before continuing:** ask the main PC's owner to start its LumaLatch server and leave it running. On your Mac, open the connection check; a reachable server returns `{"ok":true}`. Jellyfin working alone does not confirm this separate server is running.


Mac pages

12 · Extract the ZIP
13 · Add to Chrome
14 · Enable on Jellyfin
15 · Open media and connect
16 · Create and invite
17 · Join the party
18 · Test, watch and finish
19 · Optional controls and help

Unzip. Keep the folder.

The main PC runs the server. Your Mac laptop only needs the **Guest ZIP** and Chrome.

1. Download `LumaLatch-0.2.0-Guest.zip` using the supplied link.
2. Open **Finder** (the blue face icon). Click **Downloads** in its sidebar. Double-click the ZIP. macOS creates a **LumaLatch** folder nearby.
3. Drag the **whole LumaLatch folder** into **Documents** in Finder's sidebar. If that name is already used, rename the new folder first; keep the old folder intact.



Mac Finder illustration. Button positions may differ slightly between macOS versions.

Check what is inside


Double-click **Documents** → **LumaLatch**. You should see an **extension** folder, **Quick-Start.pdf**, **START-HERE.html** and **READ-ME-FIRST.txt**.

> **No server package needed on this Mac.** Do not look for an .exe or open a Terminal window on your Mac. Next, add the extension to Chrome on page 13.

If Chrome is not already on this laptop, install it from google.com/chrome. Safari cannot load this extension.


Add LumaLatch to Chrome.

Open **Chrome**. Click the top address bar. Type `chrome://extensions`, then press **Return**.



Actual Chromium Extensions screen; Chrome uses the same controls. This picture already shows LumaLatch installed.

1. Turn on **Developer mode** at the top right.
2. Click **Load unpacked** at the top left.
3. In the folder window, open **Documents** → **LumaLatch** → **extension**. Select the **extension** folder, then click **Select**.



Folder-picker illustration. Select extension, not the ZIP or the outer LumaLatch folder.


Success: a LumaLatch card appears; its on/off switch is on. Repeat on the other Mac laptop if needed.

Allow LumaLatch on Jellyfin.

In Chrome, open the dashboard you already use:

> http://100.76.133.88:8096/web/index.html#/home

Stay on the Jellyfin tab. Sign in with your usual Jellyfin account if asked.



Toolbar illustration. Extensions normally looks like a puzzle piece; its position can vary.

1. Click Chrome's **Extensions** puzzle icon near the top right. Click **LumaLatch** in its list.
2. In the popup below, click **Enable on this Jellyfin site**. Approve Chrome's site-access prompt if shown.




Actual extension popup. The numbered button grants access to the Jellyfin site currently open.

Success: "Enabled here. Open a video to start."

If needed, refresh Jellyfin once with Chrome's reload button. Repeat on the other laptop. You normally only grant site access once per Chrome profile.

Open the same video. Connect.

1. Agree on the exact **movie or episode**. On each laptop, open that item in Jellyfin and click its **Play** button to enter the video player.
2. Use the same version if Jellyfin offers several. Pause while setting up. The **LumaLatch panel** appears near the bottom right.



Actual controls with local test media. Jellyfin's surrounding player varies.

1 · Check this address


Signaling server must read:

`ws://100.76.133.88:8787/party`

Replace it if different.

2 · Click Connect

Do this on **both laptops**. The main PC's server must already be running.




After connecting, the badge says Connected. Only Laptop 1 clicks Create Party next.

> **The addresses have different jobs. http://…:8096** opens Jellyfin. **ws://…:8787/party** goes in LumaLatch's Signaling server field.

Create the party. Share the invite.

After connecting on page 15, click **Create Party**. Laptop 1 is now the party host; the main PC continues running the server.



Actual host controls after creating a party. The Party ID shown is from a closed demonstration session.

1 · Check Host

The badge says **Host**. The status says “Party created. Share the invite.”

2 · Copy invite

Click **Copy invite**. Paste the whole link into your private chat with the person on Laptop 2.

Paste with **Command+V**.

3 · Leave permissions off

Keep all three boxes unticked for your first session. Laptop 1 controls play, pause and seeking.

You can grant controls later; see page 19.


> **Keep Laptop 1’s Jellyfin player tab open.** Leaving the party, closing that tab or disconnecting ends this party. A new session needs a fresh invite.

If copying the invite fails

Privately send Laptop 2 the **Signaling server** address and the complete **Party ID** displayed in your panel. They can enter both fields manually. Do not reuse the example ID in this guide.

Open the invite. Join Party.

1. Copy the **whole invite link** from your chat. Paste it into Chrome’s address bar, then press Return. Sign in to Jellyfin if asked.
2. Open the **same exact movie or episode** as Laptop 1. Click Play to enter the player. If Chrome blocks playback, press Play once yourself.
3. The invite should fill **Signaling server** and **Party ID**. Click **Connect** if not already connected.



Actual panel before joining. This ID is an example; use the current invite from Laptop 1.

1 · Check Party ID

Use Laptop 1’s full ID. The invite usually fills it.

2 · Click Join Party

Do not click Create Party. That would make a different room.

If fields are blank


Login or navigation may lose the invite. Open the original invite again after signing in, then reopen the same media.

Or ask Laptop 1 for the server address and Party ID. Paste them into the matching fields, then Connect and Join Party.

Success: the badge changes to Guest and the status says “Joined party.” The next page shows that result.

> **Laptop 2 does not start a server.** The main PC runs that. Each laptop streams its own copy from Jellyfin.

Check Guest. Test a pause.



Actual guest panel. The demonstration party shown has been closed.

3 · Check Guest

Laptop 2 says **Guest**. Laptop 1 says **Host**.

4 · Check Joined party

Laptop 2's status confirms it joined.

Try this together

1. On Laptop 1, press Jellyfin's **Play**.
2. Check Laptop 2 starts too. If autoplay is blocked, press Play once there.
3. On Laptop 1, press **Pause**. Check both players pause.
4. Resume on Laptop 1.

Finish: Laptop 1 clicks **Leave Party**. When everyone is done, ask the main PC's owner to stop its LumaLatch server. Next time, start the server and create a new party.

If a step gets stuck.

Connection check: on the laptop, open http://100.76.133.88:8787/health in Chrome while the main PC's server is running.


Connection check · URL and expected response

http://100.76.133.88:8787/health

```
{"ok":true}
```

Expected-response illustration; this response was checked against the local signaling server when making the guide.

Let your friend control playback, if wanted



Optional: Laptop 1 ticks Guest playback to let Laptop 2 play, pause, seek and change speed.

Untick a permission to remove it. Subtitles and quality are separate permissions; support depends on Jellyfin's native menus.

Jellyfin works, but LumaLatch cannot connect

They use different ports. Confirm the main PC's LumaLatch server is running on **8787**. Try the health address above. If it fails, ask the network administrator to check access to that port; keep firewalls enabled.

No LumaLatch card or player panel

At `chrome://extensions`, confirm LumaLatch is enabled. Load the extracted **extension** folder. Enable it from the Jellyfin tab (page 14), refresh and open a video. The dashboard alone has no player panel.

Chrome blocks installation on your Mac

Managed Chrome may block unpacked extensions. Ask your Mac administrator if Developer mode or Load unpacked is unavailable; keep security protections enabled.

Pictures: actual app controls and labelled OS illustrations. Demo controls use local test media. Network latency and buffering affect synchronization.

Every ZIP includes this PDF and START-HERE.html. Keep the extracted files together. SHA256SUMS.txt supplies ZIP integrity hashes; host packages include third-party licenses.