ARI change at fixed active non-depth parameters; hatched = missing

Bach
Baron
Campbell
Drug_Consumption
Guo
ISOLET
Limb_Muscle
Macosko
Melanoma_5K
Mouse_retina
Quake_10x_Spleen
Quake_Smart-seq2_Lung
Tosches
Young
birds_bones_and_living_habits
boston
breast_cancer_wisconsin_original
cifar10
classification_in_asteroseismology
coil20
dermatology
dry_bean
ecoli
enron
fabert
flickr_material_database
har
harbermans_survival
hate_speech
heart_attack_analysis_prediction_dataset
hepatitis
htru2
image_segmentation
imdb
iris
labeled_faces_in_the_wild
mfeat-factors
micro-mass
olivetti_faces
optical_recognition_of_handwritten_digits
orbit_classification_for_prediction_nasa
patient_treatment_classification
pen_based_recognition_of_handwritten_digits
predicting_pulsar_star
pumpkin_seeds
reuters
rice_dataset_cammeo_and_osmancik
seismic_bumps
siberian_weather_stats
smoker_condition
sms_spam_collection
spambase
statlog_image_segmentation
student_grade
tr45.wc
turkish_music_emotion
weather
wine_quality
worm_neuron_cell

Dataset

H2 H3 H4 H5 H6 H7 H8

Depth

0.08
0.06
0.04
0.02
0.00
−0.02
−0.04
−0.06
−0.08

ΔARI (depth minus H1)