

ACADEMIC WEBSITES - CLIENT HANDOVER

Dr Ruting Wang

Academic website guide

GitHub, Cloudflare Pages, Talks and everyday updates - explained click by click.

`rutingwang-website.pages.dev`


`github.com/Jiajing-Sun/rutingwang-website`

Prepared by JS Insights

Version 1.0 - 21 July 2026

Start here - the whole system in one minute

You do not need to learn programming. You only need to know where the content lives, which button saves it, and where to check the result.



The normal update routine

Edit one file on GitHub → click **Commit changes** → wait for Cloudflare → refresh the website.

Before starting

- ☐ Ruting has her own GitHub account.
- ☐ Ruting has her own Cloudflare account.
- ☐ The JS Insights ZIP package is saved in a safe place.
- ☐ The accounts use an email Ruting expects to keep long term.

Five rules that prevent most problems

1. Change only one small thing at a time.
2. After saving, wait about 1-3 minutes and check the live page.
3. Edit only the files named in this guide.
4. Never put passwords, verification codes, API keys or private personal information in GitHub.
5. If Cloudflare turns red, stop editing and send one clear screenshot to JS Insights.

The easiest long-term arrangement

GitHub, Cloudflare and the personal domain should belong to Ruting. JS Insights can remain a collaborator, so support does not require sharing passwords.

Move the website to Ruting's GitHub

Choose one method. Method A is shorter and keeps the complete history. Method B creates a separate copy from the ZIP backup.

Method A - transfer the existing repository (recommended)

Ruting does this first

1. Sign in at github.com.
2. Open the top-right account menu and copy the exact GitHub username.
3. Send the username to Jiajing.
4. When GitHub emails a transfer request, open it and accept within 24 hours.

Jiajing completes the transfer

1. Open the current private repository.
2. Click **Settings**.
3. Stay on **General** and scroll to the bottom.
4. In the red **Danger Zone**, find **Transfer repository**.
5. Enter Ruting's exact GitHub username.
6. Type `rutingwang-website` when GitHub asks for the repository name.
7. Confirm. Ruting then accepts the email.

The original owner is normally added as a collaborator after a transfer. The supplied ZIP remains an independent backup.

Method B - create a new private repository from the ZIP

1. Download GitHub Desktop from desktop.github.com and sign in as Ruting.
2. Unzip `ruting-wang-website-js-insights-handover-2026-07-21.zip`.
3. In GitHub Desktop, choose **File > Add Local Repository...**
4. Click **Choose...** and select the unzipped folder.
5. If it says this is not a repository, click **create a repository**.
6. Use the name `rutingwang-website` and branch `main`.
7. In **Summary**, type `Initial website handover`.
8. Click **Commit to main**.
9. Click **Publish repository** and keep **Keep this code private** selected.

Do not upload only the ZIP file to GitHub.

Cloudflare needs the unzipped folders and files. The finished GitHub address should look like <https://github.com/RUTING-USERNAME/rutingwang-website>.

Publish with Cloudflare Pages

Cloudflare connects to the GitHub repository once. After that, every saved change on the main branch is deployed automatically.

1. Sign in at dash.cloudflare.com.
2. Open **Workers & Pages**.
3. Click **Create application**.
4. Select the **Pages** tab.
5. Click **Import an existing Git repository**.
6. Choose **GitHub** and authorise Cloudflare.
7. Select only `rutingwang-website` when GitHub asks for repository access.
8. Select that repository in Cloudflare and click **Begin setup**.

Enter these values exactly

Cloudflare box	Value
Project name	ruting-wang-academic, or another available name
Production branch	main
Framework preset	Astro
Build command	npm run build
Build directory	dist

If an **Environment variables** area is visible, add:

Variable	Value
NODE_VERSION	20
BASE_PATH	/
SITE_URL	Final Cloudflare address, for example <code>https://ruting-wang-academic.pages.dev</code>

9. Click **Save and Deploy**.
10. Wait until the deployment shows green **Success**.
11. Click **Visit site** and open every page once.

If the first deployment is red

Check only these three settings first: branch `main`, command `npm run build`, directory `dist`. If they are correct, take a screenshot instead of changing random options.


Connect a personal domain later

The free `pages.dev` address can be used until Ruting chooses a personal domain.

1. Open Cloudflare > **Workers & Pages**.
2. Open the Ruting website project.
3. Click **Custom domains**.
4. Click .
5. Enter the domain, for example `rutingwang.com`.
6. Follow the DNS instructions shown by Cloudflare.
7. Wait until the domain status becomes active.
8. Change the Cloudflare variable `SITE_URL` to the final address.
9. Redeploy the latest version.

For a root domain such as `rutingwang.com`, Cloudflare may ask to use Cloudflare nameservers. For a subdomain such as `www.rutingwang.com`, it may ask for a CNAME record. Follow the exact instruction displayed for that domain.

Everyday GitHub update routine

1. Open the repository in a browser.
2. Open the file named in this guide.
3. Click the **pencil icon**.
4. Change only the required text.
5. Click .
6. Type a short message, for example .
7. Choose **Commit directly to the main branch**.
8. Click the green  button.
9. Open Cloudflare > the project > **Deployments**.
10. Wait for green **Success**, then refresh the live page.

If the old version is still visible, wait another minute and refresh once more. Do not commit the same edit repeatedly.

Add a Talk - the main content update

Talks are controlled by one small file. No page layout needs to be edited.

Open this file in GitHub:

`src/data/talks.json`

Add the first Talk

1. Open **src**, then **data**, then **talks.json**.
2. Click the pencil icon.
3. Find this exact line:

```
"items": [],
```

Replace only that line with:

```
"items": [  
  {  
    "date": "2026-10-15",  
    "title": "The title of the talk",  
    "event": "Finance Seminar Series",  
    "venue": "University name, City",  
    "kind": "Invited seminar",  
    "href": ""  
  }  
],
```

4. Replace the example words with verified information.
5. Leave `"href": ""` empty when there is no public link.
6. Click **Commit changes...** and write `Add first talk`.

After Cloudflare finishes, the Talk appears on the **Talks** page and at the bottom of the **Research** page.

Meaning of each field

Field	What to enter	Example
date	Year-month-day	2026-10-15
title	Exact presentation title	Measuring Carbon Risk Dynamics
event	Seminar, conference or workshop	Finance Seminar Series
venue	Institution and city, or Online	University of X, London
kind	Type of appearance	Invited talk
href	Public link, otherwise empty	<code>https://...</code> or <code>""</code>

Talks - add, edit and remove safely

Add a second Talk

Copy the whole first block from { to } and place the copy underneath. There must be one comma between the blocks:

```
"items": [  
  {  
    "date": "2026-10-15",  
    "title": "First talk title",  
    "event": "First event",  
    "venue": "First venue",  
    "kind": "Invited seminar",  
    "href": ""  
  },  
  {  
    "date": "2026-09-03",  
    "title": "Second talk title",  
    "event": "Second event",  
    "venue": "Second venue",  
    "kind": "Conference presentation",  
    "href": "https://example.com/event"  
  }  
],
```

Keep the newest Talk at the top.

Edit or remove a Talk

- To correct a Talk, change only the words inside quotation marks.
- To remove one Talk, delete its complete { ... } block.
- Keep one comma between two remaining Talk blocks.
- If no Talks remain, restore "items": [],.

Four JSON rules

1. Use straight double quotation marks: "text".
2. Keep the colon after every field name.
3. Put a comma between Talk blocks, but not after the final block.
4. Do not edit the template block at the bottom.

Simplest support request

If editing feels uncertain, send JS Insights only this:

```
Date:  
Talk title:  
Event:  
Venue:  
Type of talk:  
Public link, if any:
```

Publications and other content

Add a published journal article

Open `src/data/publications.ts`. Published work goes in `publications`; work under review goes in `workingPapers`.

Copy a similar existing block and replace the values:

```
{
  year: 2027,
  title: 'Exact article title',
  authors: 'Wang, R., & Coauthor, A.',
  venue: 'Journal Name',
  detail: '12(3), 100-120',
  doi: '10.1234/example.2027.001',
  featured: false,
  category: 'journal',
},
```

- Enter only the DOI in `doi`; do not add `https://doi.org/`.
- Use the exact author order and final journal details.
- Use `featured: true` only when the article should be selected prominently.
- Keep the comma after the final `},`.

Publication details are easy to misstate. If anything is uncertain, send JS Insights the DOI or official publisher link rather than guessing.

Where other content lives

Content	File
Name, role, affiliations, email, profile links	<code>src/data/site.ts</code>
Research areas and grants	<code>src/data/research.ts</code>
Publications and working papers	<code>src/data/publications.ts</code>
Talks	<code>src/data/talks.json</code>
Teaching and Quantinar courses	<code>src/pages/teaching.astro</code>
Editorial service and refereeing	<code>src/pages/service.astro</code>
Portrait	<code>public/images/ruting-wang-portrait.webp</code>
Short and full CV PDFs	<code>public/docs/</code>

CV, portrait and files not to touch

Replace the CV

The public PDF filenames must remain exactly:

```
public/docs/ruting-wang-short-cv.pdf
public/docs/ruting-wang-full-cv.pdf
```

The website also provides LaTeX source files. The safest route is to send updated CV information to JS Insights so the short PDF, full PDF and both LaTeX files remain consistent.

Do not place home addresses, personal telephone numbers, signatures, referee details or other private information in the public website folder.

Replace the portrait

The filename must remain:

```
public/images/ruting-wang-portrait.webp
```

Cropping and WebP conversion are best handled by JS Insights so the photograph remains correctly framed on desktop and mobile.

Files Ruting should not edit

```
src/components/
src/layouts/
src/styles/
astro.config.mjs
package.json
package-lock.json
.github/
```

These control layout, typography, responsive behaviour, SEO and deployment.

Account safety

- Turn on two-factor authentication for GitHub and Cloudflare.
- Keep the GitHub repository private.
- Register the personal domain in Ruting's name.
- Keep the ZIP package in two safe places.
- Give JS Insights collaborator access instead of sharing passwords.

Troubleshooting without panic

A successful update has three green signs

1. GitHub displays the latest file change.
2. Cloudflare shows a green **Success** deployment.
3. The refreshed live page displays the new information.

If Cloudflare shows a red failure

1. Stop making more edits.
2. Take one screenshot showing the red deployment and error text.
3. Copy the GitHub commit message used for that change.
4. Send both to JS Insights.

The last successful website normally remains online while the failed new version is investigated.

Official help pages

- [GitHub - editing files](#)
- [GitHub - publishing with GitHub Desktop](#)
- [GitHub - transferring a repository](#)
- [Cloudflare - deploying Astro to Pages](#)
- [Cloudflare - Git integration](#)
- [Cloudflare - custom domains](#)

JS Insights Academic Websites

jsinsights.co.uk/services/academic-websites
contact@jsinsights.co.uk

When requesting an update, send the exact text, the relevant link or DOI, and the page where it should appear.
Never send account passwords.