Relational Databases

Content Creator 2, 2018

Continuous Assesment

Business Academy Aarhus

Supervisor:

Murat Kilic

Submitted by:

Raimonds Korzenevskis

25.April. 2018

Table of Contents

Introduction	3
Step 1	3
Requirements:	3
Entity Relationship Modeling:	3
Step 2	4
Step 3	5
Step 4	8
Step 5	9
Sources:	10

Introduction

What is the purpose of this synopsis?

The goal of this continuous assessment to test our knowledge in Front-End and Back-end development focusing on SQL, HTML and CSS. The case of choice is IKEA catalogue website database replication.

To understand the website's functionality and being able to recreate it's database, we have to reverse engineer it. To assist me in that I am following the "5 steps" of database designing and that is going to be what this synopsis structure is following.

Step 1

Conceptual Database Model

Requirements:

In order to plan a database layout, what data it will hold and how the end-users are supposed to interact with it, first we have to find out the requirements of the database.

Requirements were given by teacher in a case description document which are as follows: Visitor should be able to order a IKEA catalogue and fulfil the form with personal information. Webmaster should be able to add new product catalogues and get an overview to see how many customers have ordered which IKEA catalogue.

Most of the ordering fields were copied from the original IKEA website:

- First Name
- Last Name
- Address
- Address 2
- Suburb
- state
- Postcode

Slight alterations in adding/editing the fields were made, those include


- email
- · optional company name
- phone
- Manual region input.

These alterations were made to fulfil the intended concept idea and enhance the database with more accurate information about customers.

Entity Relationship Modeling:

After analyzing the requirements of Database, there is all information needed to come up with a Conceptual Database Diagram by using an Entity-Relationship Model. It is used to visualize the database and plan out relationships between entities to eliminate any

mistakes while creating the real database. It consists of entities, attributes and relationship




In the result of planing this entity relation model, the model is structured this way - Entity "Customer" has a one-to-many relation with Entity "Product". Those entities are interconnected with a relation "product_order" that has an attribute dayofpurchase and 2 attributes which are id's of previous 2 entities.

Step 2

Logical Database Model

After the Entity Relationship Model is created, it can be converted to Logical Database Model, where I have specify primary and foreign keys and resolve cardinality, convert entities into tables with relations and attributes into column names.

In this Logical Database Model I have aapped a one to many relation with foreign keys(customerid and productid) on the relationship "customer_order")



Step 3

Physical Database Implementation

Now since the Logical Database Model is created, it is an accurate layout of a real database and it is ready to be realized in SQL.

```
ALTER TABLE 'customer'
                                              CREATE TABLE `customer_order` (
  ADD PRIMARY KEY ('id');
                                                'id' int(11) NOT NULL,
                                                `customerid` int(11) NOT NULL,
                                                'productid' int(11) NOT NULL,
   Indexes for table `customer order`
                                                `timeofpurchase` datetime(4) NOT NULL
                                              ) ENGINE=InnoDB DEFAULT CHARSET=latin1;
ALTER TABLE 'customer_order'
                                             CREATE TABLE 'customer' (
  ADD PRIMARY KEY ('id'),
                                               `id` int(11) NOT NULL,
  ADD KEY 'customerid' ('customerid'),
                                               `company_name` varchar(200) DEFAULT NULL,
  ADD KEY 'productid' ('productid');
                                               `first_name` varchar(200) NOT NULL,
                                               `last_name` varchar(200) NOT NULL,
                                               'address_1' varchar(200) NOT NULL,
                                               'address_2' varchar(200) DEFAULT NULL,
  Indexes for table `product`
                                               'suburb' varchar(200) NOT NULL,
                                               'state' varchar(200) NOT NULL,
                                               'zip' varchar(200) NOT NULL,
ALTER TABLE 'product'
                                               'phone' varchar(200) NOT NULL,
  ADD PRIMARY KEY ('id');
                                               'email' varchar(200) NOT NULL
                                               ENGINE=InnoOB DEFAULT CHARSET=latin1;
```

This is an example of DDL(**Data Definition Language**) which is a sublanguage of SQL used to create, alter or drop table structures. I have used DDL to create new tables(CREATE TABLE) and primary keys using PRIMARY KEY ('pk_id') as well as adding foreign keys using ADD KEY 'fk'(fk');

Data Control Language, also known as DCL is responsible for controling privileges in a Database. It includes commands GRANT and REVOKE and two privilege types: System and Object. It can be executed in DBMS to provide user with space for data and tables, access to use DDL language and give/take back permissions from users or system on executing commands, for example, REVOKE CREATE TABLE FROM username. **Data**

```
<thead>
  Full Name
   Full Address
   Catalogue name
   Quantity
  </thead>
 while($row = mysqli_fetch_array($result))
   echo '';
   echo ''. $row['first_name'] . ' ' . $row['last_name'] . '';
    echo ''. $row['address_1'] . ' ' . $row['address_2'] . '';
   echo '' . $row['prod_name'] . '';
   echo '' .$row['timeofpurchase'] . '';
   echo '';
```

Manipulation Language, also known as DML is responsible for displaying, adding, deleting, and modifying data in a database. DML commands include SELECT, INSERT, UPDATE, DELETE. In my examples I have used DML to query out a string of values from all 3 of my tables.

```
Squery = 'IMSERT INTO customer
[id,company_name, first_name, last_name, address_1 , address_2 , suburb, state , zip , phone , enail)
//MINES (NIII , 'Scammany_name', 'Sfirst_name', 'Slast_name', 'Saddress_1','Saddress_2','Sudurb','Sstate','Spinone','Semail');";
mysqli_query($40c, Squery) or die ('Error querying the db');
inexid = mysqli_intert_id($cbc);
edno Sprocuct_10 ;
Squery0 = "INSERT Diffo customer_order (id, customerid, productid, timeofpurchase)
//MLIES (NIII , Snewid, 'Sproduct_id', NIW(I);";
mysqli_query($dle, Squery3) or die ('Error querying the da here');
```

```
$query4 = "INSERT INTO product (id, prod_name, price, description)
VALUES (NULL, '$prod_name', '$price', '$description');";
mysqli_query($dbc, $query4) or die ('Error querying the db');
```

Webmaster overview table is outputted by a combination of 3 tables using **INNER JOIN**. The INNER JOIN predicate compares the rows of table 1 and table 2 to find the pairs that it is compatible with and it outputs compatible rows into a result row.

```
$getSchedule = "SELECT
customer.company_name,
customer.first_name,
customer.last_name,
customer.address_1,
customer.address_2,
product.prod_name,
product.price,
customer_order.timeofpurchase
FROM customer INNER JOIN customer_order ON
customer_order.customerid=customer.id
INNER JOIN product ON
customer_order.productid=product.id;";
```

I am using this query in a table of overview for webmaster, inserting the rows into a while loop to output combined strings of the output.

```
$result = $dbc->query($getSchedule);
```

As an advanced SQL query I have created a search function for Webmaster to filter results by magazines or people's names. It is achieved by combining previous inner join and a new LIKE query with a request on a search form value.

```
MERE 'prod_name' LIKE 'W'.$query."%' OR 'first_name' LIKE '%'.$query."%' OR 'last_name' LIKE 'W'.squery."%' ;";


$resultsmanch = $dbc->query($getSmanching);
```

Step 4

Front-End Development

After previous step, the database is working and now as a step 4 it is ready for styling. I am using only Bootstrap 4 as a front-end development base. I have tried to match the look of original website as close as possible.

As a visual I have made the catalogue choice visual with actual magazine pictures and the forms are regular HTML forms.




2018 IKEA Catalogue

Order a catalogue and get it delivered streight to your door

*Address:

Address 2:



Step 5

Database Deployment

The last step in creating a database is deploying it with some dummy data to make sure it works and display the functionality in the Front-End.

Detailed Description

Full Name	Full Address	Catalogus name	Quantity
Nina Nielsen	Vestor Alle 221	2018 IKEA Winter Catalogue	2018-04-25 00:00 20.0000
Petrik Patriksen	Hingvej Syd 28 9A	2018 IKEA Winter Catalogue	2018-04-25 00/00/20,0000
Petrik Petriksen	Ringvej Syd 20 9A	2010 IKCA Winter Catalogue	2018-04-25 00:00 20,0000
Test Korzenevskis	Karetmagertotten 154	2018 IKFA Winter Catalogue	2018-04-25 00:00:01 0000
Raimonds Korzenevskis	Karetmager tolten 154	2018 IKEA Winter Catalogue	2018-34-25 08:52:39.0000
Kare Pedersen	Eylorvet 38	2013 IKEA Summer Catalogue	2018-04-25 00:00 20.0000
Bo Skjod:	Henrik Hertz Vei \$2.4	2018 IKEA Summer Catalogue	2018-04-25 00:00 20.0000
Lars Katersen	Abyvej 31	2018 IKEA Summer Catalogue	2018-04-25 00:00:20.0000
Burak Ejork	Silkebergvoj 55 2A	2018 IKEA Spring Catalogue	2018-04-25 00:00 20.0000
Kare Pedersen	Eylorvet 38	2018 IKEA Autumn Catalogue	2018-04-25 00:00 20:0000
Raimenda Kerzonevskis	Karetmagertoften 164	2018 IKEA Autumn Catalogue	2018-04-26 08:63 21.0000

After making some test queries on it working, all the intended functionality including search forms, we can deploy it on the server as a functioning solution.



Sources:

https://getbootstrap.com

https://github.com/muratkilic1978/contentcreator2spring2018

https://secure.ikea.com/au/en/customerservices/catalogues