

COOLING SOLUTIONS YOU CAN TRUST ON



www.icemakeindia.com

HARD TOP FREEZERS—

Temperature Range: - +3°C To -25 °C

Model No.: IHT-175 SD *



Net Volume (Ltrs.): 130

Dimension (mm):

640 W x 640 D x 885 H

No.of Baskets:

Insulation:

70 mm Polyurethane

Model No.: IHT-250 SD





Net Volume (Ltrs.): 210

Dimension (mm): 875 W x 640 D x 885 H

No.of Baskets:

Insulation:

1 70 mm Polyurethane

Model No.: IHT-350 DD

(Also Available in Copper)







Net Volume (Ltrs.): 305

Dimension (mm): 1160 W x 640 D x 885 H

No.of Baskets:

Insulation:

1 70 mm Polyurethane



HARD TOP FREEZERS—

Temperature Range: - +3°C To -25 °C

Model No.: IHT-450 DD

(Also Available in Copper)







Net Volume (Ltrs.): 405

Dimension (mm):

1460 W x 640 D x 885 H

No.of Baskets:

Insulation:

70 mm Polyurethane

Model No.: IHT-550 DD

(Also Available in Copper)







Net Volume (Ltrs.): 505

Dimension (mm):

1760 W x 640 D x 885 H

No.of Baskets: Insulation:

2 70 mm Polyurethane

Model No.: IHT-650 TD

(Also Available in Copper)



Net Volume (Ltrs.): 600

Dimension (mm):

2045 W x 640 D x 885 H

No.of Baskets: Insulation:

2 70 mm Polyurethane



HARD TOP FREEZERS-

Temperature Range: -12°C To -25°C



Model No.: IHT-850 TDCU *

(Only Freezer Application)



Net Volume (Ltrs.): 750

Dimension (mm):

2015 W x 750 D x 960 H

No.of Baskets:

Insulation:

70 mm Polyurethane



Model No.: IHT-1000 TDCU *

(Only Freezer Application)



Net Volume (Ltrs.): | Dimension (mm):

900 2350 W x 750 D x 960 H

No.of Baskets: In

Insulation:

70 mm Polyurethane



COMBIFREEZERS-

Temperature Range: Freezer side- -15°C To -25 °C Cooler side- 2°C To 8 °C

Model No.: IFC-425 DD



Net Volume (Ltrs.): Dimension (mm): Freezer-172 LTR./ Cooler-208 LTR. Dimension (mm): 1460 W x 640 D x 885 H

No.of Baskets: Insulation: 70 mm Polyurethane

Model No.: IFC-525 DD



Net Volume (Ltrs.): Dimension (mm): Freezer-230 LTR./ Cooler-265 LTR. | 1760 W x 640

1760 W x 640 D x 885 H

No.of Baskets: Insulation:

1 70 mm Polyurethane



GLASS TOP FREEZERS—

Temperature Range: -12°C to -25°C

Model No.: IGT-350 FG



Net Volume (Ltrs.): 268

Dimension (mm):

1160 W x 640 D x 885 H

No.of Baskets:

Insulation:

70 mm Polyurethane

Model No.: IGT-450 FG



Net Volume (Ltrs.): 356

Dimension (mm):

1460 W x 640 D x 885 H

No.of Baskets:

Insulation:

70 mm Polyurethane

Model No.: IGT-550 FG



Net Volume (Ltrs.):

Dimension (mm):

445 | 1760 W x 640 D x 885 H

No.of Baskets:

Insulation:

70 mm Polyurethane



FREEZER ON WHEELS (GLYCOL)

Temperature Range : -18°C to -30°C

Application : Ice Cream and Frozen Food Storage

Model No.: GLY-100



Net Volume (Ltrs.): Dimension 100 940 W

Dimension (mm): 940 W x 635 D x 711 H

Door:

Type: Tank in Tank

Model No.: GLY-200



Net Volume (Ltrs.): 200

Dimension (mm):

990 W x 660 D x 812 H

Door:

Туре:

Tank in Tank





Network

- Head Office & Maufacturing Plant-I, Dantali, Gandhinagar, Guiarat
- Manufacturing Plant-II, Bavla, Gujarat
- Manufacturing Plant-III, Vamaj, Gujarat
- Manufacturing Plant-IV, Chennai, Tamilnadu
- Manufacturing Plant-V, Kolkata, West Bengal **Branch Offices, Dealers & Associates and Company Representatives**



Vamaj Gandhinaga **Ahmedabad**

> Dantali 342,500 sq.ft





Head office:

226, Dantali Industrial Estate, Gota-Vadsar Road, Nr. Ahmedabad City, At-Dantali, Ta: Kalol, Dist.: Gandhinagar - 382721, Gujarat, India.

Ph.: +91 9879107881/884



Factory:

Super Industrial Park, Survey No. 246/2-262, Bhayla - Sakodara Road, Dhanwada, Bavla, Ahmedabad-382220 (Gujarat)

West & East Zone 9+91 95120 10324 **South Zone (**+91 95120 25583 **North Zone (S)** +91 95120 25401

ICE MAKE REFRIGERATION LIMITED

An ISO 9001:2015, ISO 14001:2015 and ISO 45001:2018 Certified Company.