



Add instructor notes here.

1.1: Introduction Bootstrap Introduction



- >Bootstrap is a open source, responsive design framework to build static websites and dynamic web applications.
- ➤ Bootstrap is the most popular HTML, CSS, and JS framework for developing responsive, mobile first projects on the web.
- >We can design the front end for a website with a little knowledge of HTML and CSS.
- >Bootstrap 3 has been re-build to have a mobile-first approach
- >Bootstrap was developed by Mark Otto and Jacob Thornton at Twitter. It was released as an open source product in August 2011 on GitHub.
- *>getbootstrap.com* is the Official Website of Twitter Bootstrap.

June 21, 2018 Proprietary and Confidential - 3 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Add instructor notes here.


1.1: Introduction Why Bootstrap?




- >We can design the front end for a website with a little knowledge of HTML and CSS. i.e. Developers can easily create professional WebPages like a web designers
- >Bootstrap's responsive design adjusts to Desktops, Tablets and Mobiles
- ➤Bootstrap provides scaffolding feature by providing a basic structure with Grid System, link styles, background.
- ➤ Provides a clean and uniform solution for building an interface for developers.
- ➤ Bootstrap contains a dozen built-in reusable components and to provide iconography, dropdowns, navigation, alerts, popovers, and much more
- ➤It also provides custom jQuery plugins
- ➤It is supported by all popular browsers.

June 21, 2018 Proprietary and Confidential - 4 -

Add instructor notes here.



Less is a CSS pre-processor, meaning that it extends the CSS language, adding features that allow variables, mixins, functions and many other techniques that allow us to make CSS more maintainable, themable and extendable.



Add instructor notes here.

1.1: Introduction Less Introduction



- >LESS is a dynamic style sheet language that is compiled into CSS.
- >LESS compiler written in JavaScript and is quite fast compared to its alternatives, SASS and Stylus.
- >LESS comes with a wide range of useful features that are not available in traditional CSS, such as variables, mixins, nested rules, functions, and operators.
- >The easiest way to compile LESS files is to install Node.js and use its package manager NPM to install RECESS.
- >We can also compile LESS online via http://lesstester.com

June 21, 2018 Proprietary and Confidential - 7 -

We can install RECESS by running the following command: **npm install -g recess**

This will install RECESS globally on your system. Now that you have RECESS installed, its time to create your first LESS file. Create a new folder named less in the project root and then create a file named styles.less in it. Add the following code to your newly created file:

```
@font-family: Arial;
@text-color: red;
body {
         font-family: @font-family;
         color: @text-color;
}
```

To compile the file, navigate to your project root and run the following command: recess styles.less --compile > styles.css

You can also compress the style by running RECESS with the --compress option in the following way:


recess styles.less --compress > styles.css

This will produce the following output: body{font-family:Arial;color:#foo}

Add instructor notes here.



WinLess is a Windows GUI for LESS.js we can download it from winless.org




Add instructor notes here.


1.1: Introduction Mobile First Strategy




- ➤Bootstrap 3 is mobile first in the sense that the code for Bootstrap starts by targeting smaller screens like mobile devices, tablets, and then "expands" components and grids for larger screens such as laptops, desktops.
- > Following points need to be considered for mobile first strategy
- Content : Determine what is most important.
- Layout : Design to smaller widths first. i.e. Base CSS address mobile device first. media queries address for tablet and desktops
- Progressive Enhancement : Add elements as screen size increases

June 21, 2018 Proprietary and Confidential - 10 -






Add instructor notes here.



Bootstrap source code - Folder Structure



The less/, js/, and fonts/ are the source code for CSS, JS, and icon fonts (respectively).

The dist/ folder includes everything listed in the precompiled download section above.

The docs/ folder includes the source code for documentation, and examples/ of Bootstrap usage


Add instructor notes here.

1.2: Getting Started with Bootstrap Bootstrap Global Styles



- >Bootstrap provides us the following default styles to webpage which is included in is included in the bootstrap.css file.
- margin has been removed from the body, and content will snug up to the edges of the browser window.
- background-color: white is applied to the body
- Bootstrap is using the @baseFontFamily, @baseFontSize, and @baseLineHeight attributes as our typographic base. This allows the height of headings and other content around the site to maintain a similar line height.
- Bootstrap sets the global link color via @linkColor and applies link underlines only on :hover


June 21, 2018 Proprietary and Confidential - 14 -



```
1.2: Getting Started with Bootstrap
Bootstrap basic template
<!DOCTYPE html>
<html lang="en">
 <head>
   <meta charset="utf-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1">
   <title>Bootstrap Basic Template</title>
   <!-- Bootstrap -->
   k href="css/bootstrap.min.css" rel="stylesheet">
 <body>
   <h1>Hello, IGATE!</h1>
   <!-- jQuery (necessary for Bootstrap's JavaScript plugins) -->
   <script src=jquery.min.js"></script>
   <!-- Include all compiled plugins (below), or include individual files as needed -->
   <script src="js/bootstrap.min.js"></script>
 </body>
</html>
         Proprietary and Confidential - 16 -
```



Add instructor notes here.



Add the notes here.