Instructor Notes:

Add instructor notes here.

Bootstrap
Bootstrap Basics

Capgemini

Instructor Notes:

Add instructor notes here.

Lesson Objectives

➢ **Bootstrap Grid System**

➢ **Bootstrap Basic components**

Objectives

2.1: Bootstrap grid system
Grid System in Bootstrap

➢Grid systems are used for creating page layouts through a series of rows and columns to wrap the site content.

➢Primarily grids are about providing structure. For web designers a grid defines the horizontal and vertical guidelines for arranging content and enforcing margins.

➢Grids also define an intuitive structure for viewers because it's easy to follow a left to right or a right to left flow of content moving down the page.

➢The grid won't be visible with border like table, but it exists behind the scenes to provide order alignment and consistency.

➢Bootstrap includes a grid system amongst its features.

June 21, 2018   Proprietary and Confidential   - 3 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

2.1: Bootstrap grid system
Bootstrap grid system

➢Bootstrap includes a responsive, mobile first fluid grid system that appropriately scales up to 12 columns as the device or viewport size increases.

➢Every row in Bootstrap consists of 12 columns.

➢Rows must be placed within a *.container* class for proper alignment and padding.

➢Use rows to create horizontal groups of columns.

➢Content should be placed within columns, and only columns may be immediate children of rows.

➢Predefined grid classes like *.row* and *.col-xx-4* are available for quickly making grid layouts.

June 21, 2018   Proprietary and Confidential   - 4 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

2.1: Bootstrap grid system
Bootstrap grid system – Contd...

➢Grid columns are created by specifying the number of twelve available columns you wish to span. For example, three equal columns would use three .col-xx-4.

➢Columns create gutters (gaps between column content) via padding. That padding is offset in rows for the first and last column via negative margin on .rows.

➢Grid has 4 sizes

- **lg** : indicates that the large grid displaying. The grid stacks horizontally < 1200px.

- **md** : indicates that the medium grid displaying. The grid stacks horizontally < 992px.

- **sm** : indicates that the small grid displaying. The grid stacks horizontally < 768px.

- **xs** : indicates that the extra small grid displaying. This grid is always horizontal.

June 21, 2018   Proprietary and Confidential   - 5 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes
here.

Grid Options

	Extra small devices Phones (<768px)	Small devices Tablets (≥768px)	Medium devices Desktops (≥992px)	Large devices Desktops (≥1200px)
Grid behavior	Horizontal at all times	Collapsed to start, horizontal above breakpoints	Collapsed to start, horizontal above breakpoints	Collapsed to start, horizontal above breakpoints
Max container width	None (auto)	750px	970px	1170px
Class prefix	.col-xs-	.col-sm-	.col-md-	.col-lg-
# of columns	12	12	12	12
Max column width	Auto	60px	78px	95px
Gutter width	30px (15px on each side of a column)	30px (15px on each side of a column)	30px (15px on each side of a column)	30px (15px on each side of a column)
Nestable	Yes	Yes	Yes	Yes
Offsets	Yes	Yes	Yes	Yes
Column ordering	Yes	Yes	Yes	Yes

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes
here.

2.1: Bootstrap grid system
Basic Grid Structure

```
<div class="container">
    <div class="row">
        <div class="col-*-*"></div>
        <div class="col-*-*"></div>
    </div>
    <div class="row">...</div>
</div>
```

June 21, 2018   Proprietary and Confidential   - 7 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes
here.

2.1: Bootstrap grid system
Bootstrap grid sizes

June 21, 2018   Proprietary and Confidential   - 8 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes
here.

Demo

> GridSizes

Instructor Notes:

Add instructor notes here.

2.1: Bootstrap grid system
Bootstrap grid sizes – using Offset

Note: Offset will be added to the left.

June 21, 2018   Proprietary and Confidential   - 10 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes here.

Demo

➢GridSizes-Offset

June 21, 2018   Proprietary and Confidential   - 11 -

2.1: Bootstrap grid system
Multiple Grid

June 21, 2018   Proprietary and Confidential   - 12 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes here.

Demo

➢MultipleGrid
➢Layout

Instructor Notes:

Add instructor notes here.

2.2: Bootstrap Basic Components
Helper Classes & Responsive Utilities

➢Close Icon ⌧ : It is used to dismiss models and alerts

- `<button type="button" class="close" aria-hidden="true">×</button>`

➢Carets :▾ : It is used to indicate dropdown functionality

- `<span class="caret"></span>`

➢Quick floats : To float an element left or right with a class

- `<div class="pull-right">Right Aligned</div>`

- `<div class="pull-left">Left Aligned</div>`

➢Showing and hiding content

- `<div class="show">Show</div>`

- `<div class="hidden">Hidden</div>`

June 21, 2018   Proprietary and Confidential   - 14 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

2.2: Bootstrap Basics
Helper Classes & Responsive Utilities

➢Work with Images : We can apply simple styles to images like rounded
corners, circle images & padding with gray border which fits all sizes

-
-
-
-

➢Center content blocks : To set an element to center

- <div class="center-block" style="width:150px;">Centered-Content</div>

➢Responsive utilities : It is used for showing and hiding content by device
via media query combined with large, medium, small & extra small devices

- <div class="visible-md"><h1>Visible at Medium Mode</h1></div>
- <div class="hidden-md"><h1>hidden at Medium Mode</h1></div>

June 21, 2018   Proprietary and Confidential   - 15 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Add instructor notes
here.

Demo

> HelperClasses-ResponsiveUtilities

June 21, 2018   Proprietary and Confidential   - 16 -

2.2: Bootstrap Basics
Working with Buttons

➢We can use <a>, <button> or <input type="button"/> with 'btn' class to create a bootstrap button.

- Link Button

- <button class="btn">Button</button> <!-- recommended for browser consistency -->

- <input type="button" class="btn" value="button"/>

Link Button	Button	button

June 21, 2018   Proprietary and Confidential   - 17 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes
here.

2.2: Bootstrap Basics
Working with Buttons

➢Bootstrap provides following options to apply styles to the button

- <button class="btn btn-default">Default</button>

- <button class="btn btn-primary">Primary</button>

- <button class="btn btn-success">Success</button>

- <button class="btn btn-info">Info</button>

- <button class="btn btn-warning">Warning</button>

- <button class="btn btn-danger">Danger</button>

- <button class="btn btn-link">Link</button>

| Default | Primary | Success | Info | Warning | Danger | Link |

June 21, 2018   Proprietary and Confidential   - 18 -

Mobile first approach uses the grid system in particular is to layout designs first on
small screens, such as those that come on a mobile phone and then it can be
scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional
feature it supports Responsive web design.

2.2: Bootstrap Basics
Working with Buttons

➢Button has following sizes and states

- <button class="btn btn-primary btn-lg">Large Button</button>

- <button class="btn btn-primary btn-md">Medium Button</button>

- <button class="btn btn-primary btn-sm">Small Button</button>

- <button class="btn btn-primary btn-xs">Extra Small Button</button>

- <button class="btn btn-primary btn-block">Block</button>

- <button class="btn btn-primary btn-md active">Active</button>

-     <button class="btn btn-primary btn-md disabled">InActive</button>

Large Button	Medium Button	Small Button	Extra Small Button

Block

Active	InActive

June 21, 2018   Proprietary and Confidential   - 19 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes here.

Demo

> Buttons

Add instructor notes
here.

2.2: Bootstrap Basics
GLYPHICONS

➤GLYPHICONS is a library of precisely prepared monochromatic icons and symbols, created with an emphasis on simplicity and easy orientation.

➤It is nothing but icon fonts which can be found under *fonts* folder as *glyphicons-halflings-regular* with eot, svg, ttf & woff formats from Bootstrap 3.x version.

```
<div>
<span class="glyphicon glyphicon-search"></span>
<button class="btn btn-primary">
        <span class="glyphicon glyphicon-refresh"/>
Refresh
</button>
 </div>
```

➤We have around 200 free bootstrap glyphicons which is listed under *getbootstrap.com/components/#glyphicons*

June 21, 2018   Proprietary and Confidential   - 21 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes here.

Demo

> Glyphicons

2.2: Bootstrap Basics
List

> Bootstrap provides following options to apply styles to the List

- Use the class *.list-unstyled* to remove numbering / bullet in the <ol> or <ul> element

- Use the class *.list-inline* to place all the items on a single line

- To create a list group use the class *.list-group* to <ul> and *.list-group-item* element

- To add a badge component to any list group item which gets automatically position on the right by adding the *<span class="badge"> with in the <li> element*

- We can add custom content to the list group using the following code snippet

```
<div class='list-group'><a href='#' class='list-group-item active'>
<h4 class='list-group-item-heading'>IGATE Corporate University</h4>
<p class='list-group-item-text'/>IGATE Training Division</p></a></div>
```

IGATE Corporate University
IGATE Training Division

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes here.

Demo

➢List

2.2: Bootstrap Basics
Tables

> Bootstrap provides a clean layout for building tables. Following classes can be used to apply styles over the table.

- **table** : To create a basic Bootstrap style table which takes 100% of the width of its container, and it also adds in some horizontal dividers.

- **table-striped** : Provides a striping effect for the alternate rows in a table.

- **table-bordered** : Provide a border to the table

- **table-hover :** To add a slight hover effect as the mouse moves over a table row.

- **table-condensed** : It removes most of the cell padding and make the table a little more streamlined.

- **table-responsive :** It makes the table scroll horizontally to view the contents in small devices

> Contextual classes : active, success, warning and danger is used to apply background color for the table rows or individual cells.

June 21, 2018   Proprietary and Confidential   - 25 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Demo

➤Tables

2.2: Bootstrap Basics
Forms

> Bootstrap provides 3 form layouts

- Vertical Form (default)

- Inline Form

- Horizontal Form

> Vertical Form

- Add a role form to the parent <form> element

- Add the class *.form-control* to form elements and wrap labels and controls in a
  <div> with class *.form-group*

> Inline Form

- Add the class *.form-inline* to the <form> elements

- Add the class *.form-control* to form elements and wrap labels and form elements
  in a <div> with class *.form-group*

- Add the class *.sr-only* to hide the labels of the inline forms

June 21, 2018   Proprietary and Confidential   - 27 -

Mobile first approach uses the grid system in particular is to layout designs first on
small screens, such as those that come on a mobile phone and then it can be
scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional
feature it supports Responsive web design.

2.2: Bootstrap Basics
Forms

➢Horizontal form

▪ Add the class *.form-horizontal* to the <form> elements

▪ Add the class *.form-control* to form elements and wrap labels and form elements in a <div> with class *.form-group*

▪ Add the class *. control-label* to the labels.

▪ Use Bootstrap's predefined grid classes to align label and groups of form controls in a horizontal layout.

➢Validation States : Bootstrap includes validation styles for error, warning and success message. To use add the classes *.has-error, .has-warning, .has-success* respectively.

➢Help Text : Use *.help-block* class to have block level help text for the form input controls.

June 21, 2018   Proprietary and Confidential   - 28 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes here.

Demo

➢Forms

2.2: Bootstrap Basics
Typography

> Using typography feature of Bootstrap we can create headings, paragraphs, lists and other inline elements.

- All html headings(h1 to h6) are styled in bootstrap.

- By adding *.lead* class to the paragraph, we can have a larger font size, lighter weight, and a taller line height.

- **<em>** tag emphasizes a text in italics and **<strong>** tag makes the text bold

- **<small>** tag sets text at 85% the size of the parent

- **<abbr>** styles the element with a light border along the bottom and reveals the full text on hover

- **<address>** styles the contact information on web page. We need to use line breaks to break the lines because <address> default to display:block

- *text-left, text-center, text-right, text-muted, text-primary, text-success, text-info,*

    text-warning and *text-danger* class used to apply the styles to the text

June 21, 2018   Proprietary and Confidential   - 30 -

Mobile first approach uses the grid system in particular is to layout designs first on small screens, such as those that come on a mobile phone and then it can be scaled up the size of those designs to larger and larger environments.

Prior to Bootstrap 3 It doesn't support mobile first approach and as a optional feature it supports Responsive web design.

Instructor Notes:

Add instructor notes here.

Demo

➢Forms

Instructor Notes:

Add instructor notes here.

Summary

➢Bootstrap includes a responsive, mobile first fluid grid system that appropriately scales up to 12 columns as the device or viewport size increases.

➢Bootstrap provides 3 form layouts Vertical Form (default), Inline Form & Horizontal Form

➢Bootstrap provides a clean layout for building tables

➢Using typography feature of Bootstrap we can create headings, paragraphs, lists and other inline elements.

June 21, 2018   Proprietary and Confidential   - 32 -

Add the notes here.