Name: Raj Koyani

Reg no: 21MIS1017

LAB:5

Index:

Code:

```
<!DOCTYPE html>
<html lang="en">
   <meta charset="UTF-8">
   <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-scale=1.0">
   <title>CART</title>
   <link rel="stylesheet" href="style.css">
</head>
<body class="">
   <div class="container">
       <header>
           <h1>FOOD COURT </h1>
           <div class="shopping">
               <img src="C:\Users\om\Downloads\Telegram Desktop\cart.jpg">
               <span class="quantity">0</span>
           </div>
       </header>
       <div class="list">
       </div>
   </div>
    <div class="card">
       <h1>CART</h1>
       <div class="checkOut">
           <div class="total">0</div>
           <div class="closeShopping">Close</div>
       </div>
   </div>
   <script src="app.js"></script>
```

```
</body>
</html>
```

CSS:

```
body{
    background-color: #E3E7E8;
    font-family: system-ui;
.container{
   width: 1000px;
   margin: auto;
    transition: 0.5s;
header{
   display: grid;
    grid-template-columns: 1fr 50px;
   margin-top: 50px;
header .shopping{
    position: relative;
    text-align: right;
header .shopping img{
   width: 40px;
header .shopping span{
    background: red;
   border-radius: 50%;
    display: flex;
    justify-content: center;
    align-items: center;
    color: #fff;
    position: absolute;
    top: -5px;
    left: 80%;
    padding: 3px 10px;
.list{
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    column-gap: 20px;
    row-gap: 20px;
   margin-top: 50px;
.list .item{
    text-align: center;
    background-color: #DCE0E1;
```

```
padding: 20px;
   box-shadow: 0 50px 50px #757676;
   letter-spacing: 1px;
.list .item img{
   width: 90%;
.list .item .title{
   font-weight: 600;
.list .item .price{
   margin: 10px;
.list .item button{
   background-color: #1C1F25;
   color: #fff;
   width: 100%;
   padding: 10px;
.card{
   position: fixed;
   top:0;
   left: 100%;
   width: 500px;
   background-color: #453E3B;
   height: 100vh;
   transition: 0.5s;
.active .card{
   left: calc(100% - 500px);
.active .container{
  transform: translateX(-200px);
.card h1{
   color: #E8BC0E;
   font-weight: 100;
   margin: 0;
   padding: 0 20px;
   height: 80px;
   display: flex;
   align-items: center;
.card .checkOut{
   position: absolute;
   bottom: 0;
   width: 100%;
   display: grid;
```

```
grid-template-columns: repeat(2, 1fr);
.card .checkOut div{
   background-color: #E8BC0E;
   width: 100%;
   height: 70px;
   display: flex;
   justify-content: center;
   align-items: center;
   font-weight: bold;
   cursor: pointer;
.card .checkOut div:nth-child(2){
   background-color: #1C1F25;
   color: #fff;
.listCard li{
   display: grid;
   grid-template-columns: 100px repeat(3, 1fr);
   color: #fff;
   row-gap: 10px;
.listCard li div{
   display: flex;
   justify-content: center;
   align-items: center;
.listCard li img{
   width: 90%;
.listCard li button{
   background-color: #fff5;
   border: none;
.listCard .count{
   margin: 0 10px;
```

Javascript:

```
let openShopping = document.querySelector('.shopping');
let closeShopping = document.querySelector('.closeShopping');
let list = document.querySelector('.list');
let listCard = document.querySelector('.listCard');
let body = document.querySelector('body');
let total = document.querySelector('.total');
let quantity = document.querySelector('.quantity');
```

```
openShopping.addEventListener('click', ()=>{
    body.classList.add('active');
})
closeShopping.addEventListener('click', ()=>{
    body.classList.remove('active');
})
let products = [
        id: 1,
        name: 'Burger',
        image: "1.PNG",
        price: 120
        id: 2,
        name: 'French fries',
        image: '2.PNG',
        price: 70
        id: 3,
        name: 'Soft drink',
        image: '3.PNG',
        price: 20
    },
        id: 4,
        name: 'Tacco',
        image: '4.PNG',
        price: 90
    },
        id: 5,
        name: 'Pasta',
        image: '5.PNG',
        price: 65
        id: 6,
        name: 'Ice Cream',
        image: '6.PNG',
        price: 120
];
let listCards = [];
function initApp(){
```

```
products.forEach((value, key) =>{
        let newDiv = document.createElement('div');
        newDiv.classList.add('item');
        newDiv.innerHTML =
            <img src="image/${value.image}">
            <div class="title">${value.name}</div>
            <div class="price">${value.price.toLocaleString()}</div>
            <button onclick="addToCard(${key})">Add To Card</button>`;
        list.appendChild(newDiv);
    })
initApp();
function addToCard(key){
    if(listCards[key] == null){
        listCards[key] = JSON.parse(JSON.stringify(products[key]));
        listCards[key].quantity = 1;
    reloadCard();
function reloadCard(){
    listCard.innerHTML = '';
    let count = 0;
    let totalPrice = 0;
    listCards.forEach((value, key)=>{
        totalPrice = totalPrice + value.price;
        count = count + value.quantity;
        if(value != null){
            let newDiv = document.createElement('li');
            newDiv.innerHTML = `
                <div><img src="image/${value.image}"/></div>
                <div>${value.name}</div>
                <div>${value.price.toLocaleString()}</div>
                <div>
                    <button onclick="changeQuantity(${key}, ${value.quantity} -</pre>
1})">-</button>
                    <div class="count">${value.quantity}</div>
                    <button onclick="changeQuantity(${key}, ${value.quantity +</pre>
1})">+</button>
                </div>`;
                listCard.appendChild(newDiv);
    })
    total.innerText = totalPrice.toLocaleString();
    quantity.innerText = count;
function changeQuantity(key, quantity){
    if(quantity == 0){
```

```
delete listCards[key];
}else{
    listCards[key].quantity = quantity;
    listCards[key].price = quantity * products[key].price;
}
reloadCard();
}
```

Output:





