Name :- Raj Koyani

Reg no:-21MIS1017

Lab Assignment:-2

Code :-

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>SURVEY FORM</title>
    <link rel="stylesheet" href="lab2.1.css">
</head>

<body>
    <h2 id="title">SURVEY FORM</h2>
    <form>
        <h2>Customer Name</h2>
        <div class="row">
            <div class="col">
                <input type="text" id="first-name" placeholder=" ">
                <h5>Enter your First name</h5>
```

```html
        </div>
        <div class="col">
            <input type="text" id="last-name" placeholder=" " >
            <h5>Enter your Last name</h5>
        </div>
    </div>
    <h2>Address</h2><br>
    <input type="text" id="street-address" placeholder=" " style="width: 1270px;" >
    <h5>Street Address</h5><br>
    <input type="text" id="street-address line 2" placeholder=" " style="width: 1270px;" >
    <h5>Street Address Line 2</h5>
    <div class="row">
        <div class="col">
            <input type="text" id="city" placeholder=" " >
            <h5>City</h5>
        </div>
        <div class="col">
            <input type="text" id="state" placeholder=" " >
            <h5>state</h5>
        </div>
    </div>
    <div class="row">
        <div class="col">
            <input type="text" id="state" placeholder=" " >
            <h5>Zip</h5>
        </div>
        <div class="col">
            <select id="country">
                <option>Afghanistan</option>
                <option>India</option>
                <option>USA</option>
```

```html
            </select>
            <h5>select country</h5>
        </div>
    </div>
<h2>Contact</h2>
<div class="row">
    <div class="col">
        <input type="tel" id="phone" placeholder="">
        <h5>Phone</h5>
    </div>
    <div class="col">
        <input type="email" id="email" placeholder="aaa@gmail.com" >
        <h5>Email</h5>
    </div>
</div>
</div>
<h2>Personal Details</h2><br>
<div class="gender">
    <input type="radio" id="male" placeholder="">
    <label for="male" style="color: white;">male</label><br>
    <input type="radio" id="female" placeholder="">
    <label for="female" style="color: white;">female</label>
</div>
    <fieldset style="background-color: pink;">
        <legend style="color: white; font-size: medium;">Ratings</legend>
    <label style="color: white;">Rating 1:</label>
    <input type = "radio"> <label style="color: white;">Bad</label>
    <input type = "radio"> <label style="color: white;">Good</label>
    <input type = "radio"> <label style="color: white;">Excellent</label> <br><br><br>

    <label style="color: white;">Rating 2:</label>
    <input type = "radio"> <label style="color: white;">Bad</label>
```

```html
          <input type = "radio"> <label style="color: white;">Good</label>
          <input type = "radio"> <label style="color: white;">Excellent</label>
          </fieldset>
          <center><input type = "submit" id="submit" value="Submit"></center>


     </form>

</body>
</html>
```

Css:-

```css
body{
    background-color: green;
    margin-left: 10px;
}
*{

    margin-top: auto;
    margin-bottom: auto;
}
h2{

    color: yellow;
    font-weight: bold;
}
input{
    border-radius: 5px;
    background-color: white;
}
```

```css
#title{
    color: red;
    text-align: center;
}
.row {
    display: flex;
}
.col {
    flex: 0;
    margin-right: 10px;
    float: left;
    margin-bottom: 0px;
    margin-top: 0px;

}
.p{
    background-color: pink;
}
#section{
    width: auto;
    background-color: white;
    border-radius: 5px;
}
.gender{
    color: black;

}
::placeholder{
    color: blue;
}
h5{
```

```css
    color: white;
}
#submit{
    padding-left: 10px;
    padding-top: 10px;
    padding-bottom: 10px;
    padding-right: 10px;
    border-radius: 5px;
    border-width: medium;
    border-color: rgb(127, 227, 255);
    background-color:rgb(29, 29, 189) ;
    color:yellow ;
    width: 100px;
}
```

Ss:-

File | C:/Users/om/OneDrive/Desktop/lab2.1.html

Gmail   YouTube   Maps

SURVEY FORM

Customer Name

Enter your First name   Enter your Last name

Address

Street Address

Street Address Line 2

City   state

Afghanistan ∨

Zip   select country

Contact

Phone   aaa@gmail.com

Email

Personal Details

○ male
○ female
Ratings

Rating 1: ○ Bad ○ Good ○ Excellent

Rating 2: ○ Bad ○ Good ○ Excellent

Submit

Code:-2

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        body{
            background-color:rgb(245, 125, 125);
            }
    </style>
</html>
</head>
<body>
    <label style="color: grey; font-family: Arial, Helvetica, sans-serif ;"><h3>HTML editors</h3></label>
</body>
</html>
```

Frame :

```html
<html>
    <head>
```

```
<frameset id="totframeid" cols="15%,70%" style="border-color: black;">
<frameset rows="25%,13%,13%,70%">
    <frame src="web.html"></frame>
        <frame  src="intro.html"></frame>
            <frame  src="Editor.html"></frame>
                <frame  src="reference.html"></frame>
</frameset>
    <frame name="index" src="index.html">
        </frameset>


</head>
</html>
```

Index:-

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <link rel="stylesheet" href="style.css">
    <a href="frame.html"></a>
    <title>Main Document</title>
</head>
<body>
        <div class="one">
        <h2 style="font-family: Arial, Helvetica, sans-serif ;"><strong>CSS</strong></h2>
        <ul id="two">
            <li style="font-family: Arial, Helvetica, sans-serif ;">CSS stands for Cascading Style Sheets</li><br>
```

```html
            <li style="font-family: Arial, Helvetica, sans-serif ;"> CSS describes how HTML elements are to be displayed
on screen, paper, or in
                other media CSS saves a lot of work.</li><br>
                <li style="font-family: Arial, Helvetica, sans-serif ;">It can control the layout of multiple web pages
all
                    at once External stylesheets are stored in CSS files</li><br>
        </ul>
    </div>
    <div class="three">
        <h2 style="font-family: Arial, Helvetica, sans-serif ;"><strong>HTML</strong></h2>
        <p id="four" style="font-family: Arial, Helvetica, sans-serif ;" >HTML is an acronym for HyperText Markup
Language, and it is the standard language for creating web-pages. Every web page you surf on
            your browser is built using HTML. The primary use of HTML to provide a proper structure to the web-page so
all the content or data
                of the page could represent adequately. A stand-alone HTML can create only static and skeleton looking
black and white pages, but
                with the help of CSS and JavaScript, we can create a more interactive and intuitive web-page. When we try to
visit a website or click
                on the link, we basically request the server to show us the page, then the server acts on our request and
sends us an appropriate HTMdocument as a response.
                Then this HTML document parsed by browse, and we able to see the content
        <br></br>
                <strong>HTML document</strong></p>
                <div class="five">
                    <img src="C:\Users\om\Downloads\code.png" width="100%"/>
                </div>
    </div>
    <h2 style="font-family: Arial, Helvetica, sans-serif ;">References</h2>
    <ul>
        <li><label style="color: grey; font-family: Arial, Helvetica, sans-serif ;">All document in the page is taken
from <a href="html.com">HTML Tutorial</a></label></li>
```

```
        </ul>
    </body>
</html>
```

Intro:-

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        body{
            background-color:rgb(245, 125, 125);
            }
    </style>
</html>
</head>
<body>
    <label style="color: grey; font-family: Arial, Helvetica, sans-serif ;"><h3>Introduction</h3></label>
</body>
</html>
```

Reference:-

```
<!DOCTYPE html>
<html lang="en">
<head>
```

```html
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        body{
            background-color:rgb(245, 125, 125);
            }
    </style>
</html>
</head>
<body>
    <label style="color: grey; font-family: Arial, Helvetica, sans-serif ;"><h3>References</h3></label>
</body>
</html>
```

CSS:-

```css
body{
    background-color: lightcoral;
}
.one{

background-color: green;
}
#two{
    color: yellow;
}
.three{
```

```css
        background-color: red;
}
#four{
        color: white;
}
.five{
        margin-left: 20px;
        margin-right: 20px;
}
```

Web:-

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        body{
            background-color:rgb(245, 125, 125);
            }
    </style>
</html>
</head>
<body>
    <body><label id="webtech" style="font-family: Arial, Helvetica, sans-serif ;"><h1><strong>Web
Technology</strong></h1></label>
```

```
</body>
</html>
```

Ss:-