



SAP NetWeaver



tutorialspoint

SIMPLY EASY LEARNING

www.tutorialspoint.com



<https://www.facebook.com/tutorialspointindia>



<https://twitter.com/tutorialspoint>

About the Tutorial

SAP NetWeaver is an open technology platform that offers a comprehensive set of technologies for running mission-critical business applications and integrating people, processes, and information.

It utilizes open standards to enable integration with information and applications from almost any source or technology.

Audience

This tutorial has been prepared for those who want to acquire knowledge on the basics of SAP NetWeaver. After completing this tutorial, you will find yourself at a moderate level of expertise and possess fair knowledge on how to use the platform for your benefit.

Prerequisites

The course is designed for beginners with little or no SAP NetWeaver experience. But you need to have a basic understanding of SAP basics to make the most of this tutorial.

Disclaimer & Copyright

© Copyright 2016 by Tutorials Point (I) Pvt. Ltd.

All the content and graphics published in this e-book are the property of Tutorials Point (I) Pvt. Ltd. The user of this e-book is prohibited to reuse, retain, copy, distribute or republish any contents or a part of contents of this e-book in any manner without written consent of the publisher.

We strive to update the contents of our website and tutorials as timely and as precisely as possible, however, the contents may contain inaccuracies or errors. Tutorials Point (I) Pvt. Ltd. provides no guarantee regarding the accuracy, timeliness or completeness of our website or its contents including this tutorial. If you discover any errors on our website or in this tutorial, please notify us at contact@tutorialspoint.com.

Table of Contents

About the Tutorial	i
Audience	i
Prerequisites	i
Disclaimer & Copyright	i
Table of Contents	ii
1. SAP NW – INTRODUCTION	1
SAP NW Development	1
SAP NetWeaver – Advantages	2
2. SAP NW – ARCHITECTURE	3
SAP NetWeaver – Architecture	4
3. SAP NW – COMPONENTS	5
4. SAP NW – RELEASE DETAILS	8
5. SAP NW – NW VERSION IN ECC SYSTEM	10
6. SAP NW – SETTING UP NW	13
Operating System/Database PAM for SAP NetWeaver	14
Desktop and Mobile Browser Support for SAP NetWeaver	14
7. SAP NW – INSTALLATION OPTIONS	17
8. SAP NW – PASSING PARAMETERS FOR INSTALLATION	25
Typical Mode	25
Custom Mode	26

9.	SAP NW – TRANSPORT MANAGEMENT	27
	Configuring Transport Management.....	27
	Adding a System to the Transport Domain	28
	Managing Transport Routes	29
	Import/Export of Objects in the Transport System	31
10.	SAP NW – MANAGING BACKGROUND JOBS	34
	Unschedulering a Background Job	37
11.	SAP NW – NW BUSINESS CLIENT	39
	NWBC for HTML	39
	NWBC for Desktop Application	40
	Key Difference between SAP GUI and NWBC.....	41
12.	SAP NW – SERVICE CONFIGURATION	43
	HTTP/HTTPS Settings in the ICM.....	43
	Activate Services in ICF	44
13.	SAP NW – BUSINESS CLIENT INSTALLATION	47
14.	SAP NW – NWBC TRANSACTION & NAVIGATION	49
15.	SAP NW – SAP APPLICATIONS BASED ON NW	51
	SAP NetWeaver BW.....	51
	SAP Process Integration	52
	SAP NetWeaver Mobile	53
	Application Development ABAP	54
16.	SAP NW – PORTAL.....	57
	Application Portal EPC	57
	Portal Navigation.....	57

17.	SAP NW – CREATE A SYSTEM	59
18.	SAP NW – ENTERPRISE PORTAL ROLES & GROUP.....	60
	Comparison between UME & Portal Roles.....	61
	Create a Role and Add iViews to Role	61
19.	SAP NW – KNOWLEDGE MANAGEMENT	63
	Key Features of SAP Enterprise Knowledge Management	63
20.	SAP NW – KM ADMINISTRATION.....	65
	Initial Configuration.....	65
	System Administration	65
	Content Administration	66
	Add Reports to KM Repository Manager	66
21.	SAP NW – DEVELOPER STUDIO	68
	Create a Web Project in Developer Studio.....	68
22.	SAP NW – WEB CONTENT	71
	Add an Article Using Web Page Composer.....	72
23.	SAP NW – PROCESS INTEGRATION OPTIONS.....	74
	Why Do We Need SAP PI?	74
	SAP NetWeaver PI Installation Options	75
	SAP NetWeaver PI Architecture.....	75
24.	SAP NW – GATEWAY	77
	SAP NetWeaver Gateway: Capabilities and Key Benefits	77
	Gateway Installation / Deployment Options	77

25.	SAP NW – SECURITY	79
	User Administration	79
	Lock/Unlock a User	82
26.	SAP NW – PFCG ROLES	83
27.	SAP NW – AUTHENTICATION METHODS	85
28.	SAP NW – COMMUNICATION SECURITY	86
	Important Features	86
	Levels of Protection	86

1. SAP NW – Introduction

SAP NetWeaver (SAP NW) describes all the software and services used for 'Business Enablement'. The SAP Business suite, such as ERP Central Component (ECC) or Supplier Relationship Management (SRM), contains the software components for that specific business solution.

Following are the key points about SAP NetWeaver platform:

- It is an open technology platform that offers a comprehensive set of technologies for running mission-critical business applications and integrating people, processes, and information.
- It is a web-based, open integration, application platform that serves as the foundation for Enterprise Service-Oriented Architecture (Enterprise SOA) and allows the integration and alignment of people, information, and business processes across business and technology boundaries.
- It utilizes open standards to enable integration with information and applications from almost any source or technology.
- It is the foundation of SAP Business Suite and SAP Business by Design. It also powers partner solutions and custom-built applications.

SAP NW Development

SAP NetWeaver was first introduced by TopTier Software, an Israeli company, in 1997. SAP has acquired this company in the early 2000's. The first version of SAP NetWeaver was released in 2004 with version NW7.0.

Note: The latest available version is SAP NetWeaver 7.5 released in Q4 2015.


SAP has tied up with various hardware vendors to provide different application components to enhance the capabilities of the NetWeaver platform. SAP Business Warehouse (BW) Accelerator is one of the examples that was developed to improve data load and query performance in SAP BW.

Various application development has been introduced by SAP based on the NetWeaver platform like ABAP Workbench, Web Dynpro, Visual Composer, SAP Solution Manager and NetWeaver Developer Studio (NWDS) based on JAVA stack.

In the following image, you can see key enablement based on SAP NW Platform:

- **Highly Configurable Business Applications** – This includes SAP ECC suite, SAP CRM software suite for Customer Relationship Management, Supply Chain Management and other key modules that are part of SAP Enterprise Resource Planning (ERP) solution.

- **Business Enablement Applications** – This contains business enablement applications like SAP Process Integration (PI), Enterprise Portal, and Business Intelligence software suite.
- **Common Development and Technology Platform** – This contains web development and application development technologies like ABAP Workbench, SAP Web Dynpro, Visual Composer, etc.



SAP NetWeaver – Advantages

SAP NW is an open platform for managing and configuring business applications for the development of workbench application so you can achieve multiple advantages.


- It is based on the Service-Oriented Architecture approach and hence allows you to perform tasks with flexibility. System upgrades can also be performed easily.
- With the use of SAP NetWeaver Application server, you can perform analysis and embedded analytics in real time.
- Easy development of web applications using tools like ABAP Workbench, Web Dynpro, and NW Development Studio.
- A single application platform to manage applications from different providers, implemented in different languages.
- Easy implementation and consumption of business logic and SAP Backend system content using web and mobile applications.
- Flexible and simple development environment for mobile and web applications using SAP NetWeaver Gateway, SAP UI5 based on JAVA, and HTML5 based Application development.
- Easy workflow and management of day-to-day business operations by using SAP Fiori Launchpad based on NetWeaver platform deployment model. Using NetWeaver gateway, developers can create applications that link business users to SAP software from any environment and through any device.

2. SAP NW – Architecture

SAP NetWeaver is called a central foundation for SAP software stack and provides a flexible platform for other NetWeaver components such as Process Integrator, Business Intelligence, Enterprise Portal, and also for ABAP and Java applications.

SAP NetWeaver Application Server supports platform-independent web services, business applications, and standards-based development, enabling you to leverage existing technology assets for Web-services-oriented solutions.

All NetWeaver components are built on SAP Web Application Server and components are written in J2EE or ABAP.




SAP NetWeaver – Architecture

SAP NetWeaver is one of central component of entire SAP software stack and provides a platform for the other components, as well as JAVA and ABAP applications.

SAP Application server consists of multiple application server instances and also database servers. With the use of dialog instance, it also contains a message server and an enqueue server.

A dialog instance executed by the user has the following components:



- **Internal Communication Manager** – It is used to process both the client and the server web requests. It supports protocol – HTTP, HTTPS, SMTP.
- **Dispatcher** – Dispatcher is used to distribute the user request to different work processes. If all the work processes are busy, requests are stored in the Dispatcher queue.
- **Work Processes** – These are used to execute Java or ABAP programs.
- **SAP Gateway** – This provides RFC interface between SAP instances.
- **Message Server** – This is used for message communication and also balances the load in SAP system.

3. SAP NW – Components


SAP NetWeaver includes a comprehensive set of components, applications, and tools.

SAP NetWeaver Application Server

It supports platform-independent web services, business applications, and standards-based development, enabling you to leverage the existing technology assets for Web-services-oriented solutions.

Its key features include:

- Proven scalable and comprehensive toolset for managing application platform development.
- Leverage the existing infrastructure skillset.



Internet Communication Manager

Internet Communication Manager (ICM) is used to process web and server requests and to set up the connection to the internet using HTTP, HTTPS and SMTP protocol. The requests were sent via Web browser by the users.

- A RFC connection is used to connect SAP NetWeaver Application server to Back-end system for acquiring and processing the data.
- In SAP Web Application Server, SAP Gateway makes the RFC interface between the SAP instances available.
- The Message Server is used to process the messages and for load balancing in the SAP system.

Installation Options for the SAP NetWeaver Application Server

For the installation of SAP NetWeaver Application Server, you can select from the following two installation options:

- **ABAP System:** Using this installation method, you can run ABAP programs and also few selected SAP Java applications.
- **Java System:** Using this installation method, you can run J2EE applications but not any ABAP programs.

SAP NetWeaver – Business Intelligence

It enables you to integrate data from across the enterprise and transform it into practical, timely business information to drive sound decision making.

SAP NetWeaver – Gateway

It enables developers to create applications that link business users to SAP software from any environment and through any device.

SAP NetWeaver – Master Data Management

It ensures cross-system data consistency and helps integrate business processes across the extended value chain.

SAP NetWeaver – Process Orchestration

It helps improve processes, from simple workflows to integrated processes that span applications and organizational boundaries. It includes capabilities for business process management, business rules management, and process integration.

SAP NetWeaver – Portal

It unifies critical information and applications to provide users with role-based views that span the enterprise, enabling you to take full advantage of your information resources.

SAP Auto-ID Infrastructure

It gives you all the capabilities you need to integrate all automated sensing devices including RFID reader and printers, bluetooth devices, embedded systems, and barcode devices.

SAP NetWeaver – Identity Management

It addresses access and provisioning issues facing a typical enterprise. It creates a new opportunity for integrating business processes, and helps to integrate systems in a heterogeneous IT environment.

SAP NetWeaver – Information Lifecycle Management

It allows you to archive data in a readily accessible format according to regulatory retention rules that you define.

4. SAP NW – Release Details

SAP NetWeaver platform and different applications based on NetWeaver technology allows you to use SAP and non-SAP products in a heterogeneous environment. In the following table lists different release details of SAP NetWeaver platform.

SAP NetWeaver 7.0 was first released in 2004. Its latest release is SAP NetWeaver 7.5, which was released in Nov 2015.

Technology	Release Details
SAP NetWeaver Platform	SAP NetWeaver 7.5 SAP NetWeaver 7.4 SAP NetWeaver 7.3 including Enhancement Package 1 SAP NetWeaver 7.3 SAP NetWeaver 7.0 including Enhancement Package 3 SAP NetWeaver 7.0 including Enhancement Package 2 SAP NetWeaver 7.0 including Enhancement Package 1 SAP NetWeaver 7.0
SAP Composition Environment	SAP NetWeaver Composition Environment 7.2 SAP NetWeaver Composition Environment 7.1 including Enhancement Package 1 SAP NetWeaver Composition Environment 7.1 Enterprise Services Repository for SAP NetWeaver CE 7.1


SAP Enterprise Portal, Enterprise Workspaces	SAP NetWeaver Portal, Enterprise Workspaces 1.0 SAP NetWeaver Portal, Enterprise Workspaces 1.1
SAP NetWeaver Adaptive Computing Controller	SAP NetWeaver Adaptive Computing Controller 7.3 SAP NetWeaver Adaptive Computing Controller 7.2
SAP NetWeaver Enterprise Search	SAP NetWeaver Enterprise Search 7.3 SAP NetWeaver Enterprise Search 7.2
SAP NetWeaver Mobile	SAP NetWeaver Mobile 7.1 Including Enhancement Package 1 SAP NetWeaver Mobile 7.1
SAP NetWeaver MDM	SAP NetWeaver Master Data Management 7.1
SAP Process Integration	SAP NetWeaver Process Integration 7.1 Including Enhancement Package 1 SAP NetWeaver Process Integration 7.1
SAP Single Sign-On	SAP NetWeaver Single Sign-On 2.0 SAP NetWeaver Single Sign-On 1.0

5. SAP NW – NW Version in ECC System


As mentioned earlier, SAP NetWeaver includes a comprehensive set of components, applications, and tools. You can check the version of NetWeaver platform in SAP ECC suite.

To check the version of NetWeaver platform –


Step 1: Login to SAP ECC system using SAP GUI.



Step 2: Select the system for which you want to check NetWeaver version and login.



Step 3: To check the version, click the system tab at the top -> Status



This will open the System Status Tab.

You can view different details such as Usage Data, Repository Data, and Host Data.

System: Status

Usage data

Client: 800 Previous logon: 18.10.2015 10:24:53
 User: HANA Logon: 12:07:58
 Language: EN System time: 12:15:39
 Time Zone: CET 08:45:39
 Number of Failed Password Logon Attempts: 0

SAP data

Repository data

Transaction: SESSION_MANA...
 Program (screen): SAPLSMTR_NAV...
 Screen number: 100
 Program (GUI): SAPLSMTR_NAV...
 GUI status: SESSION_ADMIN

SAP System data

Component version: EHP7 for SAP ERP...
 Installation Number: 0120003411
 License expiration: 20.11.2015
 Unicode System: Yes

Host data

Operating system: Windows NT
 Machine type: 16x X86_64
 Server name: B0DS_EH7_24
 Platform ID: 562

Database data

Database System: MSSQL
 Release: 10.50.1600.01
 Name: EH7
 Host: B0DS
 Owner: eh7

Buttons: [Checkmark] [Navigate] [Refresh] [Close]

Step 4: To check the version, under SAP system data -> Component Version -> Click the Lens icon.

In the next Installed Software screen, under the Installed Software Component Versions, you can find Component name, Release, Service Pack Level, and Support Package.

Step 5: Under the Release tab, you can check the version of NetWeaver version. In the following screenshot, it is NetWeaver 7.4.


Installed Software

Installed Software Component Versions | Installed Product Versions

Component	Release	SP-Level	Support Package	Short Description of Component
SAP_BASIS	740	0004	SAPKB74004	SAP Basis Component
SAP_ABA	740	0004	SAPKA74004	Cross-Application Component
SAP_GWFND	740	0004	SAPK-74004INSAPGWFND	SAP Gateway Foundation 7.40
SAP_UI	740	0005	SAPK-74005INSAPUI	User Interface Technology 7.40
PI_BASIS	740	0004	SAPK-74004INPIBASIS	Basis Plug-In
ST-PI	2008_1_710	0008	SAPKITLRE8	SAP Solution Tools Plug-In
DECSERMG	100	0001	SAPK-10001INDECSERMG	Decision Service Management
SAP_BW	740	0004	SAPKW74004	SAP Business Warehouse
GRCFND_A	V1000	0009	SAPK-V1009INGRCFND	GRC Foundation ABAP
GRCPINW	V1000_731	0004	SAPK-10504INGRCPINW	SAP GRC NW Plug-in
LCAPPS	2005_700	0010	SAPKIBHD10	LC Applications (LCAPPS) 2005_700
MDG_FND	747	0002	SAPK-74702INMDGFND	MDG Foundation 732
SAP_AP	700	0030	SAPKNA7030	SAP Application Platform
SAP_BS_FND	747	0002	SAPK-74702INSAPBSFND	SAP Business Suite Foundation
SMFND	600_700	0001	SAPK-60001INSMFND	Agentry SAP Framework Integration Founda
WEBCUIF	747	0002	SAPK-74702INWEBCUIF	SAP Web UI Framework

Buttons: [Checkmark]

Step 6: Under the same screen but the next tab, i.e., Installed Product Versions, you can find the version of each component installed on the SAP system. To search the version of SAP NetWeaver, scroll down to find it.



Product	Release	Vendor	Short Description of Product Version
MOB HR APPROVAL INT	2.0.0	sap.com	MOB HR APPROVAL INT 2.0.0
MOB TRAVELREPORT INT	1.0.0	sap.com	MOB TRAVELREPORT INT 1.0.0
MOB ORDER STATUS INT	2.0.0	sap.com	MOB ORDER STATUS INT 2.0.0
MOB FINFACTSHEET INT	2.0.0	sap.com	MOB FINFACTSHEET INT 2.0.0
MOB CITIZEN INT	1.0.0	sap.com	MOB CITIZEN INT 1.0.0
MOB INTERVIEW INT	1.0.0	sap.com	MOB INTERVIEW INT 1.0.0
MOB QUALITYISSUE INT	1.0.0	sap.com	MOB QUALITYISSUE INT 1.0.0
MOB MGR INSIGHT INT	1.0.0	sap.com	MOB MGR INSIGHT INT 1.0.0
MOB PAYAPPROVAL INT	2.0.0	sap.com	MOB PAYAPPROVAL INT 2.0.0
DUET ENT 1.0 ADAPTER FP	1	sap.com	DUET ENT 1.0 ADAPTER FP1
MOB LEARNINGASST INT	1.0.0	sap.com	MOB LEARNINGASST INT 1.0.0
DECISION SERVICE MANAGER	1.0	sap.com	DECISION SERVICE MGMT. 1.0
MOB REALSPEND INT	1.0.0	sap.com	MOB REALSPEND INT 1.0.0
SAP NETWEAVER	7.4	sap.com	SAP NETWEAVER 7.4
SUCCESSFACTORS_HCM_INTEGR	2.0	sap.com	SUCCESSFACTORS HCM INTEGR 2.0

6. SAP NW – Setting Up NW

To set up SAP NetWeaver, you have to check SAP NetWeaver Product Availability Matrix (PAM) on SAP Site. This tells you the platform availability, release type and maintenance, and upgrade duration of the product.

Using PAM, SAP publishes the following information about SAP software releases:

- Release type (for example, standard release, early adoption release, or custom development project release)
- Planned availability
- Maintenance durations
- Upgrade paths
- Platform availability, including database platforms and operating systems

To check the platform, maintenance and upgrade, and release details of SAP NetWeaver platform, go to the following SAP PAM site and login using partner ID and password.

<https://apps.support.sap.com/sap/support/pam>

To check PAM for SAP NetWeaver 7.4, go to the following link and login using your SID and password.

<https://websmp201.sapag.de/~sapidb/011000358700000552252012E>

Following information is available on this site:

- OS/DB
- Developer Workplace
- Language Support
- Browser Support

Note: SAP note 1843183 for Release of SAP NetWeaver 7.4.

Operating System/Database PAM for SAP NetWeaver

In the following table, you can find the Operating System and database Product Availability Matrix for SAP NetWeaver platform. Along the Y-axis, it shows the database support, their version, and along the X-axis it shows which Windows OS is supported.

	Windows (*1)		AIX	HP-UX	Solaris		Linux SLES 11, RHEL 6, 7			Oracle Linux 6,7	IBM i	z/OS
	Server 2008 x64 64bit (*3)	Server 2012 x64 64bit (*9, *18)	6.1, 7.1 (*8) Power 64bit	11.31 i486 64bit	10 (*11), 11 SPARC 64bit	10 (*11), 11 x64 64bit	x86_64 64bit	Power 64bit	Systemz 64bit	x86_64 64bit	7.1, 7.2 (*17) Power 64bit	1.12, 1.13, 2.1 System z. 64bit
Oracle 11.2	✓	✓	✓	✓	✓	✓	✓	AS	-	✓	-	-
Oracle 12.1	✓	✓	✓	✓	✓	✓	✓	-	-	✓	-	-
SQL Server 2008 (*2)	✓	-	-	-	-	-	-	-	-	-	-	-
SQL Server 2012 (*6)	✓	✓	-	-	-	-	-	-	-	-	-	-
SQL Server 2014	-	✓	-	-	-	-	-	-	-	-	-	-
DB2 LUW V9.7, V10.1	✓	✓	✓	✓	✓	✓ (*12)	✓	✓	-	-	-	-
DB2 LUW V10.5	✓ (*4)	✓	✓	✓	✓	✓ (*12)	✓	✓	-	-	-	-
MaxDB 7.9	✓	✓	✓	✓	✓	✓	✓	✓	-	-	-	-
DB2 for i 7.1, 7.2 (*17)	AS	AS	-	-	-	-	-	-	-	-	✓	-
DB2 for z/OS 10, 11	AS	AS	AS	-	-	-	AS	-	AS	-	-	HA DB
ASE 15.7 (*9)	✓ (*4)	✓	✓ (*5)	✓	✓	-	✓	-	-	-	-	-
ASE 16 (*9)	✓ (*4)	✓	✓ (*5)	✓	✓	-	✓	-	-	-	-	-
HANA DB 1.00 (*14)	AS	AS	AS	AS	AS	AS	✓ (*19)	AS	AS	-	AS (*15)	HA (*20)

- AS - Application server with whole SAP NetWeaver stack only
- DB - Database Server only
- HA - High Available Solution only
- X64 - x64 and x86_64 represent the same hardware

Desktop and Mobile Browser Support for SAP NetWeaver

Following is the **desktop browser support** for SAP NetWeaver releases -

Microsoft Internet Explorer

- IE 11 Desktop (recommended)
- IE 11 on Windows 10 support planned for October 2015
- IE 7 - IE 10 until January 2016

Microsoft Edge

- Planned for UI Add-on 2.0 SP1 (SAPUI5 1.32). Down port to UI Add-on 1.0 SP15 (SAPUI5 1.28) planned

Mozilla Firefox

- Latest Extended Support Release Cycle (recommended)
- Latest Rapid Release Cycle (conditionally supported)

Google Chrome

- Latest Release Cycle for Windows
- Support of NW 7.02, 7.03, 7.30 and higher

Apple Safari

- On OS X for 3 years from the version release date
- Support of NW 7.02, 7.03, 7.30 and higher

Following is the **mobile browser support** for SAP NetWeaver releases -

- Apple Safari on iPad
- Apple Safari on iPhone
- Google Chrome on Samsung Galaxy Tab/S
- Android browser on Samsung Galaxy Tab/S (A4.4 and higher)
- Windows Phone 8.1 on Nokia Lumia 930 (conditionally supported)
- Windows Phone 10 on Nokia Lumia 930 (planned)
- BlackBerry on BlackBerry Z10/30

Note: Devices and OS version support for 3 years from vendor Release date.

Supported UI technologies:

- SAPUI5 / OpenUI5
- SAP Fiori applications may have different support

SAP NetWeaver Developer Workplace

- Consists of SAP NetWeaver Developer Studio and AS Java with limited platform support
- Local development and test capabilities
- No support for team development
- No tool updates available via Eclipse update sites
- No extension support

Language Support

All information regarding language availability can be found in the Product Availability.


Matrix (PAM) under Technical Release Information -> Languages -> Product Instance -> Display link in Additional Information

7. SAP NW – Installation Options

Before you perform the installation, the first step is to check the software and the hardware requirements for the installation. Software requirement includes media for the installation and hardware requirement includes - PC with RAM 16 GB, hard disk space minimum 60-80 GB for installation and running the system. If you are planning to create a virtual image, you can allocate an equivalent memory to VM image.


Software Requirement

You can get the software from SAP Marketplace. Go to - <https://websmp201.sap-ag.de/#wrapper>




Click the SAP Store icon at the bottom and you will be directed to <https://www.sapstore.com/>

Click the Log-on button and enter SAP Partner ID details. Once you are logged in, you can see the following screen:



Search for SAP NetWeaver Application Server for ABAP 64-bit trial version.



You can also download items from the following SAP Store link for old software products.

<http://sdnweb.sdn.sap.com/sapbackoffice/public/sapstoresolutions.aspx>

The Software Download Search list, is mapping the old SCN Download Catalog items to the new store links. The search box will auto complete your entry and will help you find the item you are looking for.

On the left side, we listed the store solutions number as a reference for searching directly in the store. The SAP Store solution title links to the relevant store solution.

In case you don't find the old package, send an email with the old title and link.

Software Download Search

The Software Download Search list, is mapping the old SCN Download Catalog items to the new store links. The search box will auto complete your entry and will help you find the item you are looking for. On the left side we listed the store solutions number as a reference for searching directly in the store. The SAP Store solution title links to the relevant store solution. In case you don't find the old package please send us an [email](#) with the old title and link, and we will follow up on this for you. Please read this [blog](#) for detail information about the migration to the store.

Preview	SolutionID	SolutionPriorityName	SolutionName
+	0000000215	SAP NetWeaver AS ABAP 7.03 SP04 64-bit Trial	SAP NetWeaver Application Server ABAP 7.03 64-bit Trial 7.03 SP04 64-bit
+	0000000221	SAP NetWeaver AS ABAP 7.02 SP6 64-bit Version - Developer Edition	SAP NetWeaver Application Server ABAP 7.02 SP6 64-bit Developer Edition 7.02 SP6 64-bit
+	0000000222	SAP NetWeaver AS ABAP 7.02 SP6 32-bit Trial	SAP NetWeaver Application Server ABAP 7.02 SP6 32-bit Trial Version 7.02 SP6 32-bit
+	0000000223	SAP MaxDB 7.6.06.24 for Windows (x86, 32 bit)	SAP MaxDB for Windows, SAP MaxDB - Windows
+	0000000224	SAP MaxDB 7.6.06.24 for Linux (x86, 32 bit)	SAP MaxDB for Linux, SAP MaxDB - Linux
+	0000013384	SAP MaxDB 7.6.06.24 for AIX (PPC, 64 bit) - Z25	SAP MaxDB for AIX, SAP MaxDB - AIX
+	0000013538	SAP MaxDB 7.6.06.24 for Solaris (x86, 64 Bit) Z25	SAP MaxDB for Solaris
+	0000000227	SAP MaxDB Database Studio 7.6 for Windows (x86, 32 bit)	SAP MaxDB Database Studio 7.6 for Windows, DB Studio 7.6 - Win
+	0000000228	SAP MaxDB Database Studio 7.6 for Linux (x86, 32 bit)	SAP MaxDB Database Studio 7.6 for Linux, DB Studio 7.6-Linux
+	0000000229	SAP MaxDB Database Manager GUI 7.6 for Windows (x86, 32 bit)	SAP MaxDB Database Manager GUI 7.6 for Windows (x86, 32 bit), DB Manager GUI 7.6

Register your account and enter all the details. Check the Terms and Conditions checkbox.


City *	<input type="text"/>
ZIP/Postal Code *	<input type="text"/>
Country *	India <input type="button" value="v"/>
State/Province	United States / Canada only <input type="button" value="v"/>
Industry *	Professional Services <input type="button" value="v"/>
Relationship to SAP	Partner <input type="button" value="v"/>

Terms and Conditions


☒ I acknowledge that I have read [SAP's Privacy Statement](#) *

☒ I have read and understood the Terms and Conditions of [SAP Store](#). *

*Required




Once you register with SAP Store, SAP provides you a link that contains the **file-ABAP_7_03_SP04_64_bit_Trial_3_9_2_GB.rar** with a size of around 4 GB. Extract this file to a new folder and you can see the following folders. You have the application installer file to run the installation.



This will open the SAP installation Master Wizard. You need to complete the following steps to finish the installation.

- Choose Option
- Define Parameter
- Summary
- Execute
- Completed



On the left side, you have help for each of the option. Once you make the selection, next is to go to Define Parameter, here accept the end user license agreement EULA -> Next.

In the next (following) screen you have to enter the password for all the users. This password will be used for all accounts SAPinst creates and for the secure store key phases. Check F1 help for restrictions and dependencies.



When you click next, in the next window the system will perform a prerequisites checker results. Under the detailed results, you can find the different options -

- Condition
- Result Code

- Severity
- Message
- More Information

Prerequisites Checker Results

Read the results of the prerequisite analysis carefully.

Attention

Your host has been checked for compliance with the prerequisites.

- If a condition is not met by your system, we strongly recommend that you fix this before starting the installation.
- In rare cases, you might decide to run the installation although not all prerequisites are met. The installation does not prevent you from doing this, but make sure that you know what you are doing.

Detailed Results

Condition	Result Code	Severity	Message	More Information
Operating System Version	Condition not met	HIGH	For SAP Products based on NetWeaver 7.0 the following Windows operating system version is supported: Windows Server 2003 (Version 5.2) and Windows Server 2008 (Version 6.0). Current Windows version: Version 6.1, Service Pack 0.0, product type: Workstation. You can check the current version of your operating system by running winver using Start -> Run. See also http://service.sap.com/pam (Updated 2008-01-29)	Click here

When you click next again, the wizard will take you to Parameter Summary tab. You can see the details of all the passwords (General Parameters, Master Password, Windows Domain) as shown in the following screenshot.

The screenshot shows the 'Summary' step of the SAP NetWeaver installation wizard. At the top, a progress bar has five steps: 1. Choose Option, 2. Define Parameters, 3. Summary (highlighted with a black arrow), 4. Execute, and 5. Completed. Below the progress bar, the title 'Parameter Summary' is displayed in orange. A text box explains: 'Choose "Next" to start with the values shown. Otherwise, select the parameters to be changed and choose "Revise". You are then taken to the screen where you can change the parameter. You might be guided through other screens that have so far been processed.'

The 'Parameter List' section on the left contains the following parameters:

- ☐ End User License Agreement (EULA)
 - I accept
- ☐ SAP System > General Parameters
 - SAP System ID (SAPSID): NSP
 - Installation Drive: C:
- ☐ SAP System > Master Password
 - Password for all users of this SAP system: *****
- ☐ SAP System > Windows Domain
 - Domain Model: Local installation
 - Windows Domain:

At the bottom, click the Next button. You will be moved to "Execute" tab of the installation Wizard. Here you can see phase-wise installation as shown in the following screenshot.

The screenshot shows the 'Execute' step of the SAP NetWeaver installation wizard. At the top, the progress bar has five steps: 1. Choose Option, 2. Define Parameters, 3. Summary, 4. Execute (highlighted with a black arrow), and 5. Completed. Below the progress bar, the title 'Task Progress' is displayed in orange. A text box indicates: 'Running phase: Create users for SAP system'.

The 'Phase 1 of 23' section on the left lists the following tasks:


- Create users for SAP system
- Install common system files
- Unpack SAP archives
- Install database client
- Create and load database
- Install database server
- Configure database instance
- Create database instance
- Create database schema for ABAP
- Create sequence for the ABAP user
- Setup database connection for user winx642\spadm
- Setup database connection information
- Setup database connection for user winx642\SAPService
- Perform MaxDB pre-load activities
- Import ABAP
- Post load activities
- Perform MaxDB post-load activities
- Import MaxDB statistics
- Install central instance
- Start instance
- ABAP post installation activities
- Check DDIC password
- Run ABAP Reports

The right side of the screen displays a background image of a cable-stayed bridge.

There are different errors you can face during this task progress. Some of them are -

- Database Error (Drivers issue)
- Import ABAP
- Post Installation Activities (Configuration issue)

Once the installation process is complete, you will see a confirmation message as shown in the following screenshot.



8. SAP NW – Passing Parameters for Installation

During the installation process, you have to pass different parameters, which are called as input user parameters. These parameters depend on the type of the installation mode. You can opt from the following installation options:

- Typical Mode
- Custom Mode

Typical Mode

When you select "Typical" mode, the installation wizard selects only the default values for the typical parameters and the installation run is shortened.

In Typical mode, you need to select the following input parameters:

- Master Password
- System ID
- Database connectivity parameters
- NetWeaver version 7.4 or higher you need to maintain an encryption key

SAP NetWeaver
SOFTWARE DELIVERY TOOL

1 Choose Option 2 **Define Parameters** 3 Summary 4 Execute 5 Completed

SAP System > Master Password

Enter the master password all users.

Master Password
The password will be used for all accounts SAPinst creates and for the secure store key phrase.
Check the F1 help for restrictions and dependencies.

Password for all users of this SAP system *

Confirm *

Additional Information
If you want to set an individual password for each user, you can do this in the corresponding parameter section on the *Parameter Summary* screen. If you set individual passwords, a new master password will not overwrite these individual settings.

Custom Mode

When you select "Custom" mode during the installation, you have to select all the user input parameters. Once you define the parameters in the Installation wizard under step 2 -> Next, you will be prompted to view the Parameter Summary.

In Summary step, you can again make changes to all the parameters.

Once the installation is done, you can't change the parameter mode from Typical -> Custom or Custom -> Typical, so you should select as per the business requirement during the installation process.

Parameter Summary

Choose 'Next' to start with the values shown. Otherwise, select the parameters to be changed and choose 'Revise'. You are then taken to the screen where you can change the parameter. You might be guided through other screens that have so far been processed.

Parameter List

- ☐ **End User License Agreement (EULA)**
I accept
- ☐ **SAP System > General Parameters**
SAP System ID (SAPSID)
NSP
Installation Drive
C:.
- ☐ **SAP System > Master Password**
Password for all users of this SAP system

- ☐ **SAP System > Windows Domain**
Domain Model
Local installation
Windows Domain

9. SAP NW – Transport Management

Transport Management System (TMS) is one of the key components in the SAP system and is used to control the new requests, to monitor the changes such as who has implemented the changes, as well as defining and configuring system landscape in SAP environment.

Transport Management System consists of 3 parts:

- **Change and Transport Organizer (CTO)**

Transaction: SE01

This is used to manage, configure the changes in SAP repository and other objects. This provides a central environment for the development and configuration projects. (<https://wiki.scn.sap.com/wiki/display/ABAP/Transport+Organizer>)

- **Transport Management System**

This is used to manage, control, and copy the development objects and for the customization to perform in SAP system landscape, using transport routes configured with RFC Connections. This includes exporting the objects from one SAP system and importing to the target system.

- **Tools**

Tools are part of SAP Kernel and are used to manage R3trans and transport control program.

R3trans is known as SAP system transport, which is used to transport the objects between different SAP systems. It is called with transport control program (**tp**) or by using SAP upgrade utilities.

Transport control program is used to support data and object transport between different systems running on a different platform and also on a different database.

Configuring Transport Management

Transport management is one of the key components in the SAP system landscape.


Transport Domain Controller

This is used to manage all TMS configuration details. Any changes to configuration setting are distributed to all the systems. To set up the Domain controller, use **Transaction: STMS**

In case, SAP system doesn't have a Domain Controller, you will be prompted to create a new one. Transport domain includes the following activities to be performed:

- User creation TMSADM
- RFC connection and request creation, TMSADM is used to login to the target system

- DOMAIN.CFG file is created under usr/sap/trans/bin directory, which stores TMS configuration and is used by systems and domains for checking the existing configurations.





Adding a System to the Transport Domain

To add a system, log on to the SAP system that you want to add to the system. Use **client 000** and start **transaction STMS**. If the system is not added, TMS will check the configuration file **DOMAIN.CFG** and will ask to join the domain. Click "Select the proposal" and save. The System will remain in the 'Waiting' status initially.

To complete the task -> login to Domain Controller System -> Transaction STMS -> Go to Overview -> Systems.

You can see the new system that will be available. Go to SAP System -> Approve.





Managing Transport Routes

Transport routes are defined as routes that are defined by the SAP Administrator to transmit the changes between different SAP systems.

You can define two types of transport routes -

- Consolidation (From DEV to QAS) – Transport layers are used
- Delivery (From QAS to PRD) – Transport layers not required

Transport Request

Transport request contains the number of changes to be implemented in the development system. It consists of the type of change, purpose, change category, target system and other details.

Transport request are named in a standard format as: **<SID>K<Number>**

Example


SID represents System ID

K stands for fixed keyword/alphabet

Number can be anything from a range starting with 900001

There are two request types that can be created in the SAP system -


- **Workbench Request** - This request type is used to contain the repository and cross-client customizing objects. Workbench requests are used to make changes in the ABAP workbench objects.
- **Customizing Request** - This request type is used to contain objects that belong to client-specific customizing. These requests are created in the system automatically when a user customizes the setting and a target system is automatically assigned as per the transport layer.



To create a Transport request, use **Transaction SE01**

Transport request can be created in two ways -


- **Automatic:** It is created automatically.
- **Manual:** You can also create a Transport request manually.



Import/Export of Objects in the Transport System

Once the Transport request is completed in the source system, you have to export the request from the source system and import it to the target system. To perform the import, you have to select the import queue.

Run the Transaction STMS -> Import or you can go to the Overview tab at the top -> Imports.




You can see a list of systems in the current domain, description, and the number of requests available in the Import Queue and the status.


Import Overview: Domain DOMAIN_EH7	
[Number of import queues:] 1	
Queue	Description
EH7	System EH7

Import Queue

This list contains Transport requests in the directory that are ready to import to the target system.




To add a request manually, you can go to Extras -> Other Requests -> Add. You should know the name of the Transport request.



Transport Request Logs

You can also check the logs once the transport request is completed. To check the logs, Transaction SE01 -> Goto -> Transport Logs.



Following two types of logs are available in the Transport Management System:

- **Transport Log** - It keeps track of the transport log files which has been moved in a transport request.
- **Action Log** - It includes the details of action logs that has been performed in a transport request. It includes exports, imports, etc.

Log Record Value

Following log record value exists in the Transport Management System:

- **0** - This value represents that export was successful.
- **4** - This value represents that a warning was issued and the objects were transported successfully.
- **8** - This represents that a warning was issued and at least one object could not be transported.
- **12 or higher** - This value represents an error in the transport request and it is normally not resulted because of the objects in Transport Request. This occurs probably due to the system failure.


10. SAP NW – Managing Background Jobs

Background jobs are jobs in the SAP system that run in the background without affecting the normal operations in the system. Background jobs are used to reduce the manual effort and to automate the process. They can run in the background without any user input and can be scheduled to run when the system load is low.

Background jobs can be divided into three categories:

- **Class A (High Priority)** - This is used for urgent or critical task and must be scheduled with class A priority job. Class A job reserves one or more background work processes.
- **Class B (Medium Priority)** - These jobs are executed after the completion of Class A high priority jobs.
- **Class C (Low Priority)** - These job runs once class A and class B jobs are completed.

Transaction Code - SM36



General Data

In general data, enter the following details to create a background job -

- Enter the Job Name
- Priority/Job Class
- Select the Target server on which you want to execute the job. This is used for load balancing. You can define the target server on which you want to run the job.

Define Background Job

Start condition | Step | Job selection | Own jobs | Job wizard | Standard jobs

General Data

Job Name: Test

Job Class: C

Status: Scheduled

Exec. Target: BODS_EH7_24

Spool List Recipient

Using Spool List Recipient, enter the email id if you want to get the results in email.

Recipient Determination

Recipient: Developer

General attributes

☐ Copy ☐ Blind copy

☐ Express ☐ No forwarding

Copy Fax entry X.400 entry Address

To define the steps for execution, go to Step tab. Enter the program name, Variant name in the field. If you have not created variant as per your requirement, then leave it blank. Click on the save button at the bottom.

Create Step 1

User: HANAUSER

Program values

ABAP program External command External program

ABAP program

Name:

Variant:

Language: EN

Step List Overview

Spool

No.	Program name/command	Prog. type	Spool list	Parameters	User	Lang.
1	/IACC/ARCH_M85000B	ABAP			HANAUSER	EN

To pass the start condition, enter the start date, end date, frequency, etc. In case, the start condition is not specified, then the job will remain in the scheduled state and will not run. Various options can be used to define the start condition. To create a periodic job, select the box at the bottom.

Define Background Job

Start condition | Step | Job selection | Own jobs | Job wizard | Standard jobs

Start Time

Immediate | Date/Time | After Job | After Event | At Operation Mode

Date/Time

Scheduled Start	Date	<input type="text"/>	Time	<input type="text"/>
No Start After	Date	<input type="text"/>	Time	<input type="text"/>

After Job

At Operation Mode

After Event

☐ Periodic Job

Check Save Period values Restrictions

Once schedule is defined, click the Save button to save the job. You can define different Scheduling options -

- **Immediate:** To immediately run the job.
- **Date/Time:** You can add a date and time to run the job.
- **After Job:** You can also schedule this job after a particular job is completed.
- **After Event:** You can also add a schedule when a specific event is triggered.
- **At Operation Mode:** You can also add a schedule in the operation mode.

Define Background Job

Start condition
 Step
 Job selection
 Own jobs
 Job wizard
 Standard jobs

General Data

Job Name	TEST		
Job Class	C		
Status	Scheduled		
Exec. Target	BODS_EH7_24		

Job Start

Planned Start

Date	01.09.2015	Time	09:07:16
------	------------	------	----------

No Start after

Date	01.09.2015	Time	11:07:20
------	------------	------	----------

Job Frequency

Job Steps

1 Step(s) successfully defined

Unscheduler a Background Job

To un-schedule a job so that it doesn't run in future, you have to release the job. To unschedule a job, use **Transaction Code: SM37**

Note: When a job is in the Active state, it can't be unscheduled till it's completed.

Step 1: Enter the job name and the user name.

Step 2: To un-schedule a job, select Released and Ready from the status tab.

Step 3: Enter the Job start condition and Select Execute button at the top as shown in following screenshot.

Simple Job Selection

Execute
 Extended job selection
 Information

Job Name: TEST
 User Name: HANAUSER

Job Status
☐ Sched.
 ☒ Released
 ☒ Ready
 ☐ Active
 ☐ Finished
 ☐ Canceled

Job Start Condition
 From 01.09.2015 To 01.09.2015
 From To
 or after event:

Job Step
 ABAP Program Name:

The following screenshot will confirm that job is released as well as other details of the job.

Job Overview

Refresh
 Release
 Stop
 Trash
 Spool
 Job log
 Step
 Application servers
 Grid
 Filter
 User

Job overview from: 01.09.2015 at: : :
 to: 01.09.2015 at: : :
 Selected job names: TEST
 Selected user names: HANAUSER

☐ Scheduled
 ☒ Released
 ☒ Ready
 ☐ Active
 ☐ Finished
 ☐ Canceled
☐ Event controlled Event ID:
☐ ABAP program Program name :

JobName	Spool	Job doc	Job CreatedB	Status	Start date	Start Time	Duration(sec.)	Delay (sec.)
TEST			HANAUSER	Released			0	0
*Summary							0	0

11. SAP NW – NW Business Client

SAP NetWeaver Business Client (NWBC) is a user interface to access all the applications from a single platform. You don't need to open each application and you can work with each application without opening it in SAP logon or the Internet Explorer.


You can access NWBC in two ways:

NWBC for HTML

This can be opened using a URL and there is no need to install a client tool in this case.

URL format - <http://applicationservername.com:8070/nwbc/~launch/?sap-client=800&sap-language=EN>

You have to enter the details in the URL to login to NWBC. The following information is required: System, Client, User, Password, and Language as shown in the following screenshot.



SAP NetWeaver

⚠ Protocol cannot be switched to HTTPS; HTTPS is not configured/active


⚠ No switch to HTTPS occurred, so it is not secure to send a password


System: EH7
Client: * 800
User: *
Password: *
Language: English

Log On

[Change Password](#)


Welcome to the IDES ECC 6.0 incl. EhP7

Copyright © 2015 SAP AG. All rights reserved. 



NWBC for Desktop Application

In this case, you need to install NWBC desktop tool and you have to add the URL and Application server details.



SAP NWBC supports Single Sign On and hence it will be a very useful tool for business users as well as for developers to perform all the necessary action from a single platform as there is no need to login at multiple places to access different applications.

Note: Users can use SAP NetWeaver Business Client and SAP Front End GUI client to access SAP systems. The use of both depends on the requirement. If the user accesses only the SAP system and no web-based applications are used, SAP GUI is preferred.

When the user has both SAP system and web-based application, it is recommended to use NetWeaver Business Client.

Key Difference between SAP GUI and NWBC

The main difference between NWBC and SAP GUI is the way you can access Web Dynpro (WD) application. Using SAP GUI, when you execute WD application, it opens in a browser whereas on NWBC it opens within the GUI just like a normal Dynpro transaction if that application is added to your role.

Note that SAP NW Business Client works on a role-based access. That is, when you log in to a particular system using NWBC, you will see only those transactions in the roles assigned to you and the tabs you can see on the home page is defined as per the role assigned.

NWBC Release

There are 3 versions that has been released for NetWeaver Business Client: **NWBC 3.0**, **NWBC 3.5**, and **NWBC 4.0**

To use NetWeaver Business Client 4.0, you also should have the latest version SAP GUI installed, i.e. SAP GUI 7.4.

NetWeaver Business Client navigation is divided into 4 parts as shown in the following screenshot:

- Navigation Panel on the left side
- Navigation Tab at the top
- Canvas work area
- Quick Launch bar above the navigation tab



In the Launchpad, you can perform advanced Search that doesn't require the developers and the users to remember the full transaction code. You can simply start typing the first letter and it will provide you with suggestions.

12. SAP NW – Service Configuration


To use NetWeaver Business Client locally, you need to configure the services to your back-end system. Different services need to be configured.

HTTP/HTTPS Settings in the ICM


You have to configure HTTP/HTTPS setting in Internet Communication Manager to enable communication between SAP system and Business Client applications.

NetWeaver Business Client uses HTTP to access an ABAP server. Hence, it is important to configure at least one port and it should be active.


To configure HTTP service, **use Transaction SMICM**




To display the services configured in the back-end system, click on Goto -> Services



If the HTTP or HTTPS service does not yet exist or you would like to make changes, you can create or edit a service, following the path - Service -> Create or Service -> Change.




To activate/deactivate a service, select the service and click Service -> Activate



Activate Services in ICF

Using Internet Communication Framework, you can communicate your SAP system using standard protocols. To be able to use NWBC for your system, you need to activate SICF service on your system using the SICF transaction which is **/sap/bc/nwbc** and its components under it.

Step 1: To activate the service, call **Transaction: SICF**



Step 2: Set the Hierarchy Type to SERVICE and click Execute (F8).

Maintain Services

Filter for Calling ICF Hierarchy

Hierarchy Type: **SERVICE**

Virtual Host:

Service Path:

Service Name:

Reference Service:

Description:


Language: English

Step 3: Expand the nodes under the default_host.

Step 4: The cockpit subnode for the Business Client can be accessed by navigating down to the following service tree: **default_host/sap/bc/nwbc**

Virtuelle Hosts / Services	Documentation	Referenz Service
default_host	VIRTUAL DEFAULT HOST	
sap	SAP NAMESPACE; SAP IS OBLIGED NOT T...	
option	RESERVED SERVICES AVAILABLE GLOBALLY	
public	PUBLIC SERVICES	
0001_languages_felc		
ap	Application Platform	
A_NEW_INTAL1		/default_host/sap/A_FRISCH
bc	BASIS TREE (BASIS FUNCTIONS)	
11111	sss	
abap	Services from NW Foundation ABAP	
adt	ABAP Development Tools	
apc	ABAP Push Channel Framework	
apc_test	ABAP Push Channel test applications	
approval_100	Link to Approval Service	/default_host/sap/bc/bsp/sap/hrrcf_approval
bsp	BUSINESS SERVER PAGES (BSP) RUNTIME	
bsp_dev	WEBDAV ACCESS TO BSP DEVELOPMENT...	
ccms	Services of the CCMS Monitoring Architect...	

Step 5: Select the relevant service node(s) and choose Service/Host -> Activate.



Step 6: Select any service and click deactivate. You will be prompted to confirm the deactivation.

Step 7: Go to Info tab as shown in the following screenshot, you can see the results of deactivation. Click Yes for the corresponding services to be deactivated.



13. SAP NW – Business Client Installation

NetWeaver Business Client is available for Windows operating system and ensures the smooth running of Business client.

Hardware requirement includes at least 1 GB memory and the requirement of memory depends on the number of open session tabs and the number of windows.

SAP recommends minimum screen size of 1024*768 and VGA monitoring. All the hardware requirements are same as of SAP GUI front-end installation.

To install NWBC desktop application, you need the setup of the tool.

Step 1: Run the setup file by double-clicking on it and the installation wizard will open. The wizard will help you configure SAP Product installation -> Next.



Step 2: In the next window as shown in the following screenshot, you have to make the product selection. Select SAP NetWeaver Business Client and click the Next button. You should have enough memory on your disk drive to meet the Memory Space Requirements for the installation.



Step 3: Select the Next button and the installation process will start. During the installation process, you will be informed about the installation progress.


Step 4: To complete the setup, click the Finish button as shown in the following screenshot.



14. SAP NW – NWBC Transaction & Navigation

There are different system transaction codes provided, that you can use to access and manage NetWeaver Business Client in the ABAP system. Use transaction code, **Transaction: NWBC**


When you run this transaction in ABAP system, this will start the "launch URL" in the browser and a separate browser instance will start.



In case, your HTTP service is not configured/activated, you will get the following message when you run **Transaction: NWBC**

! Invalid HTTP Configuration. Please contact your system administrator.

To resolve this, you have to run **Transaction SMICM**. Click Go To -> Services. Select HTTP service, Service -> Activate.



When you run NWBC transaction in ABAP system, it shows a list of all cockpits on the system and the list of associated roles.

The first icon or the link with the leading slash will open NWBC for HTML.

The second icon or the link without the leading slash will open NWBC desktop tool.



Note: Using **transaction NWBC, class CL_GUI_HTML_VIEWER** always starts the URL in the browser – Microsoft Internet Explorer, even if another browser is defined as your default browser on the system.

This is due to the reason that class contains additional logic to inject authentication information from the running SAP GUI session into the Internet Explorer (IE) instance when started. Hence, the client will be open in Internet Explorer browser with the same user name.

15. SAP NW – SAP Applications Based on NW

SAP NetWeaver is known as open technology software component that provides you a platform to run critical business applications and integration between people, processes, and information. It allows the composition, provisioning, and management of SAP and non-SAP applications across a heterogeneous software environment.

The following table defines the main use cases of SAP NetWeaver and its key area -

Use Case	Description
Data Warehousing	SAP BW
Building Integration scenarios	SAP Process Integration PI
Mobilizing Business Processes	SAP NetWeaver Mobile
Building Composite Applications	SAP Composition Environment
Integration with SAP Enterprise Portal	SAP Enterprise Portal
Application Development ABAP	ABAP Development on NetWeaver Application Server ABAP

SAP NetWeaver BW


SAP Business Intelligence (BI) means analyzing and reporting of data from different heterogeneous data sources. **SAP Business Warehouse** (BW) integrates data from different sources, transforms and consolidates the data, performs data cleansing, and storing of data as well. It also includes data modeling, administration, and staging area.

The data in SAP BW is managed with the help of a centralized tool known as SAP BI Administration Workbench. The BI platform provides infrastructure, which include **OLAP Processor, Metadata Repository, Process designer**, and other functions.

The Business Explorer (BEx) is a reporting and analysis tool that supports query, analysis and reporting functions in BI. Using BEx, you can analyze the historical and current data to different degree of analysis.

SAP BW is known as an open and standard tool, which allows you to extract the data from different systems and then sends it to the BI system. It also evaluates the data with different reporting tools and you can distribute this to other systems.

The following diagram shows an open, broad and standard-based Architecture of Business Intelligence.



SAP Process Integration

SAP Process Integration (PI) is a part of the SAP NetWeaver platform. It is called SAP NetWeaver Exchange Infrastructure (XI) in **NetWeaver 7.0 ehp2** and older versions. SAP NetWeaver Process Integration is a part of the NetWeaver software component and is used for exchange of information in the company's internal system or with external parties.


SAP PI/XI enables you to set up cross-system communication and integration, and allows you to connect SAP and non-SAP systems based on different programming languages like Java and SAP ABAP. It provides an open source environment that is necessary in complex system landscape for the integration of systems and for communication.

SAP Process Integration is a middleware to allow seamless integration between SAP and non-SAP application in a company or with systems outside the company.

SAP PI architecture consists of multiple components which are used at design time, configuration time, and runtime. In SAP PI, the sender system is known as **the source** and the receiver is called **the target system** and the architecture is known as **Hub and Spoke structure**. The Spoke is used to connect with external systems and the Hub is used to exchange messages.

A SAP PI system is divided into the following components –

- Integration Server
- Integration Builder
- System Landscape Directory SLD
- Configuration and Monitoring



SAP NetWeaver Mobile

SAP NetWeaver mobile is a solution which is used to develop mobile solution for SAP Business Suite. You can use different tools to deploy and operate mobile applications for occasionally and always connected mobile devices.

There are two possible scenarios for SAP NetWeaver mobile:

Occasionally Connected

In occasionally connected SAP NetWeaver mobile scenario, a mobile device contains a mobile client and a web server, database layer, and business logic.

In this scenario, user can work offline and doesn't wait for network connectivity to middleware to work on any critical tasks assigned to them. NetWeaver mobile device also contains tool for data synchronization and data replication to make data available to the back-end system.

Always Connected

In always connected scenario, to manage business operations, the mobile device is always connected to the middleware. Mobile applications are available on the central server and there is no mobile client. The users have to connect to the server to access these applications.

Applications are developed and deployed on the central server and it is rendered differently as per different mobile devices.

In both the mobile scenarios, SAP NetWeaver Mobile acts as the middleware for enterprise mobility. Following functions are provided using this middleware:

- Messaging and Network Monitoring
- Device Management
- Data distribution
- Enterprise Identity
- Security


Application Development ABAP


ABAP stands for **Advanced Business Application Programming**, a 4GL (4th generation) language. Currently it is positioned, along with Java, as the main language for SAP application server programming.

Web Dynpro is a standard SAP UI technology that allows you to develop web applications using graphical tools and development environment integrated with ABAP workbench. The use of graphical tools reduces the implementation effort and you can better reuse and maintain the components in ABAP workbench.

To access Web Dynpro runtime environment and graphical tools in ABAP workbench, you can use **Transaction code - SE80**.

Both these solutions are developed on NetWeaver platform and provides application and web-developed environment to users.





Web Dynpro is an ABAP environment for web development and is based on the Model View Controller (MVC) concept of UI programming. It is available for both Java and ABAP as per the platform, and supports similar functions.

Web Dynpro has the following features –

- Separation of display and business logic
- Easy change in the layout with the use of graphical tools
- No platform dependency of interfaces

Following are the key concepts as part of Web Dynpro architecture –

Metadata

Web Dynpro provides you with an environment for the development of web-based applications and you can use graphical tools to define Web Dynpro application in the form of metadata in application development. You can also define your own events; however, event handling should be defined in a separate code and that has to be executed when an event is triggered.

The user interface in Web Dynpro application consists of small elements defined by using Web Dynpro tools. You can also change or enhance the user interface by changing these elements at run time or integrate the elements again.

Graphical Tools

There are a wide range of graphical Web Dynpro tools that you can use to generate web-based applications. You don't need to create source code for this. Following are the key features of graphical tools in Web Dynpro application –

- Define properties of user interface elements
- Data flow
- User interface layout

For all these properties, you can use graphical tools without creating a source code.

Business and Application Logic

Web Dynpro allows you to run your application on the front-end, and the back-end system can be accessed using the service locally or via a remote connection. Your user interface is maintained in Dynpro application and a persistent logic runs in the back-end system.

You can connect Web Dynpro application to the back-end system using an adaptive RFC service or by calling a web service.

MVC Programming Model

Web Dynpro applications are based on MVC model –

- **Model** – This allows access to back-end data in a Web Dynpro application.
- **View** – This is used to ensure the representation of data in a web browser.
- **Controller** – This is used to control the communication between Model and View where it takes the input from the users and gets the processes data from the model and displays the data in the browser.

16. SAP NW – Portal

SAP NetWeaver portal is one of the key components in NetWeaver architecture and provides a single point of access to the organization's applications. Customers, partners, and the employees of the organization can use Enterprise Portal as a single point of access to the organization's services and information needed for performing their day-to-day task.

SAP NetWeaver Portal allows the following types of authentication to the users -

- Username and password
- SAP Logon Tickets
- X.509 certificate using Secure Socket Layer (SSL)
- Client Certificate
- Assertion Ticket

SAP NetWeaver portal provides two types of usage:

Application Portal EPC

This is applicable when full enterprise portal capabilities are not required. It is also known as **EP Core**. It consists of Portal and Universal Worklist (UWL).

Portal provides single access point to SAP and non-SAP information sources, organization applications, database and services.

The user can access the portal from mobile devices like smartphones, tablets, as well as from desktop and laptops. Portal allows the users - employees, customers, partners, and suppliers - to manage role-based access in accessing the information, specific to their daily work tasks.

Universal Worklist allows the business users to manage, operate, and delegate daily work items. Work items can be generated using automated business processes.


Using UWL, it collects work items from multiple provider systems in one list for one-stop access.

NetWeaver Enterprise Portal

Enterprise Portal includes **Knowledge management** and **Collaboration** capabilities and is based on EP Core.

Portal Navigation

When you run NetWeaver Portal, it provides all key objects of your organization with a role-based secure access to their day-to-day work-related information. All the stakeholders - customers, partners, suppliers and vendors - can access SAP applications, third party applications, desktop applications, documents, databases, and other services.



NetWeaver portal framework contains all the required components and functions on each page that the user can navigate.

- **Top Level Navigation:** To manage the user and system administration tasks and development activities.
- **Detailed Navigation:** System landscape, all added system and Landscape Management, and Service Configuration. Knowledge Management and Universal Work List navigation.
- **Search Field with Tool Area:** To perform a Search in Portal content and advance search options.
- **Dynamic Navigation**
- **Portal Favorites:** You have favorites link to be directly accessed from the home page.
- **Content Area:** Whatever content is selected from the detailed level navigation, that content is displayed in the Content Tool bar.
- **Page Toolbar:** This toolbar is different for each page and varies as per selection and content-area content.

17. SAP NW – Create a System

You can create a new system under NetWeaver portal and also add an Alias of the system.

Step 1: To create a system, you have to login to the portal as an Administrator.


Step 2: In the top level navigation bar, go to System Administration -> System Configuration -> System Landscape, as shown in the following screenshot.



Step 3: Next, go to Portal Content. Right-click Portal Content and select New System as shown in the following screenshot.

Step 4: Select JDBC System, and click Next.

Step 5: Enter the System Name and System ID properties as New System -> Next -> Finish.



18. SAP NW – Enterprise Portal Roles & Group

All the user and roles tasks of Enterprise portal can be performed using **User Management Engine** (UME). UME is integrated to SAP NetWeaver Application Server. In UME, you define UME actions to apply authorizations. UME actions are JAVA permissions to define the user roles and they can be further assigned to Portal roles.

User Management Engine performs user authorization to ensure that users have the correct UME actions assigned to them before providing access to **iViews** and **functions** in Enterprise Portal.

For each portal role, there is UME action defined in the User Management Engine. Following table lists down all the key portal roles and corresponding UME actions.

Key Portal Roles	UME Actions
Delegated User Administrator	UME.Manage_Users UME.Manage_Role_Assignment
Every User Core Role	UME.Manage_My_Profile
Standard User Role	UME.Manage_My_Profile
Super Administrator	UME.AclSuperUser UME.Manage_All
System Admin	UME.System_Admin
User Administrator	UME.Manage_All

Following UME actions are defined only for Enterprise Portal roles:

- UME.AclSuperUser
- UME.Manage_Role_Assignments
- UME.Remote_Producer_Read_Access
- UME.Remote_Producer_Write_Access

Comparison between UME & Portal Roles

In NetWeaver portal, both UME roles and Portal roles can be managed by Portal administrators. UME roles contain JAVA actions; however, portal role contains access to iViews, folders, and systems.


Following table lists the key differences between UME and Portal Roles:

Portal Roles	UME Roles
Used to manage the portal content - iViews, work sets, folders, etc.	UME actions are sets of Java permissions.
This is used to define how the content is grouped together and how it is displayed in the portal. By assigning a portal role, you define which content a user sees in the portal.	This is used to define the authorizations that a user has to run applications on the J2EE engine.
When you assign a portal role to a user or group, they get end-user permission on the role.	This provides access to applications on the J2EE engine.
They are created in the Role editor of Portal Content Studio.	They are created using Identity Management.

Create a Role and Add iViews to Role


Step 1: To create a role, navigate to Content Administration -> Portal Content.

Step 2: Right-click a folder of your choice and select New -> Role.




Step 3: To start with, create a role and name it OBNRole.

Step 4: Next, add all the three iViews to the OBNRole role.



Step 5: Go to User Administration tab -> Roles as shown in the following screenshot.



Step 6: Find the OBNRole created in the previous step and add to it the Administrator user/other user using the Assigned role tab as shown in the following screenshot.



19. SAP NW – Knowledge Management

SAP NetWeaver Knowledge Management (KM) component organizes unstructured information from different data sources into a structured format and makes it accessible to all users. The information from various data sources exist in the form of notepad documents, PPTs, and HTML formats. Information from different sources can be integrated using different functions.

Key Features of SAP Enterprise Knowledge Management

Following are the key features of SAP Knowledge Management capability:

Unified access across multiple document stores

- Unified API for any repository
- Broad set of connectors can be extended by partners
- Integrated into the SAP Enterprise Portal

Full set of content management services

Browsing, Search, Check-In and Check-Out, subscription based to Knowledge articles.

Full set of search & classification services

- Indexing, searching
- Automatic classification
- Text mining

Search in

- Full text
- Attributes

Different search modes

- Exact
- Linguistic: use stem of query term for searching
- Fuzzy search error tolerant
- Wildcard search, using "*" or using "?"
- Phrase search for complex expressions
- Boolean operators
- Highlighting / HTML conversion / links to maintained keywords
- Content snippets

- Federated search (usage of other search engine indices)

Text Mining

- Search for similar documents
- Suggestion of alternative search terms
- Automatic classification of documents into categories

Creating and uploading document to the Knowledge Center

In NetWeaver Knowledge Management, documents can be created and published to Knowledge management folder. These documents can be accessed by all the users and each user can create a document in Portal. It can be published to Knowledge Management folder.

20. SAP NW – KM Administration

Various configuration/administration functions are performed in the respective areas of Knowledge Management in Enterprise Portal.

Initial Configuration

To make KM run, you need to perform basic configuration immediately after the installation process. These activities are mandatory to use Knowledge Management features.


- Install Search and Classification Engine (TREX)
- Template-based Basic Configuration
- Manual Configuration

System Administration

You have to perform various administrative tasks related to Knowledge Management Portal. These tasks can be performed using the Administration tab in Enterprise Portal.

- System Configuration
- Monitoring, Logging, and Tracing

You can find the tools for these tasks under the System Administration tab in the top-level navigation pane of the portal as shown in following screenshot.



Content Administration

Content administration deals with managing different types of Knowledge Management content. Portal content and KM content are managed using Content Administration role of SAP Enterprise Portals.

Types of content in KM -

- **Portal Content:** This includes iViews as mentioned in the previous chapter which is used to access KM functions and other Portal content directory.
- **KM Content:** These objects are managed in the knowledge management repositories.


Add Reports to KM Repository Manager

When you deploy a report within PAR file structure, you need to assign the report to the Repository Manager.

Step 1: Navigate to System Administration -> System Configuration tab in the top-level detailed navigation bar.



Step 2: On the left side, in the detailed navigation bar go to Knowledge Management -> Content Management -> Repository Manager -> Reporting Repository.



Step 3: Next is to select the standard reporting repository manager for editing and add the Simple Report to the active reports list. Once you add the custom report to manager, you have to save the changes.

Edit "reporting"

Object remains locked until you click OK or Cancel

Data Collection Name *

Description

Prefix (must start with /) *

Active ☒

Hide in Root Folder ☐

Active Reports

	Name
<input checked="" type="checkbox"/>	LinkConsistency
<input checked="" type="checkbox"/>	PrincipalConsistency
<input checked="" type="checkbox"/>	ResourceLocks
<input checked="" type="checkbox"/>	ResourceStatistics
<input type="checkbox"/>	SimpleReport
<input checked="" type="checkbox"/>	Statemanagement
<input checked="" type="checkbox"/>	UserResources
<input checked="" type="checkbox"/>	VirusScan

Page 1 / 1

Step 4: Go to the Content Manager Role, you can see that the new report is available for schedule. This report can be run by the Content Manager.

Content Management | Content Administration | User Administration | System Administration

Explorer | Classification | Metadata | Content Exchange | Quick Poll Administration | Forms Builder | **Reports**

Reports

 **Approval Maintenance**

This report searches for documents and folders that are subject to an approval process. For example, you can find all documents that are to be released, find all folders with empty approver lists or steps, or search for folders involving specific approvers and optionally replace those by other users.

[Start](#) | [Schedule](#) | [More](#)

 **Link Consistency**

This report checks the links in KM repositories and determines whether the link targets are valid resources. You can choose to have the report delete broken links as they are found.

[Start](#) | [Schedule](#) | [More](#)

 **Resource Statistics**

This report calculates statistic information on the content of KM repositories. You can specify various selection parameters to restrict the statistics to, for example, items related to particular users, items that were changed within a

 **Simple Report**

This report finds empty folders in a repository

[Start](#) | [Schedule](#) | [More](#)

21. SAP NW – Developer Studio

NetWeaver Developer Studio is SAP Eclipse-based environment to develop Java business applications. Using Developer Studio, you can develop applications based on different programming models – Web Dynpro and Java EE.

The latest release of Developer Studio comes with NetWeaver Composite Environment 7.1. Following are the key capabilities of NetWeaver Developer Studio:


- You can deliver a robust, fully-integrated development environment, matched in particular for extensive Java projects and for large teams of developers. Using Developer Studio provides a highly productive environment, which covers the whole life cycle for Java projects.
- With the help of Developer Studio, it reduces the complexity of solutions and increases the reusability by providing close support for **SAPu2019s** development component model.
- With highly flexible development process, you can use Developer Studio to be used as a local development environment. You can build and edit all sources offline, deployed and tested on a locally installed server.
- Developer Studio provides a complete set of development tools for all aspects of Java business development - user interfaces, e-business logic, and Java persistence.
- Developer Studio provides wizards and a variety of graphical editing tools that enhance the productivity and reduce the development cost.

Create a Web Project in Developer Studio

Step 1: To create a project in NetWeaver Developer Studio, open the Developer Studio.

Step 2: To open JAVA Perspective, go to Windows -> Open Perspective -> Other -> Java EE.

Step 3: Select File -> New -> Project and this will open the New Project window. Select the project type.



Step 4: Once you click Next, you have to enter the Project name and select the Target runtime and Configurations.

Step 5: Click the Finish button.

Dynamic Web Project
Create a standalone Dynamic Web project or add it to a new or existing Enterprise Application.

Project name:

Project contents:
☒ Use default
Directory:


Target Runtime

Configurations

A good starting for working with SAP Libraries runtime. Additional facets can later be installed to add to the project.


EAR Membership
☐ Add project to an EAR
EAR Project Name:

Step 6: When you click Finish, this will open the project in NetWeaver Developer Studio as shown in the following screenshot.



You can perform the following common J2EE application development -

- Create J2EE components application development.
- Collect different components into a single unit that can be deployed on an Application Server like NetWeaver.



22. SAP NW – Web Content

Web Content generated by the business users can be managed using the Web Page composer tool that allows business users to manage most of WCM tasks and creation of portal pages that can combine business applications with user-generated web and static content. Using the Web Page composer, you can blend business applications and user generated content.

Web Page Composer supports the professionals to create interactive portal pages. End users can easily access web content and applications in the portal.


Following are the structural components of Web Page Composer page.

- **Navigation:** WPC areas are integrated into the role-based navigation structure.
- **Favorites:** The end user can save their favorite pages for quicker access.
- **Search:** Search results include contextual information such as the relevant page and role.



Add an Article Using Web Page Composer


Step 1: Navigate to Area Management -> Content Editor -> Article tab -> Content



This opens the Content Editor window.

Step 2: Add the following details to post an article in Enterprise Portal -

- Title of the Content
- Author
- Select Image
- Abstract
- Headers
- Paragraphs




Step 3: To save and publish this article, click the save button.

Step 4: To view this article, go to Article tab and click the Refresh button.

Step 5: Go to Page content on the right side and mention how you want to publish this content on Enterprise Portal. Following are the available options -

- Article
- Banner
- Link List
- Paragraph
- RSS Link List
- Teaser
- URL View

Step 6: To preview the published content, go to Article Editor -> Preview button at the top.



23. SAP NW – Process Integration Options


SAP Process Integration (SAP PI) is a part of the SAP NetWeaver platform. It is called **SAP NetWeaver Exchange Infrastructure XI** in NetWeaver 7.0 ehp2 and older versions. SAP NetWeaver Process Integration is a part of the NetWeaver software component and is used for exchange of information in the organization's internal system or with external parties.

SAP PI/XI enables you to set up a cross-system communication and integration, and allows you to connect SAP and non-SAP systems based on different programming languages, like Java and SAP ABAP. It provides an open source environment that is necessary in complex system landscape for the integration of systems and for communication.

SAP Process Integration is a middleware to allow seamless integration between SAP and non-SAP application in an organization or with systems outside the organization.

Why Do We Need SAP PI?

In an organization, SAP ERP doesn't contain a single system but consists of a number of integrated systems, like SAP CRM, FICO, EWM, etc. SAP PI provides a platform as a single point of integration for all systems without touching the complex legacy system for all data and information exchange.



Following are the key capabilities provided by SAP Process Integration:

Connectivity


Using SAP PI, you can connect different applications and systems that have different technical ways of communication. SAP PI provides you with a variety of adapters that allow you to connect applications based on different protocols like HTTPS or Remote Function Call (RFC).

Routing

Routing defines the rules for flow of messages between the different systems at runtime.

Mapping

SAP PI is used to connect different applications or systems in a distributed environment that can be set up between different organization. Hence, there is a possibility that the structure of data exchange between two components differs from each other.



SAP NetWeaver PI Installation Options

When you run a scenario in SAP PI, the communication and processing capabilities depend on runtime engines that are installed with the installation of SAP PI. You can install one or more runtime engines on a host system. SAP PI provides the following two installation options –

Type 1 - Dual Usage Type

This installation is based on ABAP and Java and provides tools for designing and configuring integration content as well as the following runtime engines –

- Integration Engine
- Business Process Engine
- Advanced Adapter Engine

Type 2 - Advanced Adapter Engine Extended (AEX)


This installation is based on Java and provides tools for designing and configuring integration content and contains AEX as runtime engine.

SAP NetWeaver PI Architecture

SAP PI architecture consists of multiple components which are used at design time, configuration time, and runtime. In SAP PI, the sender system is known as the source and the receiver is called the target system. The architecture is known as Hub and Spoke structure. The Spoke is used to connect with external systems, while the Hub is used to exchange messages.

A SAP PI system is divided into the following components –

- Integration Server
- Integration Builder
- System Landscape Directory (SLD)
- Configuration and Monitoring



24. SAP NW – Gateway

SAP NetWeaver Gateway is used to set up a connection between SAP business suite, target clients, platforms, and framework. It offers development and generation tools to create OData services with different client development tools.

SAP NetWeaver gateway provides an easier way for the consumption on business logic and the content for SAP back-end system on web applications. It also reduces the complexity to access SAP data and provides easy interfaces to decrease the development time.

SAP NetWeaver Gateway: Capabilities and Key Benefits

- SAP NetWeaver Gateway is a technology that provides a simple way to connect devices, environments, and platforms to SAP software based on market standards.
- Non-disruptive, any SAP business suite.
- Easy to develop simple APIs and does not require any tool knowledge.
- Based on REST, ATOM/OData. It allows connectivity to SAP applications using any programming language or model, without the need for SAP knowledge, by leveraging REST services and OData/ATOM protocols.
- It provides plug-ins for well-known IDEs such as Eclipse, Visual Studio 2010 and XCode.

Gateway Installation / Deployment Options

There are two different deployment options available to deploy SAP NetWeaver -

Central Hub Deployment of SAP NetWeaver Gateway

In this option, Gateway server functionalities are used on one dedicated server, the hub system. As against the first option, service deployment takes place on the Hub system.

This option is used if either no development must be performed on the back-end system or in case of releases prior to 7.40. or if it is not allowed to deploy the Add-On IW_BEP in the back-end. In this case, the developer is limited to the interfaces that are accessible via RFC in the back-end.

Development takes place in Gateway hub system and Business suite back-end systems are not touched. IW_BEP or SAP_GWFND runs in Gateway hub system and nothing is touched in SAP Business suite.

Advantages

- This option has the advantage that it does not require the installation of Gateway Add-Ons in the back-end system.

Disadvantages

- There is no direct access to metadata (DDIC) and business data. Therefore, the reuse of data is limited.
- GENIL objects cannot be used remotely.
- In this configuration, access is limited to remote enabled interfaces, like RFC modules, BAPIs, etc.

Embedded Deployment

In Embedded deployment architecture, development takes place in SAP Business suite back-end system. The Gateway system is also installed in the same system. Services are registered as well as published in the SAP Business Suite back-end system.

IW_BEP or SAP_GWFND runs in the same system in which SAP Business suite is installed.

Advantages:

- It requires less run time as one remote call is reduced.

Disadvantages:

- The system should not be used as a hub for additional back-end systems.
- In case of multiple SAP Business Suite systems, the Gateway has to be configured multiple times.
- This configuration is recommended only for sandbox purposes.

25. SAP NW – Security

In a distributed environment, you use Internet for managing business data and security is one of the critical requirements in any system. There should not be any unauthorized access and user errors, also configuration access should not result in any loss of information.

SAP NetWeaver security includes the following points:

- Technical System Landscape/Architecture (previously covered)
- User Administration and Authentication
- Network and Transport Layer Security


User Administration

There are various user management tools that you can use in SAP NetWeaver. These tools are inbuilt to SAP system and can be called from transactions.


Using these tools, you can manage the application platform for Java and ABAP.

Managing Users in ABAP Engine

Step 1: Manage users in the SAP system using **T-Code: SU01**. You can use this to manage users in the ABAP system.



Step 2: Enter the username you want to create and click the create icon as shown in the following screenshot.



Step 3: You will be directed to the next tab - the Address tab. Here, you need to enter the details like the first name, the last name, phone number, email id, etc.

Maintain Users

User: DEMO1
 Changed By: HUETT | 02.07.2012 | 16:38:46 | Status: Saved

Address | Logon Data | SNC | Defaults | Parameters | Roles | Profiles | Groups

Person

Title: Mr.
 Last name: DEMO1
 First name:
 Academic Title:
 Complete name: DEMO1
 Language:

Work Center

Function:
 Department: ABC
 Room Number: | Floor: | Building code: |

Communication

Telephone: 999999 | Extension: |
 Mobile Phone: |
 Fax: | Extension: |
 E-Mail Address: |

You will further be directed to the next tab - Logon Data as shown in the following screenshot.

Step 4: Enter the user type under Logon data tab. We have five different user types.

Maintain Users

User: DEMO1
 Changed By: HUETT | 02.07.2012 | 16:38:46 | Status: Revised

Address | Logon Data | SNC | Defaults | Parameters | Roles | Profiles | Groups

Alias:
 User Type: Dialog
 Security Policy:
 Password:
 New Password Rule:
 New Password: *****
 Repeat Password: *****
 Password Status: Productive Password

User Group for Authorization Check
 User group: DEMO | User for Demo Systems

Validity Period
 Valid from: |
 Valid through: |

Following are the different user types –

- **Dialog user** – This user is used for interactive system access from GUI.
- **System user** – This user is used for background processing, communication within a system.
- **Communication user** – This user is used for external RFC calls.
- **Service user** – This user is created for a larger and anonymous group of users.
- **Reference user** – It is not possible to log on to the system with this user type. User type for general, non-person related users that allows the assignment of additional authorizations.

Step 5: Type the first Login Password -> New Password -> Repeat Password.


You will be directed to the next tab – Roles.

Step 6: Assign the roles to the user.

Status	Role	T	Start Date	End Date	Role name	Indic
	/OCUST/WELCOME_NWBC30		11.02.2010	31.12.9999	Welcome to NWBC	

You will further be directed to the next tab – Profiles.

Step 7: Assign the Profiles to the users.



Step 8: Click the Save icon to receive confirmation.

Lock/Unlock a User

In SAP system, an administrator can also lock or unlock a user as per the requirement. This can be performed for a specific time period or permanently. A user can be locked/unlocked in the following two ways –

- Manually/Forcefully
- Automatically (After number of failed login attempts)


Manually or Forcefully

You can lock a user forcefully/automatically using these transaction codes –

- Transaction code — **SU01** for **single user**
- Transaction code — **SU10** for **multiple users**

Step 1: Execute transaction code — SU01


Step 2: Select the user you want to lock/unlock and click the icon as shown in the following screenshot.



26. SAP NW – PFCG Roles


You can use this transaction (**Transaction – PFCG**) to manage roles in the ABAP system and to provide user authorization. You can create new roles, copy existing roles, define single and composite roles, etc.

Step 1: In the following screenshot, enter the role name and click the Single/Composite role.




The screenshot shows the SAP Role Maintenance transaction. The title bar is 'Role Maintenance'. Below the title bar, there are icons for creating, deleting, and copying roles, and a 'Transactions' button. The 'Role' field contains the text 'TEST', and the 'Name' field is empty. To the right of the 'Role' field, there are buttons for 'Single Role' and 'Comp. Role'. Below these fields, there are icons for 'Views', a filter, and a 'Show Documentation' button. At the bottom, there are columns for 'Favorites', 'Description', and 'Target'.

Step 2: To copy an existing role, click the Copy Role button. Select the role from the list of the existing roles. You can select Single/Composite Role.



The screenshot shows the SAP Role Maintenance transaction. The title bar is 'Role Maintenance'. Below the title bar, there are icons for creating, deleting, and copying roles, and a 'Transactions' button. The 'Role' field contains the text '/SAPPSRM/BIDDER', and the 'Name' field contains the text 'SAP SRM PPS: Bidder'. To the right of the 'Role' field, there are buttons for 'Single Role' and 'Comp. Role'. Below these fields, there are icons for 'Views', a filter, and a 'Show Documentation' button. At the bottom, there is a 'Query' button. A dialog box titled 'Enter source/target' is open, showing 'from role' and 'to role' both set to '/SAPPSRM/BIDDER'. At the bottom right, there are buttons for 'Copy all' and 'Copy selective'.

Step 3: To change a role, select the role from the list and click the Change button as shown in the following screenshot.



Role Maintenance

Transactions


Role: /SAPPSSRM/BIDDER [Change] [Single Role] [Comp. Role]

Name: SAP SRM PPS: Bidder

Views [Show Documentation]

Favorites	Description	Tar

Step 4: When you go to the User tab, you will see the list of users who have applied for this role. You can see their user id, user name, from and to date.



Change Roles

Other role

Role: /SAPPSSRM/BIDDER

Description: SAP SRM PPS: Bidder

Description Menu Authorizations **User** MiniApps Personalization

Selection [User comparison]

User Assignments

User ID	User name	From	to	I...
BID555	555 BIDDER	24.01.2012	31.12.9999	
CHIRU143	chiranjeevi	05.02.2012	31.12.9999	
KUMAR	KUMAR	03.02.2012	31.12.9999	
MSU1	Kam	28.01.2012	31.12.9999	
MSU2	kam	28.01.2012	31.12.9999	
PRAJOSH	Prof. PRAJOSH KHANDHELWAL	22.01.2012	31.12.9999	
SREE1	sreekanth	31.01.2012	31.12.9999	
SRMUSER9	David Director_ST	03.02.2012	31.12.9999	

Step 5: You can also perform a user comparison master record or you can add a direct user to this role.

27. SAP NW – Authentication Methods

To authenticate the user, the ABAP front-end server uses the authentication and Single Sign-On (SSO) mechanisms provided by SAP NetWeaver. Following mechanisms can be used for authentication –

SPNEGO/KERBEROS

SPNEGO is used when a client application wants to authenticate to a remote server, but neither end is sure what authentication protocols the other supports. The pseudo-mechanism uses a protocol to determine what common Generic Security Services Application Program Interface (GSSAPI) mechanisms are available, selects one and then dispatches all further security operations to it. This can help organizations deploy new security mechanisms in a phased manner.

SAP Logon Tickets

SAP Logon Tickets represent user credentials in SAP systems. When enabled, the users can access multiple SAP applications and services through SAP GUI and web browsers without further username and password inputs. SAP Logon Tickets can also be a vehicle for enabling SSO across SAP boundaries. In some cases, logon tickets can be used to authenticate into third party applications such as Microsoft-based web applications.

X.509 Certificates

An X.509 certificate contains information about the identity to which a certificate is issued as well as the identity that issued it. Many of the certificates that people refer to as Secure Sockets Layer (SSL) certificates are in fact X.509 certificates.

28. SAP NW – Communication Security

Secure Network Communications (SNC) integrates SAP NetWeaver Single Sign-On or an external security product with SAP systems. With SNC, you strengthen security by using additional security functions provided by a security product that is not directly available with SAP systems.

SNC protects the data communication paths between the various client and the server components of the SAP system that use the SAP protocols, Remote Function Call (RFC) or Dynamic Information and Action Gateway (DIAG).

There are well-known cryptographic algorithms that have been implemented by the various security products, and with SNC, you can apply these algorithms to your data for increased protection.

Important Features

SNC secures the data communication paths between the various SAP system client and server components. There are well-known cryptographic algorithms that have been implemented by security products supported, and with SNC you can apply these algorithms to your data for increased protection.

With SNC, you receive application-level, end-to-end security. All communication that takes place between two SNC-protected components is secured.

Additional security features like Smart Cards can be used that SAP does not directly provide. You can change the security product at any time without affecting the SAP business applications.

Levels of Protection

You can apply three levels of security protection. They are –

- Authentication only
- Integrity protection
- Privacy protection

Authentication Only

When using authentication only, the system verifies the identity of the communication partners. This is the minimum protection level offered by SNC.

Integrity Protection

When using integrity protection, the system detects any changes or manipulation of the data, which may have occurred between the two ends of a communication.

Privacy Protection

When using privacy protection, the system encrypts the messages being transferred to make eavesdropping useless. Privacy protection also includes integrity protection of the data. This is the maximum level of protection provided by SNC.