← Back to Check details

Run Details

URL
https://energyx.com/black-giant/

Region
US Central

State
succeeded

Device
Mobile

Version
13.5.0

Request Time
about 1 hour ago

Performance	Accessibility	Best Practices	SEO	Agentic Browsing
48	90	100	92	1/2



Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 50–89 90–100



METRICS

Expand view


First Contentful Paint
2.1 s

▲ Largest Contentful Paint
9.5 s

▲ Total Blocking Time
930 ms

Cumulative Layout Shift
0.003

Speed Index
5.3 s



Show audits relevant to: All FCP LCP TBT CLS


INSIGHTS


▲ Improve image delivery — Est savings of 1,409 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP.
Learn more about optimizing image size FCP LCP Unscored

URL	Resource Size	Est Savings
energyx.com 1st Party	1,567.7 KiB	1,409.4 KiB

	URL	Resource Size	Est Savings
 div.bCgwGG_frame > section#wp-11285-001 > div.nFSeia_heroCover > img <img src="https://media.energyx.com/site/energyx/wp-theme/index-v4/images/black-gian…" alt="">	…images/black-giant-drone-2026.jpg (media.energyx.com)	834.0 KiB	737.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		621.8 KiB
	This image file is larger than it needs to be (966x1350) for its displayed dimensions (1024x576). Use responsive images to reduce the image download size.		456.5 KiB
div.H6xwaa_gallery > div.H6xwaa_galleryRail > button > img <img src="https://media.energyx.com/2026/01/August-2024-Teague-JC-1024x768.jpg" alt="" loading="lazy" style="object-fit:contain">	…01/August-20….jpg (media.energyx.com)	145.7 KiB	136.9 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		17.7 KiB
	This image file is larger than it needs to be (1024x768) for its displayed dimensions (268x201). Use responsive images to reduce the image download size.		135.7 KiB
div.H6xwaa_gallery > div.H6xwaa_galleryRail > button > img <img src="https://media.energyx.com/2026/01/Aug-2023-2-768x1024.jpg" alt="" loading="lazy" style="object-fit:contain">	…01/Aug-2023-2-768x1024.jpg (media.energyx.com)	126.5 KiB	121.6 KiB
	This image file is larger than it needs to be (768x1024) for its displayed dimensions		121.6 KiB

	URL	Resource Size	Est Savings
	(151x201). Use responsive images to reduce the image download size.		
div.H6xwaa_gallery > div.H6xwaa_galleryRail > button > img <img src="https://media.energyx.com/2026/01/August-2024-1024x768.jpg" alt="" loading="lazy" style="object-fit:contain">	...01/August-2024-1024x768.jpg (media.energyx.com)	128.9 KiB	120.1 KiB
	This image file is larger than it needs to be (1024x768) for its displayed dimensions (268x201). Use responsive images to reduce the image download size.		120.1 KiB
 div.H6xwaa_gallery > div.H6xwaa_galleryRail > button > img <img src="https://media.energyx.com/2026/01/Aug-2023.jpg" alt="" loading="lazy" style="object-fit:contain">	...01/Aug-2023.jpg (media.energyx.com)	107.4 KiB	98.6 KiB
	Using a modern image format (WebP, AVIF) or increasing the image compression could improve this image's download size.		22.3 KiB
	This image file is larger than it needs to be (838x624) for its displayed dimensions (270x201). Use responsive images to reduce the image download size.		96.3 KiB
div.H6xwaa_gallery > div.H6xwaa_galleryRail > button > img <img src="https://media.energyx.com/2026/01/Nov.-2024-1024x538.jpg" alt="" loading="lazy" style="object-fit:contain">	...01/Nov.-2024-1024x538.jpg (media.energyx.com)	80.9 KiB	72.9 KiB

	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (1024x538) for its displayed dimensions (321x169). Use responsive images to reduce the image download size.		72.9 KiB
 div.H6xwaa_galleryRail > button > img `<img src="https://media.energyx.com/2026/01/June-2023.jpg" alt="" loading="lazy" style="object-fit:contain">`	…01/June-2023.jpg (media.energyx.com)	79.4 KiB	70.6 KiB
	This image file is larger than it needs to be (800x600) for its displayed dimensions (268x201). Use responsive images to reduce the image download size.		70.5 KiB
 div.[&_a:not([data-cta])]:text-brand-burgundy > figure.my-8 > div.relative > img.h-auto `<img alt="" loading="lazy" width="1024" height="683" decoding="async" data-nimg="1" class="h-auto w-full object-cover" style="color:transparent" sizes="(min-width: 1440px) 1180px, 100vw" srcset="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…" src="https://media.energyx.com/cdn-cgi/image/width=938,quality=75,format=auto/h…">`	…05/black_g_map_vxx-788x1024.webp (media.energyx.com)	65.0 KiB	50.6 KiB
	This image file is larger than it needs to be (788x1024) for its displayed dimensions (371x482). Use responsive images to reduce the image download size.		50.6 KiB

▲ Render-blocking requests — Est savings of 560 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP Unscored

URL	Transfer Size	Duration
energyx.com 1st Party	**103.9 KiB**	**630 ms**
...chunks/3njmzronmy-a5.css?dpl=f7c6e81... (energyx.com)	1.5 KiB	
...chunks/11g_z1ho6l2t8.css?dpl=f7c6e81... (energyx.com)	27.1 KiB	160 ms
...chunks/0x7c51wmtsu--.css?dpl=f7c6e81... (energyx.com)	13.5 KiB	
...chunks/30xecveomj8rw.css?dpl=f7c6e81... (energyx.com)	22.2 KiB	160 ms
...chunks/26uj4gsbc2_su.css?dpl=f7c6e81... (energyx.com)	0.8 KiB	
...chunks/1b4y8vnr4htwb.css?dpl=f7c6e81... (energyx.com)	18.4 KiB	
...chunks/2t1jq01eo8l_d.css?dpl=f7c6e81... (energyx.com)	20.3 KiB	310 ms

▲ Legacy JavaScript — Est savings of 14 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP Unscored

URL		Wasted bytes
energyx.com 1st Party		**13.8 KiB**
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)		13.8 KiB
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217851 (energyx.com)	`Array.prototype.at`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217239 (energyx.com)	`Array.prototype.flat`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217352 (energyx.com)	`Array.prototype.flatMap`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217728 (energyx.com)	`Object.fromEntries`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217986 (energyx.com)	`Object.hasOwn`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:216981 (energyx.com)	`String.prototype.trimEnd`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:216896 (energyx.com)	`String.prototype.trimStart`	

LCP request discovery

[Optimize LCP] by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

fetchpriority=high should be applied to the image preload request

Request is discoverable in initial document

LCP resources should not use loading=lazy







div.bCgwGG_frame > section#wp-11285-001 > div.nFSeia_heroCover > img


```
<img src="https://media.energyx.com/site/energyx/wp-theme/index-v4/images/black-gian…" alt="">
```

Network dependency tree

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts], such as elements being added, removed, or their fonts changing as the page loads. CLS Unscored

Element	Layout shift score
Total	0.003
 52,500	0.001
 9	0.000
 52,500	0.000
 52,500	0.000

Element	Layout shift score
 52,500	0.000

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page responsiveness. A large DOM will also increase memory usage. Learn how to avoid an excessive DOM size. Unscored

Statistic	Element	Value
Total elements		1,385
DOM depth	div.Kv-eda_rotatedPlan > div.Kv-eda_floorplan > div.relative > img.h-auto <img alt="" loading="lazy" width="1024" height="683" decoding="async" data-nimg="1" class="h-auto w-full object-cover" style="color:transparent" sizes="(min-width: 1440px) 1180px, 100vw" srcset="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…" src="">	22
Most children	Tesla needs 62.6 kilograms of lithium. That means you need 876.5kgs of lithium … <ol class="x9sgYG_footerRefs">	18

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Subpart	Duration
Time to first byte	120 ms
Resource load delay	30 ms
Resource load duration	680 ms
Element render delay	1,540 ms



div.bCgwGG_frame > section#wp-11285-001 > div.nFSeia_heroCover > img
<img src="https://media.energyx.com/site/energyx/wp-theme/index-v4/images/black-gian…" alt="">

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

▲ Reduce JavaScript execution time — 2.6 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
energyx.com 1st Party	**3,603 ms**	**1,959 ms**	**384 ms**
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	2,299 ms	1,930 ms	86 ms
/black-giant/ (energyx.com)	1,225 ms	19 ms	297 ms
...chunks/0nvz9ue_iwymp.js?dpl=f7c6e81... (energyx.com)	78 ms	10 ms	2 ms
Unattributable	**1,779 ms**	**259 ms**	**0 ms**
`Unattributable`	1,779 ms	259 ms	0 ms

▲ Minimize main-thread work — 5.6 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Category	Time Spent
Script Evaluation	2,247 ms
Other	1,848 ms
Style & Layout	501 ms
Script Parsing & Compilation	467 ms
Parse HTML & CSS	331 ms
Rendering	160 ms
Garbage Collection	12 ms

▲ Reduce unused CSS — Est savings of 67 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP Unscored

URL	Transfer Size	Est Savings
energyx.com 1st Party	**73.3 KiB**	**66.8 KiB**
...chunks/2t1jq01eo8l_d.css?dpl=f7c6e81... (energyx.com)	20.0 KiB	18.8 KiB
...chunks/30xecveomj8rw.css?dpl=f7c6e81... (energyx.com)	22.0 KiB	18.8 KiB
...chunks/1b4y8vnr4htwb.css?dpl=f7c6e81... (energyx.com)	18.1 KiB	17.1 KiB
...chunks/0x7c51wmtsu--.css?dpl=f7c6e81... (energyx.com)	13.2 KiB	12.1 KiB

▲ Reduce unused JavaScript — Est savings of 100 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP Unscored

URL	Transfer Size	Est Savings
energyx.com 1st Party	**183.5 KiB**	**100.0 KiB**
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	114.5 KiB	46.7 KiB
...chunks/2vxkhsvjkoojt.js?dpl=f7c6e81... (energyx.com)	32.9 KiB	32.7 KiB
...chunks/05mhzvzfm0so2.js?dpl=f7c6e81... (energyx.com)	36.1 KiB	20.5 KiB

Avoid enormous network payloads — Total size was 49,000 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

URL	Transfer Size
energyx.com 1st Party	**48,257.2 KiB**
...06/PBG60secVideo1.mp4 (media.energyx.com)	39,964.4 KiB
...06/Energy-X-Final_V1.mp4 (media.energyx.com)	6,663.7 KiB
...images/black-giant-drone-2026.jpg (media.energyx.com)	835.2 KiB
...01/August-20....jpg (media.energyx.com)	146.2 KiB
...01/August-2024-1024x768.jpg (media.energyx.com)	129.4 KiB
...01/Aug-2023-2-768x1024.jpg (media.energyx.com)	127.0 KiB
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	114.8 KiB

URL	Transfer Size
...01/Aug-2023.jpg (media.energyx.com)	107.9 KiB
...media/ProximaNo....p.2-qkpf4vi-ow_.woff?dpl=f7c6e81... (energyx.com)	87.2 KiB
...01/Nov.-2024-1024x538.jpg (media.energyx.com)	81.4 KiB

Avoid long main-thread tasks — 11 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. Learn how to avoid long main-thread tasks TBT Unscored

URL	Start Time	Duration
energyx.com 1st Party		**1,699 ms**
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	7,365 ms	519 ms
/black-giant/ (energyx.com)	1,471 ms	351 ms
/black-giant/ (energyx.com)	1,958 ms	197 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	7,927 ms	182 ms
/black-giant/ (energyx.com)	1,294 ms	177 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	7,246 ms	119 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	8,129 ms	81 ms
/black-giant/ (energyx.com)	2,407 ms	73 ms
Unattributable		**463 ms**
Unattributable	2,155 ms	245 ms
Unattributable	1,837 ms	121 ms
Unattributable	1,151 ms	97 ms

User Timing marks and measures — 1 user timing

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

Name	Type	Start Time	Duration
sentry-tracing-init	Mark	623.06 ms	

More information about the performance of your application. These numbers don't directly affect the Performance score.

PASSED AUDITS (13) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

CONTRAST

▲ Background and foreground colors do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient color contrast.

Failing Elements

Lowest
`<span>`

Lowest CapEX & OpEX Industry-Leading Efficiency Unmatched Cost Efficiency Ac...
`<article>`

3rd
`<span>`

3rd Party Verified Trusted Data Integrity Independent validation of resource...
`<article>`

Q2 2024
`<span class="H6xwaa_journeyDate">`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

DRILLING COMMENCES
`<span>`

Failing Elements

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

14-hole Phase 1 Drilling Program is complete, and are now underway with Phase 2...
`<span>`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

Q4 2024
`<span class="H6xwaa_journeyDate">`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

54,000-SQUARE-FOOT FACILITY
`<span>`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

Crews from the U.S.traveling regularly to support operations. EnergyX has fully...
`<span>`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

Q1 2025
`<span class="H6xwaa_journeyDate">`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

WORLEY COMPLETES PFS
`<span>`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

EnergyX brings on Worley (Tier 1 EPC) to complete design and engineering PFS fo...
`<span>`

PROJECT BLACK GIANT™ Antofagasta, Chile 52,500 TPA LCE PROJECT SIZE 99.9% ...
`<div class="nFSeia_page" data-project="black-giant" data-imported-project="true">`

▲ Links rely on color to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.

Failing Elements

lithium extraction company
`<a target="_self" class="x9sgYG_footerBlurbLink" href="https://energyx.com/">`

Failing Elements

Energy Exploration Technologies is a lithium extraction company on a mission to...
`<p class="x9sgYG_footerBlurb">`

here
`<a href="https://energyx.docsend.com/view/qi436qnghtzwmae6" target="_blank" rel="noopener noreferrer" class="x9sgYG_footerFineLink">`

*Estimates are based on the Preliminary Feasibility Study (PFS) conducted for E...
`<p class="x9sgYG_footerFineNote">`


These are opportunities to improve the legibility of your content.

NAMES AND LABELS

Links do not have a discernible name

Link text (and alternate text for images, when used as links) that is discernible, unique, and focusable improves the navigation experience for screen reader users. Learn how to make links accessible.

Failing Elements



div.nFSeia_block > div.[&_a:not([data-cta])]:text-brand-burgundy > figure.my-8 > a.block
`<a href="https://energyx.docsend.com/view/qi436qnghtzwmae6" target="_blank" rel="noopener noreferrer" class="block">`

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, like a screen reader.

AUDIO AND VIDEO

`<video>` elements contain a `<track>` element with `[kind="captions"]`

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

BEST PRACTICES

Identical links have the same purpose.

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (27) Show

NOT APPLICABLE (31) Show



Best Practices

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (13) Show

NOT APPLICABLE (3) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CONTENT BEST PRACTICES

▲ Links do not have descriptive text — 1 link found

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Link destination	Link Text
/view/qi436qnghtzwmae6 (energyx.docsend.com)	here

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9) Show

1/2

Agentic Browsing

These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

These audits highlight best practices for improving the accessibility of the website for AI agents.

PASSED AUDITS (1) Show

NOT APPLICABLE (5) Show

Captured at Nov 10, 2026, 8:25 AM CST	Emulated Moto G Power with Lighthouse 13.5.0	Single page session
Initial page load	Slow 4G throttling	Using HeadlessChromium 151.0.0.0 with Lighthouse Metrics

Generated by **Lighthouse** 13.5.0 | File an issue