← Back to Check details

Run Details

URL
https://energyx.com/

Region
US West

State
succeeded

Device
Mobile

Version
13.5.0

Request Time
about 1 hour ago

Performance	Accessibility	Best Practices	SEO	Agentic Browsing
38	93	77	92	2/2



Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 50–89 90–100



METRICS

Expand view


First Contentful Paint
1.7 s

▲ Largest Contentful Paint
7.9 s

▲ Total Blocking Time
2,920 ms

Cumulative Layout Shift
0.002

▲ Speed Index
7.5 s



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

▲ Render-blocking requests — Est savings of 260 ms

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. FCP LCP Unscored

energyx.com 1st Party	**90.3 KiB**	**600 ms**
...chunks/2t1jq01eo8l_d.css?dpl=f7c6e81... (energyx.com)	20.3 KiB	300 ms

URL	Transfer Size	Duration
...chunks/[illegible] (energyx.com)	[illegible]	[illegible]
...chunks/26uj4gsbc2_su.css?dpl=f7c6e81... (energyx.com)	0.8 KiB	
...chunks/1b4y8vnr4htwb.css?dpl=f7c6e81... (energyx.com)	18.3 KiB	

URL	Transfer Size	Duration

Forced reflow

A forced reflow occurs when JavaScript queries geometric properties (such as offsetWidth) after styles have been invalidated by a change to the DOM state. This can result in poor performance. Learn more about forced reflows and possible mitigations. Unscored

Source	Total reflow time

LCP breakdown

Each subpart has specific improvement strategies. Ideally, most of the LCP time should be spent on loading the resources, not within delays. LCP Unscored

Time to first byte	360 ms
Resource load delay	30 ms

Subpart	Duration
Element render delay	2,120 ms

div.bCgwGG_frame > header._3sbVVq_hero > div._3sbVVq_heroFilmWrap > video._3sbVVq_heroFilm

```
<video class="_3sbVVq_heroFilm" style="object-fit:cover" src="https://energyx.box.com/shared/static/m9fic0r1uf37avye9bn3cl2gak36pjoi.mp4" autoplay="" muted="" loop="" playsinline="" preload="auto">
```

LCP request discovery

Optimize LCP by making the LCP image discoverable from the HTML immediately, and avoiding lazy-loading LCP Unscored

fetchpriority=high should be applied

Request is discoverable in initial document

LCP resources should not use loading=lazy

div.bCgwGG_frame > header._3sbVVq_hero > div._3sbVVq_heroFilmWrap > video._3sbVVq_heroFilm

```
<video class="_3sbVVq_heroFilm" style="object-fit:cover" src="https://energyx.box.com/shared/static/m9fic0r1uf37avye9bn3cl2gak36pjoi.mp4" autoplay="" muted="" loop="" playsinline="" preload="auto">
```

Network dependency tree

[Avoid chaining critical requests](#) by reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. LCP Unscored

Maximum critical path latency: **557 ms**

Initial Navigation

- https://energyx.com **- 557 ms,** 54.06 KiB
  - ...chunks/30xecveomj8rw.css?dpl=f7c6e81... (energyx.com) **- 488 ms,** 22.26 KiB
  - ...chunks/26uj4gsbc2_su.css?dpl=f7c6e81... (energyx.com) **- 461 ms,** 0.83 KiB

Preconnected origins

[preconnect](#) hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

no origins were preconnected

Preconnect candidates

Add [preconnect](#) hints to your most important origins, but try to use no more than 4.

No additional origins are good candidates for preconnecting

Use efficient cache lifetimes — Est savings of 131 KiB

A long cache lifetime can speed up repeat visits to your page. [Learn more about caching](#). FCP LCP Unscored

energyx.com 1st Party — **131 KiB**

Request	Cache TTL	Transfer Size
...2026/480942c8-b763-4f32-8d61-bff17f10e1e2.jpg (media.energyx.com)	None	57 KiB
...2026/7df529bb-c2ed-4ae3-8e9e-f721b3fb9dc9.jpg (media.energyx.com)	None	27 KiB

Improve image delivery — Est savings of 283 KiB

Reducing the download time of images can improve the perceived load time of the page and LCP. Learn more about optimizing image size FCP LCP Unscored

energyx.com 1st Party		**368.6 KiB**	**282.6 KiB**
Powder Hound™ render `<img alt="Powder Hound™ render" loading="lazy" decoding="async" data-nimg="fill" style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="(min-width: 900px) 440px, 80vw" srcset="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…" src="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…">`	…images/powder-hound.jpg (media.energyx.com)	64.2 KiB	54.6 KiB
	This image file is larger than it needs to be (800x501) for its displayed dimensions (300x200). Use responsive images to reduce the image download size.		54.6 KiB
Black Giant™ render `<img alt="Black Giant™ render" loading="lazy" decoding="async" data-nimg="fill" style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="(min-width: 900px) 440px, 80vw" srcset="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…" src="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…">`	…images/black-giant-feature.jpg (media.energyx.com)	52.8 KiB	42.6 KiB
	This image file is larger than it needs to be (721x450) for its displayed dimensions (333x188). Use responsive images to reduce the image download size.		42.6 KiB

Teague Egan, Founder and CEO of EnergyX `<img alt="Teague Egan, Founder and CEO of EnergyX" loading="lazy" width="680" height="900" decoding="async" data-nimg="1" style="color:transparent" srcset="https://media.energyx.com/cdn-cgi/image/width=938,quality=75,format=auto/h…" src="https://media.energyx.com/cdn-cgi/image/width=2400,quality=75,format=auto/…">`	…2026/7f331e61-c341-403c-bdd7-82adb7215987.png (media.energyx.com)	45.8 KiB	41.5 KiB
	This image file is larger than it needs to be (1200x1360) for its displayed dimensions (371x420). Use responsive images to reduce the image download size.		41.5 KiB
div.bCgwGG_frame > div > section._3sbVVq_sourceTransition > img._3sbVVq_sourceTransitionImage `<img alt="" loading="lazy" decoding="async" data-nimg="fill" class="_3sbVVq_sourceTransitionImage" style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="100vw" srcset="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…" src="https://media.energyx.com/cdn-cgi/image/width=938,quality=75,format=auto/h…">`	…2026/480942c8-b763-4f32-8d61-bff17f10e1e2.jpg (media.energyx.com)	56.8 KiB	40.9 KiB
	This image file is larger than it needs to be (829x483) for its displayed dimensions (466x240). Use responsive images to reduce the image download size.		40.9 KiB
Battery Mecca render	…images/battery-mecca.jpg (media.energyx.com)	47.3 KiB	40.2 KiB

```
<img alt="Battery Mecca
render" loading="lazy"
decoding="async" data-
nimg="fill"
style="position: absolute;
height: 100%; width: 100%;
inset: 0px;" sizes="(min-
width: 900px) 440px, 80vw"
srcset="https://media.ener
gyx.com/cdn-
cgi/image/width=800,qualit
y=75,format=auto/h…"
src="https://media.energyx
.com/cdn-
```


	URL	Resource Size	Est Savings
	This image file is larger than it needs to be (800x501) for its displayed dimensions (300x200). Use responsive images to reduce the image download size.		40.2 KiB
NUKE-it™: Nuclear render `<img alt="NUKE-it™: Nuclear render" loading="lazy" decoding="async" data-nimg="fill" style="position: absolute; height: 100%; width: 100%; inset: 0px;" sizes="(min-width: 900px) 440px, 80vw" srcset="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…" src="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…">`	…2026/7df529bb-c2ed-4ae3-8e9e-f721b3fb9dc9.jpg (media.energyx.com)	26.4 KiB	22.7 KiB
	This image file is larger than it needs to be (800x500) for its displayed dimensions (300x188). Use responsive images to reduce the image download size.		22.7 KiB
Lonestar™ render `<img alt="Lonestar™ render" loading="lazy" decoding="async" data-nimg="fill" style="position: absolute;`	…images/lonestar.jpg (media.energyx.com)	36.0 KiB	20.9 KiB

	URL	Resource Size	Est Savings
`height: 100%; width: 100%; inset: 0px;" sizes="(min-width: 900px) 440px, 80vw" srcset="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…" src="https://media.energyx.com/cdn-cgi/image/width=800,quality=75,format=auto/h…">`	improve this image's download size. This image file is larger than it needs to be (485x303) for its displayed dimensions (495x188). Use responsive images to reduce the image download size.		13.3 KiB
div > section#lithium > div._3sbVVq_getlitInner > img._3sbVVq_getlitImage `<img alt="" loading="lazy" width="1000" height="800" decoding="async" data-nimg="1" class="_3sbVVq_getlitImage" style="color:transparent" srcset="https://media.energyx.com/cdn-cgi/image/width=1350,quality=75,format=auto/…" src="https://media.energyx.com/cdn-cgi/image/width=2560,quality=75,format=auto/…">`	…12/PX-System_Web_01.png (media.energyx.com)	39.3 KiB	19.2 KiB
	This image file is larger than it needs to be (519x572) for its displayed dimensions (371x409). Use responsive images to reduce the image download size.		19.2 KiB

Legacy JavaScript — Est savings of 14 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling FCP LCP Unscored

energyx.com 1st Party	**13.8 KiB**
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	13.8 KiB
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217851 (energyx.com)	`Array.prototype.at`
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217239 (energyx.com)	`Array.prototype.flat`

URL	Wasted bytes


URL	Resource Size	Est Savings
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:217986 (energyx.com)	`Object.hasOwn`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:216981 (energyx.com)	`String.prototype.trimEnd`	
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81...:49:216896 (energyx.com)	`String.prototype.trimStart`	

Layout shift culprits

Layout shifts occur when elements move absent any user interaction. [Investigate the causes of layout shifts](), such as elements being added, removed, or their fonts changing as the page loads.

CLS Unscored

Total	0.002
2018 `<span>`	0.001
2018 `<span>`	0.000
2018 `<span>`	0.000
+	0.000

Element	Layout shift score
  2018	0.000

Optimize DOM size

A large DOM can increase the duration of style calculations and layout reflows, impacting page

URL	Resource Size	Est Savings

DOM size. Unscored

Total elements		759
DOM depth	53	15

Element	Layout shift score

Statistic	Element	Value
Most children	preserveAspectRatio="xMidYMid meet" role="img" aria-label="Global battery-electric and plug-in hybrid vehicle demand, 2020 to 2035" style="width:100%;height:auto;display:block">	70

3rd parties

3rd party code can significantly impact load performance. Reduce and defer loading of 3rd party code to prioritize your page's content. Unscored

3rd party	Transfer size	Main thread time
boxcloud.com	26,296 KiB	0 ms

These insights are also available in the Chrome DevTools Performance Panel - record a trace to view more detailed information.

DIAGNOSTICS

Minimize main-thread work — 19.1 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work TBT Unscored

Other	10,881 ms
Script Evaluation	6,218 ms
Style & Layout	845 ms
Rendering	472 ms
Script Parsing & Compilation	322 ms

Category	Time Spent
Garbage Collection	84 ms

▲ Reduce JavaScript execution time — 6.4 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

URL	Total CPU Time	Script Evaluation	Script Parse
energyx.com 1st Party	**16,786 ms**	**6,154 ms**	**269 ms**
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	15,094 ms	5,929 ms	229 ms
https://energyx.com	1,376 ms	11 ms	33 ms
Unattributable	2,126 ms	13 ms	0 ms

▲ Reduce unused CSS — Est savings of 54 KiB

Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. FCP LCP Unscored

URL	Transfer Size	Est Savings
energyx.com 1st Party	**60.0 KiB**	**54.0 KiB**
...chunks/30xecveomj8rw.css?dpl=f7c6e81... (energyx.com)	22.0 KiB	20.6 KiB

...chunks/2t1jq01eo8l_d.css?dpl=f7c6e81... (energyx.com)	20.0 KiB	16.0 KiB

URL | Transfer Size | Est Savings

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP LCP Unscored

energyx.com 1st Party	**150.6 KiB**	**65.5 KiB**
URL	Transfer Size	Est Savings
...chunks/05mhzvztm0so2.js?dpl=f7c6e81... (energyx.com)	36.1 KiB	20.7 KiB

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. Learn how to set image dimensions CLS Unscored

energyx.com 1st Party		
GET-Lit™, Powered by EnergyX `<img src="https://media.energyx.com/2026/09/GET-Lit_White.svg#svgView(viewBox(171,28…" alt="GET-Lit™, Powered by EnergyX"`	...09/GET-Lit_White.svg (media.energyx.com)	
	URL	
Black Giant™ `<img src="https://media.energyx.com/2026/09/Black_Giant_black.svg" alt="Black Giant™" class="HnQnYa_sitePanelLogo">`	...09/Black_Giant_black.svg (media.energyx.com)	

Avoid enormous network payloads — Total size was 36,986 KiB

Large network payloads cost users real money and are highly correlated with long load times. Learn how to reduce payload sizes. Unscored

Show 3rd-party resources (1)

boxcloud.com	**30,770.7 KiB**
...b1!TTwFs9jgS... (public.boxcloud.com)	30,770.7 KiB
energyx.com 1st Party	**5,728.0 KiB**
...07/EnergyX-2....mp4 (media.energyx.com)	5,145.5 KiB
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	114.7 KiB
...media/ProximaNo....p.2-qkpf4vi-ow_.woff?dpl=f7c6e81... (energyx.com)	87.2 KiB
...media/ProximaNovaBold-s.p.1xqspv9l1wzko.woff?dpl=f7c6e81... (energyx.com)	77.4 KiB
...media/ProximaNovaBlack-s.p.3bxv8yv9yf-to.woff?dpl=f7c6e81... (energyx.com)	73.8 KiB
...images/powder-hound.jpg (media.energyx.com)	64.7 KiB

URL	Transfer Size
https://energyx.com	54.1 KiB
...images/black-giant-feature.jpg (media.energyx.com)	53.2 KiB

Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay.
Learn how to avoid long main-thread tasks TBT Unscored

energyx.com 1st Party		**4,318 ms**
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	8,923 ms	805 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	7,640 ms	651 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	8,336 ms	302 ms
https://energyx.com	1,471 ms	292 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	8,638 ms	285 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	12,400 ms	270 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	12,077 ms	263 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	14,439 ms	223 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	12,720 ms	217 ms

...chunks/2j37_v_cpr3qo.js?dpl=f7c6e81... (energyx.com)	9,749 ms	211 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	7,430 ms	210 ms
https://energyx.com	1,763 ms	208 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	10,025 ms	173 ms
...chunks/3-wcut0t1edqn.js?dpl=f7c6e81... (energyx.com)	10,227 ms	123 ms

URL	Start Time	Duration
Unattributable		**1,127 ms**
Unattributable	2,258 ms	272 ms
Unattributable	2,630 ms	267 ms
Unattributable	2,003 ms	255 ms
Unattributable	1,238 ms	233 ms
Unattributable	2,530 ms	100 ms

User Timing marks and measures — 1 user timing

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. Learn more about User Timing marks. Unscored

Name	Type	Start Time	Duration

Avoid non-composited animations — 3 animated elements found

Animations which are not composited can be janky and increase CLS. Learn how to avoid non-composited animations CLS Unscored




EnergyX is on a mission to become a worldwide leader in the global transition t...

```
<p class="_3sbVVq_heroLede _3sbVVq_body _3sbVVq_reveal"
style="animation-delay:.22s" data-content-reveal="visible">
```

Target has another animation which is incompatible



POWERING THE FUTURE



More information about the performance of your application. These numbers don't directly affect the Performance score.

Element

PASSED AUDITS (8) Show



Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

CONTRAST

- ▲ Background and foreground colors do not have a sufficient contrast ratio.
- ▲ Links rely on color to be distinguishable.

These are opportunities to improve the legibility of your content.

AUDIO AND VIDEO

- `<video>` elements contain a `<track>` element with `[kind="captions"]`

These are opportunities to provide alternative content for audio and video. This may improve the experience for users with hearing or vision impairments.

BEST PRACTICES

- Identical links have the same purpose.

These items highlight common accessibility best practices.

ADDITIONAL ITEMS TO MANUALLY CHECK (10)

Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (27)

Show

NOT APPLICABLE (32)

Show



Best Practices

GENERAL

- ▲ Uses third-party cookies — 3 cookies found
- ▲ Issues were logged in the `Issues` panel in Chrome Devtools

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate DOM-based XSS with Trusted Types

BROWSER COMPATIBILITY

- Baseline Features

PASSED AUDITS (11) Show

NOT APPLICABLE (3) Show



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CONTENT BEST PRACTICES

- ▲ Links do not have descriptive text — 1 link found

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9) Show

2/2

Agentic Browsing

These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

PASSED AUDITS (2) Show

NOT APPLICABLE (5) Show

Captured at Nov 10, 2026, 8:27 AM CST	Emulated Moto G Power with Lighthouse 13.5.0	Single page session
Initial page load	Slow 4G throttling	Using HeadlessChromium 151.0.0.0 with Lighthouse Metrics

Generated by **Lighthouse** 13.5.0 | File an issue