Applications of Social Network Analysis in Public Health and Security Raj Bhadani

Abstract

Social Network Analysis (SNA) is a powerful tool for understanding complex interactions in diverse fields such as public health and security. This report synthesizes insights from three studies that apply SNA to analyze multisectoral governance in tobacco control, public discourse on mask usage during COVID-19, and terrorist networks in India. Each study demonstrates how SNA can map networks, identify key actors, and inform strategic interventions. The findings highlight the versatility of SNA in addressing real-world challenges by visualizing relationships and optimizing decision-making processes

1. Introduction

Problem Statement

Understanding interactions within networks—whether in public health collaborations, social media discussions, or covert terrorist organizations—is critical for effective policy-making and intervention strategies. Traditional methods often fail to capture the complexity of these relationships, leading to suboptimal outcomes.

Challenges

Public Health: Fragmented governance structures hinder collaboration across sectors.

Social media: Rapidly evolving public sentiment complicates real-time policy responses.

Security: Covert networks require innovative approaches to identify key actors and disrupt operations.

Approaches to Solve the Problem

SNA addresses these challenges by:

- 1. Mapping stakeholder relationships in multisectoral health programs.
- 2. Identifying influential actors and trends in social media discourse.
- 3. Revealing hidden connections in terrorist networks using open-source data.

2. Case Studies

2.1 <u>Tobacco Control Network Survey</u> <u>Data (Mondal et al., 2022)</u>

Dataset: Surveys from 108 stakeholders across health, education, police, and municipal departments at the district level in India.

Data Details: Included information on organizational roles, collaboration frequency, communication ties, and perceptions of network relationships.

Purpose: Used to construct and analyze the multisectoral governance network using SNA metrics like centrality and density.

2.2 <u>Twitter Dataset on Mask Usage</u> During COVID-19 (Ahmed et al., 2020)

Dataset: 452,430 tweets related to "mask" collected during the early phase of COVID-19.

Data Details: A sample of 4,525 tweets analyzed for network structures, hashtag trends, and influencer identification.

Purpose: Helped understand public discourse, sentiment shifts, and amplifiers of health messaging.

2.3 <u>Open-Source Media Report on</u> <u>Terrorist Organizations (Basu, 2005)</u>

Dataset: Media articles and reports on 61 terrorist organizations operating in India.

Data Details: Focused on reported linkages between groups, alliances, and support networks.

Purpose: Facilitated mapping of terrorist network structures and identification of key brokerage actors using SNA.

3. Data Analysis and Results

Study	Key Metric	Impact
Tobacco	Centrality,	Revealed
Control	Density	governance
		gaps; informed
		strategies to
		strengthen
		collaboration.
Twitter	Betweenness	Identified
Mask	Centrality	influencers for
Discourse		targeted public
		health
		campaigns.
Terrorist	Betweenness	Highlighted
Networks	Centrality	ISI's brokerage
		role, guiding
		counterterrorism
		efforts.

Visualizations:

Network graphs showed stakeholder interactions (e.g., DTCC's role in tobacco control).

Hashtag clouds captured dominant themes in Twitter discussions.

4. Conclusion and Future Directions

Summary

SNA provides actionable insights across domains:

- 1. Public Health: Optimizes governance by mapping collaboration networks.
- 2. Crisis Communication: Tracks real-time sentiment and identifies messaging opportunities.
- 3. Security: Enhances intelligence by uncovering covert relationships.

Weaknesses

Data Limitations: Open-source data may lack granularity (e.g., Twitter noise, incomplete terrorist network data).

Dynamic Networks: Static SNA snapshots may miss evolving relationships.

Future Directions

- 1. Hybrid Approaches: Combine SNA with qualitative methods (e.g., interviews) for deeper insights.
- 2. Real-Time Monitoring: Develop adaptive SNA tools for dynamic networks (e.g., live social media analysis).
- 3. Cross-Domain Applications: Extend SNA to climate change adaptation or financial fraud detection.

References

- 1. Mondal et al. (2022). BMJ Global Health.
- 2. Ahmed et al. (2020). International Journal of Environmental Research and Public Health.
- 3. Basu (2005). ResearchGate.