

Answer the following:

1. Explain the use of RESTful APIs in Spring Boot.

Ans-

RESTful APIs are a core feature of Spring Boot, enabling communication between clients and servers in a stateless and resource-oriented manner. They allow developers to build scalable web applications and microservices with ease.

- **Standard HTTP Methods**

RESTful APIs use standard HTTP methods for interaction:

GET: To retrieve data from the server (e.g., fetching user details).

POST: To create new resources (e.g., adding a new user).

PUT: To update existing resources (e.g., modifying user details).

DELETE: To remove resources (e.g., deleting a user).

- **Annotations in Spring Boot**

Spring Boot simplifies the creation of RESTful APIs using annotations:

1. **@RestController:** Marks the class as a RESTful controller, meaning it can handle HTTP requests and responses.

2. **@RequestMapping** or **@GetMapping**, **@PostMapping**, **@PutMapping**, **@DeleteMapping:** Used to map HTTP requests to specific handler methods.

3. **@PathVariable:** Binds URI template variables to method parameters (e.g., for dynamic paths like /user/{id}).

4. **@RequestBody:** Maps the HTTP request body to a method parameter, typically for processing input data in JSON or XML format.

Key Uses:

- **Resource Representation:** RESTful APIs use HTTP methods (GET, POST, PUT, DELETE) to perform CRUD operations on resources, which are often represented as JSON or XML.
- **Stateless Communication:** Each request from a client to a server contains all the information needed to understand and process the request, promoting scalability.
- **Seamless Integration:** Spring Boot provides built-in support for creating RESTful APIs using annotations and features such as `@RestController`, simplifying API development.
- **Customization:** With tools like Spring Security, you can secure APIs and configure them for authentication and authorization.
- **Flexible Content Negotiation:** APIs in Spring Boot can handle multiple data formats (e.g., JSON, XML) using message converters.

Example :

```
@RestController
@RequestMapping("/api/cars")
public class CarController {

    @GetMapping
    public List<Car> getAllCars() {
        // Returns all cars
    }

    @PostMapping
    public Car addCar(@RequestBody Car car) {
        // Adds a new car
    }
}
```

2. What is the use of `@RequestMapping`?

Ans-

The `@RequestMapping` annotation is used to map HTTP requests to handler methods in Spring MVC and Spring Boot applications. It is a versatile annotation that allows for flexible URL patterns and request method mappings.

Key Features:

- **URL Mapping:** Maps specific URLs or URL patterns to a method or class.
- **Method Mapping:** Can be used with HTTP methods (e.g., GET, POST) to define the type of request the method handles.
- **Path Variables:** Supports dynamic parameters in URLs using {} placeholders.
- **Headers and Parameters:** Allows filtering of requests based on headers and query parameters.

Examples:

```
@RestController
```

```
@RequestMapping("/api/users")
```

```
public class UserController {
```

```
    @RequestMapping(value =("/{id}", method = RequestMethod.GET)
```

```
    public User getUserById(@PathVariable("id") Long id) {
```

```
        // Fetch user by ID
```

```
    }
```

```
}
```