PageSpeed Insights

Copy link Docs

Report from 7 Nov 2026, 18:45:10

https://visaapply.org/ Analyse

Showing results for URL: https://www.visaapply.org/
Run with original URL

Discover what your real users are experiencing

No data

Diagnose performance issues

Performance	Accessibility	Best Practices	SEO	Agentic browsing
61	85	96	92	▲ 1/4

61


Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100

PageSpeed Insights

Copy link Docs




METRICS

Expand view

- First Contentful Paint: 3.2 s
- Largest Contentful Paint: 3.2 s
- Total Blocking Time: 1,300 ms
- Cumulative Layout Shift: 0
- Speed Index: 4.5 s

Captured at 7 Nov 2026, 18:45 GMT+5:30
Initial page load
Emulated Moto G Power with Lighthouse 13.6.0
Slow 4G throttling
Single-page session
Using HeadlessChromium 157.0.8103.38 with lr



Show audits relevant to: All FCP LCP TBT

INSIGHTS

Mobile Desktop

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored

PageSpeed Insights Copy link Docs

URL	Transfer size	Duration

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources or deferring the download of unnecessary resources to improve page load LCP Unscored

Maximum critical path latency: **2,538 ms**

Initial Navigation

- https://www.visaapply.org - **90 ms,** 1.98 KiB
  - /assets/index-od1Jr81U.js (www.visaapply.org) - **463 ms,** 952.35 KiB
    - /json/ (ipapi.co) - **2,538 ms,** 1.83 KiB
    - /api/articles (www.visaapply.org) - **2,529 ms,** 2.00 KiB
    - /api/countries (www.visaapply.org) - **2,530 ms,** 1.49 KiB
    - /api/visa-types (www.visaapply.org) - **2,530 ms,** 2.00 KiB
  - /assets/index-BKN0Vp-Z.css (www.visaapply.org) - **243 ms,** 12.99 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

No origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4

No additional origins are good candidates for preconnecting

Use efficient cache lifetimes — Est savings of 41 KiB

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. LCP FCP Unscored

Request	Cache TTL	Transfer size
Google/Doubleclick Ads Ad		**197 KiB**
...js/rum.js?fcd=true (pagead2.googlesyndication.com)	1h	29 KiB

PageSpeed Insights Copy link Docs

emrldco.com		**2 KiB**
/NTk2NjI2.js?t=596626 (emrldco.com)	1h	2 KiB

Legacy JavaScript — Est savings of 8 KiB

Polyfills and transforms enable older browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know that you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling. LCP FCP Unscored

URL	Wasted bytes
emrldco.com	**8.4 KiB**
/chunk.SJM36BpI.js (emrldco.com)	8.4 KiB
/chunk.SJM36BpI.js:2:1228 (emrldco.com) `Object.hasOwn`	

Optimise DOM size

LCP breakdown

Third parties

These insights are also available in the Chrome DevTools performance panel – record a trace to view more detailed information.

DIAGNOSTICS

Reduce JavaScript execution time — 2.0 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

Show 3rd-party resources (3)

URL	Total CPU Time	Script Evaluation	Script Parse
visaapply.org First Party	**2,597 ms**	**1,447 ms**	**203 ms**
/assets/index-od1Jr81U.js (www.visaapply.org)	1,816 ms	1,443 ms	203 ms
https://www.visaapply.org	781 ms	4 ms	1 ms

PageSpeed Insights Copy link Docs

Unattributable	459 ms	43 ms	0 ms
Unattributable	459 ms	43 ms	0 ms
Google FundingChoices Consent-Provider	195 ms	109 ms	25 ms
/i/ca-pub-90...?href=https%3A%2F%2Fwww.visaapply.org&ers=2 (fundingchoicesmessages.google.com)	195 ms	109 ms	25 ms
Google/Doubleclick Ads Ad	154 ms	74 ms	74 ms
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	100 ms	40 ms	54 ms
...js/adsbygoogle.js?client=ca-pub-904... (pagead2.googlesyndication.com)	54 ms	34 ms	20 ms

▲ Minimise main-thread work — 3.8 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimise main-thread work TBT Unscored

Category	Time Spent
Script Evaluation	1,967 ms
Other	524 ms
Garbage Collection	412 ms
Style & Layout	388 ms
Script Parsing & Compilation	340 ms
Rendering	134 ms
Parse HTML & CSS	6 ms

▲ Reduce unused JavaScript — Est savings of 405 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. LCP FCP Unscored

☑ Show 3rd-party resources (4)

PageSpeed Insights Copy link Docs

visaapply.org First Party	**945.3 KiB**	**187.0 KiB**
/assets/index-od1Jr81U.js (www.visaapply.org)	945.3 KiB	187.0 KiB
Google/Doubleclick Ads Ad	**223.5 KiB**	**145.3 KiB**
...m202.../show_ads_impl_fy2021.js (pagead2.googlesyndication.com)	167.7 KiB	119.6 KiB
...js/adsbygoogle.js?client=ca-pub-904... (pagead2.googlesyndication.com)	55.8 KiB	25.7 KiB
Google FundingChoices Consent-Provider	**69.6 KiB**	**36.8 KiB**
/i/ca-pub-90...?href=https%3A%2F%2Fwww.visaapply.org&ers=2 (fundingchoicesmessages.google.com)	69.6 KiB	36.8 KiB
emrldco.com	**64.2 KiB**	**36.4 KiB**
/chunk.SJM36BpI.js (emrldco.com)	64.2 KiB	36.4 KiB

Avoid long main-thread tasks — 12 long tasks found

Lists the longest tasks on the main thread – useful for identifying worst contributors to input delay.
Learn how to avoid long main-thread tasks TBT Unscored

Show 3rd-party resources (2)

URL	Start Time	Duration
visaapply.org First Party		**2,084 ms**
/assets/index-od1Jr81U.js (www.visaapply.org)	9,612 ms	443 ms
/assets/index-od1Jr81U.js (www.visaapply.org)	10,055 ms	335 ms
https://www.visaapply.org	916 ms	286 ms
/assets/index-od1Jr81U.js (www.visaapply.org)	9,356 ms	256 ms
/assets/index-od1Jr81U.js (www.visaapply.org)	10,900 ms	242 ms
/assets/index-od1Jr81U.js (www.visaapply.org)	10,647 ms	239 ms
/assets/index-od1Jr81U.js (www.visaapply.org)	10,415 ms	232 ms
https://www.visaapply.org	1,240 ms	51 ms
Unattributable		**240 ms**
Unattributable	760 ms	156 ms

PageSpeed Insights Copy link Docs

Google FundingChoices Consent-Provider		**97 ms**
/i/ca-pub-90...?href=https%3A%2F%2Fwww.visaapply.org&ers=2 (fundingchoicesmessages.google.com)	5,985 ms	97 ms
Google/Doubleclick Ads Ad		**53 ms**
...js/adsbygoogle.js?client=ca-pub-904... (pagead2.googlesyndication.com)	2,407 ms	53 ms

More information about the performance of your application. These numbers don't directly affect the performance score.

PASSED AUDITS (16) Show

85

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.

NAMES AND LABELS

▲ Buttons do not have an accessible name

When a button doesn't have an accessible name, screen readers announce it as 'button', making it unusable for users who rely on screen readers. Learn how to make buttons more accessible.


PageSpeed Insights Copy link Docs

```
<button class="lg:hidden p-2 text-white hover:bg-white/10 rounded-lg">
```

▲ Select elements do not have associated label elements.

Form elements without effective labels can create frustrating experiences for screen reader users. Learn more about the `select` element.

Failing elements




AF Afghanistan AX Aland Islands AL Albania DZ Algeria AS American Samoa AD Andorra AO …

```
<select class="bg-transparent text-white font-bold focus:outline-none cursor-pointer">
```




IN India (Default) US USA GB UK AE UAE CA Canada AU Australia SG Singapore DE Germany

```
<select id="elig-from" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">
```




🎯 Tourist 💼 Business 💻 Work 🎓 Student 👨‍👩‍👧 Family 🏠 PR

```
<select id="elig-purpose" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">
```




📅 15 Days 📅 30 Days 📅 90 Days 📅 6 Months 📅 1 Year+

```
<select id="elig-duration" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">
```




🟦 Passport Validity 6+ Months 🟥 Less than 6 Months

```
<select id="elig-passport" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">
```



All Visa Types e-Visa Only Visa Free VOA Schengen


```
<select id="filter-visa-type" class="px-3 py-2 rounded-[10px] border border-[#e2e8f0] bg-white text-xs font-sem…">
```



Any Processing Time 1-3 Days 3-5 Days 15 Days 20-30 Days


```
<select id="filter-processing" class="px-3 py-2 rounded-[10px] border border-[#e2e8f0] bg-white text-xs font-sem…">
```

PageSpeed Insights Copy link Docs



Any Hotel Price Under $50/night $50-$100 $100-$150 $150+

```
<select id="filter-hotel" class="px-3 py-2 rounded-[10px] border
border-[#e2e8f0] bg-white text-xs font-sem…">
```



Sort by Visa Count (High to Low) Sort by Hotel Price (Low to High) Sort by Proc...

```
<select id="sort-by" class="px-3 py-2 rounded-[10px] border
border-[#3b82f6] text-xs font-bold bg-[#ef…">
```


These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, such as a screen reader.

CONTRAST

▲ Background and foreground colours do not have a sufficient contrast ratio.


Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient colour contrast.

Failing elements




FROM (PASSPORT / RESIDENCE):

```
<span class="text-[11px] font-extrabold text-slate-500 uppercase
shrink-0">
```




FROM (PASSPORT / RESIDENCE): US United States (US) CA Canada (CA) GB United Kingdo...

```
<div class="w-full md:flex-1 flex items-center gap-2 px-3.5 py-2.5 bg-
slate-100 rounde…">
```



TO (DESTINATION COUNTRY):

```
<span class="text-[11px] font-extrabold text-slate-500 uppercase
shrink-0">
```



TO (DESTINATION COUNTRY): US United States (278 Visas) CA Canada (151 Visas) GB Un...


```
<div class="w-full md:flex-1 flex items-center gap-2 px-3.5 py-2.5 bg-
slate-100 rounde…">
```




View → (278)

```
<button type="button" class="w-full md:w-auto px-6 py-3 bg-
[#10b981] hover:bg-[#059669] text-white font…">
```

PageSpeed Insights Copy link Docs



Check Eligibility Now →
<button type="button" class="mt-4 bg-[#3b82f6] hover:bg-[#2563eb] text-white py-3 px-6 rounded-[10px] f…">



249 COUNTRIES

Verified official requirements, fees, and document checklists
<p class="text-sm text-slate-500 mt-1">

Recently Published Visa Guides Verified official requirements, fees, and docum…
<section class="bg-slate-100 py-16 border-t border-slate-200">

Disclaimer: We are not affiliated with VFS Global, IRCC, USCIS, UKVI, or any go…
<p class="text-xs text-slate-500">

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

14,084+ Visa & Programme Guides across 249 Destination Countries
<li class="text-xs text-slate-500">

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

AdSense Publisher: pub-9048615701580913
<li class="text-xs text-slate-500">

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

© 2026 VisaApply.org. All rights reserved. 14,084+ Visa & Programme Guides acro…
<p>

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

▲ Links rely on colour to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.

```
<a href="mailto:contact@visaapply.org" class="text-blue-400 hover:underline">

  © 2026 VisaApply.org. All rights reserved. 14,084+ Visa & Programme Guides acro...
  <p>
```

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

These items address areas which an automated testing tool cannot cover. Learn more in our guide on conducting an accessibility review.

PASSED AUDITS (25) Show

NOT APPLICABLE (34) Show



Best Practices

GENERAL

▲ Browser errors were logged to the console

Errors logged to the console indicate unresolved problems. They can come from network request failures and other browser concerns. Learn more about this errors in console diagnostic audit

☑ Show 3rd-party resources (3)

PageSpeed Insights Copy link Docs

https://www.visaapply.org:1:0	`Access to fetch at 'https://emrldco.com/entrypoint_config?page_url=https%3A%2F%2Fwww.visaapply.org%2F&t=596626' from origin 'https://www.visaapply.org' has been blocked by CORS policy: No 'Access-Control-Allow-Origin' header is present on the requested resource.`
emrldco.com	
/chunk.SJM36BpI.js:2:36648 (emrldco.com)	`config is not valid`
/entrypoint_config?page_url=...:1:0 (emrldco.com)	`Failed to load resource: net::ERR_FAILED`
ipapi.co	
/json/:1:0 (ipapi.co)	`Failed to load resource: the server responded with a status of 429 (Too Many Requests)`

Missing source maps for large first-party JavaScript

Source maps translate minified code to the original source code. This helps developers to debug in production. In addition, Lighthouse is able to provide further insights. Consider deploying source maps to take advantage of these benefits. Learn more about source maps. Unscored

Show 3rd-party resources (8)

URL	Map URL
visaapply.org First Party	
/assets/index-od1Jr81U.js (www.visaapply.org)	
`Large JavaScript file is missing a source map`	
emrldco.com	
/chunk.SJM36BpI.js (emrldco.com)	/chunk.SJM36BpI.js.map (emrldco.com)
`SyntaxError: Unexpected token '<', "<?xml vers"... is not valid JSON`	
/chunk.D9ognOBW.js (emrldco.com)	/chunk.D9ognOBW.js.map (emrldco.com)
`SyntaxError: Unexpected token '<', "<?xml vers"... is not valid JSON`	
/chunk.D4C-nzj0.js (emrldco.com)	/chunk.D4C-nzj0.js.map (emrldco.com)

PageSpeed Insights Copy link Docs

```
vers"... is not valid JSON
```

/chunk.D2NhztRz.js (emrldco.com) /chunk.D2NhztRz.js.map (emrldco.com)

```
SyntaxError: Unexpected token '<', "<?xml
vers"... is not valid JSON
```

/chunk.BjLIGK6j.js (emrldco.com) /chunk.BjLIGK6j.js.map (emrldco.com)

```
SyntaxError: Unexpected token '<', "<?xml
vers"... is not valid JSON
```

/chunk.B-pA_CRX.js (emrldco.com) /chunk.B-pA_CRX.js.map (emrldco.com)

```
SyntaxError: Unexpected token '<', "<?xml
vers"... is not valid JSON
```

/chunk.9EktYcDO.js (emrldco.com) /chunk.9EktYcDO.js.map (emrldco.com)

```
SyntaxError: Unexpected token '<', "<?xml
vers"... is not valid JSON
```

Google/Doubleclick Ads Ad

/bg/BI4UjJVnS....js (pagead2.googlesyndication.com)

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with trusted types

BROWSER COMPATIBILITY

- Baseline features

PASSED AUDITS (11) Show

PageSpeed Insights Copy link Docs



SEO

These checks ensure that your page is following basic search engine optimisation advice. There are many additional factors that Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search essentials.

CONTENT BEST PRACTICES

▲ Document does not have a valid `rel=canonical`

Points to another `hreflang` location (https://www.visaapply.org/)

Canonical links suggest which URL to show in search results. Learn more about canonical links.

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9) Show

PageSpeed Insights Copy link Docs


These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

Accessibility tree is not well-formed

A well-formed accessibility tree helps AI agents to navigate and interact with the page.

Failed audits

Description	Failing element
Buttons must have discernible text	header.sticky > div.max-w-7xl > div.flex > button.lg:hidden `<button class="lg:hidden p-2 text-white hover:bg-white/10 rounded-lg">`
Select element must have an accessible name	 AF Afghanistan AX Aland Islands AL Albania DZ Algeria AS American Samoa AD Andorra AO ... `<select class="bg-transparent text-white font-bold focus:outline-none cursor-pointer">`

These audits highlight best practices for improving the accessibility of the website for AI agents.

AGENT DISCOVERABILITY

llms.txt does not follow recommendations

If your llms.txt file does not follow recommendations, large language models may not be able to understand how you want your website to be crawled or used for training. The llms.txt file should be a Markdown file containing at least one H1 header. Learn more about the llms.txt audit.

Error
File does not appear to contain any links.

`ai-catalog.json` schema is invalid

PageSpeed Insights Copy link Docs

Element	Issue	Severity
Root	Malformed JSON in manifest: SyntaxError: Unexpected token '<', "<!doctype "... is not valid JSON	Error

These audits validate that websites expose discoverable resources, documentation and catalogues for AI agents.

PASSED AUDITS (1) Show

NOT APPLICABLE (3) Show

More on PageSpeed Insights

What's new

Documentation

Learn about web performance

Ask questions on Stack Overflow

Mailing list

Related content

Updates

Web Fundamentals

Case studies

Podcasts

Connect

Twitter

YouTube

Google for Developers Chrome Firebase All products

Terms and Privacy Policy

For details, see the Google Developers site policies.