PageSpeed Insights

Copy link Docs

Report from 7 Nov 2026, 18:45:10

https://visaapply.org/ Analyse

Showing results for URL: https://www.visaapply.org/
Run with original URL

Discover what your real users are experiencing

No data

Diagnose performance issues

Performance	Accessibility	Best Practices	SEO	Agentic browsing
71	89	96	92	▲ 1/4




Performance

Values are estimated and may vary. The performance score is calculated directly from these metrics. See calculator.

▲ 0–49 ■ 50–89 ● 90–100

PageSpeed Insights

Copy link Docs




METRICS

Expand view

- First Contentful Paint: 0.6 s
- Largest Contentful Paint: 0.6 s
- Total Blocking Time: 900 ms
- Cumulative Layout Shift: 0.006
- Speed Index: 1.4 s

Captured at 7 Nov 2026, 18:45 GMT+5:30
Initial page load
Emulated desktop with Lighthouse 13.6.0
Custom throttling
Single-page session
Using HeadlessChromium 157.0.8103.38 with lr



Show audits relevant to: All FCP LCP TBT CLS

INSIGHTS

Network dependency tree

Avoid chaining critical requests by reducing the length of chains, reducing the download size of resources or deferring the download of unnecessary resources to improve page load LCP

Unscored

Maximum critical path latency: **446 ms**

PageSpeed Insights Copy link Docs

/assets/index-BKN0Vp-Z.css (www.visaapply.org) - **142 ms,** 12.99 KiB

Preconnected origins

preconnect hints help the browser establish a connection earlier in the page load, saving time when the first request for that origin is made. The following are the origins that the page preconnected to.

No origins were preconnected

Preconnect candidates

Add preconnect hints to your most important origins, but try to use no more than 4

No additional origins are good candidates for preconnecting

Use efficient cache lifetimes — Est savings of 20 KiB

A long cache lifetime can speed up repeat visits to your page. Learn more about caching. LCP FCP Unscored

Google/Doubleclick Ads Ad		**170 KiB**
...m202.../show_ads_impl_fy2021.js?bust=122... (pagead2.googlesyndication.com)	14d	169 KiB
...js/google_top_exp.js?fcd=true (pagead2.googlesyndication.com)	14d	1 KiB
emrldco.com		**2 KiB**
/NTk2NjI2.js?t=596626 (emrldco.com)	1h	2 KiB

Request	Cache TTL	Transfer size

Render-blocking requests

Requests are blocking the page's initial render, which may delay LCP. Deferring or inlining can move these network requests out of the critical path. LCP FCP Unscored

URL	Transfer size	Duration

PageSpeed Insights Copy link Docs

aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know that you must support older browsers. Learn why most sites can deploy ES6+ code without transpiling. LCP FCP Unscored

URL	Wasted bytes
emrldco.com	8.4 KiB
/chunk.SJM36BpI.js (emrldco.com)	8.4 KiB

- Layout shift culprits
- Optimise DOM size
- LCP breakdown
- Third parties

These insights are also available in the Chrome DevTools performance panel – record a trace to view more detailed information.

DIAGNOSTICS

▲ Minimise main-thread work — 2.7 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimise main-thread work TBT Unscored

Category	Time Spent
Script Evaluation	1,415 ms
Other	464 ms
Style & Layout	273 ms
Script Parsing & Compilation	239 ms
Garbage Collection	172 ms
Rendering	135 ms

PageSpeed Insights Copy link Docs

smaller JS payloads helps with this. Learn how to reduce Javascript execution time. TBT Unscored

Show 3rd-party resources (2)

visaapply.org First Party	**1,750 ms**	**940 ms**	**154 ms**
/assets/index-od1Jr81U.js (www.visaapply.org)	1,184 ms	933 ms	153 ms
https://www.visaapply.org	566 ms	7 ms	0 ms
Unattributable	**395 ms**	**46 ms**	**0 ms**
Unattributable	395 ms	46 ms	0 ms
Google FundingChoices Consent-Provider	**126 ms**	**109 ms**	**15 ms**
/i/ca-pub-90...?href=https%3A%2F%2Fwww.visaapply.org&ers=2 (fundingchoicesm	126 ms	109 ms	15 ms

URL	Total CPU Time	Script Evaluation	Script Parse
...m202.../show_ads_impl_fy2021.js?bust=122... (pagead2.googlesyndication.com)	82 ms	46 ms	31 ms

Reduce unused JavaScript — Est savings of 404 KiB

Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. LCP FCP Unscored

Show 3rd-party resources (4)

visaapply.org First Party	**945.3 KiB**	**186.1 KiB**
/assets/index-od1Jr81U.js (www.visaapply.org)	945.3 KiB	186.1 KiB
Google/Doubleclick Ads Ad	**225.0 KiB**	**145.4 KiB**
...m202.../show_ads_impl_fy2021.js?bust=122... (pagead2.googlesyndication.com)	168.5 KiB	118.9 KiB
...js/adsbygoogle.js?client=ca-pub-904... (pagead2.googlesyndication.com)	56.5 KiB	26.5 KiB
Google FundingChoices Consent-Provider	**69.7 KiB**	**36.8 KiB**

PageSpeed Insights Copy link Docs

	size	savings
href=https%3A%2F%2Fwww.visaapply.org&ers=2 (fundingchoicesmessages.google.com)	69.7 KiB	36.8 KiB
emrldco.com	**64.2 KiB**	**36.2 KiB**
/chunk.SJM36BpI.js (emrldco.com)	64.2 KiB	36.2 KiB

Avoid long main-thread tasks — 11 long tasks found

Avoid non-composited animations — 2 animated elements found

More information about the performance of your application. These numbers don't directly affect the performance score.

URL	Transfer size	Est savings

PASSED AUDITS (14) Show

89

Accessibility

These checks highlight opportunities to improve the accessibility of your web app. Automatic detection can only detect a subset of issues and does not guarantee the accessibility of your web app, so manual testing is also encouraged.


NAMES AND LABELS

▲ Select elements do not have associated label elements.


Form elements without effective labels can create frustrating experiences for screen reader users. Learn more about the `select` element.




Andorra AO ...
<select class="bg-transparent text-white font-bold focus:outline-none cursor-pointer">




IN India (Default) US USA GB UK AE UAE CA Canada AU Australia SG Singapore DE Germany
<select id="elig-from" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">




🎯 Tourist 💼 Business 💻 Work 🎓 Student 👨‍👩‍👧 Family 🏠 PR
<select id="elig-purpose" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">




📅 15 Days 📅 30 Days 📅 90 Days 📅 6 Months 📅 1 Year+
<select id="elig-duration" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">




📘 Passport Validity 6+ Months 📕 Less than 6 Months
<select id="elig-passport" class="p-3 rounded-[10px] bg-[#1e293b] text-white border border-[#334155] text-xs…">



All Visa Types e-Visa Only Visa Free VOA Schengen
<select id="filter-visa-type" class="px-3 py-2 rounded-[10px] border border-[#e2e8f0] bg-white text-xs font-sem…">



Any Processing Time 1-3 Days 3-5 Days 15 Days 20-30 Days
<select id="filter-processing" class="px-3 py-2 rounded-[10px] border border-[#e2e8f0] bg-white text-xs font-sem…">



Any Hotel Price Under $50/night $50-$100 $100-$150 $150+
<select id="filter-hotel" class="px-3 py-2 rounded-[10px] border border-[#e2e8f0] bg-white text-xs font-sem…">



Sort by Visa Count (High to Low) Sort by Hotel Price (Low to High) Sort by Proc...

PageSpeed Insights Copy link Docs


border-[#3b82f6] text-xs font-bold bg-[#ef… >

These are opportunities to improve the semantics of the controls in your application. This may enhance the experience for users of assistive technology, such as a screen reader.

CONTRAST


▲ Background and foreground colours do not have a sufficient contrast ratio.

Low-contrast text is difficult or impossible for many users to read. Learn how to provide sufficient colour contrast.



FROM (PASSPORT / RESIDENCE):

```
<span class="text-[11px] font-extrabold text-slate-500 uppercase shrink-0">
```




FROM (PASSPORT / RESIDENCE): us United States (US) ca Canada (CA) gb United Kingdo…

```
<div class="w-full md:flex-1 flex items-center gap-2 px-3.5 py-2.5 bg-slate-100 rounde…">
```




TO (DESTINATION COUNTRY):

```
<span class="text-[11px] font-extrabold text-slate-500 uppercase shrink-0">
```




TO (DESTINATION COUNTRY): us United States (0 Visas) ca Canada (38 Visas) gb Unite…

```
<div class="w-full md:flex-1 flex items-center gap-2 px-3.5 py-2.5 bg-slate-100 rounde…">
```




View → (0)

```
<button type="button" class="w-full md:w-auto px-6 py-3 bg-[#10b981] hover:bg-[#059669] text-white font…">
```



Check Eligibility Now →

```
<button type="button" class="mt-4 bg-[#3b82f6] hover:bg-[#2563eb] text-white py-3 px-6 rounded-[10px] f…">
```



249 COUNTRIES

PageSpeed Insights Copy link Docs

font-bold text-[#64748b] s… ">

Verified official requirements, fees, and document checklists
<p class="text-sm text-slate-500 mt-1">

Recently Published Visa Guides Verified official requirements, fees, and docum…
<section class="bg-slate-100 py-16 border-t border-slate-200">

Disclaimer: We are not affiliated with VFS Global, IRCC, USCIS, UKVI, or any go…
<p class="text-xs text-slate-500">

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

14,084+ Visa & Programme Guides across 249 Destination Countries
<li class="text-xs text-slate-500">

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

AdSense Publisher: pub-9048615701580913
<li class="text-xs text-slate-500">

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

© 2026 VisaApply.org. All rights reserved. 14,084+ Visa & Programme Guides acro…

Failing elements

VisaApply.org VisaApply.org is an independent global visa information portal p…
<footer class="bg-slate-900 text-slate-400 py-12 border-t border-slate-800">

▲ Links rely on colour to be distinguishable.

Low-contrast text is difficult or impossible for many users to read. Link text that is discernible improves the experience for users with low vision. Learn how to make links distinguishable.

contact@visaapply.org
<a href="mailto:contact@visaapply.org" class="text-blue-400 hover:underline">

Failing elements

These are opportunities to improve the legibility of your content.

ADDITIONAL ITEMS TO MANUALLY CHECK (10) Show

PageSpeed Insights Copy link Docs

PASSED AUDITS (26) Show

NOT ... ...w

Failing elements



Best Practices

GENERAL

- Browser errors were logged to the console
- Missing source maps for large first-party JavaScript

TRUST AND SAFETY

- Ensure CSP is effective against XSS attacks
- Use a strong HSTS policy
- Ensure proper origin isolation with COOP
- Mitigate clickjacking with XFO or CSP
- Mitigate DOM-based XSS with trusted types

BROWSER COMPATIBILITY

PageSpeed Insights Copy link Docs

PASSED AUDITS (11) Show

NOT APPLICABLE (2) Show



SEO

These checks ensure that your page is following basic search engine optimisation advice. There are many additional factors that Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search essentials.

CONTENT BEST PRACTICES

▲ Document does not have a valid `rel=canonical`

Points to another `hreflang` location (https://www.visaapply.org/)

Canonical links suggest which URL to show in search results. Learn more about canonical links.

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Show

Run these additional validators on your site to check additional SEO best practices.

PASSED AUDITS (9) Show

PageSpeed Insights

Copy link Docs

Mobile Desktop

Agentic browsing


These checks ensure high-quality, browsable websites for AI agents and validate the correctness of WebMCP integrations. This category is still under development and subject to change.

AGENT ACCESSIBILITY

▲ Accessibility tree is not well-formed

A well-formed accessibility tree helps AI agents to navigate and interact with the page.

Failed audits

Select element must have an accessible name		AF Afghanistan AX Aland Islands AL Albania DZ Algeria AS American Samoa AD Andorra AO ... <select class="bg-transparent
Description	Failing element	
	focus:outline-none cursor-pointer" >	

These audits highlight best practices for improving the accessibility of the website for AI agents.

AGENT DISCOVERABILITY

▲ llms.txt does not follow recommendations

If your llms.txt file does not follow recommendations, large language models may not be able to understand how you want your website to be crawled or used for training. The llms.txt file should be a Markdown file containing at least one H1 header. Learn more about the llms.txt audit.

PageSpeed Insights Copy link Docs

▲ `ai-catalog.json` schema is invalid

Valid `ai-catalog.json` manifests are required for autonomous AI agents and registries to discover and verify your resources. Learn more about the ARD specification.

Element	Issue	Severity
	not valid JSON	

These audits validate that websites expose discoverable resources, documentation and catalogues for AI agents.

PASSED AUDITS (1) Show

NOT APPLICABLE (3) Show