

Tests in 'app.com.mobileassignment.views': 14 total, 2 failed, 12 passed

1 m 7 s

[Collapse](#) | [Expand](#)**app.com.mobileassignment.views.ClickingOnACity**

4.09 s

[ClickOnARandomCityFromTheList](#)

passed

4.09 s

app.com.mobileassignment.views.OtherCharactersCheck

2.48 s

[OtherCharactersShouldntBreakTheApp](#)

passed

2.48 s

app.com.mobileassignment.views.ResultsCountCheck

18.37 s

[SecondSearchResultCountCheck](#)

passed

9.34 s

[FirstSearchResultCountCheck](#)

passed

9.03 s

app.com.mobileassignment.views.SearchResultCaseSensitivityCheck

9.05 s

[SecondContainedLettersCheck](#)

passed

4.44 s

[FirstContainedLettersCheck](#)

passed

4.61 s

app.com.mobileassignment.views.SearchResultChecks

14.04 s

[FirstExactMatchUntilComma](#)

passed

4.72 s

[FirstExactMatchWithComma](#)

failed

4.59 s

androidx.test.espresso.NoMatchingViewException: No views in hierarchy found matching: (with id: app.com.mobileassignment:id/cityName and with text: is "t Hoeksken, BE")

If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following AdapterViews: android.widget.ListView{9bad1f V.ED.VC... ID 0,124-992,124 #7f07001c app:id/citiesList}

View Hierarchy:

```
+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=2160, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0}, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}
```

```
|
+>LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=2028, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@c57fc3b, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
```

```
|
+-->ViewStub{id=16908679, res-name=action_mode_bar_stub, visibility=GONE, width=0, height=0, has-focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=true, is-selected=false, layout-params=android.widget.LinearLayout$LayoutParams@f28f58, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
```

```
|
+-->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1962, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.LinearLayout$LayoutParams@743d196, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=66.0, child-count=1}
```

```
|
+---->ActionBarOverlayLayout{id=2131165219, res-name=decor_content_parent, visibility=VISIBLE, width=1080, height=1962, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@1c02117, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
```

```
|
+---->ContentFrameLayout{id=16908290, res-name=content, visibility=VISIBLE, width=1080, height=1808, has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-params=android.support.v7.widget.ActionBarOverlayLayout$LayoutParams@e1f7eed, tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=154.0, child-count=1}
```

```
|
```

Tests in 'app.com.mobileassignment.views':

14 total, 2 failed, 12 passed

1 m 7 s

[Collapse](#) | [Expand](#)

```

layout-requested=false, has-input-connection=false, x=44.0, y=44.0}
|
+----->LinearLayout{id=2131165252, res-name=results, visibility=VISIBLE, width=992, height=1720, has-focus=false, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.RelativeLayout$LayoutParams@d901c0f, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=44.0, y=44.0, child-count=2}
|
+----->AppCompatEditText{id=2131165258, res-name=search, visibility=VISIBLE, width=992, height=124, has-focus=false, has-
focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-
requested=false, is-selected=false, layout-params=android.widget.LinearLayout$LayoutParams@53c6a2b, tag=null, root-is-
layout-requested=false, has-input-connection=true, editor-info=[inputType=0x1 imeOptions=0x6 privateImeOptions=null
actionLabel=null actionId=0 initialSelStart=0 initialSelEnd=0 initialCapsMode=0x0 hintText=Search label=null packageName=null
fieldId=0 fieldName=null extras=null hintLocales=null contentMimeTypes=null ], x=0.0, y=0.0, text='t Hoeksken, BE, hint=Search,
input-type=1, ime-target=false, has-links=false}
|
+----->ListView{id=2131165212, res-name=citiesList, visibility=VISIBLE, width=992, height=0, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.LinearLayout$LayoutParams@b547e88, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=124.0, child-count=0}
|
+----->ActionBarContainer{id=2131165187, res-name=action_bar_container, visibility=VISIBLE, width=1080, height=154, has-
focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.support.v7.widget.ActionBarOverlayLayout$LayoutParams@f157e07, tag=null, root-is-layout-requested=false,
has-input-connection=false, x=0.0, y=0.0, child-count=2}
|
+----->Toolbar{id=2131165185, res-name=action_bar, visibility=VISIBLE, width=1080, height=154, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@8f6fb34, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
|
+----->TextView{id=-1, visibility=VISIBLE, width=478, height=74, has-focus=false, has-focusable=false, has-window-focus=true,
is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.support.v7.widget.Toolbar$LayoutParams@feafd5d, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=44.0, y=40.0, text=Mobile Assignment, input-type=0, ime-target=false, has-links=false}
|
+----->ActionMenuView{id=-1, visibility=VISIBLE, width=0, height=154, has-focus=false, has-focusable=false, has-window-
focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false,
layout-params=android.support.v7.widget.Toolbar$LayoutParams@32e66d2, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=1080.0, y=0.0, child-count=0}
|
+----->ActionBarContextView{id=2131165192, res-name=action_context_bar, visibility=GONE, width=0, height=0, has-
focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@681f3a3, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=0.0, y=0.0, child-count=0}
|
+-->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080, height=132, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@a296a0, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=2028.0}
|
+-->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=66, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@edf1259, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
|
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1538)
at androidx.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.java:88)
at androidx.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:51)
at androidx.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java:312)
at androidx.test.espresso.ViewInteraction.check(ViewInteraction.java:297)

```

Tests in 'app.com.mobileassignment.views': 14 total, 2 failed, 12 passed

1 m 7 s

[Collapse](#) | [Expand](#)

```

at org.junit.runners.ParentRunner.runLeaf(ParentRunner.java:325)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at androidx.test.runner.AndroidJUnit4.run(AndroidJUnit4.java:104)
at org.junit.runners.Suite.runChild(Suite.java:128)
at org.junit.runners.Suite.runChild(Suite.java:27)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
at org.junit.runner.JUnitCore.run(JUnitCore.java:115)
at androidx.test.internal.runner.TestExecutor.execute(TestExecutor.java:56)
at androidx.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:388)
at android.app.Instrumentation$InstrumentationThread.run(Instrumentation.java:2075)

```

FirstExactMatchWithMiddleName

failed 4.72 s

```

androidx.test.espresso.NoMatchingViewException: No views in hierarchy found matching: (with id:
app.com.mobileassignment:id/cityName and with text: is "'t Hoeksken, BE")
If the target view is not part of the view hierarchy, you may need to use Espresso.onData to load it from one of the following
AdapterViews:android.widget.ListView{97ab5e1 V.ED.VC... ID 0,124-992,124 #7f07001c app:id/citiesList}
View Hierarchy:
+>DecorView{id=-1, visibility=VISIBLE, width=1080, height=2160, has-focus=false, has-focusable=true, has-window-focus=true,
is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=WM.LayoutParams{(0,0)(fillxfill) ty=1 fl=#81810100 pfl=0x20000 wanim=0x10302f6 needsMenuKey=2 colorMode=0},
tag=null, root-is-layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=3}
|
+-->LinearLayout{id=-1, visibility=VISIBLE, width=1080, height=2028, has-focus=false, has-focusable=true, has-window-
focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false,
layout-params=android.widget.FrameLayout$LayoutParams@90bcb1d, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=0.0, y=0.0, child-count=2}
|
+--->ViewStub{id=16908679, res-name=action_mode_bar_stub, visibility=GONE, width=0, height=0, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=true, is-selected=false, layout-params=android.widget.LinearLayout$LayoutParams@903592, tag=null, root-is-layout-
requested=false, has-input-connection=false, x=0.0, y=0.0}
|
+--->FrameLayout{id=-1, visibility=VISIBLE, width=1080, height=1962, has-focus=false, has-focusable=true, has-window-
focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false,
layout-params=android.widget.LinearLayout$LayoutParams@99fe360, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=0.0, y=66.0, child-count=1}
|
+---->ActionBarOverlayLayout{id=2131165219, res-name=decor_content_parent, visibility=VISIBLE, width=1080, height=1962,
has-focus=false, has-focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@c9b4019, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=0.0, y=0.0, child-count=2}
|
+----->ContentFrameLayout{id=16908290, res-name=content, visibility=VISIBLE, width=1080, height=1808, has-focus=false, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-
params=android.support.v7.widget.ActionBarOverlayLayout$LayoutParams@5ea6abf, tag=null, root-is-layout-requested=false,
has-input-connection=false, x=0.0, y=154.0, child-count=1}
|
+----->RelativeLayout{id=-1, visibility=VISIBLE, width=1080, height=1808, has-focus=false, has-focusable=true, has-window-

```

Tests in 'app.com.mobileassignment.views':

14 total, 2 failed, 12 passed

1 m 7 s

[Collapse](#) | [Expand](#)

```

|
+----->LinearLayout{id=2131165252, res-name=results, visibility=VISIBLE, width=992, height=1720, has-focus=false, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.RelativeLayout$LayoutParams@68bd951, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=44.0, y=44.0, child-count=2}
|
+----->AppCompatEditText{id=2131165258, res-name=search, visibility=VISIBLE, width=992, height=124, has-focus=false, has-
focusable=true, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=true, is-layout-
requested=false, is-selected=false, layout-params=android.widget.LinearLayout$LayoutParams@8094a24, tag=null, root-is-
layout-requested=false, has-input-connection=true, editor-info=[inputType=0x1 imeOptions=0x6 privateImeOptions=null
actionLabel=null actionId=0 initialSelStart=0 initialSelEnd=0 initialCapsMode=0x0 hintText=Search label=null packageName=null
fieldId=0 fieldName=null extras=null hintLocales=null contentMimeTypes=null ], x=0.0, y=0.0, text=Hoeksken, hint=Search,
input-type=1, ime-target=false, has-links=false}
|
+----->ListView{id=2131165212, res-name=citiesList, visibility=VISIBLE, width=992, height=0, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=true, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.LinearLayout$LayoutParams@c63b98d, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=124.0, child-count=0}
|
+----->ActionBarContainer{id=2131165187, res-name=action_bar_container, visibility=VISIBLE, width=1080, height=154, has-
focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.support.v7.widget.ActionBarOverlayLayout$LayoutParams@fa2e490, tag=null, root-is-layout-requested=false,
has-input-connection=false, x=0.0, y=0.0, child-count=2}
|
+----->Toolbar{id=2131165185, res-name=action_bar, visibility=VISIBLE, width=1080, height=154, has-focus=false, has-
focusable=true, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@15f6189, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0, child-count=2}
|
+----->TextView{id=-1, visibility=VISIBLE, width=478, height=74, has-focus=false, has-focusable=false, has-window-focus=true,
is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false, layout-
params=android.support.v7.widget.Toolbar$LayoutParams@e4a758e, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=44.0, y=40.0, text=Mobile Assignment, input-type=0, ime-target=false, has-links=false}
|
+----->ActionMenuView{id=-1, visibility=VISIBLE, width=0, height=154, has-focus=false, has-focusable=false, has-window-
focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-requested=false, is-selected=false,
layout-params=android.support.v7.widget.Toolbar$LayoutParams@f5981af, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=1080.0, y=0.0, child-count=0}
|
+----->ActionBarContextView{id=2131165192, res-name=action_context_bar, visibility=GONE, width=0, height=0, has-
focus=false, has-focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-
focusable=false, is-layout-requested=true, is-selected=false, layout-
params=android.widget.FrameLayout$LayoutParams@af9b9bc, tag=null, root-is-layout-requested=false, has-input-
connection=false, x=0.0, y=0.0, child-count=0}
|
+-->View{id=16908336, res-name=navigationBarBackground, visibility=VISIBLE, width=1080, height=132, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@6538d45, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=2028.0}
|
+-->View{id=16908335, res-name=statusBarBackground, visibility=VISIBLE, width=1080, height=66, has-focus=false, has-
focusable=false, has-window-focus=true, is-clickable=false, is-enabled=true, is-focused=false, is-focusable=false, is-layout-
requested=false, is-selected=false, layout-params=android.widget.FrameLayout$LayoutParams@efc5c9a, tag=null, root-is-
layout-requested=false, has-input-connection=false, x=0.0, y=0.0}
|
at dalvik.system.VMStack.getThreadStackTrace(Native Method)
at java.lang.Thread.getStackTrace(Thread.java:1538)
at androidx.test.espresso.base.DefaultFailureHandler.getUserFriendlyError(DefaultFailureHandler.java:88)
at androidx.test.espresso.base.DefaultFailureHandler.handle(DefaultFailureHandler.java:51)
at androidx.test.espresso.ViewInteraction.waitForAndHandleInteractionResults(ViewInteraction.java:312)
at androidx.test.espresso.ViewInteraction.check(ViewInteraction.java:297)
at app.com.mobileassignment.views.SearchResultChecks.FirstExactMatchWithMiddleName(SearchResultChecks.java:98)

```

Tests in 'app.com.mobileassignment.views':

14 total, 2 failed, 12 passed

1 m 7 s

Collapse | Expand

```
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:78)
at org.junit.runners.BlockJUnit4ClassRunner.runChild(BlockJUnit4ClassRunner.java:57)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at androidx.test.runner.AndroidJUnit4.run(AndroidJUnit4.java:104)
at org.junit.runners.Suite.runChild(Suite.java:128)
at org.junit.runners.Suite.runChild(Suite.java:27)
at org.junit.runners.ParentRunner$3.run(ParentRunner.java:290)
at org.junit.runners.ParentRunner$1.schedule(ParentRunner.java:71)
at org.junit.runners.ParentRunner.runChildren(ParentRunner.java:288)
at org.junit.runners.ParentRunner.access$000(ParentRunner.java:58)
at org.junit.runners.ParentRunner$2.evaluate(ParentRunner.java:268)
at org.junit.runners.ParentRunner.run(ParentRunner.java:363)
at org.junit.runner.JUnitCore.run(JUnitCore.java:137)
at org.junit.runner.JUnitCore.run(JUnitCore.java:115)
at androidx.test.internal.runner.TestExecutor.execute(TestExecutor.java:56)
at androidx.test.runner.AndroidJUnitRunner.onStart(AndroidJUnitRunner.java:388)
at android.app.Instrumentation$InstrumentationThread.run(Instrumentation.java:2075)
```

<div></div> app.com.mobileassignment.views.SearchResultContainedLettersCheck	9.57 s
<div></div> SecondContainedLettersCheck	passed4.73 s
<div></div> FirstContainedLettersCheck	passed4.84 s
<div></div> app.com.mobileassignment.views.WhetherBackIsWorkingOrNot	3.88 s
<div></div> UserShouldBeInSearchPageAfterClickingBack	passed3.88 s

Generated by Android Studio on