

Dashboard ▶ **springboot_employee** ▶ **#10** **Back to Project** **Status** **Changes** **Console Output** **View as plain text** **Edit Build Information** **Git Build Data** **Previous Build**

Console Output

Started by user **RajaRajeswari**

Running as SYSTEM

Building in workspace C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee

[WS-CLEANUP] Deleting project workspace...

[WS-CLEANUP] Deferred wipeout is used...

[WS-CLEANUP] Done

The recommended git tool is: NONE

using credential cicd_app

Cloning the remote Git repository

Cloning repository <https://github.com/RajaRajeswari12/Phase5CICD.git>

```
> git.exe init C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee #
timeout=10
```

Fetching upstream changes from <https://github.com/RajaRajeswari12/Phase5CICD.git>

```
> git.exe --version # timeout=10
> git --version # 'git version 2.31.1.windows.1'
```

using GIT_ASKPASS to set credentials cicd_app

```
> git.exe fetch --tags --force --progress -- https://github.com/RajaRajeswari12/Phase5CICD.git
+refs/heads/*:refs/remotes/origin/* # timeout=10
```

```
> git.exe config remote.origin.url https://github.com/RajaRajeswari12/Phase5CICD.git # timeout=10
```

```
> git.exe config --add remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
```

Avoid second fetch

```
> git.exe rev-parse "refs/remotes/origin/master^{commit}" # timeout=10
```

Checking out Revision f0a19cd03941c9bdf6763fc7d14c14fb3c16676e (refs/remotes/origin/master)

```
> git.exe config core.sparsecheckout # timeout=10
> git.exe checkout -f f0a19cd03941c9bdf6763fc7d14c14fb3c16676e # timeout=10
```

Dashboard ▶ springboot_employee ▶ #10

```
[springboot_employee] ▶ cmd.exe /c
```

```
"C:\Users\talkt\AppData\Local\Jenkins\.jenkins\tools\hudson.tasks.Maven_MavenInstallation\Maven1\b
in\mvn.cmd clean compile package && exit %%ERRORLEVEL%%"
```

```
[INFO] Scanning for projects...
```

```
[INFO]
```

```
[INFO] -----< com.example.springSimplilearn:springDevOps >-----
```

```
[INFO] Building springDevOps 0.0.1-SNAPSHOT
```

```
[INFO] -----[ war ]-----
```

```
[INFO]
```

```
[INFO] --- maven-clean-plugin:3.1.0:clean (default-clean) @ springDevOps ---
```

```
[INFO]
```

```
[INFO] --- maven-resources-plugin:3.2.0:resources (default-resources) @ springDevOps ---
```

```
[INFO] Using 'UTF-8' encoding to copy filtered resources.
```

```
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
```

```
[INFO] Copying 1 resource
```

```
[INFO] Copying 0 resource
```

```
[INFO]
```

```
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ springDevOps ---
```

```
[INFO] Changes detected - recompiling the module!
```

```
[INFO] Compiling 5 source files to
```

```
C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\classes
```

```
[INFO]
```

```
[INFO] --- maven-resources-plugin:3.2.0:resources (default-resources) @ springDevOps ---
```

```
[INFO] Using 'UTF-8' encoding to copy filtered resources.
```

```
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
```

```
[INFO] Copying 1 resource
```

```
[INFO] Copying 0 resource
```

```
[INFO]
```

```
[INFO] --- maven-compiler-plugin:3.8.1:compile (default-compile) @ springDevOps ---
```

```
[INFO] Changes detected - recompiling the module!
```

```
[INFO] Compiling 5 source files to
```

```
C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\classes
```

```
[INFO]
```

```
[INFO] --- maven-resources-plugin:3.2.0:testResources (default-testResources) @ springDevOps ---
```

```
[INFO] Using 'UTF-8' encoding to copy filtered resources.
```

```
[INFO] Using 'UTF-8' encoding to copy filtered properties files.
```

```
[INFO] skip non existing resourceDirectory
```

```
C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\src\test\resources
```

```
[INFO]
```

```
[INFO] --- maven-compiler-plugin:3.8.1:testCompile (default-testCompile) @ springDevOps ---
```

```
[INFO] Changes detected - recompiling the module!
```

```
[INFO] Compiling 1 source file to
```

```
C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\test-classes
```

```
[INFO]
```

```
[INFO] --- maven-surefire-plugin:2.22.2:test (default-test) @ springDevOps ---
```

```
[INFO]
```

```
[INFO] -----
```

```
[INFO] T E S T S
```

```
[INFO] -----
```

```
[INFO] Running com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests
```

```
19:35:14.161 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
CacheAwareContextLoaderDelegate from class
```

```
[org.springframework.test.context.cache.DefaultCacheAwareContextLoaderDelegate]
```

```
19:35:14.224 [main] DEBUG org.springframework.test.context.BootstrapUtils - Instantiating
BootstrapContext using constructor [public
```

```
org.springframework.test.context.support.DefaultBootstrapContext(java.lang.Class,org.springframewo
```

Dashboard ▶ **springboot_employee** ▶ **#10**

TestContextBootstrapper for test class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests] from class

[org.springframework.boot.test.context.SpringBootTestContextBootstrapper]

19:35:14.490 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Neither @ContextConfiguration nor @ContextHierarchy found for test class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests], using

SpringBootTestLoader

19:35:14.508 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests]: class path resource

[com/example/springSimplilearn/springDevOps/SpringDevOpsApplicationTests-context.xml] does not exist

19:35:14.511 [main] DEBUG org.springframework.test.context.support.AbstractContextLoader - Did not detect default resource location for test class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests]: class path resource

[com/example/springSimplilearn/springDevOps/SpringDevOpsApplicationTestsContext.groovy] does not exist

19:35:14.512 [main] INFO org.springframework.test.context.support.AbstractContextLoader - Could not detect default resource locations for test class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests]: no resource found for suffixes {-context.xml, Context.groovy}.

19:35:14.515 [main] INFO

org.springframework.test.context.support.AnnotationConfigContextLoaderUtils - Could not detect default configuration classes for test class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests]:

SpringDevOpsApplicationTests does not declare any static, non-private, non-final, nested classes annotated with @Configuration.

19:35:14.833 [main] DEBUG org.springframework.test.context.support.ActiveProfilesUtils - Could not find an 'annotation declaring class' for annotation type

[org.springframework.test.context.ActiveProfiles] and class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests]

19:35:15.209 [main] DEBUG

org.springframework.context.annotation.ClassPathScanningCandidateComponentProvider - Identified candidate component class: file

[C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\classes\com\example\springSimplilearn\springDevOps\SpringDevOpsApplication.class]

19:35:15.227 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Found @SpringBootTestConfiguration com.example.springSimplilearn.springDevOps.SpringDevOpsApplication

for test class com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests

19:35:16.046 [main] DEBUG org.springframework.boot.test.context.SpringBootTestContextBootstrapper - @TestExecutionListeners is not present for class

[com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests]: using defaults.

19:35:16.049 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper - Loaded default TestExecutionListener class names from location [META-INF/spring.factories]:

[org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener,

org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener,

org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener,

org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionListener,

org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionListener,

org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener,

org.springframework.test.context.web.ServletTestExecutionListener,

org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener,

org.springframework.test.context.event.ApplicationEventsTestExecutionListener,

org.springframework.test.context.support.DependencyInjectionTestExecutionListener,

Dashboard ▶ **springboot_employee** ▶ **#10**

```

org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener,
org.springframework.test.context.event.EventPublishingTestExecutionListener]
19:35:16.146 [main] INFO org.springframework.boot.test.context.SpringBootTestContextBootstrapper -
Using TestExecutionListeners:
[org.springframework.test.context.web.ServletTestExecutionListener@72ea6193,
org.springframework.test.context.support DirtiesContextBeforeModesTestExecutionListener@31aa3ca5,
org.springframework.test.context.event.ApplicationEventsTestExecutionListener@45905bff,
org.springframework.boot.test.mock.mockito.MockitoTestExecutionListener@2a2c13a8,
org.springframework.boot.test.autoconfigure.SpringBootDependencyInjectionTestExecutionListener@b6b
1987, org.springframework.test.context.support DirtiesContextTestExecutionListener@6b44435b,
org.springframework.test.context.transaction.TransactionalTestExecutionListener@2ccca26f,
org.springframework.test.context.jdbc.SqlScriptsTestExecutionListener@66b7550d,
org.springframework.test.context.event.EventPublishingTestExecutionListener@3543df7d,
org.springframework.boot.test.mock.mockito.ResetMocksTestExecutionListener@7c541c15,
org.springframework.boot.test.autoconfigure.restdocs.RestDocsTestExecutionListener@3542162a,
org.springframework.boot.test.autoconfigure.web.client.MockRestServiceServerResetTestExecutionList
ener@698122b2,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcPrintOnlyOnFailureTestExecutionList
ener@4212a0c8,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverTestExecutionListener@1e7aa82b,
org.springframework.boot.test.autoconfigure.webservices.client.MockWebServiceServerTestExecutionLi
stener@3b2c0e88]
19:35:16.168 [main] DEBUG
org.springframework.test.context.support.AbstractDirtiesContextTestExecutionListener - Before test
class: context [DefaultTestContext@45e37a7e testClass = SpringDevOpsApplicationTests, testInstance
= [null], testMethod = [null], testException = [null], mergedContextConfiguration =
[WebMergedContextConfiguration@62452cc9 testClass = SpringDevOpsApplicationTests, locations =
'{}', classes = '{class com.example.springSimplilearn.springDevOps.SpringDevOpsApplication}',
contextInitializerClasses = '[]', activeProfiles = '{}', propertySourceLocations = '{}',
propertySourceProperties =
'{org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}',
contextCustomizers = set[[ImportsContextCustomizer@6941827a key =
[org.springframework.boot.test.autoconfigure.web.servlet.MockMvcAutoConfiguration,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcWebClientAutoConfiguration,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcWebDriverAutoConfiguration,
org.springframework.boot.autoconfigure.security.oauth2.client.servlet.OAuth2ClientAutoConfiguratio
n,
org.springframework.boot.autoconfigure.security.oauth2.resource.servlet.OAuth2ResourceServerAutoCo
nfiguration, org.springframework.boot.autoconfigure.security.servlet.SecurityAutoConfiguration,
org.springframework.boot.autoconfigure.security.servlet.SecurityFilterAutoConfiguration,
org.springframework.boot.autoconfigure.security.servlet.UserDetailsServiceAutoConfiguration,
org.springframework.boot.test.autoconfigure.web.servlet.MockMvcSecurityConfiguration]],
org.springframework.boot.test.context.filter.ExcludeFilterContextCustomizer@7f8a9499,
org.springframework.boot.test.json.DuplicateJsonObjectContextCustomizerFactory$DuplicateJsonObject
ContextCustomizer@2fba3fc4, org.springframework.boot.test.mock.mockito.MockitoContextCustomizer@0,
org.springframework.boot.test.web.client.TestRestTemplateContextCustomizer@53b7f657,
org.springframework.boot.test.autoconfigure.actuate.metrics.MetricsExportContextCustomizerFactory$
DisableMetricExportContextCustomizer@42a15bdc,
org.springframework.boot.test.autoconfigure.properties.PropertyMappingContextCustomizer@4b3fa0b3,
org.springframework.boot.test.autoconfigure.web.servlet.WebDriverContextCustomizerFactory$Customiz
er@14008db3, org.springframework.boot.test.context.SpringBootTestContextBootstrapper@1,
org.springframework.boot.test.context.SpringBootTestContextBootstrapper@6a192cfe], resourceBasePath =
'src/main/webapp', contextLoader =
'org.springframework.boot.test.context.SpringBootTestContextLoader', parent = [null]], attributes =
map['org.springframework.test.context.web.ServletTestExecutionListener.activateListener' ->
true]], class annotated with @DirtiesContext [false] with mode [null].

```

```
org.springframework.boot.test.context.SpringBootTestContextBootstrapper=true}
```

```

2021-09-21 19:35:19.044 INFO 21676 --- [main] c.e.s.s.SpringDevOpsApplicationTests
: Starting SpringDevOpsApplicationTests using Java 11.0.11 on Raji with PID 21676 (started by
talkt in C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee)
2021-09-21 19:35:19.067 INFO 21676 --- [main] c.e.s.s.SpringDevOpsApplicationTests
: No active profile set, falling back to default profiles: default
2021-09-21 19:35:23.074 INFO 21676 --- [main] .s.d.r.c.RepositoryConfigurationDelegate
: Bootstrapping Spring Data JPA repositories in DEFAULT mode.
2021-09-21 19:35:23.356 INFO 21676 --- [main] .s.d.r.c.RepositoryConfigurationDelegate
: Finished Spring Data repository scanning in 232 ms. Found 1 JPA repository interfaces.
2021-09-21 19:35:28.374 INFO 21676 --- [main] o.hibernate.jpa.internal.util.LogHelper
: HHH000204: Processing PersistenceUnitInfo [name: default]
2021-09-21 19:35:28.807 INFO 21676 --- [main] org.hibernate.Version
: HHH000412: Hibernate ORM core version 5.4.32.Final
2021-09-21 19:35:30.084 INFO 21676 --- [main] o.hibernate.annotations.common.Version
: HCANN000001: Hibernate Commons Annotations {5.1.2.Final}
2021-09-21 19:35:31.634 INFO 21676 --- [main] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Starting...
2021-09-21 19:35:34.027 INFO 21676 --- [main] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Start completed.
2021-09-21 19:35:34.148 INFO 21676 --- [main] org.hibernate.dialect.Dialect
: HHH000400: Using dialect: org.hibernate.dialect.MySQL5Dialect
2021-09-21 19:35:40.801 INFO 21676 --- [main] o.h.e.t.j.p.i.JtaPlatformInitiator
: HHH000490: Using JtaPlatform implementation:
[org.hibernate.engine.transaction.jta.platform.internal.NoJtaPlatform]
2021-09-21 19:35:40.859 INFO 21676 --- [main] j.LocalContainerEntityManagerFactoryBean
: Initialized JPA EntityManagerFactory for persistence unit 'default'
2021-09-21 19:35:47.831 WARN 21676 --- [main] JpaBaseConfiguration$JpaWebConfiguration
: spring.jpa.open-in-view is enabled by default. Therefore, database queries may be performed
during view rendering. Explicitly configure spring.jpa.open-in-view to disable this warning
2021-09-21 19:35:55.349 INFO 21676 --- [main] o.s.b.t.m.w.SpringBootMockServletContext
: Initializing Spring TestDispatcherServlet ''
2021-09-21 19:35:55.358 INFO 21676 --- [main] o.s.t.web.servlet.TestDispatcherServlet
: Initializing Servlet ''
2021-09-21 19:35:55.366 INFO 21676 --- [main] o.s.t.web.servlet.TestDispatcherServlet
: Completed initialization in 6 ms
2021-09-21 19:35:55.585 INFO 21676 --- [main] c.e.s.s.SpringDevOpsApplicationTests
: Started SpringDevOpsApplicationTests in 39.125 seconds (JVM running for 45.394)
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0, Time elapsed: 45.722 s - in
com.example.springSimplilearn.springDevOps.SpringDevOpsApplicationTests
2021-09-21 19:35:59.928 INFO 21676 --- [ionShutdownHook] j.LocalContainerEntityManagerFactoryBean
: Closing JPA EntityManagerFactory for persistence unit 'default'
2021-09-21 19:35:59.953 INFO 21676 --- [ionShutdownHook] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Shutdown initiated...
2021-09-21 19:36:00.038 INFO 21676 --- [ionShutdownHook] com.zaxxer.hikari.HikariDataSource
: HikariPool-1 - Shutdown completed.
[INFO]

```

Dashboard ▶ **springboot_employee** ▶ **#10**

```
[INFO] Tests run: 2, Failures: 0, Errors: 0, Skipped: 0
[INFO]
[INFO]
[INFO] --- maven-war-plugin:3.3.1:war (default-war) @ springDevOps ---
[INFO] Packaging webapp
[INFO] Assembling webapp [springDevOps] in
[C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\springDevOps-
0.0.1-SNAPSHOT]
[INFO] Processing war project
[INFO] Building war:
C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\springDevOps-
0.0.1-SNAPSHOT.war
[INFO]
[INFO] --- spring-boot-maven-plugin:2.5.4:repackage (repackage) @ springDevOps ---
[INFO] Replacing main artifact with repackaged archive
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 01:23 min
[INFO] Finished at: 2021-09-21T19:36:13+05:30
[INFO] -----
[DeployPublisher][INFO] Attempting to deploy 1 war file(s)
[DeployPublisher][INFO] Deploying
C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\users-mysql.war
to container Tomcat 9.x Remote with context springbootapp
[C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\users-
mysql.war] is not deployed. Doing a fresh deployment.
Deploying
[C:\Users\talkt\AppData\Local\Jenkins\.jenkins\workspace\springboot_employee\target\users-
mysql.war]
Finished: SUCCESS
```

Jenkins 2.303.1