

UI Automation Report on RetailMart Web Application

Application: RetailMart Web Application

Browser: Chrome

Web Link: <https://www.retailmart.linkpc.net>

Automation Tool: Playwright

CI/CD tool: GitHub Actions

Author: Justin Philip

This is a preliminary report on the Webapp for two given scenarios:

- Product Remove Validation
 - Successful Payment Validation
-

Scenario 1:

Objective: Remove Product Validation

Scenario: Remove products from the cart and verify updates.

Steps: 1. Add three products to the cart.
2. Remove one product.
3. Remove remaining products one by one.

Validations

- Removed products no longer appear in the cart.
- Cart badge count decreases accordingly.
- Subtotal, tax, and total are recalculated correctly.
- Empty cart message is displayed when all products are removed.
- Proceed to Checkout button is disabled or restricted for an empty cart.

Expected Result:


- Product is removed successfully

Actual Result:

- Product is removed successfully and the cart message is correct

Status: Pass

Framework:



Structure:

Locators: Contains Locators

Pages: followed Page Object Model (POM)

Flows: Assertions done here

Fixtures: Calling the combined Flows here

Tests: contains Test files

Proof:

The screenshot displays a test runner interface with a dark theme. At the top, a search bar is labeled 'Search tests'. To its right, a summary bar shows: 'All 1', 'Passed 1', 'Failed 0', 'Flaky 0', and 'Skipped 0'. Below this, the text 'Final Assessment' is visible. The main title is 'Scenario 1: Product Remove Validation', with the file path 'ProductRemoveValidation.spec.ts:5' and a duration of '3.8s'. A 'chromium' badge is present. A green checkmark and the word 'Run' are shown. A 'Test Steps' section is expanded, containing a 'Filter steps' search bar and a list of 11 steps, all marked with green checkmarks and their respective durations.

Step	Duration
> ✓ Before Hooks	1.2s
> ✓ Navigate to "/" — ./pages/ProductListingPage.ts:18	2.0s
> ✓ Expect "toBeVisible" getByText("Automation Practice Store") — ./flows/RemoveProductFlow.ts:19	160ms
> ✓ Query count locator('//div[starts-with(@data-testid, \'product-card-prod\')]) — ./flows/RemoveProductFlow.ts:26	19ms
> ✓ Expect "toBeGreaterThan" — ./flows/RemoveProductFlow.ts:26	0ms
> ✓ Expect "toBeVisible" getTestId("product-card-prod-001") — ./flows/RemoveProductFlow.ts:29	4ms
> ✓ Expect "toBeVisible" getTestId("product-card-prod-001").getByRole("img").first() — ./flows/RemoveProductFlow.ts:30	4ms
> ✓ Expect "toBeVisible" getTestId("product-card-prod-001").getByRole("link").first() — ./flows/RemoveProductFlow.ts:31	5ms
> ✓ Expect "toBeVisible" getTestId("product-card-prod-001").getByRole("link").first() — ./flows/RemoveProductFlow.ts:32	3ms
> ✓ Expect "toBeVisible" getTestId("product-card-prod-001").getTestId("add-to-cart-prod-001") — ./flows/RemoveProductFlow.ts:40	5ms
> ✓ Click getTestId("product-card-prod-001").getTestId("add-to-cart-prod-001") — ./pages/ProductListingPage.ts:66	86ms

Scenario 2:

Objective: Payment Success Validation

Scenario: Complete payment using valid card details.

- Steps:
1. Proceed to the Payment page.
 2. Enter valid Cardholder Name.
 3. Enter a valid card number.
 4. Enter valid Expiry Date and CVV.
 5. Select Payment Success.
 6. Click Place Order.

Validations

- Payment is processed successfully.
- User is redirected to the Confirmation page.
- Order number is generated.
- Order summary matches the purchased items.
- No error messages are displayed.

Expected Result:

- Payment is done successfully and redirected to Order Page

Actual Result:

- Payment is completed

Status: Pass

Structure:

Locators: Contains Locators

Pages: followed Page Object Model (POM)

Flows: Assertions done here

Fixtures: Calling the combined Flows here

Tests: contains Test files

Proof:

Final Assessment

Scenario2: Payment Success Validaiton

ScenarioValidation.spec.ts:45 5.3s

chromium

✓ Run

Test Steps

Q Filter steps

> ✓ Before Hooks	1.5s
> ✓ Navigate to "/" — ./pages/ProductListingPage.ts:18	3.8s
> ✓ Expect "toBeVisible" getByText("Automation Practice Store") — ./flows/PaymentSuccessFlow.ts:26	91ms
> ✓ Query count locator("//div[starts-with(@data-testid, 'product-card-prod\\')]") — ./flows/PaymentSuccessFlow.ts:33	22ms
> ✓ Expect "toBeGreaterThan" — ./flows/PaymentSuccessFlow.ts:33	1ms
> ✓ Click getByTestId("product-card-prod-001").getByTestId("product-name-prod-001") — ./pages/ProductListingPage.ts:70	79ms
> ✓ Wait for selector getByTestId("add-to-cart-detail") — ./pages/ProductDetailsPage.ts:19	30ms
> ✓ Click getByTestId("add-to-cart-detail") — ./pages/ProductDetailsPage.ts:20	59ms
> ✓ Wait for selector getByTestId("buy-now-button") — ./pages/ProductDetailsPage.ts:24	20ms
> ✓ Click getByTestId("buy-now-button") — ./pages/ProductDetailsPage.ts:25	68ms

