

Playwright UI Automation Test Report

Project Name: UI Automation Testing with Playwright

Participant: Shahbaz Ahmad

Date: 21-07-2026

Branch: shahbaz_

Assessment: _____Ecommerce Playwright UI Automation

Question NO 1

Objective

The objective of this automation project is to validate the core functionality of the application using Playwright with website

<https://www.com/>

The automated test suite verifies critical user workflows and ensures that the application behaves as expected across supported browsers.

The framework is designed to provide reliable, maintainable, and scalable UI automation.

Github Link

My Branch name is **shahbaz_july_21** and link is

User Story

As a user, I want to perform the application workflow successfully so that I can complete my task without errors and receive the expected results from the system.

1. Home page of ____ is visible .
2. Search text box is working as per given parameter
3. Negative search that is not matched
4. Empty search

Environment Setup

- Tools: Node.js, Playwright Test Runner, TypeScript/JavaScript, VS Code
- Install Commands:
- npm init playwright@latest
 - npm install dotenv
 - npm install winston
 - npx playwright install
 - Reporting Tools: HTML Reporter, Allure

Framework Architecture

The framework is built using:

- Page Object Model (for UI abstraction)(Homepage)
- Fixtures (for reusable setup like login, credentials)(tests)
- Test files (business scenarios)(_____.spec.ts)
- Config file (playwright.config.ts)

Workflow

1. Start test execution
2. Load fixtures (page,test,expect)
3. Navigate using page.goto(<https://www..com/>)

4. Use Page Object methods
5. Execute assertions
6. Generate report

Folder Structure

Page Object Model

Each UI page is represented as a class containing locators and methods. This improves maintainability and avoids duplication. I create HomePage for visible home page and search negative and positive actions.

Fixtures Usage

Fixtures are used to provide reusable resources like home page, session. So that can access home page method and we can use POM Homepage in test easily assert all the things by using home

Code – Home Page with Search for happy and negative

code_screenshot_and explain

Test Case ID	Description	Status
--------------	-------------	--------

TC_001	Verify Home Page	Passed
TC_002	Verify Valid Product Search	Passed

Negative Scenarios

Test Case ID	Description	Status
--------------	-------------	--------

TC_003	Verify Invalid Product Search	Passed
TC_004	Verify Empty Search Validation	Passed

Commands

- npx playwright test --headed
- npx playwright show-report
- npx playwright test

Result Evidence

Attach screenshots, videos, and trace files generated during execution.

In cmd run the command and it run all 4 test pass

Screenshot

For show report

Test 1 Verify Home Page (Visible home page)

Verify Valid Product Search

TC_002

TC_003 Verify Invalid Product Search

TC_004 Verify Empty Search

How to Solve Issues

Check locators specific for element(search,home logo,shirt)

Wait for url,load content

Auto retries and use auto wait

fixture setup,

test data, and

network conditions.

Limitations

Dependent on UI stability, network speed, and environment configuration and number of user so ,we only run here in headed mode so that url can easily fetch

Conclusion

Playwright framework ensures scalable, maintainable, and fast UI automation using modern testing practices.

Today I did home page verification ,search text working with positive search like product list is available and negative search like not found and empty search;