

WHERE condition

-- Joins

Allows you to combine two or more table together

Important note:

if they have common column

- ① Inner join: only rows that have matching values in both table
- ② Outer join: All record from left table & match record from right or vice versa
- ③ Self join:

Date: _____

SELECT *

FROM exp-table1

JOIN exp-table2

;

→ Inner join :

SELECT *

FROM exp-table1

INNER JOIN exp-table2

ON exp-table1.exp-column1 = exp-table2.exp-column2

→ OUTER Join :

↳ LEFT

↳ RIGHT

Important note:

→ **LEFT JOIN**

→ **RIGHT JOIN**

Date: _____

SELF JOIN →

SELECT *

FROM exp-table1 AS et1

JOIN exp-table1 AS et2

ON et1.exp-column1 = et2.exp-column2;

-- UNION →

It allows us to combine rows together from same or different table.

SELECT exp-column1, exp-column2

FROM exp-table1

WHERE condition

UNION

SELECT exp-column1, exp-column2

Important note:

FROM exp-table2

WHERE condition

;

Date: _____

-- String function -->

Built-in function help us use string and work with string differently

LENGTH - find length

UPPER / LOWER - use for uppercase & lowercase

TRIM (L/R) | **LEFT** (exp-column, 0-∞)
RIGHT ()

SUBSTRING (exp-column, 2, 4)
 ↳ initial letter

REPLACE - use replace char from words

Important note:

LOCATE - use to locate char in words

CONCAT - use for concatenation (multiple column in one)

Date: _____

M T W T F S S

-- Case Statement -->

Allow us to add logic in your select statement

CASE
WHEN condition **THEN** value **[BETWEEN]**
END

-- Subqueries -->

It is a just a query within another query

SELECT *
FROM exp-table
WHERE exp-column **IN**
(**SELECT** exp-table
FROM exp-table
WHERE condition.)

Important note:

Date: _____

M T W T F S S

-- Window functions -->

OVER(PARTITION BY column)

OVER(PARTITION BY column ORDER BY cl)

		of P-1

ROW-NUMBER() OVER(PARTITION BY column)

RANK() OVER(PARTITION BY column)

DENSE-RANK() OVER(PARTITION BY column)