TypeError at /admin/projectmanagement/projectparametervalue/

coercing to Unicode: need string or buffer, NoneType found

```
Request Method: GET
      Request URL: https://direct.goodcsr.in/admin/projectmanagement/projectparametervalue/
   Django Version: 1.11
   Exception Type: TypeError
   Exception Value: coercing to Unicode: need string or buffer, NoneType found
Exception Location: /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/utils/encoding.py in force_text, line 78
Python Executable: /usr/bin/python
   Python Version: 2.7.14
       /home/goodcsr/pmu-1.11/lib/python2.7/site-packages',
                         /home/goodcsr/pmu-1.11/python 2.7/site-packages/django/contrib/admindocs',\\
                        '/usr/lib/python2.7',
'/usr/lib/python2.7/plat-x86_64-linux-gnu',
                        '/usr/lib/python2.7/lib-tk',
'/usr/lib/python2.7/lib-old'
                         /usr/lib/python2.7/lib-dynload'.
                        '/usr/local/lib/python2.7/dist-packages',
'/usr/lib/python2.7/dist-packages']
        Server time: Thu, 2 May 2019 11:09:37 +0530
```

Error during template rendering

In template /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templates/admin/base.html, error at line **75**

coercing to Unicode: need string or buffer, NoneType found

```
65
           66
          {% endfor %}
67
          {% endif %}
68
      {% endblock messages %}
69
70
      <!-- Content -->
71
      <div id="content" class="{% block coltype %}colM{% endblock %}">
72
         {% block pretitle %}{% endblock %}
73
         \% block content_title \%{% if title \%{h1>{{ title }}</h1>{% endif \%}{% endblock \%}
      {% block content %}
74
75
         {% block object-tools %}{% endblock %}
76
         {{ content }}
77
         {% endblock %}
       {% block sidebar %}{% endblock %}
78
79
          <br class="clear" />
80
      </div>
      <!-- END Content -->
82
83
      {% block footer %}<div id="footer"></div>{% endblock %}
84 </div>
85 <!-- END Container -->
```

Traceback Switch to copy-and-paste view

```
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/core/handlers/exception.py in inner
      41.
                        response = get_response(request)
      ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/core/handlers/base.py\ in \_legacy\_get\_response.pdf
       249.
                        response = self. get response(request)
      ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python 2.7/site-packages/django/core/handlers/base.py\ in\ \_get\_response
       217.
                             response = self.process_exception_by_middleware(e, request)
      ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/core/handlers/base.py in _get_response
      215.
                             response = response.render()
      ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/response.py in render
                       self.content = self.rendered_content
      ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/response.py in rendered_content
                  content = template.render(context, self._request)
      ► Local vars
```

```
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/backends/django.py in render
                  66.
                                                             return self.template.render(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render
                                                                                     return self. render(context)
                  207.
                 ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in _render
                                                     return self.nodelist.render(context)
                 ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python 2.7/site-packages/django/template/base.py\ in\ render for the control of th
                  990.
                                                                          bit = node.render_annotated(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render_annotated
                  957.
                                                               return self.render(context)
                 ► Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/loader_tags.py in render
                                                                return compiled_parent._render(context)
                 ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in _render
                  199.
                                                  return self.nodelist.render(context)
                 ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render
                                                                          bit = node.render_annotated(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py\ in\ render\_annotated
                 957.
                                                              return self.render(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/loader_tags.py in render
                 177.
                                                               return compiled_parent._render(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in _render
                                                 return self.nodelist.render(context)
                 ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render
                                                                          bit = node.render annotated(context)
                 ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render_annotated
                                                               return self.render(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/loader\_tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~in~render~tags.py~
                 177.
                                                             return compiled_parent._render(context)
                 ▶ Local vars
/home/goodcsr/pmu-1.11/lib/pvthon2.7/site-packages/diango/template/base.pv in render
                                                return self.nodelist.render(context)
                 ▶ Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py İN render
                                                                         bit = node.render_annotated(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render_annotated
                  957.
                                                              return self.render(context)
                 ► Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/loader_tags.py in render
                                                               return compiled_parent._render(context)
                 ► Local vars
```

```
return self.nodelist.render(context)
                                           ► Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render
                                            990.
                                                                                                                                                                                                bit = node.render_annotated(context)
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py iN render_annotated
                                           957.
                                                                                                                                                                 return self.render(context)
                                           ▶ Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/loader\_tags.py\ in\ render-packages/django/template/loader\_tags.py\ in\ render-packages/django/template/l
                                            72.
                                                                                                                                                                                          result = block.nodelist.render(context)
                                           ► Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render
                                                                                                                                                                                              bit = node.render_annotated(context)
                                            990.
                                           ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render_annotated
                                                                                                                                                                  return self.render(context)
                                           ► Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/loader_tags.py in render
                                                                                                                                                                                          result = block.nodelist.render(context)
                                            72.
                                           ▶ Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in render
                                                                                                                                                                                             bit = node.render_annotated(context)
                                            990.
                                           ▶ Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py\ in\ render\_annotated
                                                                                                                                                                  return self.render(context)
                                           ▶ Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/library.py in render
                                              225.
                                                                                                                        _dict = self.func(*resolved_args, **resolved_kwargs)
                                           ▶ Local vars
/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \\ in result\_list. \\ for example 1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \\ in result\_list. \\ for example 1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \\ in result\_list. \\ for example 1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \\ for example 1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin_list.py \\ for example 1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin
                                              340.
                                                                                                                                                                  'results': list(results(cl))}
                                           ► Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \\ In results \\ In the packages distribution of the packages 
                                                                                                                                                                    yield ResultList(None, items_for_result(cl, res, None))
                                            316.
                                           ► Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin_list.py \\ in \_init\_site-packages/django/contrib/admin/templatetags/admin_list.py \\ in \_init\_site-packages/django/contrib/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/
                                            307.
                                                                                                                                  super(ResultList, self).__init__(*items)
                                           ▶ Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \ \cite{home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \cite{home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin\_list.py \cite{home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin_list.py \cite{home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/contrib/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/templatetags/admin/tem
                                                                                                                                  if force_text(result_repr) == '':
                                           ► Local vars
 /home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/utils/encoding.py\ in\ force\_textor(a) and the property of the pro
                                            78.
                                                                                                                                                                                       s = six.text type(s)
                                           ▶ Local vars
```

/home/goodcsr/pmu-1.11/lib/python2.7/site-packages/django/template/base.py in _render

Request information

goodcsr

USER GET No GET data **POST** No POST data

FILES No FILES data

COOKIES

١	/ariable	Value
5	sessionid	'kcszqniofrlkfncvr1x14k1mtexcxise'

Variable	Value
_ga	'6A1.2.963289236.1554379799'
lo_session_in	'1'
_lo_v	'24'
csrftoken	'6czKGX4EUV3G007787BUMqrkmcxi30o8FiX1Tmlz0dhc7z033u503Ghf8d7xhacx'
_lo_uid	'93592-1554981946401-8b7c453415cc12c5'
lot1	'https%3A%2F%2Fwww.goodcsr.in%2F'

META

Variable	Value
CONTEXT_DOCUMENT_ROOT	'/var/www/html'
CONTEXT_PREFIX	
CSRF_COOKIE	'6czKGX4EUV3G007787BUMqrkmcxi30o8FiX1Tmlz0dhc7z033u503Ghf8d7xhacx'
CSRF_COOKIE_USED	True
DOCUMENT_ROOT	'/var/www/html'
GATEWAY INTERFACE	'GGI/1.1'
HTTP_ACCEPT	'text/html,application/xhtml+xml,application/xml;q=0.9,image/webp,image/apng,*/*;q=0.8,application/signed-exchange;v=b3'
HTTP_ACCEPT_ENCODING	'gzip, deflate, br'
HTTP_ACCEPT_LANGUAGE	'en-US,en;q=0.9,mr;q=0.8'
HTTP CONNECTION	'keep-alive'
HTTP_COOKIE	'_ga=GA1.2.963289236.1554379799; _lo_uid=93592-1554981946401-8b7c453415cc12c5;lotl=https%3A%2F%2Fwww.goodcsr.in%2F; lo_session_in=1; _lo_v=24; csrftoken=6czKGX4EUV3G007787BUMqrkmcxi3008FiX1Tmlz0dhc7z033u503Ghf8d7xhacx; sessionid=kcszqniofrlkfncvr1x14k1mtexcxise'
HTTP_HOST	'direct.goodcsr.in'
HTTP_REFERER	'https://direct.goodcsr.in/admin/projectmanagement/'
HTTP_UPGRADE_INSECURE_REQUESTS	
HTTP_USER_AGENT	'Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/73.0.3683.103 Safari/537.36'
PATH_INFO	u'/admin/projectmanagement/projectparametervalue/'
PATH TRANSLATED	'/home/goodcsr/goodcsrpmu.wsgi/admin/projectmanagement/projectparametervalue/'
QUERY_STRING	, , , , , , , , , , , , , , , , , , ,
REMOTE_ADDR	'42.106.253.99'
REMOTE_PORT	'52072'
REQUEST_METHOD	'GET'
REQUEST_SCHEME	'https'
REQUEST URI	'/admin/projectmanagement/projectparametervalue/'
SCRIPT_FILENAME	'/home/goodcsr/goodcsrpmu.wsgi'
_	u''
SCRIPT_NAME	
SERVER_ADDR	'172.31.26.243'
SERVER_ADMIN	'[no address given]'
SERVER_NAME	'direct.goodcsr.in'
SERVER_PORT	'443'
SERVER_PROTOCOL	'HTTP/1.1'
SERVER_SIGNATURE	
SERVER_SOFTWARE	'Apache'
SSL_TLS_SNI	'direct.goodcsr.in'
UNIQUE_ID .	'XMqCmUu816MFIcOEKdbOwAAAA8'
apache.version	(2, 4, 20)
mod_wsgi.application_group	'direct.goodcsr.in '
mod_wsgi.callable_object	'application'
mod_wsgi.enable_sendfile	'0'
mod_wsgi.handler_script	
mod_wsgi.listener_host	
mod_wsgi.listener_port	'443'
mod_wsgi.path_info	'/admin/projectmanagement/projectparametervalue/'
mod_wsgi.process_group	
mod_wsgi.request_handler	'wsgi-script'
mod_wsgi.request_start	'1556775577334322'
mod_wsgi.script_name	···
mod_wsgi.script_reloading	'1'
mod_wsgi.script_start	'1556775577334781'
mod_wsgi.thread_id	0
mod_wsgi.thread_requests	5L
mod_wsgi.total_requests	5L
mod_wsgi.version	(4, 5, 2)
wsgi.errors	<mod_wsgi.log 0x7f6f0f380fa8="" at="" object=""></mod_wsgi.log>
wsgi.file_wrapper	TI CONTRACTOR OF THE CONTRACTO
wsgi.input	<mod_wsgi.input 0x7f6f0ebb4c60="" at="" object=""></mod_wsgi.input>
wsgi.multiprocess	True
wsgi.multithread	False
wsgi.run_once	False
wsgi.url_scheme	'https'
wsgi.version	$(1, \theta)$

Settings Using s

Using settings module pmu.settings

Setting	Value
ABSOLUTE_URL_OVERRIDES	0
ADMINS	[]
ALLOWED_HOSTS	['*']
APPEND_SLASH	True
AUTHENTICATION_BACKENDS	[u'django.contrib.auth.backends.ModelBackend']
AUTH_PASSWORD_VALIDATORS	u'**************
AUTH USER MODEL	u'auth.User'

```
Setting
BASE_DIR
                                     '/home/goodcsr/GoodCSR-PMU'
                                     BLEACH VALID ATTRS
BLEACH VALID STYLES
                                     ['color', 'cursor', 'float', 'margin']
                                     ['p',
'b',
'i',
BLEACH_VALID_TAGS
                                       'strike'
                                      'ul',
'li',
'ol',
                                       'br'
                                       'span'.
                                       'blockquote',
                                      'hr',
                                       'a',
                                      'img']
CACHES
                                     \{u'default'\colon \{u'BACKEND'\colon u'django.core.cache.backends.locmem.LocMemCache'\}\}
CACHE_MIDDLEWARE_ALIAS
                                     u'default'
CACHE_MIDDLEWARE_KEY_PREFIX
                                     u'***************
CACHE MIDDLEWARE SECONDS
                                    600
CKEDITOR_CONFIGS
                                     {'default': {'height': 300, 'toolbar': None, 'width': 600}}
CKEDITOR_IMAGE_BACKEND
CKEDITOR_JQUERY_URL
                                     'https://ajax.googleapis.com/ajax/libs/jquery/2.2.4/jquery.min.js'
CKEDITOR_UPLOAD_PATH
                                     '/uploads/'
CORS_ALLOW_CREDENTIALS
                                     ('x-requested-with',
CORS ALLOW HEADERS
                                       'content-type',
                                       'accept',
                                       'origin'
                                      'authorization',
                                      'x-csrftoken')
CORS_ALLOW_METHODS
                                     ('DELETE', 'GET', 'OPTIONS', 'PATCH', 'POST', 'PUT')
CORS_ORIGIN_ALLOW_ALL
                                     True
CSRF_COOKIE_AGE
                                    31449600
CSRF_COOKIE_DOMAIN
                                    None
CSRF_COOKIE_HTTPONLY
                                    False
CSRF_COOKIE_NAME
                                     u'csrftoken'
CSRF_COOKIE_PATH
                                    u'/'
CSRF_COOKIE_SECURE
                                    True
CSRF_FAILURE_VIEW
                                    u'django.views.csrf.csrf_failure'
CSRF_HEADER_NAME
                                     u'HTTP_X_CSRFTOKEN'
CSRF TRUSTED ORIGINS
                                    ٢1
CSRF_USE_SESSIONS
                                    False
DATABASES
                                     {'default': {'ATOMIC_REQUESTS': False,
                                                    'AUTOCOMMIT': True,
'CONN_MAX_AGE': 0,
                                                   'PORT': '',
'TEST': {'CHARSET': None,
                                                              'COLLATION': None,
                                                             'MIRROR': None,
'NAME': None},
                                                   'TIME_ZONE': None,
                                                   'USER': 'goodcsrpmu'}}
DATABASE_ROUTERS
                                     []
                                     2621440
DATA_UPLOAD_MAX_MEMORY_SIZE
DATA_UPLOAD_MAX_NUMBER_FIELDS
                                     None
DATETIME_FORMAT
                                     u'N j, Y, P'
DATETIME_INPUT_FORMATS
                                     [u'%Y-%m-%d %H:%M:%S
                                      u'%Y-%m-%d %H:%M:%S.%f',
u'%Y-%m-%d %H:%M',
                                      u'%Y-%m-%d',
u'%m/%d/%Y %H:%M:%S',
u'%m/%d/%Y %H:%M:%S.%f',
                                      u'%m/%d/%Y %H:%M',
u'%m/%d/%Y',
                                      u'%m/%d/%y %H:%M:%S'
                                      u'%m/%d/%y %H:%M:%S.%f',
u'%m/%d/%y %H:%M',
                                      u'%m/%d/%y']
DATE_FORMAT
                                     u'N j, Y'
DATE_INPUT_FORMATS
                                     [u'%Y-%m-%d'
                                      u'%m/%d/%Y',
                                      u'%m/%d/%y',
u'%b %d %Y',
                                      u'%b %d, %Y',
u'%d %b %Y',
                                      u'%d %b, %Y',
u'%B %d %Y',
u'%B %d, %Y',
                                      u'%d %B %Y'
                                      u'%d %B, %Y']
DEBUG
                                     True
DEBUG_PROPAGATE_EXCEPTIONS
                                     False
DECIMAL_SEPARATOR
                                     u'.'
DEFAULT_CHARSET
                                     u'utf-8'
DEFAULT_CONTENT_TYPE
                                    u'text/html'
```

```
Setting
                                      Value
DEFAULT_EXCEPTION_REPORTER_FILTER u'django.views.debug.SafeExceptionReporterFilter'
DEFAULT FILE STORAGE
                                      u'django.core.files.storage.FileSystemStorage'
DEFAULT_FROM_EMAIL
                                      'admin@goodcsr.in'
DEFAULT_INDEX_TABLESPACE
                                     u''
DEFAULT_TABLESPACE
DISALLOWED_USER_AGENTS
                                      []
                                     ['pdf',
DOC_CONTENT_TYPE
                                        msword'
                                        'vnd.openxmlformats-officedocument.wordprocessingml.document',
                                       'vnd.openxmlformats-officedocument.wordprocessingml.template'
                                        'vnd.ms-excel'
                                        'application/vnd.openxmlformats-officedocument.wordprocessingml.template',
                                       'vnd.ms-powerpoint',
'vnd.openxmlformats-officedocument.presentationml.presentation',
                                       \verb|'application/vnd.openxmlformats-officed ocument.presentationml.template', \\
                                        "vnd.openxml formats-office document.presentationml.slideshow"]\\
DOC_EXTENSION_LIST
                                      ['.doc',
                                       'dot',
'.docx',
                                        '.dotx',
                                        '.xls',
                                       '.pdf',
                                        .ppt'
                                       '.pptx',
                                        .potx'
                                       '.ppsx']
EMAIL BACKEND
                                      u'django.core.mail.backends.smtp.EmailBackend'
EMAIL_HOST
                                      'smtp.sendgrid.net'
EMAIL_HOST_PASSWORD
EMAIL_HOST_USER
                                      'admin@goodcsr.in'
EMAIL_PORT
                                      '587'
EMAIL SSL CERTFILE
                                     None
                                      u'***************
EMAIL_SSL_KEYFILE
EMAIL_SUBJECT_PREFIX
                                     u'[Django] '
EMAIL_TIMEOUT
                                     None
EMAIL_USE_LOCALTIME
                                     False
EMAIL_USE_SSL
                                      False
EMAIL USE TLS
                                     False
FILE_CHARSET
                                      u'utf-8'
FILE_UPLOAD_DIRECTORY_PERMISSIONS None
                                     [u'django.core.files.uploadhandler.MemoryFileUploadHandler'] \\
FILE UPLOAD HANDLERS
                                       u'django.core.files.uploadhandler.TemporaryFileUploadHandler']
FILE_UPLOAD_MAX_MEMORY_SIZE
                                      2621440
FILE_UPLOAD_PERMISSIONS
                                      None
FILE_UPLOAD_TEMP_DIR
                                      None
FIRST DAY OF WEEK
                                      0
FIXTURE_DIRS
                                      []
FORCE_SCRIPT_NAME
                                      None
FORMAT_MODULE_PATH
                                     None
FORM_RENDERER
                                      \verb"u'django.forms.renderers.DjangoTemplates"
GRAPH_MODELS
                                      {'all_applications': True, 'group_models': True}
IGNORABLE_404_URLS
                                      []
IMAGE_EXTENSION_LIST
                                      ['.png', '.jpeg', '.jpg']
                                      1048576
IMG_UPLOAD_SIZE
IMPORT_EXPORT_USE_TRANSACTIONS
                                      True
INSTALLED_APPS
                                      ('django.contrib.admin',
                                        'django.contrib.auth'
                                       'django.contrib.contenttypes',
                                       'django.contrib.sessions',
'django.contrib.messages',
                                       'django.contrib.staticfiles',
                                       'django.contrib.humanize',
'rest_framework',
'rest_framework_swagger',
'rest_framework.authtoken',
                                       'ckeditor',
                                       'django_extensions',
                                       'projectmanagement'
'budgetmanagement',
                                       'media',
'userprofile',
                                       'taskmanagement.app.TaskmanagementConfig',
                                        'captcha'
                                       'snowpenguin.django.recaptcha2',
'import_export')
INTERNAL_IPS
                                      []
```

```
Setting
                                                                                                                                                                                               Value
                                                                                                                                                                                             Value
[(u'af', u'Afrikaans'),
(u'ar', u'Arabic'),
(u'ast', u'Asturian'),
(u'az', u'Asturian'),
(u'bg', u'Bulgarian'),
(u'be', u'Belarusian'),
(u'bn', u'Berton'),
(u'br', u'Breton'),
(u'bs', u'Catalan'),
(u'cs', u'Catalan'),
(u'cy', u'Welsh'),
(u'da', u'Danish'),
(u'de', u'German'),
LANGUAGES
                                                                                                                                                                                                  (u da , u 'German'),
(u'dsb', u'German'),
(u'dsb', u'Gerek'),
(u'en', u 'English'),
(u'en-au', u'Australian English'),
(u'en-gb', u'British English'),
(u'es-g', u'Spanish'),
(u'es-ar', u'Argentinian Spanish'),
(u'es-ar', u'Argentinian Spanish'),
(u'es-ar', u'Mexican Spanish'),
(u'es-ni', u'Nicaraguan Spanish'),
(u'es-ve', u'Venezuelan Spanish'),
(u'et', u'Estonian'),
(u'et', u'Basque'),
(u'fa', u'Persian'),
(u'fi', u'Frinish'),
(u'fy', u'Frisian'),
(u'ga', u'Irish'),
(u'ga', u'Irish'),
(u'he', u'Hebrew'),
(u'hi', u'Hundi'),
(u'hr', u'Croatian'),
(u'hu', u'Hungarian'),
(u'ia', u'Interlingua'),
(u'id', u'Indonesian'),
(u'id', u'Italian'),
(u'is', u'Italian'),
(u'is', u'Kazakh'),
(u'kk', u'Kazakh'),
(u'kk', u'Karakh'),
(u'kk', u'Korean'),
(u'lb', u'Luxembourgish'),
(u'lt', u'Lithuanian'),
(u'lt', u'Lithuanian'),
(u'lt', u'Luxembourgish'),
(u'lt', u'Luxembourgish'),
(u'lt', u'Luxembourgish'),
(u'lt', u'Luxembourgish'),
(u'm', u'Marathi'),
(u'm', u'Marathi'),
(u'm', u'Marathi'),
(u'm', u'Morwegian Bokm\xe5l'),
(u'm', u'Norwegian Bokm\xe5l'),
(u'n', u'Norwegian Nynorsk'),
(u's', u'Ossetic'),
(u'n', u'Norwegian Nynorsk'),
(u's', u'Ossetic'),
(u'n', u'Polish'),
(u'n', u'Polish'),
(u's', u'Slovenian'),
(u's', u'Slovenian'),
(u's', u'Slovenian'),
(u's', u'Slovenian'),
(u's', u'Slovenian'),
(u's', u'Slovenian'),
(u's', u'Shabanian'),
(u's', u'Grotian'),
(u's', u'Grotian
                                                                                                                                                                                                    (u'zh-hans', u'Simplified Chinese'),
(u'zh-hant', u'Traditional Chinese')]
                                                                                                                                                                                               [u'he', u'ar', u'fa', u'ur']
LANGUAGES BIDI
 LANGUAGE_CODE
                                                                                                                                                                                                  'en-us'
LANGUAGE_COOKIE_AGE
                                                                                                                                                                                              None
LANGUAGE_COOKIE_DOMAIN
                                                                                                                                                                                              None
 LANGUAGE_COOKIE_NAME
                                                                                                                                                                                               u'django_language'
LANGUAGE COOKIE PATH
                                                                                                                                                                                             u'/'
LOCALE PATHS
                                                                                                                                                                                               []
LOGGING
                                                                                                                                                                                              {}
LOGGING_CONFIG
                                                                                                                                                                                             u'logging.config.dictConfig'
LOGIN_REDIRECT_URL
                                                                                                                                                                                               u'/accounts/profile/
 LOGIN_URL
                                                                                                                                                                                               u'/accounts/login/'
LOGOUT_REDIRECT_URL
                                                                                                                                                                                              None
MANAGERS
                                                                                                                                                                                               []
MAX_UPLOAD_SIZE
                                                                                                                                                                                               5242880
```

```
Setting
MEDIA_ROOT
                                       '/home/goodcsr/GoodCSR-PMU/'
MEDIA URL
                                        '/'
MESSAGE_STORAGE
                                       'django.contrib.messages.storage.cookie.CookieStorage'
MIDDLEWARE
                                       None
                                       ('django.contrib.sessions.middleware.SessionMiddleware',
MIDDLEWARE CLASSES
                                         django.middleware.common.CommonMiddleware
                                         'django.middleware.csrf.CsrfViewMiddleware',
'django.contrib.auth.middleware.AuthenticationMiddleware'
                                         'django.contrib.auth.middleware.SessionAuthenticationMiddleware',
'django.contrib.messages.middleware.MessageMiddleware',
                                         'django.middleware.clickjacking.XFrameOptionsMiddleware',
                                         'django.middleware.security.SecurityMiddleware',
'corsheaders.middleware.CorsMiddleware',
                                         'django.middleware.common.CommonMiddleware')
MIGRATION_MODULES
                                       {}
MONTH DAY FORMAT
                                       u'F i'
NOCAPTCHA
                                       False
NUMBER_GROUPING
                                       u'***************
PASSWORD HASHERS
                                       u'***************
PASSWORD_RESET_TIMEOUT_DAYS
PMU_URL
                                       'https://direct.goodcsr.in'
PREPEND WWW
                                       False
PRIVATE_STORAGE_AUTH_FUNCTION
                                        'private_storage.permissions.allow_authenticated'
PRIVATE_STORAGE_ROOT
                                       '/home/goodcsr/GoodCSR-PMU/static/media/private/'
RECAPTCHA PRIVATE KEY
                                       u'***************
RECAPTCHA_PUBLIC_KEY
REST_FRAMEWORK
                                       {'DEFAULT_PAGINATION_CLASS': 'rest_framework.pagination.PageNumberPagination',
                                         rest_framework.parsers.MultiPartParser'),
                                        'DEFAULT_RENDERER_CLASSES': ('rest_framework.renderers.350NRenderer', 'rest_framework.renderers.BrowsableAPIRenderer'),
                                        'PAGE_SIZE': 5}
ROOT_URLCONF
                                        'pmu.urls'
SAMITHA URL
                                       'https://admin.goodcsr.in'
SECRET_KEY
                                       II'*************
SECURE_BROWSER_XSS_FILTER
                                       True
SECURE CONTENT TYPE NOSNIFF
                                       True
SECURE_HSTS_INCLUDE_SUBDOMAINS
SECURE_HSTS_PRELOAD
                                       True
SECURE HSTS SECONDS
                                      31536000
SECURE_PROXY_SSL_HEADER
                                       None
SECURE REDIRECT EXEMPT
                                       []
SECURE SSL HOST
                                       None
SECURE_SSL_REDIRECT
                                      False
SERVER_EMAIL
                                      u'root@localhost'
SESSION_CACHE_ALIAS
                                      u'default'
SESSION_COOKIE_AGE
                                      1200
SESSION COOKIE DOMAIN
                                      None
SESSION_COOKIE_HTTPONLY
                                       True
SESSION_COOKIE_NAME
                                       u'sessionid'
SESSION_COOKIE_PATH
                                      u'/'
SESSION_COOKIE_SECURE
                                       True
SESSION_ENGINE
                                       u'django.contrib.sessions.backends.db'
SESSION_EXPIRE_AT_BROWSER_CLOSE
                                      True
SESSION_FILE_PATH
                                       None
SESSION_SAVE_EVERY_REQUEST
SESSION_SERIALIZER
                                       u'django.contrib.sessions.serializers.JSONSerializer'
SETTINGS_MODULE
                                       'pmu.settings'
                                       u'm/d/Y P'
SHORT_DATETIME_FORMAT
SHORT DATE FORMAT
                                       u'm/d/Y
SIGNING_BACKEND
                                       u'django.core.signing.TimestampSigner'
SILENCED_SYSTEM_CHECKS
                                       []
                                       ('/home/goodcsr/GoodCSR-PMU/static/',)
STATICFILES DIRS
STATICFILES_FINDERS
                                       [u'django.contrib.staticfiles.finders.FileSystemFinder'
                                        u'django.contrib.staticfiles.finders.AppDirectoriesFinder']
STATICFILES_STORAGE
                                       \verb"u'django.contrib.staticfiles.storage.StaticFilesStorage" \\
STATIC_ROOT
                                        '/home/goodcsr/GoodCSR-PMU'
STATIC URL
                                       '/static/
                                      {'SECURITY_DEFINITIONS': {'api_key': u'****************************,
    'api_key': u'**********************,
    'api_path': u'*********************,
    'api_version': u'******************,
    'doc_expansion': 'none',
    'enabled_methods': ['get', 'post', 'put', 'patch', 'delete'],
    'exclude_namespaces': [],
    'exclude_url_names': [],
    'is_authenticated': False.
SWAGGER_SETTINGS
                                         'is_authenticated': False,
'is_superuser': False,
                                         'permission_denied_handler': None,
                                         'unauthenticated_user': 'django.contrib.auth.models.AnonymousUser'}
```

Setting	Value
TEMPLATES	<pre>[{'BACKEND': 'django.template.backends.django.DjangoTemplates', 'DIRS': ['/home/goodcsr/GoodCSR-PMU/templates'], 'OPTIONS': {'context_processors': ['django.contrib.auth.context_processors.auth',</pre>
TEST_NON_SERIALIZED_APPS	
TEST_RUNNER	u'django.test.runner.DiscoverRunner'
THOUSAND_SEPARATOR	u','
TIME_FORMAT	u'P'
TIME_INPUT_FORMATS	[u'%H:%M:%S', u'%H:%M:%S.%f', u'%H:%M']
TIME_ZONE	'Asia/Kolkata'
USE_ETAGS	False
USE_I18N	True
USE_L10N	True
USE_THOUSAND_SEPARATOR	False
USE_TZ	True
USE_X_FORWARDED_HOST	False
USE_X_FORWARDED_PORT	False
WSGI_APPLICATION	'pmu.wsgi.application'
X_FRAME_OPTIONS	u'SAMEORIGIN'
YEAR_MONTH_FORMAT	u'F Y'

You're seeing this error because you have DEBUG = True in your Django settings file. Change that to False, and Django will display a standard page generated by the handler for this status code.