```
index.php
                                                     auth_trait.php:
<?php header('location:auth.php'); ?>
                                                     <?php
auth.php:
                                                     include("connexion.php");
<?php
error_reporting(0);
if (isset($_COOKIE['login']) &&
                                                     $login=$_POST['login'];
isset($_COOKIE['mp'])) {
                                                     $mp=$_POST['mp'];
       $I=$_COOKIE['login'];
       $m=$_COOKIE['mp'];
                                                    function existence($bdd,$login,$password){
       $t=true;
                                                            $req=$bdd->prepare("select code
}
                                                     from client where login=? and mp=?");
?>
                                                            $req-
                                                     >execute(array($login,$password));
<!DOCTYPE html>
                                                            $n=$req->rowCount();
<html>
                                                            return $n;
<head>
                                                    }
       <title>Authentification</title>
</head>
                                                     if(existence($bdd,$login,$mp)==1){
<body>
                                                            setcookie('login',$login,time()+30*24*
<form action="auth_trait.php"
                                                     3600);
method="post">
                                                            setcookie('mp',$mp,time()+30*24*36
Saisir login: <input type="text" name="login"
                                                     00);
<?php
                                                            header('location:produits.php');
if ($t) echo "value="".$I."";
                                                     }
?> ><br>
                                                     else{
Saisir mot de passe : <input type="password"
                                                            echo "Utilisateur inexistant, pour vous
name="mp"
                                                     authentifier, appuyez <a
                                                    href='inscription.php'>ici !</a>";
<?php
                                                    }
if ($t) echo "value="".$m."";
                                                     ?>
?> ><br>
                                                     connexion.php:
<input type="submit" value="Valider">
                                                     <?php
<input type="reset" value="Annuler">
                                                     $db_name="exam2014-2015";
</form>
                                                     $db_pass="";
</body>
                                                     $db_user="root";
</html>
```

```
$db_host="localhost";
                                                    ?>
                                                    <!DOCTYPE html>
try{
  $bdd = new
                                                    <html>
PDO("mysql:host=$db_host;dbname=$db_na
                                                    <head>
me;charset=utf8",$db_user, $db_pass);
                                                            <meta charset="utf-8">
       }
                                                            <meta http-equiv="X-UA-Compatible"
       catch (Exception $e)
                                                    content="IE=edge">
       {
                                                            <title></title>
         die('Erreur : ' . $e->getMessage());
                                                            <link rel="stylesheet" href="">
}
                                                    </head>
?>
                                                    <body>
inscription.php
                                                            <form action="inscription.php"</pre>
                                                    method="post">
<?php
                                                                   Nom: <input type="text"
                                                    name="nom" placeholder="Votre nom ici
include('connexion.php');
                                                    !"><br>
                                                                   Prénom : <input type="text"
                                                    name="prenom" placeholder="Votre prénom
$nom=$_POST['nom'];
                                                    ici !"><br>
$prenom=$ POST['prenom'];
                                                                   Adresse: <input type="text"
$adresse=$_POST['adresse'];
                                                    name="adresse" placeholder="Votre adresse
                                                    ici !"><br>
$login=$ POST['login'];
                                                                   Login : <input type="text"
$mp=$_POST['mp'];
                                                    name="login" placeholder="Votre login ici
                                                    !"><br>
if(isset($nom) && !empty($nom) &&
                                                                   Mot de passe : <input
                                                    type="password" name="mp"
isset($prenom) && !empty($prenom) &&
                                                    placeholder="Votre mot de passe ici !"><br>
isset($adresse) && !empty($adresse) &&
isset($login) && !empty($login) && isset($mp)
                                                                   <input type="submit"
&& !empty($mp)){
                                                    value="Valider">
       $req=$bdd->prepare('insert into
                                                                   <input type="reset"
client(nom,prenom,adresse,login,mp)
                                                    value="Reinisialiser">
values(?,?,?,?,?)');
                                                            </form>
       $rea-
                                                    <?php
>execute(array($nom,$prenom,$adresse,$logi
n,$mp));
                                                           echo "Erreur de saisie";
       header('location:auth.php');
                                                    ?>
}
                                                    </body>
```

```
</html>
produits.php:
                                                      Code
<?php
include('connexion.php');
                                                             Nom
                                                             Prix
if (!isset($_COOKIE['login'])) {
                                                             Choisir
      header('location:auth.php');
                                                      }
                                                      <?php
?>
                                                   if(isset($_POST['categorie'])){
<!DOCTYPE html>
                                                      $req=$bdd->prepare('select * from
                                               produits where categorie=?');
<html>
                                                                    Śrea-
<head>
                                               >execute(array($_POST['categorie']));
      <title>Produits</title>
                                                                    foreach ($req as $key)
                                               {
</head>
                                                                           echo
<body>
                                               "".$key['code']."".$key['no
<form action="produits.php" method="post"</pre>
                                               m']."".$key['prix']."<input
accept-charset="utf-8">
                                               type='checkbox' name='produits[]'
                                               value=".$key['code'].">";
Choisir categorie: <select name="categorie">
      <?php
                                                                           }
       $req=$bdd->prepare('select * from
                                                   }
categorie');
                                                   else{
      $req->execute(array());
                                                      $req=$bdd->prepare('select * from
      foreach ($req as $key) {
                                               produits');
             echo "<option
                                                                    $req-
value="".$key['id_categorie']."">".$key['nom_c
                                               >execute(array());
ategorie']."</option>";
                                                                    foreach ($reg as $key)
      }
                                               {
       ?>
                                                                           echo
</select>
                                               "".$key['code']."".$key['no
                                               m']."".$key['prix']."<input
<input type="submit" value="Afficher">
                                               type='checkbox' name='produits[]'
                                               value=".$key['code'].">";
</form>
Produits:
                                                                           }
<form action="panier.php" method="post"
                                                   }
accept-charset="utf-8">
                                                      ?>
```

```
<input type="submit" value="Ajouter au
panier">
</form>
</body>
</html>
panier.php:
<?php
include('connexion.php');
if (!isset($_COOKIE['login'])) {
       header('location:auth.php');
}
$produits=$_POST['produits'];
$total=0;
foreach ($produits as $key => $value) {
       $req=$bdd->prepare('select nom,prix
from produits where code=?');
       $req->execute(array($value));
       foreach ($req as $keyr) {
               echo $keyr['nom'].":
".$keyr['prix']."<br>";
               $total+=$keyr['prix'];
       }
}
echo "Le prix total est : ".$total;
?>
```