


* XR Report - Auth (Verified) - Internal Provenance Source: Pacific Neurosurgery & Spine Medical Group Inc; Garcia, Mia *



SMI Imaging Center of San Diego, LLC

Dr. Sanjay Ghosh

7625 Mesa College Dr. Suite 110A

San Diego, CA 92111

Phone: (619)810-1010

Fax: (619)810-1011

Patient Name: HANDROP, RONALD

Date of Birth: 12/07/1954

Account/ID: HARO6CV0

Study Date: 11/09/2023

Referral By: Sanjay Ghosh, M.D.

PROCEDURE: MR Lumbar (MRI SPINE LUMBAR W/O CO)

HISTORY:

Back pain and radiculopathy.

TECHNIQUE:

STIR, T1, and T2 sagittal and T1 and T2 axial scans were performed. Scans were performed on a 1.5 Tesla GE open bore magnet.

FINDINGS:

Alignment is normal. The conus and cauda equina are normal. The tip of the conus is at the L1-2 level.

The intervertebral discs are diminished in signal intensity consistent with degenerative changes of dehydration. Small vertebral hemangiomas are seen.

T11-12 through L1-2: The intervertebral discs are normal in height but diminished in signal intensity consistent with degenerative changes of dehydration. No central canal or neural foraminal stenosis. The facet joints are normal.

L2-3 and L3-4: The intervertebral discs are normal in height with slight posterolateral extension of the disc annulus bilaterally and mild anterior extension of the disc annulus. Minor L2-3 and L3-4 facet joint degenerative changes.

L4-5: A mild retrolisthesis of L4 on L5 is seen. The intervertebral disc is normal in height with a mild annular disc bulge greatest posterolaterally bilaterally mild left posterolateral high-intensity zone and mild posterolateral marginal osteophytic changes. Mild facet joint degenerative changes with ligamentum flavum thickening. Mild-to-moderate front back right and mild left neural foraminal narrowing.

L5-S1: The intervertebral disc is normal in height but moderately diminished in signal intensity with a 2 mm left paracentral/subarticular protrusion with high-intensity zone abutting the left S1 nerve root. No central canal or neural foraminal stenosis. Moderate right and mild left facet joint degenerative changes.

No osseous edema. No soft tissue edema.

IMPRESSION:

* XR Report - Auth (Verified) - Internal Provenance Source: Pacific Neurosurgery & Spine Medical Group Inc; Garcia, Mia *

HANDROP, RONALD - MR Lumbar (MRI SPINE LUMBAR W/O CO)
Continued:

1. Mild annular bulge of the L4-5 intervertebral disc greatest posterolaterally bilaterally with left posterolateral high-intensity zone. Mild-to-moderate right neural foraminal narrowing.
2. 2 mm left paracentral/subarticular protrusion of the L5-S1 intervertebral disc with high-intensity zone abutting the left S1 nerve root.

Interpreted By: Betsy Holland, M.D.
Electronically Signed By: Betsy Holland, M.D.
Electronically Signed On: 2023-11-10 14:05 -08:00 [ID:1939723][IL:94965-1896]

HANDROP, RONALD - MR Lumbar (MRI SPINE LUMBAR W/O CO)
Page 2 of 2
