



Access Data upon Approval

After Data Request (DR) approval, you can access the datasets via the following methods:

Method	Description
1. Direct Download	Build filter conditions and download datasets in CSV or Parquet format from the DataHive portal.
2. Databricks	Access the datasets on a Databricks environment for data processing and analysis.
3. APIs	Access your data programmatically via DataHive's Asynchronous APIs or Synchronous API.
4. System Connection	Connect your systems to DataHive's API and Data Warehouse using a service principal account for secure and seamless data integration.
5. Accessing Hashing Feature in Data Request	Upload files to be hashed based on the schema defined in the Data Request.
6. Accessing Chat with your data: Genie space	Use Genie space to query approved datasets in an Artificial Intelligence (AI) chat interface.
7. Accessing Data via PowerBI in M365	Create dashboards, interactive reports and visualizations within the web browser using PowerBI in M365.
8. Accessing Data via VISTA Qlik Sense	Create, share and explore interactive dashboards and visualisations securely across WOG using VISTA Qlik Sense.

1. Direct Download

! INFO

Use this method when you need quick access to the dataset in CSV or Parquet format. You can define precise filter conditions to scope your download to only the data you need.

! WARNING

The max. file size for download is **5GB**. You should use the filter conditions to scope down the download job.

Alternatively, you may choose to use [Databricks](#) if you require datasets exceeding the file download limit.

1.1. Viewing Download Jobs

Navigate to the **Downloads** tab on your Data Request page. This tab shows all your download jobs, including their status (Preparing, Ready for Download, Failed).

The screenshot displays the 'Data Request' page for 'GOVTECH-2026-07-024'. The 'Downloads' tab is selected and highlighted with a red box. The page shows a table of download jobs with columns for 'Creation Details', 'Downloads', and 'Status'. The 'Status' column shows 'Download' for most jobs and 'Preparing' for the most recent one. A 'Withdraw request' button is visible in the top right corner. A 'Dataset Assistant' sidebar is on the right.

Creation Details	Downloads	Status
22 Jul 2026, 05:01 PM jiang_fangshan@tech.gov.sg	Electricity Sales, Farecard Transactions on Public Transport	Download
24 Jul 2026, 04:10 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
27 Jul 2026, 10:53 AM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
28 Jul 2026, 12:16 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
03 Aug 2026, 04:18 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Preparing

You can expand any row to see the individual dataset jobs within a download, along with their filter logic and per-dataset status.

22 Jul 2020, 04:55 PM jiang_fangshan@tech.gov.sg VIEW 22 Aug 2020 Request fulfilled

»

▼ Data Request Details

Dataset(s) Requested Downloads Team Access Others ▾ Download datasets

Creation Details	Downloads	Status
▼ 24 Jul 2026, 04:10 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
▼ 27 Jul 2026, 10:53 AM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
⬆ 28 Jul 2026, 12:16 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download

Click to expand

Name ▴	Filter Logic ▴	Status ▴
Farecard Transactions on Public Transport	View	Download
Electricity Sales	View	Download

▼ 03 Aug 2026, 04:18 PM
jiang_fangshan@tech.gov.sg

Preparing

1 to 5 of 6 rows < 1 2 > Rows per page: 5 ▾

Dataset Assistant

To view the filter conditions used for a completed job, click the **View** link under the **Filter logic** column. A dialog will display the human-readable filter conditions.

» < Data Requests / GOVTECH-2026-07-024 Withdraw request

Date requested: 22 Jul 2026, 04:55 PM Data Request Owner: jiang_fangshan@tech.gov.sg Team details: View Data request details: View Expiry date: 22 Aug 2026 Status: View history Request Fulfilled

▼ Data Request Details

Dataset(s) Requested

Creation Details	Downloads	Status
▼ 22 Jul 2026 jiang_fangshan@tech.gov.sg		Download
▼ 24 Jul 2026 jiang_fangshan@tech.gov.sg		Download
⬆ 27 Jul 2026 jiang_fangshan@tech.gov.sg		Download

Electricity Sales filter logic

Include data that is matching all of the condition groups:

ALL of these conditions:

Date after 01 Jan 2015

Date before 31 Dec 2025

--- AND ---

ALL of these conditions:

Account Number is one of 123456 23456

Planning Area Name is one of ANG MO KIO BOON LAY

Name ▴	Filter Logic ▴	Status ▴
Farecard Transactions on Public Transport	View	Download
Electricity Sales	View	Download

Download datasets

Dataset Assistant

1.2. Creating a New Download Job

Click the button to create a new download job. The **Download dataset(s)** form will open.

>>

< Data Requests / GOVTECH-2026-07-024

Withdraw request

Date requested:
22 Jul 2026, 04:55 PM

Data Request Owner:
jiang_fangshan@tech.gov.sg

Team details:
[View](#)

Data request details:
[View](#)

Expiry date:
22 Aug 2026

Status: [View history](#)
● Request Fulfilled

< Data Request Details

Dataset(s) Requested

Downloads

Team Access

Others ▾

Download datasets

Creation Details	Downloads	Status
22 Jul 2026, 05:01 PM jiang_fangshan@tech.gov.sg	Electricity Sales, Farecard Transactions on Public Transport	Download
24 Jul 2026, 04:10 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
27 Jul 2026, 10:53 AM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
28 Jul 2026, 12:16 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Download
03 Aug 2026, 04:18 PM jiang_fangshan@tech.gov.sg	Farecard Transactions on Public Transport, Electricity Sales	Preparing

1 to 5 of 6 rows

< 1 2 >

Rows per page: 5 ▾

Dataset Assistant

< Download dataset(s)

Test with Preview First

Click the Preview button below to check your logic against the first 1,000 rows before exporting.

Watch for Conflicting Logic

Setting conflicting filter rules can easily cancel your results out and return 0 rows.

Need help building queries?

[View our Dataset Downloading Guide](#)

Define range

Due to the size of these datasets, a smaller range has to be defined.

Select dataset(s) to download

Select all

☐ Electricity Sales

☐ Farecard Transactions on Public Transport

Dataset name

Select a dataset to get started

Choose one or more datasets from the list above to define their subscription timeframes and data parameters.

Download format type

CSV

Cancel


Preview

Download

Dataset Assistant

1.3. Selecting Datasets

Select one or more datasets to download from the dropdown.



Once you select a dataset, a condition card appears for each dataset where you can configure filter conditions and file type.

1.4. Building Filter Conditions

For each selected dataset, you can define filter conditions to scope the data you want to download. Each condition consists of:

- **Field** — the data field to filter on (e.g., date, category)
- **Operator** — the comparison operator (IS, AFTER, BEFORE)
- **Value(s)** — the value(s) to compare against

Click **Add condition** at the bottom of a condition group to add more filter conditions within the same group.

Electricity Sales

Match **All** Any of the following filter(s).

Field	Operator	Value(s)
Date	After	01/2015
Date	Before	12/2025
Region Name	is	CENTRAL REGION X EAST REGION X NORTH REGION X NORTH-EAST REGION X

+ Add condition

+ Add condition group

Download format type: CSV

Cancel Preview Download



TIP

A default date range condition is automatically added for datasets that have a date field. You can adjust the dates or add additional conditions.

Match All vs Match Any

Within each condition group, you can choose how conditions are combined:

- **Match All** — a row must satisfy **every** condition in the group to be included (AND logic).
- **Match Any** — a row only needs to satisfy **at least one** condition in the group to be included (OR logic).

For example, if you set Match All with conditions "Category IS Food" and "Date AFTER 2024-01-01", only rows where **both** are true will be returned. If you switch to Match Any, rows matching **either** condition will be included.

Advanced Filtering

Conditions are organised into **condition groups**.



TIP

Most users only need one condition group. Simply add your conditions within it and choose Match All or Match Any. You only need multiple groups for advanced scenarios.

For more advanced filtering, you can create multiple condition groups and connect them with **AND** or **OR** logic. This allows you to express complex filter rules that cannot be represented in a single group. For example, you could say "include rows that match (all of Group A's conditions) **OR** (all of Group B's conditions)".

Click **Add condition group** to create additional groups.

The screenshot shows the 'Download dataset(s)' interface. On the left is a sidebar with navigation icons and instructions. The main area contains a filter builder with a top bar for '+ Add condition' and '- Remove condition group'. Below this is a logic selector with 'And' and 'Or' options, and a 'Match' dropdown set to 'All'. A filter rule is defined: 'Account Number' is 'is' with values '123456' and '234567'. Below the filter rule is another '+ Add condition' button. At the bottom, there is a 'Download format type' dropdown set to 'CSV' and a summary line: 'Include data that is matching any of the condition groups:'. At the very bottom are 'Cancel', 'Preview', and 'Download' buttons. A red box highlights the '+ Add condition group' button.

A summary of your filter logic is displayed at the bottom of each dataset card, showing how your groups and conditions are combined.

This screenshot shows the same 'Download dataset(s)' interface, but with the filter logic summary expanded. The summary text reads: 'Include data that is matching any of the condition groups:'. It then lists two groups of conditions separated by '--- OR ---'. The first group is 'ALL of these conditions:' followed by 'Date after 01 Jan 2015', 'Date before 31 Dec 2025', and 'Region Name is one of CENTRAL REGION, EAST REGION, NORTH REGION, NORTH-EAST REGION'. The second group is 'ALL of these conditions:' followed by 'Account Number is one of 123456, 234567'. A red box highlights this entire summary section.

! INFO

This section only applies to datasets with concierge requirements in a data request.

For concierge, a simplified date range picker is shown instead of the full condition builder.

The screenshot shows the 'Download dataset(s)' interface. On the left, there is a sidebar with navigation icons and a list of help topics: 'Test with Preview First', 'Watch for Conflicting Logic', and 'Need help building queries?'. The main content area is titled 'Download dataset(s)' and includes a 'Define range' section with a note: 'Due to the size of these datasets, a smaller range has to be defined.' Below this is a 'Select dataset(s) to download' section with two options: 'Town Gas Sales' (unchecked) and 'Electricity Sales' (checked). A 'Select all' link is on the right. Under 'Electricity Sales', there is a 'Start date' field with the value '01/2015' and an 'End date' field with the value '08/2026'. Both date fields have calendar icons. A red rectangle highlights the date range selection area. Below the date fields is a 'Download format type' dropdown menu set to 'CSV'. At the bottom, there are 'Cancel', 'Preview', and 'Download' buttons.

1.5. Selecting File Type

For each dataset, select the download file format (e.g., CSV).

»

←

Download dataset(s)

Test with Preview First

Click the Preview button below to check your logic against the first 1,000 rows before exporting.

Watch for Conflicting Logic

Setting conflicting filter rules can easily cancel your results out and return 0 rows.

Need help building queries?

[View our Dataset Downloading Guide](#)

»

←

Iown Gas Sales

Match

All

Any

of the following filter(s).

Date

After

01/2005

✕

Date

Before

10/2022

✕

+ Add condition

+ Add condition group

Download format type

CSV

CSV

Parquet

ALL of these conditions:

Date after 01 Jan 2005

Date before 31 Oct 2022

Cancel

Preview

Download

1.6. Previewing Results

Before submitting your download, you can click **Preview** to view the first 1,000 rows matching your filter conditions. This helps you verify your filters are correct.

»

←

Data Requests / GOVTECH-2026-07-024 / Download Dataset / Preview

Preview mode

To reduce preview wait time, you are viewing the first 1,000 rows for the selected dataset.

Electricity Sales

Download selected datasets

Download format type: CSV

account_no	account_holder	uen_or_nric	month	quarter	year	actual_or_estimated	consumption_kwh	total_charges_in_dollar	contestability_status	consumer_type	status
ACCOUNT_NO60	Perez, Patel and Berry	UEN60	9	3	2016	Estimated	6202.08	1750.21	contestable	Commercial and Industrial	F
ACCOUNT_NO32	Porter, Smith and Reynolds	UEN32	1	1	2024	Actual	476.36	127.84	non-contestable	Residential	N
ACCOUNT_NO69	Brown LLC	UEN69	6	2	2021	Estimated	5401.59	1139.55	non-contestable	Commercial and Industrial	V
ACCOUNT_NO10	Riley-Lewis	UEN10	5	2	2019	Estimated	6589.16	1882.33	contestable	Commercial and Industrial	S
ACCOUNT_NO92	Schmidt, Vargas and Lane	UEN92	2	1	2016	Estimated	9463.82	2199.65	contestable	Residential	P
ACCOUNT_NO92	Smith-Neal	UEN92	8	3	2019	Actual	925.35	277.53	non-contestable	Commercial and Industrial	L
ACCOUNT_NO24	Malone-Jennings	UEN24	11	4	2017	Actual	5957.97	1405.75	non-contestable	Residential	Z
ACCOUNT_NO47	Hayes PLC	UEN47	11	4	2021	Estimated	4867.93	1367.4	contestable	Commercial and Industrial	P
ACCOUNT_NO12	Webb PLC	UEN12	4	2	2018	Estimated	5468.01	1282.49	non-contestable	Residential	C
ACCOUNT_NO11	Hicks-Ramirez	UEN11	4	2	2024	Estimated	9330.38	2366.89	non-contestable	Residential	V

In preview mode, you can:

- Switch between datasets using the dropdown selector
- View the download format type

- Browse the results table
- Click **Download selected datasets** to submit the download job directly from preview

1.7. Submitting the Download Job

Click the **Download** button at the bottom of the form to submit your download job.

This process may take approximately 30 minutes to 1 hour depending on the data volume. You will receive an email notification once the dataset is ready for download.

After receiving the notification, return to the **Downloads** tab to download your file.

2. Databricks

! INFO


Use this method when you have large datasets or need advanced data processing and analysis capabilities beyond basic tools like Excel. It is ideal for recurring DRs that require continuous access to large datasets.

If the Databricks workspace option is checked, you will be able to access the datasets on a Databricks environment for data processing and analysis.

Databricks is especially helpful for processing large datasets that cannot be analysed using Excel.

Databricks Access

Click on the Databricks icon to access the workspace.



The screenshot shows the 'Account details' page of a Singapore Government Agency Website. The page includes a sidebar with navigation icons and a main content area. The 'Dataset' tab is selected, displaying a table of datasets. The table has columns for ID, Approval status, Date requested, and Datasets. Two datasets are listed, both with a 'Request Fulfilled' status. The Databricks icon (a red square with a white 'D') is highlighted in the table's action column for the first dataset.

Account details

Email: jason_ang@tech.gov.sg Role: User


Name: Jason ANG (GOVTECH)

Dataset Data Product Drafts


Search

ID	Approval status	Date requested	Datasets
GOVTECH-2025-04-007	Request Fulfilled	03 Apr 2025, 12:01 PM	Water Consumption, Electricity Sales
GOVTECH-2025-04-006	Request Fulfilled	03 Apr 2025, 11:30 AM	Water Consumption, Electricity Sales

For DRs that have been fulfilled, you can activate a Databricks workspace by clicking on the **Databricks** tab under the **Others** dropdown menu.



Where you can click on the **Activate Databricks** button to provision a Databricks workspace for your DR.



Bring your own datasets onto Databricks

In addition to the datasets approved under the DR, you can also upload your own datasets onto Databricks as well.

A Singapore Government Agency Website [How to identify](#)

Data requests / GOVTECH-2025-04-007
Withdraw request

Date requested:
03 Apr 2025, 12:01 PM

Owner:
jason_ang@tech.gov.sg

Team details:
[View](#)

Data request details:
[View](#)

Expiry date:
03 May 2025

Status: [View history](#)
Request Fulfilled

Datasets requested
Datasets Download
Team access
Databricks

[Upload to Databricks](#)
[Sync from Databricks](#)

Go to Databricks

Upload table - (max 2.0 GB, supported formats csv, xls, xlsx)

☒ Acknowledge that my uploaded file is not above the classification of Restricted or Sensitive (normal).

Upload table

Please acknowledge the above agreement before uploading the file

Table name
Uploaded date
Status

There are no data to display.

Databricks Starter Guide

For more information on how to get started on Databricks, please refer to the [starter guide](#).

3. APIs

DataHive provides 2 methods to access the data requests' data - by Asynchronous APIs and Synchronous API.

Aspect	Asynchronous API	Synchronous API
Response Pattern	Client submits a request and receives a job ID; result is delivered later via polling.	Client sends a request and receive the data within the same request.
Best Suited For	Bulk data processing.	Real-time or near real-time data retrieval.
Typical Use Cases	- Large dataset extraction - Batch processing - Data synchronization	- User-driven singleton queries - Interactive applications
Integration Complexity	Requires job tracking and polling.	Simple to integrate.

Aspect	Asynchronous API	Synchronous API
User Experience	Delayed feedback; job status tracking required.	Immediate feedback to the user.
When to Use	When processing time is long, data volume is large.	When immediate data is required for decision-making or UI rendering.

Asynchronous APIs

You can access your data programmatically. Refer to the [API Usage](#) guide to get started.

DataHive User Guide
Welcome
Data Requests
Overview
Creating a Data Request
Amending a Data Request
Access Data upon Approval
API Usage
System Connection
Databricks

API Usage

API Usage

Browsing available endpoints

DataHive API endpoints available can be found under the [Resources](#) > [API documentation](#) tab. You can also access the documentation [here](#).

Resources
User guide & Blog
FAQ
Announcements
Release notes
API documentation
API tokens
Data Status

Search keywords

Popular
By Agency
Individual
Business
Sensor
Geospatial

Electricity Sales
EMEA
Monthly electricity sales dataset from SP
15,481 rows monthly
Monthly
Jan 2020 - Jul 2022
Add to cart
Learn more

Company Capital Information
ACRA
Data on company capital information, MM YYYY
33,416 rows daily
Daily
01 Dec 2013 - 30 Apr 2024
Add to cart
Learn more

Water Consumption
PUB
Dataset of water consumption by account and premise address.
7,481 rows monthly
Monthly
Jan 2017 - Sep 2022
Add to cart
Learn more

Town Gas Sales
EMEA

Rainfall
NEA

Application and Approval of Grants on B...
MTI

There are 2 types of APIs: those that require authorization, and those that do not. This is represented by a lock icon beside each endpoint.

Synchronous APIs

Use this method to fetch data synchronously. There are two types of synchronous APIs available, Standard Synchronous API and Synchronous API (Enhanced).

For more details, please refer to the [System Connection Guide](#).

NOTE

Note that the Synchronous API (Enhanced) is currently in private preview on STG.

4. System Connection

! INFO

Use this method if you need a secure, long-term, automated integration between your system and DataHive.

You have the option to access data via direct system connection to DataHive. This feature allows your systems to connect to DataHive's API and Data Warehouse using a service principal account, ensuring secure and seamless data integration.

Unlike the interactive API connection, which ties the identity to an interactive user and utilizes short-lived tokens, the system connection uses a non-interactive service principal account with tokens retrieved through client credential flow, featuring a longer lifespan.

For more detailed information, refer to [System Connection](#).

5. Accessing Hashing Feature in Data Request

💡 TIP

📖 Learn more about how DataHive tokenizes identifiable data [here](#).

! INFO

This feature is only available if you have indicated the need for hashing as part of your Data Request.

You can access the hashing feature in the designated tab.

The screenshot displays the 'Data Requests' interface for a specific request (GOVTECH-2025-08-028). The top section shows request details: Date requested (29 Aug 2025, 02:52 PM), Data Request Owner (becca_qiu@tech.gov.sg), Team details (View), Data request details (View), Expiry date (31 Jan 2026), and Status (Request Fulfilled). Below this, the 'Data Request Details' tab is active, showing a table of requested datasets. A dropdown menu is open under the 'Others' tab, highlighting 'Data Fields Hashing'. The table lists datasets with columns for Dataset name, Dataset Scope, To date, and Approval status. The first dataset listed is 'EPS Carpark' with a status of 'View'.

Dataset name	Dataset Scope	To date	Approval status
EPS Carpark	Data Fields Hashing	03 Jul 2025	View

Each schema you defined will have a dedicated section where you can upload additional files that conform to the specified schema. DataHive will hash the uploaded file and you may download the hashed output after it is done. You have the option to delete either the uploaded file for hashing, or both the uploaded file and the hashed output.

INFO

Note that identifiers that do not exist within the scope of the data request will not be hashed and empty values will be returned instead.

[Data Requests](#) / GOVTECH-2025-08-028 [Withdraw request](#)

Date requested: 29 Aug 2025, 02:52 PM	Data Request Owner: becca_qiu@tech.gov.sg	Team details: View	Data request details: View	Expiry date: 31 Jan 2026	Status: View history ● Request Fulfilled
--	--	---------------------------------------	---	-----------------------------	---

▼ Data Request Details

Dataset(s) Requested Download Dataset(s) Team Access **Data Fields Hashing ▾**

ⓘ Unauthorized re-identification of anonymised information is an offense under Section 8 of the Public Sector (Governance) Act 2018 ([PDF](#); [internet link](#)).

hashing_carpark
Download Format
Upload data for hashing

Jobs Schema

Hashing Job Details	File ▲	Status ▲
19 Jan 2026, 03:47 PM becca_qiu@tech.gov.sg	hashing_carpark.csv	Ready for download
15 Jan 2026, 04:47 PM becca_qiu@tech.gov.sg	File removed	Hashed File Deleted
15 Jan 2026, 02:50 PM becca_qiu@tech.gov.sg	hashing_carpark.csv	Hashing Failed

hashing_carpark
Download Format
Upload data for hashing

Jobs Schema

Hashing Job Details	File ▲	Status ▲
19 Jan 2026, 03:47 PM becca_qiu@tech.gov.sg	hashing_carpark.csv	Ready for download
15 Jan 2026, 04:47 PM becca_qiu@tech.gov.sg	File removed	Hashed File Deleted

Delete Uploaded File
Delete Uploaded & Hashed File

6. Accessing Chat with your data: Genie space

WARNING

Genie space can only be used with fulfilled data requests containing datasets which are classified no higher than Confidential (Cloud-Eligible) and Sensitive (Normal).


 INFO

Users with existing fulfilled and active data requests can activate Genie space [here](#) (Click Others > Chat with your data: Genie space).

Users with new data requests can opt-in for Genie space through the Data Request form, begin by [discovering data sets now](#).

Chat with your data: Genie space leverages [Databricks Genie space](#), allowing users to use Artificial Intelligence (AI) for data analysis. With Genie space, users can query approved datasets in a chat interface. Questions in natural language are converted by Large Language Models (LLM) to SQL queries on the data.

On DataHive, for each fulfilled data request, users can request access to Genie space. If the data request has multiple datasets, the Genie space will include all datasets in the data request and users can query multiple datasets and analyse them together.



The screenshot shows a chat interface titled "GOVTECH-2025-10-016" with a star icon. In the top right corner, there are buttons for "+ New chat", a volume icon, and "Data". Below the title, there is a small icon of a document with a plus sign. The main area contains four suggested questions, each with a question icon:

- Explain the data set
- What is the total charges (in SGD) collected for electricity consumption across all accounts?
- What is the distribution of consumer types in the electricity dataset?
- What is the average electricity consumption (in kWh) recorded for all accounts?

At the bottom, there is a text input field containing the text "show me" and a send button (a right-pointing triangle). Below the input field, a small disclaimer reads "Always review the accuracy of responses."

Detailed Instructions

! INFO

Only the owner of the data request can request for Genie space access.

For a new data request, you can request for Genie space access by selecting the checkbox in your data request form.

Data Request Details

- Purpose
- Justification
- Access Details
- Data Requirements
- Dataset(s) Scope
- Prior Data Request
- Additional Requirements
- Agreements

Subscription type ⓘ

Ad-Hoc
Recurring

Request expiry date ⓘ

23/11/2025

Chief Data Officer (CDO) Team ⓘ

cdo_team_1

Internal Approver ⓘ

Email

Databricks ⓘ

☐ Access to use Databricks for data analysis

Chat with your data: Genie space ⓘ Beta
[Terms of Use](#)

☐ Apply for a Databricks Genie space to use Artificial Intelligence (AI) for data analysis

For existing fulfilled and active data requests, you can go to the **Requests** side bar > Select your data request > Select **Chat with your data: Genie space** tab > Click on **Request Access**.

- Data Request Details

Dataset(s) Requested
Download Dataset(s)
Team Access
Others ▼

Download datasets

Dataset name ▼	Dataset Scope	Data Fields Hashing	To date ▲	Approval status ▲
EPS Carpark	Chat with your data: Genie space (Beta)	System Connection	18	14 Feb 2024

Your request to access Genie space must be approved by a Platform Admin from the DataHive team. Upon success, you will be notified by email. A new Genie space will be provisioned for each data request, accessible by the team members of the data request. You can access Genie space by going to the **Requests** side bar > Select your data request > Select **Chat with your data: Genie space** tab > Click on **Go to Genie space**.


Dataset(s) Requested
Download Dataset(s)
Chat with your data: Genie space ▼

Genie space (Beta)


AI/BI Genie, an Azure Databricks feature, allows business teams to interact with their data using natural language. It uses generative AI tailored to your organisation's terminology and data, with the ability to monitor and refine its performance through user feedback. The feature is currently going through beta testing. See [Terms of Use](#).

Go to Genie Space

This brings you to a Databricks Workspace where you can find your provisioned Genie space under the option Genie spaces.



For each data request with Genie space access, a different Genie space is provisioned, named by the data request ID.



WARNING

LLMs can make mistakes. Users must thoroughly review input data and vet output data, and are responsible for any output used or relied on in their work. Users should also read, understand, and abide by the "Rules for the Use of Generative AI Applications by Public Officers" set out within [SNG \(PMO\) CIRCULAR NO. 2/2025 Use of Generative Artificial Intelligence in the Public Sector](#).

Please contact support@datahive.gov.sg if you encounter problematic or inappropriate output.

7. Accessing Data via PowerBI in M365

INFO

Use this method to create dashboards, interactive reports and compelling visualizations within the web browser. PowerBI Desktop is currently not supported.

For more information on how to access your DR on PowerBI in M365, please refer to the [configuration guide](#).

 WARNING

PowerBI in M365 is supported for data up to Confidential (Cloud-Eligible) / Sensitive (Normal) only, and users are fully responsible for their own usage.

 WARNING

Long running PowerBI in M365 queries will timeout after 5 mins.

8. Accessing Data via VISTA Qlik Sense

 INFO

Use this method to create, share and explore interactive dashboards and visualisations securely across WOG using VISTA Qlik Sense.

For more information on how to access your DR on VISTA Qlik Sense, please refer to the [configuration guide](#).

 WARNING

VISTA Qlik Sense is supported for data up to Confidential / Sensitive (High) only, and users are fully responsible for their own usage.