



Edit and Publish Dataset

! INFO

Only **Tenant Admins** can edit and publish datasets.

Editing Dataset

To view all the datasets assigned to you, click on the "Assigned to you" tab.

To start editing a dataset, click on the edit menu button that appears after you click on the ellipsis associated with the dataset.

The screenshot shows the 'Dataset Management' interface. At the top, there are three dropdown menus for 'Tenant' (All tenants), 'Tenant Admin' (All admins), and 'Status' (All statuses). Below these is a search bar. The main section has three tabs: 'All datasets', 'Onboarded by you', and 'Assigned to you' (which is highlighted with a red box). To the right of the tabs is a blue 'Onboard dataset' button. Below the tabs is a table with the following columns: 'Dataset', 'Tenant', 'Dataset Admin(s)', 'Published Date', and 'Status'. The table contains one row for 'Town Gas Sales' with tenant 'TCG' and status 'Unpublished'. To the right of the 'Unpublished' status is a vertical ellipsis menu (three dots) which is highlighted with a red box. A dropdown menu is open from this ellipsis, showing 'Edit' and 'Publish' options, also highlighted with a red box. At the bottom left, it says '1 to 3 of 3 rows'. At the bottom right, it says 'Rows per page'.

After clicking on the edit button, you will be redirected to the dataset form. The sub-sections below will explain the various fields in the form.

Source Agency Input

For each dataset, the source agency needs to be defined. The Source Agency is also known as the Single Source of Truth (SSOT).

Note that "Source Agency Emails" must be users from the specified "Source Agency."

These users are responsible for:

- Approving access to Non Fast-Tracked datafields.
- Oversight of data requests containing datasets under their purview.

← Onboard Dataset

1 Dataset level

Details of Dataset

Dataset Classification

Dataset Information

2 Datafield level

Sensor

Category

Sensors

Sub-category

Utility

Update frequency

1 Day

☐ Dataset is ad-hoc and has no update frequency.

Sample dataset

towngas_sample_data.csv

Source agency

EMA

Source agency email(s)

SSOT administrators will have the ability to review data requests pertaining to their datasets and approve non-fast track fields

test@ema.gov.sg

Datafields with Date Type

Each datafield in the dataset can be marked as a date field.

← Onboard Dataset

1 Dataset level

2 Datafield level

Datafield management: Drag to reorder datafields in order of presentation in dataset view.

Order	Datafield name
13	Sector Code
14	Year
15	SSIC

Is "Year" a date field?

☒ Yes ☐ No

Is "Year" used to calculate reference period of the dataset?

☐ Use as reference date key

Date Format

Please key in a correct date format. Refer to the documentation [here](#). If no date format is defined, then we will infer based on [these formats](#).

Date format according to specifications by Snowflake

Unit of measurement

Unit of measurement (e.g. km/h)

Once a datafield is marked as a date field, users will have the option to filter their approved dataset by the specified date.

Download

- Only datafields approved in the relevant data request will be selected.
- Datasets can be further filtered through the union of the conditions configured.

Select dataset(s)

Define range

Select dataset(s) to download

☐ Water Consumption concierge
 ☐ MSO concierge
 ☒ Wind Gust Direction

Define range

Wind Gust Direction

Origin date

Origin date

Destination date

Start date

03/2020

End date

03/2020

Filter options

For each dataset, there **must** be exactly one date field that serves as the reference period.

Onboard Dataset

Dataset level

Datafield level

Is "Year" a date field?

☒ Yes
 ☐ No

Is "Year" used to calculate reference period of the dataset?

☒ Use as reference date key

Date Format

Please key in a correct date format. Refer to the documentation [here](#). If no date format is defined, then we will infer based on [these formats](#).

Date format according to specifications by Snowflake

Unit of measurement

The reference period datafield will be used in the catalog to represent the date range of the dataset. Additionally, users can define the date range of the dataset they require in the data sharing form.

Data Requirements

Reference Period of the dataset being used as a filter in the data sharing form

Add more datasets

Dataset name	Selected datafields	From date	To date
Town Gas Sales	Month Year Account Name Account Number Build	01/2005	08/2022

Datafields Scope Filter

Each datafield can be used as a scope filter.

Scope filtering

Can "Account Number" be used to define scope filters in data requests?

☒ Yes
 ☐ No

Select scope filter

(Towngas Con.) Account No.

Are values in "Account Number" enumerable?

☐ Yes
 ☒ No

A scope filter can be used to filter datasets in two places:

1. In the data request form - used to define the row-level filtering condition accessed by the data request.

The screenshot shows the 'Dataset(s) scope' form. At the top, it says 'Dataset(s) scope' with an information icon and '(optional)'. Below this is a 'Details of scope' section with a text input field containing 'Filter by UEN'. The main section is divided into two columns. The left column has a 'Show if' label and a dropdown menu with 'UEN' selected and a 'Select identifier type(s)' button. The right column has a 'Rule' dropdown menu with 'Is one of' selected. Below these is an 'Identifier(s)' text input field containing 'UEN'. To the right of this field are two buttons: 'Switch to import' and 'Add'. Below the 'Identifier(s)' field is an 'Added identifier group(s)' section with a text input field containing '2398312313L' and a close button. To the right of this field are two buttons: 'Clear all' and 'Export'.

CAUTION

Only mark a datafield as enumerable when the values in the datafield are not sensitive. When a datafield is marked as enumerable, data requestors will be able to access its values before the data request is approved.

The screenshot shows the 'Dataset(s) scope' form. At the top, it says 'Dataset(s) scope' with an information icon and '(optional)'. Below this is a 'Details of scope' section with a text input field containing 'Filter by UEN'. The main section is divided into two columns. The left column has a 'Show if' label and a dropdown menu with 'Planning Area' selected and a 'Select identifier type(s)' button. The right column has a 'Rule' dropdown menu with 'Is one of' selected. Below these is an 'Identifier(s)' text input field containing 'Planning Area'. To the right of this field are two buttons: 'Switch to import' and 'Add'. Below the 'Identifier(s)' field is a list of identifiers: 'BEDOK', 'BOON LAY', and 'DUKIT DATOK'. The 'Add' button is highlighted.

2. After fulfillment of the data request - data requestors can query based on the filters within the scope of their data request.

Datafields Fast-Tracked selection

Datafield level
Datafield management: Drag to reorder datafields in order of presentation in dataset view.

Order	Datafield name
1	Datafield 1

+ Add datafield

Scope filtering

Can "Datafield 1" be used to define scope filters in data requests? ⓘ

☐ Yes ☒ No

Other details

Data source owner

MNR

Is "Datafield 1" fast-tracked? ⓘ

☐ Yes ☒ No

This selection will affect who can approve the usage of the datafield.

Fast-tracked datafields will be approved by Tenant Managers.

Non fast-tracked datafields will be approved by users that are defined to be the 'Source Agency' of this dataset.

For more information on the approval workflow, please click [here](#).

Metadata Import

To ease the process of filling in the input, click on the "Import Metadata" button.

A Singapore Government Agency Website [How to identify](#)

Onboard Dataset

Dataset level

Details of Dataset

Dataset Classification

Dataset Information

Datafield level

Details of Dataset

Dataset Name

Town Gas Sales

Table name

EMA_TOWNGASES

Description

Monthly town gas sales dataset from SP.

Usage guidelines

1 files(s) [Upload usage guideline document](#)

Input usage guidelines and/or upload a usage guideline document

Dataset Classification

RCST classification (Identifiable)

Restricted	Official (Open)	Official (Closed)	Confidential	Confidential (Cloud Eligible)
------------	-----------------	-------------------	--------------	-------------------------------

ISF classification (Identifiable)

Non-Sensitive	Sensitive (Normal)	Sensitive (High)
---------------	--------------------	------------------

Import Metadata

Cancel Next

A popup will appear where you can upload the Excel file containing the metadata. After uploading, click on the "Import" button, and the form will be populated with the values from the Excel file.



WARNING

The uploaded Excel file needs to conform to a certain format for the platform to load the data. Download the "Metadata Template" to view the required format.

The metadata template can be downloaded from [here](#) too.

MONTHLY TOWN GAS SALES DATASET FROM SP.

Import Dataset Form

Upload the dataset metadata file here 

 Download metadata

Cancel Import

Saving as Draft

Once you are done editing the dataset, click on the "Save" or "Save as draft" button at the bottom navigation bar.

A Singapore Government Agency Website [How to identify](#)

Onboard Dataset

- Dataset level
 - Details of Dataset
 - Dataset Classification
 - Dataset Information
- Datafield level

Details of Dataset

Dataset Name
Town Gas Sales

Table name
EMA_TOWNGASES

Description
Monthly town gas sales dataset from SP.

Usage guidelines 1 file(s)  Upload usage guideline document

Input usage guidelines and/or upload a usage guideline document

Dataset Classification

RCST classification (Identifiable)

Restricted	Official (Open)	Official (Closed)	Confidential	Confidential (Cloud Eligible)
------------	-----------------	-------------------	--------------	-------------------------------

ISF classification (Identifiable)

Non-Sensitive	Sensitive (Normal)	Sensitive (High)
---------------	--------------------	------------------

Import Metadata

Save as Draft

Download metadata

Import Metadata

Cancel Next

A Singapore Government Agency Website [How to identify](#)

Onboard Dataset

1 Dataset level

2 Datafield level

Datafield management: Drag to reorder datafields in order of presentation in dataset view.

Order	Datafield name
1	Account Name
2	Account Number
3	Build Name Unit Number
4	Building Number
5	Consumption
6	Month
7	Nominal Amount
8	Planning Area
9	Planning Region

+ Add datafield

Details of Datafield 1

Datafield Name

Account Name

Column name

acc_name

Description

The entity name that is reflected in the account.

Usage guidelines

1 files(s) [Upload usage guideline document](#)

Input usage guidelines and/or upload a usage guideline document

Is "Account Name" raw or derived?

☒ Raw ☐ Derived

Is "Account Name" a core data?

☒ Yes ☐ No

Is "Account Name" a date field?

There are backend date field customisations to this dataset. Editing of date field on the portal is disabled.

Import Metadata

Cancel Back **Save**

Publishing Dataset

Once the dataset's metadata has been furnished without any errors, you can trigger the process to publish the dataset on DataHive. After publication, users can start subscribing to your dataset on the portal.

⚠ WARNING

Please vet the metadata thoroughly before publishing. After publication, there will be some restrictions on the metadata that can be updated.

Tenant

Tenant Admin

Status

All tenants

All admins

All statuses

Search

All datasets

Onboarded by you

Assigned to you

Onboard dataset

Dataset	Tenant	Dataset Admin(s)	Published Date	Status
Town Gas Sales	TCG	test@tech.gov.sg, admin@tech.gov.sg, koh_jun_wei@tech.gov.sg	-	Unpublished

1 to 3 of 3 rows

<1>

Rows per page

Edit

Publish