




Mfg. of : Stainless Steel,
Carbon Steel Pipes Fitting,
Forge fitting & flange

Stockiest and Suppliers:
Stainless Steel, Pipe Plate,
Round Bar, All Ferrous,
Non-Ferrous Metal Etc.



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

EXPLORING
NEW FRONTIERS
in CORPORATE GOVERNANCE



We would like to introduce ourselves as a manufacturer of Pipe Line Flanges and Fittings (ISO certified). Our products are manufactured as per JIS/ISS / BSS / DIN / ASTM / ASME and customer's drawings and specifications. Incase of forging flanges we can manufacture upto 2000 mm NB and incase of plate flanges we can manufacture upto 4000 mm NB. These are also supplied with third party inspection.

we utilizing high grade raw material and advanced technology to produce Pipe fittings which are available to our clients with manufacturers test certificate as per EN 10204 / 3.1 & 3.2 under third party inspection and with confirming to NACE MR-01-75.

We are an ISO "9001-2015" and IBR Approved manufacturer of Forged fittings, Pipe fittings, Butt weld pipe fittings, Socket weld fittings, Threaded Fittings & Various types of Pipe flanges

We have in house facilities for manufacturing of Fittings, Flanges & Branch connections, such as Cutting, Hot & Cold Forming, Pressing, Welding, Heat Treatment, Machining, pickling, Hydraulic Testing, Ball Passing and Passivation and anti rust coating for excellent protect & durable packaging.

COMPLETE PROJECT SUPPLY CAPABILITY ACROSS GLOBE

We manufacture flanges to meet your specifications. We will meet your engineering specs from DIN to ASTM A350 to JIS Standard B flanges, Nagraj Metal Ind. Specializes in supplying specialty flanges to the world's most demanding industries – Oil and Gas Exploration and Production, Oil Refining and Processing, Petrochemical, Chemical, Plumbing and HVAC.

Vision

To continuously modernize, expand and technologically upgrade our products with a view to produce excellent and high quality goods in matching with the changing needs of the customers.





NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

EXPLORING
NEW FRONTIERS
in FLANGE & FITTING
MANUFACTURING

State Of The Art Manufacturing That Is At Par With The Best In Industry.

We have all the latest machines and technology to manufacture high quality butt-weld pipe fittings, forged steel flanges, elbow pipe fittings, coupling weldolets, sockelets, nippolets, thredolets, flanges, socket weld threaded and dimension tolerances.

Our production facilities employ best suitable technologies & processes to ensure production of high performance zero-defect products and components. From design and development to implementation, from testing to packaging, each and every stage of our production process is conducted using cutting edge machinery & trained personnel.

Our manufacturing process is well documented and is divided into various departments supervised by experienced industry experts. We use only quality raw materials that are procured from only established and reliable vendors. We have adopted rigorous quality control practices and procedures to ensure the production of only quality products matching industry standards and parameters.

The various machines available in our production facility

- | | |
|--------------------------------------|--------------------------------|
| 1) Mandrel Machine with LPG Furnace | Testing Equipment's |
| 2) Hydraulic Presses | 1) PMI Machine |
| 3) CNC Machine | 2) Spectro Analyzer |
| 4) Lathe Machine | 3) Ultra sonic Testing Machine |
| 5) Heat Treatment Furnaces | 4) Digital Hardness Tester |
| 6) Oil Fired Furnace | 5) X-Ray Film Viewer |
| 7) Plasma Cutting Machine | 6) Universal Tensile Testing |
| 8) Dies & Tools | 7) Dye Penetrant Test Kit |
| 9) Cold Forming Press For Elbows. | |

Quality That Inspires Customer Confidence


Our design and manufacturing is supported by advance technology which enable us to meet not only the requirements of Internationally accepted manufacturing & Quality standards but also to cope up with growing demand for special fittings that meets safety.

Our Quality Assurance System is documented in an approved Quality Assurance Manual and covers all production processes. Severe control of dimensions and of mechanical properties starting from the raw material and following right through all production through all production steps to laboratory tests on the finished product is exercised in order to maintain the high quality of Nagraj Metal Industries



PIPES & TUBES

AS PER YOUR NEED



...: Stainless & Duplex Steel :...

Range: 15 NB UP TO 1200 NB IN SCH 5S , 10S ,10, 20 , 40S , 40 , STD , 60 , 80S , 80 , XS , 100 , 120 , 140 , 160 & XXS.

Form: Seamless / Erw / Welded in Round & Square .

Stainless Steel :

ASTM / ASME SA 312 GR. TP 304 , 304L , 304H , 309S ,309H , 310S, 310H , 316 , 316TI , 316H , 316 LN , 317 , 317L , 321 , 321H , 347 , 347 H , 904L .

ASTM / ASME SA 358 CL 1 & CL 3 GR . 304 , 304L , 304H , 309S ,309H , 310S, 310H , 316 , 316H , 321 , 321H , 347 .

Duplex Steel : ASTM / ASME SA 790 UNS NO S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

...: Carbon & Alloy Steel :...

Range :15 NB UP TO 1200 NB IN SCH 5S, 10S ,10, 20 , 40S , 40 , STD , 60 , 80S , 80 , XS ,100 , 120 , 140 , 160 & XXS

Form :Seamless / Erw / Welded in Round & Square .

Carbon Steel : ASTM / ASME A 53 GR. A , B

ASTM / ASME 106 GR. A , B ,C .

API 5L GR. B , API 5L X 42 , X 46 , X 52 , X 60 , X 70.

ASTM / ASME A 691 GRA , B ,C

Alloy Steel:

ASTM / ASME A 335 GRP 1 , P 5 , P 9 , P 11 , P 12 , P 22 , P 23 , P 91

ASTM / ASME A 691 GRP1 CR , 1 1/4 CR , 2 1/4 CR , 5 CR , 9CR , 91.

...: Hastelloy :...

Grades :Hastelloy C-22, Hastelloy C-276, Hastelloy C-2000

Type: Seamless / Erw / Welded/ Fabricated

Standard : Hastelloy Seamless Pipe

Hastelloy ERW Pipe


This range is used in :

Petrochemicals Plants

Oil Refineries, Fertilizers Plants, Sugar Mills, Chemical Plants, Pharmaceuticals

ROD, BAR & WIRE

ROUND, SQUARE & HEX



...: Stainless & Duplex Steel :...

Range: 3.17 MM TO 350 MM DIA

Stainless Steel :

ASTM / ASME SA 276 TP 304 , 304L , 309S , 309H, 310S , 316 , 316L , 316 TI , 317 , 321 , 347 , 410 , 420 , 430 , 431 , 440A , B & C . , 446 ASTM / ASME SA 479 TP 304 , 304L , 304H, 309S , 309H, 310S , 310H , 316 , 316H , 316L , 316 TI , 317 , 321 , 321H , 347 , 347 H , 410 , 430 , 431 & 444.

Duplex Steel : ASTM / ASME SA 276 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

...: Carbon & Alloy Steel :...

Range: 1 MM TO 350 MM DIA

Carbon Steel : ASTM / ASME A 105

Alloy Steel : ASTM / ASME A 182 GR F 5 , F 9 , F 11 , F 12 , F 22 , F 91. ASTM / ASME A 729 GR B 11 & B 22.

...: Nickel & Copper Alloy :...

Range: 3.17 MM TO 350 MM DIA

Round Bars Nickel Alloy

ASTM / ASME SB 160 UNS 2200 (NICKEL 200) / UNS 2201 (NICKEL 201)

ASTM / ASME SB 164 UNS 4400 (MONEL 400)

ASTM / ASME SB 425 UNS 8825 (INCONEL 825) ASTM / ASME SB 166 UNS 6600 (INCONEL 600) / UNS 6601 (INCONEL 601)

ASTM / ASME SB 446 UNS 6625 (INCONEL 625)

ASTM / ASME SB 574 UNS 10276 (HASTELLOY C 276)

ASTM / ASME SB 472 UNS 8020 (ALLOY 20 / 20 CB 3)

...: Hastelloy :...

Grades : Hastelloy C-22, Hastelloy C-276, Hastelloy C-2000

Type :

Hastelloy Round Bar, Hastelloy Bright Bar, Hastelloy Polish Bar, Hastelloy Black Round Bar, Hastelloy Forged Bar

Hastelloy Forged Round Bar, Hastelloy Hex Bar, Hastelloy Forged Hex Bar, Hastelloy Flat Bar, Hastelloy Rod

SHEET, PLATE & COIL INDUSTRIAL USED



...: **Stainless & Duplex Steel** :...

Stainless & Duplex Steel Sheets, PlatesRange :

0.1 mm to 100 mm thick upto 2500 mm width & upto 8000 mm length available with NACE MR 01-75s.

Stainless Steel :

ASTM / ASME SA 240 304 , 304L , 304H, 309S , 309H, 310S , 310H , 316 , 316H , 316L , 316 TI , 317 , 317L , 321 , 321H , 347 , 347 H , 409 , 410 , 410S , 430

Duplex Steel :

ASTM / ASME SA 240 UNS NO. S 31803 , S 32205 , S 32550 , S 32750 , S 32760.

...: **Carbon & Alloy Steel** :...

Carbon & Alloy Steel Sheets, PlatesRange :

3 mm to 100 mm thick in upto 2500 mm width upto 12500 mm length available with NACE MR 01-75s

Carbon Steel :

ASTM / ASME A 516 / 517 GR. 60 / 70 , IS 2062 , IS 2002

Alloy Steel :

ASTM / ASME A 387 GR F 5, F 9 , F 11 , F 12 , F 22 , F 91.

...: **Nickel & Copper Alloy** :...

Nickel & Copper Alloy Sheets, PlatesSheet and Plates Range :

5 mm to 100 mm thick in upto 2500 mm width & upto 6000 length available with NACE MR 01-75s.

Nickel Alloy :

ASTM / ASME SB 162 UNS 2200 (NICKEL 200) / UNS 2201 (NICKEL 201)

ASTM / ASME SB 127UNS 4400 (MONEL 400)

ASTM / ASME SB 424 UNS 8825 (INCONEL 825)

ASTM / ASME SB 168UNS 6600 (INCONEL 600) / UNS 6601 (INCONEL 601)

ASTM / ASME SB 443 UNS 6625 (INCONEL 625)

ASTM / ASME SB 574 UNS 10276 (HASTELLOY C 276)

ASTM / ASME SB 462 UNS 8020 (ALLOY 20 / 20 CB 3)

BUTTWELD, FORGED & DAIRY FITTINGS

THAT CAN WITHSTAND HIGH PRESSURE



RANGE

15 NB UP TO 1200 NB IN SCH 5S , 10S , 10 , 20 , 40S , 40 , STD , 60 , 80S , 80 , XS , 100 , 120 , 140 , 160 & XXS

FORM SEAMLESS & WELDED LONG RADIUS & SHORT RADIUS ELBOW 90 DEG , LONG RADIUS ELBOW 45 DEG , Long Radius & Short Radius Elbow 90 Deg , Long Radius Elbow 45 Deg , Long Radius & Short Radius Elbow 180 Deg (Return Bend) , Reducing Elbow , Equal Tee , Un Equal Tee , Crosses , Concentric Reducer , Eccentric Reducer , Long Stubend , Short Stubend , Coller , Pipe Cap , Long Radius Bends R =3 D , 5 D , 6 D , 8 D , 10 D & 20 D In 15 Deg , 30 Deg , 60 Deg & 90 Deg And Drawing Based Butt Weld Fitting (Customised) .

Stainless Steel

ASTM / ASME SA 403 GR WP "S" / "W" / " WX" 304 , 304L , 304H , 304N , 304LN , 309 , 310H , 316 , 316H , 317 , 317L , 321 , 321H , 347 , 347 H

Duplex Steel

ASTM / ASME SA 815 UNS NO.S 31803 , S 32205 , S 32550 , S 32750 , S 32760 .

Carbon Steel

ASTM / ASME A 234 WPB , WPC

ASTM / ASME A 860 WPHY 42 , WPHY 46 , WPHY 52 , WPH 60 , WPHY 65 & WPHY 70 .

Alloy Steel

ASTM / ASME A 234 WP 1 , WP 5 , WP 9 , WP 11 , WP 12 , WP 22 , WP 23 , WP 91

Nickel Alloy

ASTM / ASME SB 336 UNS 2200 (NICKEL 200) , UNS 2201 (NICKEL 201) , UNS 4400 (MONEL 400) , UNS 8020 (ALLOY 20 / 20 CB 3) , UNS 8825 INCONEL (825) , UNS 6600 (INCONEL 600) , UNS 6601 (INCONEL 601) , UNS 6625 (INCONEL 625) , UNS 10276 (HASTELLOY C 276)


Copper Alloy

ASTM / ASME SB 111 UNS NO.C 10100 , C 10200 , C 10300 , C 10800 , C 12000 , C 12200 , C 70600 , C 71500 .

ASTM / ASME SB 466 UNS NO.C 70600 (CU -NI- 90/10) , C 71500 (CU -NI- 70/30)

COPPER, BRASS

SHEET & ROD



COPPER PIPES & TUBES RANGE:-4.76 MM OD UP TO 75 MM OD X IN THICKNESS 0.5 MM TO 6 MM.

COPPER COIL RANGE:-4.76 MM OD UP TO 19.05 MM OD X IN THICKNESS 0.5 MM TO 3 MM.

COPPER RODS RANGE:-3 MM DIA UP TO 200 MM.

COPPER BUS BAR & STRITES:-6 MM WIDTH UP TO 200 MM X IN THICKNESS 0.5 MM TO 25 MM

COPPER STANDARD:-DHP, DLP, ETP.

COPPER GRADE:-ASTM B 68, ASTM B 75, BS 2871 PART 2, BS 2871 PART 3, EN 12451, JIS H 3300.

CUPRONICKEL GRADE:-90/10, 70/30

CUPRONICKEL STANDARD:-ASTM B 111, BS 2871, PART 3, EN 12451, NFA 51 102, JIS H 3300,

EEMUA PUB 144, 1987 NES 779 PART 3.

BRASS PIPES & TUBES RANGE:-4.76 MM OD UP TO 75 MM OD X IN THICKNESS 0.5 MM TO 6 MM.

BRASS RODS RANGE:-3 MM DIA UP TO 200 MM.

BRASS GRADE:-ASTM B 135, BS 2871 PART 3, EN 12451, NF A 51102, JIS H 3300 AS, 1572.

WIRE MESH & WELD MESH

THAT FITS EVERY NEED



We offer our Wire Mesh in a large variety of Stainless Steel, Copper, Brass, Carbon Steel, and Galvanized. In addition to standard industrial uses, like concrete reinforcement, wire mesh is often used for decorative purposes as well. We can fulfill your requirements in Wire Cloth or Wire Mesh by cutting, shearing, bending or welding to your specs. Please refer to our charts below for the specific Wire diameter and opening and we can find the right wire-cloth to meet your needs

Stock List of Welded & Woven Wire Mesh

X = Stock S = Space Cloth W = Welded TW = Twilled Weave

How To Order Wire Mesh

Quantity: number of pieces, rolls or screens

Type of material: carbon steel, stainless steel, etc...

Width and length

Wire diameter

Wire opening: in mesh or clear opening

Type: welded mesh or woven mesh(state weave desired)

Special fabrication needed

FLANGES THAT CONNECT EVRY PIPELINE



Stainless Steel & duplex Steel Flanges

Size	: ½"NB to 72" NB, ANSI B 16.5
Class	: 150#, 300#, 600#, 900#, 1500#, 2500#
Stainless Steel	: ASTM A TP 304/304L/304H/316/316L/ 316H / 316Ti / 309 / 310 / 317L / 321/347/904L
Duplex Steel	: ASTM A 815- UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Flanges

Size	: ½"NB to 72" NB, ANSI B 16.5
Class	: 150#, 300#, 600#, 900#, 1500#, 2500#
Alloy Steel	: ASTM A 182-F5, F9, F11, F12, F22 & F91
Carbon Steel	: ASTM A 105 ASTM A 694 F42, F46, F52, F60, F65, F70
Low temp. AS	: A 350 Lf2.

Copper & Nickel Alloys Flanges

Size	: ½"NB to 72" NB, ANSI B 16.5
Class	: 150#, 300#, 600#, 900#, 1500#, 2500#
CuproNickel	: C70600(90:10), C71500 (70:30), C71640
Nickel	: UNS N02200, N02201
Monel	: UNS N04400, N05500, Alloy 20
Inconel	: UNS N06600, N06601, N06625, N08800, N08810
Hastelloy	: UNS N10276, N06022, N10665, N06455
Titanium	: Gr. 2 & 5, DTH 3.7025, DTH 3.7055

Types: Weldneck / Socketweld / Slip on / Blind / SORF / Screwed / Threaded / Long Weldneck Lap Joint / Spectacle blind / Orifice / Heavy Barrel Flange / Reinforced Nozzle Flanges / Heavy Barrel Flanges



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

FASTENERS

Nut, Bolt & Washer



...: Stainless & Duplex Steel :...

Stainless & Duplex Steel Fasteners Grades : Stainless Steel 202, 304, 310, 304L, 316, 316L, 316Ti, 317, 317L, 321, 904L

Size : M5 to M50

Types : Bolts Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts , T- Head Bolts , Wing Screw , Eye Bolt , Eye Bolt, Foundation Bolts, Structural Bolts.

...: Carbon & Alloy Steel :...

Carbon & Alloy Steel Fasteners Specification :

We provide Fasteners as per DIN, ANSI, AISI, ASTM, JIS, BS, GOST, IS, Etc. as well as consumers specific requirements. We are specialist in Manufacturing of Drawing Based Fasteners.

Types :

Bolts Stud Bolts, Hex Head Bolts, Socket Hexagon Head Screw Anchor Bolts, U-Bolts, J Bolts, Mushroom Head Square Neck Bolts , T- Head Bolts , Wing Screw , Eye Bolt , Eye Bolt, Foundation Bolts, Structural Bolts.



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

ANGLE & CHANNEL



STAINLESS STEEL ANGLE

Material :

Stainless Steel

Grade :

202, 304, 304L, 316, 316L, 317L, 321, 316 Ti, 309, 310, 904L, 410, 420, 430, 431, etc.

Standard :

ASTM / ASME A/SA 240

Form :Roll-formed metal

Angle :Varied, most commonly 90 degree

Leg :Two of same length

Size :

3 / 4/5 / 6 x 25 x 25, 3 / 4/5 / 6 x 30 x 30

3 / 4/5 / 6/7 x 40 x 40, 4 / 5/6 / 7 x 50 x 50

4 / 5/6 / 7/8 x 60 x 60, 5 / 6/7 / 8/9 x 70 x 70

6 / 7/8 / 9/10 x 75 x 75, 6 / 7/8 / 9/10 / 11 / 12 x 80 x 80

7 / 8/9 / 10 / 11 / 12 x 100 x 100

STAINLESS STEEL CHANNEL

Material :Stainless Steel

Grade :202, 304, 304L, 316, 316L, 317L, 321,

316 Ti, 309, 310, 904L, 410, 420, 430,

431, etc.

Standard :ASTM / ASME A/SA 240

Size :40/150/175/200/X75,100X50,125X65,

250X80,300X90,400X100,

150X150X10/12/16/20

Grade :202, 304, 304L, 316, 316L, 317L, 321, 316 Ti, 309, 310, 904L,410, 420, 430, 431, etc.


Standard :ASTM / ASM



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

CIRCLE & RING SS & MS



Stainless Steel:

ASTM A 312, A 213, A 249, A 269, A 358, A 240

Type:

202, 304, 304L, 304H, 316, 316L, 316Ti, 321, 321H, 317, 317L, 310, 310S, 409, 410, 420, 430 etc.

Carbon Steel:

ASTM A 106, A 53, API A 5L Gr A, B, C, ASTM A 333, Gr 1 to 6 (IBR & NON IBR)

Alloy Steel:

ASTM A 335, GR P1, P2, P5, P9, P11, P22, P91

Nickel Alloys:

Hastelloy, 904, Titanium etc

Copper Alloys:

Aluminium, Copper, Brass & Gunmetal

Types: Round, Square Rectangular.

Size :Seamless: Upto 24" NB

Welded: ½" NB to 60" NB

Duplex Stainless Steel :

Other Grades:

2507, 2205, 2304, 153MA, 253MA, 309, 904L, 2595MO.

Nickel Other Grade:

ASTM / ASME SB 163 UNS 2200 (NICKEL 200)

ASTM / ASME SB 163 UNS 2201 (NICKEL 201),

ASTM / ASME SB 163 / 165 UNS 4400 (MONEL 400)

ASTM / ASME SB 464 UNS 8020 (ALLOY 20 / 20 CB 3),

ASTM / ASME SB 704/705 UNS 8825 INCONEL (825)

ASTM / ASME SB 167 / 517 UNS 6600 (INCONEL 600)

ASTM / ASME SB 167 UNS 6601 (INCONEL 601),

ASTM / ASME SB 704 /705 UNS 6625 (INCONEL 625)

ASTM / ASME SB 619/622/626 UNS 10276 (HASTELLOY C 276)



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

INDUSTRIAL VALVE

PHARMA FITTINGS



Material: SS 304, SS 304L, SS 316, SS 316L, SS 321 etc.

Standards: SMS, 3A, DIN, BS, ISO, DS, ASME BPE, Aseptic etc.

Application: Food, Dairy, Beverages, Pharmaceutical, Cosmetics, Healthcare etc.

BUTTERFLY VALVE=-2 inch to 25 inch

CHECK VALVES=1 inch to 12 inch

GLOBE VALVES= 1 inch to 25 inch

BALL VALVES= 1 inch to 10 inch

GATE VALVES= 2inch to 25 inch

SAFETY VALVES=1/2 to 3 inch(angle and open)

Note : We also accept order as per our client requirement for various industrial valves

Features:

Easy installation

Compact size

Accurate design

Smooth finishing

Enhanced functionality

Flawless finish standards

Enhanced working life

Presided dimensions

Tough construction

Smooth performance

Durable

Longer life



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

HOSE PIPE



STAINLESS STEEL HOSE

SPECIFICATION

BS 6501 / ISO 10380

CONSTRUCTION

Hose Material : 304/ 304L / 316 / 316L / 321

Braid Material : Standard Braid Material is SS304, Other material on request like SS316.

Tube : Heavy wall innercore or corrosive service. Butt welded Annular Corrugations, close- pitch tubing.

Size Range : 6mm I.D. to 900mm I.D.

Temperature : 200°C to 800°C for AISI 321 & 316 - 200°C to 420°C for AISI 304 & 304L

This hose is suited for any application where working conditions demand one or a combination of any of the following : absolute leak proof, a high safety factor, extreme temperature, vibrations, high working pressure and corrosion resistance. Applicable for cryogenic and chemical transfer, vacuum, super-heated steam, coolant lines, fuel and oil burner lines, petroleum, refrigerants, gases, poisonous media and food stuff.

For static pipe work, the bend radius can be reduced considerably.

For extra high pressure, extra braid can be provided. Consult our Technical Department.

For pressure drop estimates of corrugated metal hose, consult our Technical Department.

The above pressure ratings are for fluid at ambient temp. of 30°C.



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company



NAGRAJ METAL INDUSTRIES

An ISO 9001:2015 Certified Company

Manufacturers and Exporters of:

Stainless Steel, Carbon Steel, Alloy Steel & High Nickel,
Ferrous & Non Ferrous Metal in shape of Sheet, Plate
Pipe, Tube, Round Bar, Pipe Fitting, Flanges, Fasteners,
Anchor Fasteners and Structural Products Etc.

H.O. : Jalaram Niwas, Plot No. 2, 1st Floor
Office No 01, 1st Kumharwada Lane
Mumbai - 400 004 . (INDIA)

Phone No. : +91 22 6651 8595

Contact Person :-

Mr. Rajesh B. Padhiyar

+91 70738 75529

+91 90791 56639

Email :-

sales@nagrajmetal.com

www.nagrajmetal.com