Secrets
ABAP
Apex
C
C++
CloudFormation
COBOL
C#
CSS
Flex
Go
HTML
Java
JavaScript
Kotlin
Kubernetes
Objective C
PHP
PL/I
PL/SQL
Python
RPG
Ruby
Scala
Swift
Terraform
Text
TypeScript
T-SQL
VB.NET
VB6
XML

XML static code analysis

Unique rules to find Bugs and Code Smells in your XML code

All rules **36**   🔒 Vulnerability ⑥   🐞 Bug ⑤   🛡 Security Hotspot ⑨   ☢ Code Smell ⑯

Tags ⌄   Search by name...

Track uses of "TODO" tags
☢ Code Smell

EJB interceptor exclusions should be declared as annotations
☢ Code Smell

Track uses of disallowed dependencies
☢ Code Smell

Newlines should follow each element
☢ Code Smell

XML parser failure
☢ Code Smell

Track breaches of an XPath rule
☢ Code Smell

Lines should not be too long
☢ Code Smell

pom elements should be in the recommended order
☢ Code Smell

Artifact ids should follow a naming convention
☢ Code Smell

Group ids should follow a naming convention
☢ Code Smell

"action" mappings should not have too many "forward" entries
☢ Code Smell

Source code should be indented consistently
☢ Code Smell

Tabulation characters should not be used
☢ Code Smell

Tabulation characters should not be used

Analyze your code

☢ Code Smell   ✅ Minor ⑦   🏷 convention

Developers should not need to configure the tab width of their text editors in order to be able to read source code.

So the use of the tabulation character must be banned.

Available In:

sonarlint   sonarcloud   sonarqube