



ABAP

Apex

С

C++

CloudFormation

COBOL

C#

CSS

Flex

Go

5 HTML

Java

JavaScript

Kotlin

Kubernetes

Objective C

PHP

PL/I

PL/SQL

Python

RPG

Ruby

Scala

Swift

Terraform

Text

TypeScript

T-SQL

VB.NET

VB6

XML



Go static code analysis

Unique rules to find Bugs, Security Hotspots, and Code Smells in your GO code

All rules (38)

R Bug (7)

Security Hotspot (2)

Code Smell (29)

Tags

Search by name...

Hard-coded credentials are securitysensitive

Security Hotspot

Cognitive Complexity of functions should not be too high

Code Smell

String literals should not be duplicated

Code Smell

Functions should not be empty

Code Smell

All branches in a conditional structure should not have exactly the same implementation

📆 Bug

"=+" should not be used instead of "+="

📆 Bug

Related "if/else if" statements should not have the same condition

📆 Bug

Identical expressions should not be used on both sides of a binary operator

📆 Bug

All code should be reachable

Rug Bug

Variables should not be self-assigned

📆 Bug

Functions should not have identical implementations

Code Smell

Two branches in a conditional structure should not have exactly the same implementation

Code Smell

"switch case" clauses should not have too many lines

Analyze your code

brain-overload

The switch statement should be used only to clearly define some new branches in the control flow. As soon as a case clause contains too many statements this highly decreases the readability of the overall control flow statement. In such case, the content of the case clause should be extracted into a dedicated method.

Noncompliant Code Example

With the default threshold of 5:

```
func foo(tag int) {
        switch tag {
        case 0:
                methodCall1()
                methodCall2()
                methodCall3()
                 methodCall4()
                 methodCall5()
                methodCall6()
        case 1:
                 bar()
        }
}
```

Compliant Solution

Available In:

sonarcloud 🔂 | sonarqube

```
func foo(tag int) {
        switch tag {
        case 0:
                 executeAll()
        case 1:
                 bar()
        }
}
func executeAll() {
        methodCall1()
        methodCall2()
        methodCall3()
        methodCall4()
        methodCall5()
        methodCall6()
}
```

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved. **Privacy Policy**

"switch" statements should not have too many "case" clauses
Code Smell
Track uses of "FIXME" tags
Redundant pairs of parentheses should be removed
☼ Code Smell
Nested blocks of code should not be left empty
Code Smell
Functions should not have too many parameters
Code Smell
Using hardcoded IP addresses is security-sensitive
Security Hotspot
Multi-line comments should not be empty
Code Smell
Boolean checks should not be inverted
☼ Code Smell
Local variable and function parameter names should comply with a naming convention
☼ Code Smell
Boolean literals should not be redundant
Code Smell