

- Secrets
- ABAP
- Apex
- C
- C++
- CloudFormation
- COBOL
- C#
- CSS
- Flex
- Go
- HTML
- Java
- JavaScript
- Kotlin
- Objective C
- PHP
- PL/I
- PL/SQL
- Python
- RPG
- Ruby
- Scala
- Swift
- Terraform
- Text
- TypeScript
- T-SQL
- VB.NET
- VB6
- XML



C# static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your C# code

All rules 409

Vulnerability 34

Bug 76

Security Hotspot 28

Code Smell 271

Quick Fix 52

Tags ▾

Search by name... 🔍

"protected" members

Code Smell

Underscores should be used to make large numbers readable

Code Smell

"ToString()" calls should not be redundant

Code Smell

"==" should not be used when "Equals" is overridden

Code Smell

An abstract class should have both abstract and concrete methods

Code Smell

Multiple variables should not be declared on the same line

Code Smell

Culture should be specified for "string" operations

Code Smell

"switch" statements should have at least 3 "case" clauses

Code Smell

break statements should not be used except for switch cases

Code Smell

String literals should not be duplicated

Code Smell

Files should contain an empty newline at the end

Code Smell

Unused "using" should be removed

Code Smell

Generics should be used when appropriate

Analyze your code

Code Smell Minor ?

When a reference parameter (keyword `ref`) is used, the passed argument type must exactly match the reference parameter type. This means that to be able to pass a derived type, it must be cast and assigned to a variable of the proper type. Use of generic methods eliminates that cumbersome down casting and should therefore be preferred.

This rule raises an issue when a method contains a `ref` parameter of type `System.Object`.

Noncompliant Code Example

```
using System;

namespace MyLibrary
{
    public class Foo
    {
        public void Bar(ref object o1, ref object o2) // Noncompliant
        {
        }
    }
}
```

Compliant Solution

```
using System;

namespace MyLibrary
{
    public class Foo
    {
        public void Bar<T>(ref T ref1, ref T ref2)
        {
        }
    }
}
```

Available In:

sonarlint | sonarcloud | sonarqube

A close curly brace should be located at the beginning of a line

 Code Smell

Tabulation characters should not be used

 Code Smell

Methods and properties should be named in PascalCase

 Code Smell

Track uses of in-source issue suppressions

 Code Smell