

- Secrets
- ABAP
- Apex
- C
- C++
- CloudFormation
- COBOL
- C#**
- CSS
- Flex
- Go
- HTML
- Java
- JavaScript
- Kotlin
- Objective C
- PHP
- PL/I
- PL/SQL
- Python
- RPG
- Ruby
- Scala
- Swift
- Terraform
- Text
- TypeScript
- T-SQL
- VB.NET
- VB6
- XML



## C# static code analysis

Unique rules to find Bugs, Vulnerabilities, Security Hotspots, and Code Smells in your C# code

All rules 409

Vulnerability 34

Bug 76

Security Hotspot 28

Code Smell 271

Quick Fix 52

Tags ▾

Search by name... 🔍

Code Smell

"static" fields should be initialized inline

Code Smell

Classes that provide "Equals(<T>)" should implement "IEquatable<T>"

Code Smell

Jump statements should not be redundant

Code Smell

Member initializer values should not be redundant

Code Smell

Unassigned members should be removed

Code Smell

Empty "case" clauses that fall through to the "default" should be omitted

Code Smell

Parameters with "[DefaultParameterValue]" attributes should also be marked "[Optional]"

Code Smell

Interfaces should not simply inherit from base interfaces with colliding members

Code Smell

Variables should not be checked against the values they're about to be assigned

Code Smell

Methods should not return constants

Code Smell

Attribute, EventArgs, and Exception type names should end with the type being extended

### Doubled prefix operators "!!" and "~~" should not be used

Analyze your code

Bug Major Quick Fix

Calling the ! or ~ prefix operator twice does nothing: the second invocation undoes the first. Such mistakes are typically caused by accidentally double-tapping the key in question without noticing.

Either this is a bug, if the operator was actually meant to be called once, or misleading if done on purpose.

#### Noncompliant Code Example

```
int v1 = 0;
bool v2 = false;

var v3 = !!v1; // Noncompliant
var v4 = ~~v2; // Noncompliant
```






#### Compliant Solution

```
int v1 = 0;
bool v2 = false;

var v3 = !v1;
var v4 = ~v2;
```

Available In:

sonarlint | sonarcloud | sonarqube

 Code Smell
<b>Loops should be simplified with "LINQ" expressions</b>  Code Smell
<b>Namespaces should not be empty</b>  Code Smell
<b>Non-derived "private" classes and records should be "sealed"</b>  Code Smell
<b>"string.IsNullOrEmpty" should be used</b>  Code Smell