
O Quick 52 Fix





Code Smell

Code Smell

methods Code Smell

Use a testable date/time provider.

Property names should not match get

Locales should be set for data types

```
Q
           Tags
                                        Search by name.
"abstract" classes should not have
                                             Analyze your code
"public" constructors
confusing
Since abstract classes can't be instantiated, there's no point in their having
public or internal constructors. If there is basic initialization logic that should
run when an extending class instance is created, you can by all means put it in a
constructor, but make that constructor private, private protected or
protected.
Noncompliant Code Example
  abstract class Base
  {
      public Base() // Noncompliant, should be private, privat
      {
        //...
Compliant Solution
 abstract class Base
      protected Base()
        //...
 Available In:
 sonarlint ⊕ | sonarcloud 🔂 | sonarqube
```

Security

Hotspot

Bug (76)

(28)

© 2008-2022 SonarSource S.A., Switzerland. All content is copyright protected. SONAR, SONARSOURCE, SONARLINT, SONARQUBE and SONARCLOUD are trademarks of SonarSource S.A. All other trademarks and copyrights are the property of their respective owners. All rights are expressly reserved. Privacy Policy

Literals should not be passed as localized parameters

Code Smell

Operators should be overloaded consistently

Code Smell

Method signatures should not contain nested generic types

Code Smell

Enumeration members should not be named "Reserved"